

INDEX

February 22, 2001

DOCUMENT NAME	DESCRIPTION
read1st_022201.pdf	Cover letter and certification
ATT_R_022201.pdf	Agreement
ATT_R1_022201.pdf	Agreement, Attachment 1
ATT_R2_022201.pdf	Agreement, Attachment 2
ATT_R2_EXA-F_022201.pdf	Agreement, Attachment 2, Exhibits A-F
ATT_R3_022201.pdf	Agreement, Attachment 3
ATT_R4_022201.pdf	Agreement, Attachment 4
ATT_R5_022201.pdf	Agreement, Attachment 5
ATT_R6_022201.pdf	Agreement, Attachment 6
ATT_R7_022201.pdf	Agreement, Attachment 7
ATT_R8_022201.pdf	Agreement, Attachment 8
ATT_R9_022201.pdf	Agreement, Attachment 9
ATT_R10_022201.pdf	Agreement, Attachment 10
ATT_R11_022201.pdf	Agreement, Attachment 11
ATT_R12_022201.pdf	Agreement, Attachment 12
ATT_R13_022201.pdf	Agreement, Attachment 13
ATT_R14_022201.pdf	Agreement, Attachment 14



Jim Lamoureux
Senior Attorney
Law and Government Affairs
Southern Region
jlamoureux@att.com

Promenade 1
1200 Peachtree Street N.E.
Atlanta, GA 30309
404 810 4196
FAX: 404 810 5901

February 22, 2001

Mr. Tom Dorman
Executive Director
Kentucky Public Service Commission
730 Schenkel Lane
Frankfort, Kentucky 40602

*Re: Petition by AT&T Communications of the South Central States, Inc. and TCG Ohio
for Arbitration of Certain Terms and conditions of a proposed Agreement with
BellSouth Telecommunications, Inc. Pursuant to 47 U.S.C. Section 252
Docket No. 2000-465*

Dear Mr. Dorman:

Enclosed please find the electronic copy of AT&T's Best and Final Offer and any Agreed Upon Portions of the Contract not already filed.

This electronic filing is a true representation of the original documents prepared in this case. Also attached is a document entitled "index.pdf," which lists all documents attached to this electronic filing. The original and one copy are being overnighted to the Commission, and copies are being served on all parties.

If you have questions, please call me. Thank you for your attention to this matter.

Respectfully Submitted,


Jim Lamoureux
Senior Attorney

cc: All parties of record

AGREEMENT

PREFACE

This Agreement, which shall become effective as of the ____ day of _____, _____, is entered into by and between AT&T Communications of the the South Central States, Inc., a Delaware corporation and TCG Ohio (individually and collectively "AT&T"), having an office at 1200 Peachtree Street, N.E., Atlanta, Georgia, 30309, and BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, having an office at 675 West Peachtree Street, Atlanta, Georgia 30375, on behalf of itself and its successors and assigns. **[The terms of this Agreement shall apply separately to AT&T of the South Central States, Inc. and TCG Ohio, unless expressly agreed to otherwise.] [AT&T'S Proposal]**

RECITALS

WHEREAS, The Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, the Act places certain duties and obligations upon, and grants certain rights to Telecommunications Carriers; and

WHEREAS, BellSouth is an Incumbent Local Exchange Carrier; and

WHEREAS, AT&T is a Telecommunications Carrier and has requested that BellSouth negotiate an Agreement pursuant to the Act,

NOW, THEREFORE, in consideration of the promises and the mutual covenants of this Agreement, AT&T and BellSouth hereby agree as follows:

DEFINITIONS and ACRONYMS

For purposes of this Agreement, certain terms have been defined in the body of the Agreement to encompass meanings that may differ from, or be in addition to, the normal connotation of the defined word. Unless the context clearly indicates otherwise, any term defined or used in the singular shall include the plural. The words "shall" and "will" are used interchangeably throughout this Agreement and the use of either connotes a mandatory requirement. The use of one or the other shall not mean a different degree of right or obligation for either Party. A defined word intended to convey its special meaning is capitalized when used. Other terms that

are capitalized, and not defined in this Agreement, shall have the meaning in the Act. For convenience of reference, Attachment 11 provides a list of acronyms used throughout this Agreement.

GENERAL TERMS AND CONDITIONS

1. **Provision of Local Service and Unbundled Network Elements**
- 1.1 This Agreement sets forth the terms, conditions and prices under which BellSouth agrees to provide: (a) telecommunications services that BellSouth currently provides, or may offer hereafter for resale; (b) interconnection of BellSouth's network to AT&T's network; (c) certain unbundled Network Elements ("Network Elements") and certain combinations of such unbundled Network Elements ("Combinations"); (d) access to poles, rights of way and conduits; and (e) collocation (resale, interconnection, Network Elements and Combinations, access to rights of way, poles and conduits, and collocation shall collectively be referred to as "Services and Elements"). BellSouth may fulfill the requirements imposed upon it by this Agreement by itself or, in the case of directory listings for white pages may cause BellSouth Advertising and Publishing Company ("BAPCO") to take such actions to fulfill BellSouth's responsibilities. This Agreement includes Attachments 1 – 14 and all accompanying Appendices and Exhibits. Unless otherwise provided in this Agreement, BellSouth will perform all of its obligations hereunder throughout its entire service area.
- 1.2 Subject to the requirements of this Agreement, AT&T may, at any time add, relocate or modify any Services and Elements purchased hereunder. Requests for additions or other changes shall be handled pursuant to the process provided in Attachment 10. Terminations of any Services or Elements shall be handled pursuant to Section 3 of the General Terms and Conditions of this Agreement.
- 1.3 BellSouth shall not discontinue Services and Elements provided hereunder without the prior written consent of AT&T. Such consent shall not be unreasonably withheld; provided, however, BellSouth may discontinue any telecommunications service available for resale as long as BellSouth provides AT&T prior written notice of intent to discontinue any such service. BellSouth further agrees to make any such service available to AT&T for resale to AT&T's end users who are

subscribers of such services from AT&T until the date BellSouth discontinues any such service for BellSouth's customers. BellSouth also agrees to adopt a reasonable, nondiscriminatory transition schedule for BellSouth or AT&T end users who may be purchasing any such service.

1.4 This Agreement may be amended from time to time as mutually agreed in writing between the Parties. The Parties agree that neither Party will take any action to proceed, nor shall either have any obligation to proceed on a requested change unless and until a modification to this Agreement is signed by authorized representatives of each Party.

2. **Term of Agreement**

2.1 When executed by authorized representatives of BellSouth and AT&T, this Agreement shall become effective as of the Effective Date stated above, and shall expire three (3) years from the Effective Date unless terminated in accordance with the provisions of Section 3.2 of the General Terms and Conditions.

2.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they may commence negotiations for a subsequent agreement ("Subsequent Agreement") with regard to the terms, conditions and obligations contained in this Agreement.

2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2, above, the Parties are unable to satisfactorily negotiate the Subsequent Agreement, either Party may petition the Commission to establish appropriate terms and conditions for those unresolved issues pursuant to 47 U.S.C. 252. If the Commission fails to issue an order setting new terms and conditions prior to the expiration of this Agreement, the terms of this agreement shall continue in effect, on a month-to-month basis, at the same terms, conditions and prices as those in effect at the end of the then-current term, until resolved by the Commission.

2.4 The Parties must have commenced good faith negotiations within the time period set forth in Sections 2.2 and 2.3 of the Terms and Conditions of this Agreement in order for the Agreement to continue on a month-to-month basis. If such good faith negotiations have not commenced, unless the Parties agree otherwise, the Parties agree to submit the issue of having this Agreement continued on a month-to-month basis to the appropriate Commission. If such a request is made

to the Commission, this Agreement will remain in effect on a month-to-month basis until the Commission has ruled.

3. Termination of Agreement; Transitional Support

3.1 AT&T may terminate any Services and Elements provided under this Agreement upon thirty (30) days written notice to BellSouth unless a different notice period or different conditions are specified for termination of such Services and Elements in this Agreement or pursuant to any applicable tariff, in which event such specific period or conditions shall apply, provided such period or condition is reasonable, nondiscriminatory and narrowly tailored. Where there is no such different notice period or different condition specified, AT&T's liability shall be limited to payment of the amounts due for any terminated Services and Elements provided up to and including the date of termination. Notwithstanding the foregoing, the provisions of Section 10, infra, shall still apply. Upon termination, BellSouth agrees to cooperate in an orderly and efficient transition to AT&T or another vendor such that the level and quality of the Services and Elements is not degraded and to exercise its best efforts to effect an orderly and efficient transition. AT&T agrees that it may not terminate the entire Agreement pursuant to this section.

3.2 If a Party is in breach of a material term or condition of this Agreement ("Defaulting Party"), the other Party shall provide written notice of such breach to the Defaulting Party. The Defaulting Party shall have ten (10) business days from receipt of notice to cure the breach. If the breach is not cured, the Parties shall follow the dispute resolution procedure set forth in Section 16 of the General Terms and Conditions of this Agreement

4. Good Faith Performance

4.1 In the performance of their obligations under this Agreement, the Parties shall act in good faith and consistently with the intent of the Act. Where notice, approval or similar action by a Party is permitted or required by any provision of this Agreement, (including, without limitation, the obligation of the Parties to further negotiate the resolution of new or open issues under this Agreement) such action shall not be unreasonably delayed, withheld or conditioned.

5. Option to Obtain Services and Elements and Combinations Under Other Agreements

5.1 BellSouth shall make available and AT&T may elect to adopt pursuant to 47 U.S.C. § 252 and the FCC rules and regulations regarding such

availability any interconnection, service, or network element provided under an agreement approved pursuant to 47 U.S.C. § 252. The adopted interconnection, service, or network element shall apply to the same states as such other agreement and for the identical term of such other agreement. AT&T may exercise this option by delivering written notice to BellSouth, which may include a proposed amendment to this Agreement to incorporate the prices, terms and conditions, in whole or in part found in the other agreement.

- 5.2 Any dispute between the Parties concerning any election or exercise of an option by AT&T under this Section 5 shall be resolved pursuant to the dispute resolution procedure set forth in Section 16 of the General Terms and Conditions of this Agreement.

6. Responsibility of Each Party

- 6.1 Each Party is an independent contractor, and has and hereby retains the right to exercise full control of and supervision over its own performance of its obligations under this Agreement and retains full control over the employment, direction, compensation and discharge of all employees assisting in the performance of such obligations. Each Party will be solely responsible for all matters relating to payment of such employees, including compliance with social security taxes, withholding taxes and all other regulations governing such matters. Each Party will be solely responsible for proper handling, storage, transport and disposal at its own expense of all (i) substances or materials that it or its contractors or agents bring to, create or assume control over at Work Locations or, (ii) Waste resulting therefrom or otherwise generated in connection with its or its contractors' or agents' activities at the Work Locations. Subject to the limitations on liability and except as otherwise provided in this Agreement, each Party shall be responsible for (i) its own acts and performance of all obligations imposed by Applicable Law in connection with its activities, legal status and property, real or personal and, (ii) the acts of its own affiliates, employees, agents and contractors during the performance of that Party's obligations hereunder.

7. Governmental Compliance

- 7.1 AT&T and BellSouth each shall comply at its own expense with all Applicable Law that relates to (i) its obligations under or activities in connection with this Agreement or (ii) its activities undertaken at, in connection with or relating to Work Locations. AT&T and BellSouth each agree to indemnify, defend (at the other Party's request) and save harmless the other, each of its officers, directors and employees

from and against any losses, damages, claims, demands, suits, liabilities, fines, penalties and expenses (including reasonable attorneys' fees) that arise out of or result from (i) its failure or the failure of its contractors or agents to so comply or (ii) any activity, duty or status of it or its contractors or agents that triggers any legal obligation to investigate or remediate environmental contamination. BellSouth, at its own expense, will be solely responsible for obtaining from governmental authorities, building owners, other carriers, and any other persons or entities, all rights and privileges (including, but not limited to, space and power), which are necessary for BellSouth to provide the Services and Elements pursuant to this Agreement. AT&T, at its own expense, will be solely responsible for obtaining from governmental authorities, building owners, other carriers, and any other persons or entities, all rights and privileges which are AT&T's obligation as a provider of telecommunications services to its end users pursuant to this Agreement.

8. Responsibility For Environmental Contamination

- 8.1 AT&T shall in no event be liable to BellSouth for any costs whatsoever resulting from the presence or Release of any Environmental Hazard or Hazardous Materials that AT&T did not introduce to the affected Work Location so long as AT&T's actions do not cause or substantially contribute to the release of any Environmental Hazard or Hazardous Materials. BellSouth shall indemnify, defend (at AT&T's request) and hold harmless AT&T, each of its officers, directors and employees from and against any losses, damages, claims, demands, suits, liabilities, fines, penalties and expenses (including reasonable attorneys' fees) that arise out of or result from (i) any Environmental Hazard or Hazardous Materials that BellSouth, its contractors or agents introduce to the Work Locations or (ii) the presence or Release of any Environmental Hazard or Hazardous Materials for which BellSouth is responsible under Applicable Law, to the extent the release of any Environmental Hazard or Hazardous Materials is not caused or substantially contributed to by AT&T's actions.
- 8.2 BellSouth shall in no event be liable to AT&T for any costs whatsoever resulting from the presence or Release of any Environmental Hazard or Hazardous Materials that BellSouth did not introduce to the affected Work Location, so long as BellSouth's actions do not cause or substantially contribute to the release of any Environmental Hazards or Hazardous Materials. AT&T shall indemnify, defend (at BellSouth's request) and hold harmless BellSouth, each of its officers, directors and employees from and against any losses, damages, claims, demands, suits, liabilities, fines, penalties and expenses (including

reasonable attorneys' fees) that arise out of or result from (i) any Environmental Hazard or Hazardous Materials that AT&T, its contractors or agents introduce to the Work Locations or (ii) the presence or Release of any Environmental Hazard or Hazardous Materials for which AT&T is responsible under Applicable Law, to the extent the release of any Environmental Hazard or Hazardous Materials is not caused or substantially contributed to by BellSouth's actions.

- 8.3 For purposes of this Section 8, the following terms shall have the following meaning:
- 8.3.1 "Environmental Hazard" means (1) a release, discharge, leak, spill or disposal (collectively referred to hereafter as "release") of HAZARDOUS MATERIALS has occurred on premises or property that is related to the performance of this Agreement and that such affected material or media is demonstrated through applicable or appropriate testing method to require remediation or removal as determined by all laws, ordinances, statutes, codes, rules, regulations, orders and decrees of the United States, the state, county, city or any other political subdivision in which the release has occurred, and any other political subdivision, agency or instrumentality exercising jurisdiction over the release, including any applicable federal and state case law and common law interpreting any of the foregoing; or (2) any event involving, or exposure to, HAZARDOUS MATERIALS which poses risks to human health, safety or the environment (including, without limitation, indoor or outdoor environment(s) and is regulated under any applicable laws or regulations as described in (1);
- 8.3.2 "Hazardous Materials" means any hazardous or toxic substance, material or waste listed in the United States Department of Transportation HAZARDOUS MATERIALS Table at 49 CFR 172.101; any hazardous substance listed by the Environmental Protection Agency ("EPA") under the Comprehensive Environmental, Response, Compensation, and Liability Act ("CERCLA"), 42 U.S.C. §§ 9601, et seq., as amended, and found at 40 CFR Part 302; any hazardous waste listed under the Resource Conservation and Recovery Act ("RCRA"), 42 U.S.C. §§ 6901, et seq., as amended, and found at 40 CFR Part 261; any toxic substance regulated by the Toxic Substances Control Act, 15 U.S.C. §§ 2601, et seq., as amended; any insecticide, fungicide, or rodenticide regulated by the Federal Insecticide, Fungicide, and Rodenticide Act, 7 U.S.C. §§ 136, et seq.; and the following specified substances or materials, that may or may not be regulated by the above: (1) asbestos or asbestos-containing

materials; (2) petroleum or petroleum-based or derived products or by-products; (3) polychlorinated biphenyls ("PCBs"); and (4) radon.

8.3.3 "Release" means any release, spill, emission, leaking, pumping, injection, deposit, disposal, discharge, dispersal, leaching, or migration, including without limitation, the movement of Environmental Hazards through or in the air, soil, surface water or groundwater, or any action or omission that causes Environmental Hazards to spread or become more toxic or more expensive to investigate or remediate.

8.3.4 "Waste" means all hazardous and non-hazardous substances and materials which are intended to be discarded, scrapped, or recycled, associated with activities AT&T or BellSouth or their respective contractors or agents perform at Work Locations. It shall be presumed that all substances or materials associated with such activities, that are not in use or incorporated into structures (including without limitation damaged components or tools, leftovers, containers, garbage, scrap, residues or byproducts), except for substances and materials that AT&T, BellSouth or their respective contractors or agents intend to use in their original form in connection with similar activities, are Waste. "Waste" shall not include substances, materials or components incorporated into structures (such as cable routes) even after such components or structure are no longer in current use.

9. **Regulatory Matters**

9.1 BellSouth shall be responsible for obtaining and keeping in effect all Federal Communications Commission, State Commissions, franchise authority and other regulatory approvals that may be required in connection with the performance of its obligations under this Agreement. AT&T shall be responsible for obtaining and keeping in effect all Federal Communications Commission, State Commission, franchise authority and other regulatory approvals that may be required in connection with its offering of services to AT&T end users contemplated by this Agreement. AT&T shall reasonably cooperate with BellSouth in obtaining and maintaining any required approvals for which BellSouth is responsible, and BellSouth shall reasonably cooperate with AT&T in obtaining and maintaining any required approvals for which AT&T is responsible.

9.2 In the event that BellSouth is required by any governmental authority to file a tariff or make another similar filing ("Filing") in order to implement this Agreement, BellSouth shall (i) consult with AT&T reasonably in advance of such Filing about the form and substance of such Filing, (ii) provide to AT&T its proposed tariff and obtain AT&T's

agreement on the form and substance of such Filing, and (iii) take all steps reasonably necessary to ensure that such Filing imposes obligations upon BellSouth that are no less favorable than those provided in this Agreement and preserves for AT&T the full benefit of the rights otherwise provided in this Agreement. In no event shall BellSouth file any tariff to implement this Agreement that purports to govern Services and Elements that is inconsistent with the rates and other terms and conditions set forth in this Agreement unless such rate or other terms and conditions are more favorable than those set forth in this Agreement.

- 9.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of AT&T or BellSouth to perform any material terms of this Agreement, AT&T or BellSouth may, on ninety (90) days' written notice (delivered not later than ninety (90) days following the date on which such action has become legally binding and has otherwise become final) require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the dispute shall follow the dispute resolution procedures set forth in Section 16 of the General Terms and Conditions of this Agreement.

10. Liability and Indemnity

- 10.1 Liabilities of BellSouth - Unless expressly stated otherwise in this Agreement, the financial liability of BellSouth to AT&T during any Contract Year resulting from any and all causes of action arising under this Agreement shall not exceed the amount due and owing by AT&T to BellSouth during the Contract Year in which such cause arises or accrues.
- 10.2 Liabilities of AT&T - Unless expressly stated otherwise in this Agreement, the financial liability of AT&T to BellSouth during any Contract Year resulting from any and all causes of action arising under this Agreement shall not exceed the amount due and owing by AT&T to BellSouth during the Contract Year in which such cause arises or accrues.
- 10.3 Each party shall, to the greatest extent permitted by Applicable Law, include in its local switched service tariff (if it files one in a particular State) or in any State where it does not file a local service tariff, in an appropriate contract with its end users that relates to the Services and Elements provided under this Agreement, a limitation of liability (i) that covers the other Party to the same extent the first Party covers itself and (ii) that limits the amount of damages a customer may recover to

the amount charged the applicable customer for the service that gave rise to such loss.

10.4

No Consequential Damages - NEITHER AT&T NOR BELLSOUTH SHALL BE LIABLE TO THE OTHER PARTY FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, OR SPECIAL DAMAGES SUFFERED BY SUCH OTHER PARTY (INCLUDING WITHOUT LIMITATION DAMAGES FOR HARM TO BUSINESS, LOST REVENUES, LOST SAVINGS, OR LOST PROFITS SUFFERED BY SUCH OTHER PARTIES), REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, WARRANTY, STRICT LIABILITY, OR TORT, INCLUDING WITHOUT LIMITATION NEGLIGENCE OF ANY KIND WHETHER ACTIVE OR PASSIVE, AND REGARDLESS OF WHETHER THE PARTIES KNEW OF THE POSSIBILITY THAT SUCH DAMAGES COULD RESULT. EACH PARTY HEREBY RELEASES THE OTHER PARTY AND SUCH OTHER PARTY'S SUBSIDIARIES AND AFFILIATES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES AND AGENTS FROM ANY SUCH CLAIM. NOTHING CONTAINED IN THIS SECTION 10 SHALL LIMIT BELLSOUTH'S OR AT&T'S LIABILITY TO THE OTHER FOR (i) WILLFUL OR INTENTIONAL MISCONDUCT (INCLUDING GROSS NEGLIGENCE); (ii) BODILY INJURY, DEATH OR DAMAGE TO TANGIBLE REAL OR TANGIBLE PERSONAL PROPERTY PROXIMATELY CAUSED BY BELLSOUTH'S OR AT&T'S NEGLIGENT ACT OR OMISSION OR THAT OF THEIR RESPECTIVE AGENTS, SUBCONTRACTORS OR EMPLOYEES, NOR SHALL ANYTHING CONTAINED IN THIS SECTION 10 LIMIT THE PARTIES' INDEMNIFICATION OBLIGATIONS AS SPECIFIED HEREIN. FOR PURPOSES OF THIS SECTION 10, BELLSOUTH'S FAILURE TO MEET PERFORMANCE STANDARDS OR MEASUREMENTS PURSUANT TO ATTACHMENT 9 OF THIS AGREEMENT, TO THE EXTENT APPLICABLE, SHALL NOT BE CONSIDERED TO BE INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, OR SPECIAL DAMAGES.

10.5

Obligation to Indemnify – Except as provided in Section 11 (Intellectual Property Rights and Indemnification), each Party shall, and hereby agrees to, defend at the other's request, indemnify and hold harmless the other Party and each of its officers, directors, employees and agents (each, an "Indemnitee") against and in respect of any loss, debt, liability, damage, obligation, claim, demand, judgment or settlement of any nature or kind, known or unknown, liquidated or unliquidated, including without limitation all reasonable costs and expenses incurred (legal, accounting or otherwise) (collectively, "Damages") arising out of, resulting from or based upon any pending

or threatened claim, action, proceeding or suit by any third Party (a "Claim") (i) alleging any breach of any representation, warranty or covenant made by such indemnifying Party (the "Indemnifying Party") in this Agreement, or (ii) based upon injuries or damage to any person or property or the environment arising out of or in connection with this Agreement that are the result of the Indemnifying Party's actions, breach of Applicable Law, or status of its employees, agents and subcontractors.

10.6

Obligation to Defend; Notice; Cooperation - Whenever a Claim shall arise for indemnification under this Section 10, the relevant Indemnatee, as appropriate, shall promptly notify the Indemnifying Party and request the Indemnifying Party to defend the same. Failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability that the Indemnifying Party might have, except to the extent that such failure prejudices the Indemnifying Party's ability to defend such Claim. The Indemnifying Party shall have the right to defend against such liability or assertion in which event the Indemnifying Party shall give written notice to the Indemnatee of acceptance of the defense of such Claim and the identity of counsel selected by the Indemnifying Party. Except as set forth below, such notice to the relevant Indemnatee shall give the Indemnifying Party full authority to defend, adjust, compromise or settle such Claim with respect to which such notice shall have been given, except to the extent that any compromise or settlement shall prejudice the Intellectual Property Rights of the relevant Indemnitees. The Indemnifying Party shall consult with the relevant Indemnatee prior to any compromise or settlement that would affect the Intellectual Property Rights or other rights of any Indemnatee, and the relevant Indemnatee shall have the right to refuse such compromise or settlement and, at the refusing Party's or refusing Parties' cost, to take over such defense, provided that in such event the Indemnifying Party shall not be responsible for, nor shall it be obligated to indemnify the relevant Indemnatee against, any cost or liability in excess of such refused compromise or settlement. With respect to any defense accepted by the Indemnifying Party, the relevant Indemnatee shall be entitled to participate with the Indemnifying Party in such defense if the Claim requests equitable relief or other relief that could affect the rights of the Indemnatee and also shall be entitled to employ separate counsel for such defense at such Indemnatee's expense. In the event the Indemnifying Party does not accept the defense of any indemnified Claim as provided above, the relevant Indemnatee shall have the right to employ counsel for such defense at the expense of the Indemnifying Party. Each Party agrees to cooperate and to cause its employees and agents to cooperate with the other Party in the defense of any

such Claim and the relevant records of each Party shall be available to the other Party with respect to any such defense.

11. **Intellectual Property Rights and Indemnification**

- 11.1 Use of Mark. Both Parties are strictly prohibited from any use, including but not limited to in sales and in marketing or advertising of telecommunications services of any name, trade name, service mark or trademark of the other Party.
- 11.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for limited licenses, to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any services solely as provided under this Agreement, no patent, copyright, trademark, trade name or other proprietary right is licensed, granted or otherwise transferred by this Agreement.
- 11.3 BellSouth and AT&T (if and to the extent BellSouth uses AT&T facilities or equipment, including software) warrants that each other may use any facilities or equipment, including software, provided hereunder that contains intellectual property owned or controlled by third parties without being subject to any claims of infringement by such third parties. Each Party further warrants that it will not enter into any licensing agreements with respect to any facilities or equipment, including software, that contain provisions that would disqualify the other Party from using or interconnecting with such facilities or equipment, including software, pursuant to the terms of this Agreement. Each Party further warrants that it has not and will not intentionally modify any existing license agreements for any network facilities or equipment, including software, in whole or in part for the purpose of disqualifying the other Party from using or interconnecting with such facilities or equipment, including software, pursuant to the terms of this Agreement. To the extent that providers of facilities or equipment, including software, in either Party's network provide indemnities covering intellectual property liabilities and those indemnities allow a flow-through of protection to third parties, the indemnified party shall flow those indemnity protections through to the other Party. Finally each Party shall indemnify the other pursuant to the terms of this Agreement, with respect to the other Party's use of intellectual property associated with any new network facilities or equipment, including software, acquisitions.

- 11.4 BellSouth Indemnification. BellSouth will defend AT&T against claims of infringement arising solely from the use by AT&T of Services and Elements and will indemnify AT&T for any damages awarded based solely on such claims in accordance with Section 11 of this Agreement.
- 11.4.1 For purposes of Section 11.4 of this Agreement, BellSouth's obligation to indemnify AT&T shall include the obligation to indemnify and hold AT&T harmless from and against any loss, cost, expense or liability arising out of a claim that AT&T's use, pursuant to the terms of this Agreement, of BellSouth's facilities, equipment or software infringes the intellectual property rights of a third party. Should any such facilities, equipment or software, or any portion thereof, provided by BellSouth hereunder become, or, in BellSouth's reasonable opinion, be likely to become the subject of a claim of infringement, or should BellSouth's use thereof be finally enjoined, then BellSouth shall, at its expense, after consultation with AT&T, (i) procure for AT&T the right to continue using such facilities, equipment or software or portion thereof; or (ii) replace or modify such facilities, equipment or software or portion thereof to make it non-infringing, provided, however, that such replacement or modification shall be functionally equivalent to the facilities, equipment or software or portion thereof that is replaced or modified.
- 11.5 AT&T Indemnification. AT&T (if and only to the extent AT&T provides BellSouth access to its facilities and equipment, including software) will defend BellSouth against claims of infringement arising solely from the use by BellSouth of AT&T facilities or equipment, including software, and to the extent BellSouth uses AT&T facilities or equipment, including software, and will indemnify BellSouth for any damages awarded based solely on such claims in accordance with Section 11 of this Agreement.
- 11.5.1 For purposes of Section 11.5 of this Agreement, AT&T's obligation to indemnify BellSouth shall include the obligation to indemnify and hold BellSouth harmless from and against any loss, cost, expense or liability arising out of a claim that BellSouth's use, pursuant to the terms of this Agreement, of AT&T facilities or equipment, including software, infringes the intellectual property rights of a third party. Should any such facilities or equipment, including software, or any portion thereof, provided by AT&T hereunder become, or, in AT&T's reasonable opinion, be likely to become the subject of a claim of infringement, or should AT&T's use thereof be finally enjoined, then AT&T shall, at its expense, after consultation with BellSouth, (i) procure for BellSouth the right to continue using such facilities,

equipment or software or portion thereof; or (ii) replace or modify such facilities, equipment or software or portion thereof to make it non-infringing, provided, however, that such replacement or modification shall be functionally equivalent to the facilities, equipment or software or portion thereof that is replaced or modified.

11.6 In the event that the provisions of Section 11.4.1 or Section 11.5.1 of this Agreement are unreasonable for the indemnifying party to perform, then the indemnified party shall have the right, in its sole discretion, to waive its indemnification rights under either Section 11.4 or Section 11.5 of this Agreement or to terminate the portion of the Agreement, upon thirty (30) days written notice, solely with respect to the facilities or equipment, including software, provided through the use of the infringing facilities or equipment, including software.

11.7 The Party providing access to its facilities or equipment, including software, will inform the other Party of any pending or threatened intellectual property claims of which it is aware and will provide to the other Party periodic and timely updates of such notification, as appropriate, so that the other Party receives maximum notice of any intellectual property risks that it may want to address.

11.8 In no event shall either Party be responsible for obtaining any license or right to use agreement associated with any facilities or equipment, including software, by either Party.

11.9 Exception to Obligations. Both Parties' obligations under this Section shall not apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

11.10 Exclusive Remedy. The foregoing shall constitute the sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

12. **Audits and Inspections**

- 12.1 For carrier billing purposes, the Parties have agreed pursuant to Section 12 of Attachment 6, to create a process for pre-bill certification. Until such time as that process is in place, the audit process provided in this Section 12 shall apply.
- 12.1.1 Subject to BellSouth's reasonable security requirements and except as may be otherwise specifically provided in this Agreement, AT&T may audit BellSouth's books, records and other documents once in each Contract Year for the purpose of evaluating the accuracy of BellSouth's billing and invoicing. AT&T may employ other persons or firms for this purpose. Such audit shall take place at a time and place agreed on by the Parties no later than thirty (30) days after notice thereof to BellSouth.
- 12.1.2 BellSouth shall promptly correct any billing error that is revealed in an audit, including making refund of any overpayment by AT&T in the form of a credit on the invoice for the first full billing cycle after the Parties have agreed upon the accuracy of the audit results. Any Disputes concerning audit results shall be resolved pursuant to the dispute resolution procedures described in Section 16 of the General Terms and Conditions of this Agreement.
- 12.1.3 BellSouth shall cooperate fully in any such audit, providing reasonable access to any and all appropriate BellSouth employees and books, records and other documents reasonably necessary to assess the accuracy of BellSouth's bills.
- 12.1.4 AT&T may audit BellSouth's books, records and documents more than once during any Contract Year if the previous audit found previously uncorrected net variances or errors in invoices in BellSouth's favor with an aggregate value of at least two percent (2%) of the amounts payable by AT&T for Services and Elements or Combinations provided during the period covered by the audit.
- 12.1.5 Audits shall be at AT&T's expense, subject to reimbursement by BellSouth in the event that an audit finds an adjustment in the charges or in any invoice paid or payable by AT&T hereunder by an amount that is, on an annualized basis, greater than two percent (2%) of the aggregate charges for the Services and Elements during the period covered by the audit.
- 12.1.6 Upon (i) the discovery by BellSouth of overcharges not previously reimbursed to AT&T or (ii) the resolution of disputed audits, BellSouth shall promptly reimburse AT&T the amount of any overpayment times the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days

from the date of overpayment to and including the date that payment is actually made. In no event, however, shall interest be assessed on any previously assessed or accrued late payment charges.

12.2 Subject to reasonable security requirements, either Party may audit the books, records and other documents of the other for the purpose of evaluating usage pertaining to transport and termination of local traffic. Where such usage data is being transmitted through CABS, the audit shall be conducted in accordance with CABS or other applicable requirements approved by the appropriate State Commission. If data is not being transferred via CABS, either Party may request an audit for such purpose once each Contract Year. Either Party may employ other persons or firms for this purpose. Any such audit shall take place no later than thirty (30) days after notice thereof to the other Party.

12.2.1 Either Party shall promptly correct any reported usage error that is revealed in an audit, including making payment of any underpayment after the Parties have agreed upon the accuracy of the audit results. Any Disputes concerning audit results shall be resolved pursuant to the dispute resolution procedures described in Section 16 of the General Terms and Conditions of this Agreement.

12.2.2 The Parties shall cooperate fully in any such audit, providing reasonable access to any and all appropriate employees and books, records and other documents reasonably necessary to assess the usage pertaining to transport and terminating of local traffic.

13. Performance Measurement

13.1 Performance Measurements, Enforcement Measurements and any applicable enforcement mechanisms shall be as set forth in Attachment 9, incorporated herein by this reference.

13.2 BellSouth shall provide telecommunications services pursuant to Attachment 1 to AT&T for resale that are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides these services to others, including end users.

13.3 BellSouth shall provide, for the facilities and equipment of AT&T, interconnection with BellSouth's network that is at a level of quality that is equal to that which BellSouth provides itself, a subsidiary, an affiliate, or any other third party.

13.4 To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element, provided to AT&T by BellSouth shall be at least equal in quality to that which BellSouth provides to itself.

14. Force Majeure

14.1 Neither Party shall be liable for any delay or failure in performance of any part of this Agreement caused by a Force Majeure condition, including acts of the United States of America or any state, territory or political subdivision thereof, acts of God or a public enemy, fires, floods, disputes, freight embargoes, strikes, labor disputes, earthquakes, volcanic actions, wars, civil disturbances, or other causes beyond the reasonable control of the Party claiming excusable delay or other failure to perform. Force Majeure shall not include acts of any Governmental Authority relating to environmental, health or safety conditions at Work Locations. If any Force Majeure condition occurs, the Party whose performance fails or is delayed because of such Force Majeure condition shall give prompt notice to the other Party, and upon cessation of such Force Majeure condition, shall give like notice and commence performance hereunder as promptly as reasonably practicable.

14.2 Notwithstanding Section 14.1 of this Agreement, no delay or other failure to perform shall be excused pursuant to this Section 14 by the acts or omission of a Party's subcontractors, material persons, suppliers or other third persons providing products or services to such Party unless: (i) there is a Force Majeure condition that affects the performance of said subcontractors, material persons, suppliers or other third persons, (ii) such acts or omissions do not relate to environmental, health or safety conditions at Work Locations and, (iii) unless such delay or failure and the consequences thereof are beyond the control and without the fault or negligence of the Party claiming excusable delay or other failure to perform. Notwithstanding the foregoing, this Section 14 shall not excuse failure or delays where either Party is required to implement Disaster Recovery plans to avoid such failures and delays in performance.

15. Certain Federal, State and Local Taxes

15.1 Definition. For purposes of this Section 15, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use

of public streets or rights of way, whether designated as franchise fees or otherwise) imposed on, or sought to be imposed, either of the Parties and measured by the charges or payments, for the services furnished hereunder, excluding any taxes levied on income.

- 15.2 Taxes And Fees Imposed Directly On Either Seller Or Purchaser
 - 15.2.1 Taxes and fees imposed on the providing Party, which are neither permitted nor required to be passed on by the providing Party to its Customer, shall be borne and paid by the providing Party.
 - 15.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 15.3 Taxes And Fees Imposed On Purchaser But Collected And Remitted By Seller
 - 15.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
 - 15.3.2 To the extent permitted by Applicable Law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable, to the extent permitted by Applicable law, for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
 - 15.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not lawfully due, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under Applicable Law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be lawfully due, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In the event that such contest must be pursued in the name of the providing Party, the providing Party shall permit the purchasing Party to pursue and control the contest in the name of providing Party and providing Party shall have the opportunity to participate fully in the preparation of such contest. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in

connection therewith, and all correspondence between the purchasing Party and the taxing authority.

- 15.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency or such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 15.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 15.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereof, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are reasonably and necessarily incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 15.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 15.4 Taxes And Fees Imposed On Seller But Passed On To Purchaser
- 15.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its Customer, shall be borne by the purchasing Party.
- 15.4.2 To the extent permitted by Applicable Law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, to the extent permitted by Section 15 with respect to the billing of services provided hereunder, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 15.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee and with respect to whether to contest the imposition of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain responsibility for determining whether and to what extent any such taxes or fees are applicable. The providing Party shall further retain responsibility for determining whether and how to contest the imposition of such taxes or fees, provided, however, the Parties agree to consult in good faith as to such contest and that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense. In the event that such contest must be pursued in the name of the providing Party, providing Party shall permit purchasing Party to pursue the contest in the name of the providing Party and the providing Party shall have the opportunity to participate fully in the preparation of such contest.
- 15.4.4 If, after consultation in accordance with the preceding Section 15.4.3, the purchasing Party does not agree with the providing Party's final determination as to the application or basis of a particular tax or fee, and if the providing Party, after receipt of a written request by the purchasing Party to contest the imposition of such tax or fee with the imposing authority, fails or refuses to pursue such contest or to allow such contest by the purchasing Party, the purchasing Party may utilize the dispute resolution process outlined in Section 16 of the General Terms and Conditions of this Agreement. Utilization of the dispute resolution process shall not relieve the purchasing party from liability for any tax or fee billed by the providing Party pursuant to this subsection during the pendency of such dispute resolution proceeding. In the event that the purchasing Party prevails in such dispute resolution proceeding, it shall be entitled to a refund in accordance with the final decision therein. Notwithstanding the foregoing, if at any time prior to a final decision in such dispute resolution proceeding the providing Party initiates a contest with the imposing authority with respect to any of the issues involved in such dispute resolution proceeding, the dispute resolution proceeding shall be dismissed as to such common issues and the final decision rendered in the contest with the imposing authority shall control as to such issues.
- 15.4.5 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee with the imposing authority, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery

- 15.4.6 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 15.4.7 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee which purchasing party elects to contest or which purchasing party provides written authorization for the providing party to undertake on behalf of the purchasing party.
- 15.4.8 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority, such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

15.5 Mutual Cooperation

- 15.5.1 In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest. Each Party agrees to indemnify and hold harmless the other Party from and against any losses, damages, claims, demands, suits, liabilities, and expenses, including reasonable attorney's fees, that arise out of its failure to perform its obligations under this section.

16. **Dispute Resolution Process**

- 16.1 **All disputes, claims or disagreements (collectively "Disputes") arising under or related to this Agreement or the breach hereof shall be resolved in accordance with the procedures set forth in Attachment 14 to this Agreement, except: (i) disputes arising pursuant to the billing provisions contract in Attachment 6; and (ii) disputes or matters for which the Act specifies a particular remedy or procedure. Disputes involving matters subject to the Connectivity Billing provisions contained in Attachment 6, shall**

be resolved in accordance with the Billing Disputes section of Attachment 6. In no event shall the Parties permit the pendency of a Dispute to disrupt service to any AT&T Customer contemplated by this Agreement. The foregoing notwithstanding, neither this Section nor Attachment 14 shall be construed to prevent either Party from seeking and obtaining temporary equitable remedies, including temporary restraining orders. A request by a Party to a court or a regulatory authority for interim measures or equitable relief shall not be deemed a waiver of the obligation to comply with Attachment 14. [AT&T's Proposal]

17. Notices

17.1 Any notices or other communications required or permitted to be given or delivered under this Agreement shall be in hard-copy writing (unless otherwise specifically provided herein) and shall be sufficiently given if delivered personally or delivered by prepaid overnight express service to the following (unless otherwise specifically required by this Agreement to be delivered to another representative or point of contact):

If to AT&T:

Bill Peacock
AT&T
1200 Peachtree St., N.E.
Atlanta, GA 30309

Chief Commercial Attorney
AT&T
Legal Department
1200 Peachtree St., N.E.
Atlanta, GA 30309

If to BellSouth:

Assistant Vice President
AT&T Account Team
Interconnection Services
Suite 410
1960 W. Exchange Place
Tucker, GA 30064

General Attorney-Commercial Unit
BellSouth
Legal Department
675 W. Peachtree St., Suite 4300

Atlanta, GA 30375

17.2 Either Party may unilaterally change its designated representative and/or address for the receipt of notices by giving seven (7) days prior written notice to the other Party in compliance with this Section. Any notice or other communication shall be deemed given when received.

18. Confidentiality and Proprietary Information

18.1 For the purposes of this Agreement, "Confidential Information" means confidential or proprietary technical or business Information given by one Party (the "Discloser") to the other Party (the "Recipient") and identified by the Discloser as Confidential Information in accordance with this Section. All information which is to be treated as Confidential Information under this Agreement shall:

18.1.1 if in written, graphic, electromagnetic, or other tangible form, be marked as "Confidential Information"; and

18.1.2 if oral, (i) be identified by the Discloser at the time of disclosure to be "Confidential Information", and (ii) be set forth in a written summary which identifies the information as "Confidential Information" and which is delivered by the Discloser to the Recipient within ten (10) days after the oral disclosure.

18.1.3 Each Party shall have the right to correct an inadvertent failure to identify information as Confidential Information by giving written notification within thirty (30) days after the information is disclosed. The Recipient shall, from that time forward, treat such information as Confidential Information.

18.2 In addition to any requirements imposed by 47 U.S.C. § 222, for a period of five (5) years from the receipt of Confidential Information from the Discloser, except as otherwise specified in this Agreement, the Recipient agrees (a) to use it only for the purpose of performing under this Agreement, (b) to hold it in confidence and disclose it to no one other than its employees having a need to know for the purpose of performing under this Agreement, and (c) to safeguard it from unauthorized use or disclosure with at least the same degree of care with which the Recipient safeguards its own Confidential Information. If the Recipient wishes to disclose the Discloser's Confidential Information to a third Party agent or consultant, the agent or consultant must have executed a written agreement of non-disclosure and non-use comparable in scope to the terms of this Section.

- 18.3 The Recipient may make copies of Confidential Information only as reasonably necessary to perform its obligations under this Agreement. All such copies shall bear the same copyright and proprietary rights notices as are contained on the original.
- 18.4 The Recipient agrees to return all Confidential Information in tangible form received from the Discloser, including any copies made by the Recipient, within thirty (30) days after a written request is delivered to the Recipient, or to destroy all such Confidential Information, except for Confidential Information that the Recipient reasonably requires to perform its obligations under this Agreement. If either Party loses or makes an unauthorized disclosure of the other Party's Confidential Information, it shall notify such other Party immediately and use reasonable efforts to retrieve the lost or wrongfully disclosed information.
- 18.5 The Recipient shall have no obligation to safeguard Confidential Information: (a) which was in the possession of the Recipient free of restriction prior to its receipt from the Discloser; (b) after it becomes publicly known or available through no breach of this Agreement by the Recipient; (c) after it is rightfully acquired by the Recipient free of restrictions on its disclosure; or (d) after it is independently developed by personnel of the Recipient to whom the Discloser's Confidential Information had not been previously disclosed. In addition, either Party shall have the right to disclose Confidential Information to any mediator, arbitrator, state or federal regulatory body, the Department of Justice or any court in the conduct of any mediation, arbitration or approval of this Agreement or in any proceedings concerning the provision of interLATA services by BellSouth that are or may be required by the Act. Additionally, the Recipient may disclose Confidential Information if so required by law, a court, or governmental agency, so long as the Discloser has been notified of the requirement promptly after the Recipient becomes aware of the requirement. In all cases, the Recipient must undertake all lawful measures to avoid disclosing such information until Discloser has had reasonable time to seek and comply with a protective order that covers the Confidential Information to be disclosed.
- 18.6 Each Party's obligations to safeguard Confidential Information disclosed prior to expiration or termination of this Agreement shall survive such expiration or termination.
- 18.7 Except as otherwise expressly provided elsewhere in this Agreement, no license is hereby granted under any patent, trademark, or

copyright, nor is any such license implied, solely by virtue of the disclosure of any Confidential Information.

18.8 Each Party agrees that the Discloser would be irreparably injured by a breach of this Agreement by the Recipient or its representatives and that the Discloser shall be entitled to seek equitable relief, including injunctive relief and specific performance, in the event of any breach of the provisions of this Agreement. Such remedies shall not be deemed to be the exclusive remedies for a breach of this Agreement, but shall be in addition to all other remedies available at law or in equity.

19. Branding

19.1 AT&T shall provide the exclusive interface to AT&T end users, except as AT&T shall otherwise specify. In those instances where AT&T requires BellSouth personnel or systems to interface with AT&T end users, such personnel shall identify themselves as representing AT&T, and shall not identify themselves as representing BellSouth. Except for material provided by AT&T, all forms, business cards or other business materials furnished by BellSouth to AT&T end users shall be subject to AT&T's prior review and approval. In no event shall BellSouth, acting on behalf of AT&T pursuant to this Agreement, provide information to AT&T local service Customers about BellSouth products or services. BellSouth agrees to provide in sufficient time for AT&T to review and provide comments, the methods and procedures, training and approaches, to be used by BellSouth to assure that BellSouth meets AT&T's branding requirement. For installation and repair services, AT&T agrees to provide BellSouth with branded material at no charge for use by BellSouth ("Leave Behind Material"). AT&T will reimburse BellSouth for the reasonable and demonstrable costs BellSouth would otherwise incur as a result of the use of the generic leave behind material. BellSouth will notify AT&T of material supply exhaust in sufficient time that material will always be available. BellSouth will not be liable for any error, mistake or omission, other than intentional acts or omissions or gross negligence, resulting from the requirements to distribute AT&T's Leave Behind Material.

20. Directory Listings Requirements

20.1 BellSouth shall make available to AT&T, for AT&T subscribers, non discriminatory access to its telephone number and address directory listings ("Directory Listings"), under the following terms and conditions. In no event shall AT&T subscribers receive Directory Listings that are at less favorable rates, terms or conditions than the rates, terms or conditions that BellSouth provides its subscribers.

- 20.1.1 BellSouth has delegated certain authority to its affiliate, BellSouth Advertising & Publishing Corporation ("BAPCO"), and has required BAPCO to carry out certain BellSouth obligations imposed by the Act regarding the publication of directories. AT&T and BAPCO have entered into an agreement, which is appended as Attachment 13 to this Agreement and incorporated herein by this reference, regarding BAPCO's treatment of AT&T's end users' directory listing information in directories published by BAPCO. BellSouth shall maintain the Directory Listings database, which includes AT&T's end users' directory listing information, used by BAPCO in publishing such directories in accordance with Section 20.2.1 below. Subject to execution of such agreement between AT&T and BAPCO, BAPCO shall publish directory listings as follows:
- 20.1.1.1 White Pages Basic Directory Listings. BellSouth shall publish in all BellSouth's white pages Directories at no charge to AT&T or any AT&T Customer one white pages basic Directory Listing for each AT&T Customer for all of such Customer's phone numbers located in the geographic region covered by any white pages Directory. Notwithstanding the foregoing, BellSouth shall not publish any white pages basic Directory Listing for any AT&T Customer whose Directory Listing has been identified as non-published. AT&T will be required to provide to BellSouth the names, addresses and telephone numbers of all AT&T end users that wish to be omitted from directories.
- 20.1.1.2 Enhanced White Pages Listings. Where BellSouth offers to publish, at no charge, in its white pages directory Enhanced White Pages Listings to its retail customers, BellSouth shall publish such listings, at no charge and under the same terms and conditions, for AT&T for its end users. Where BellSouth charges its retail customers for Enhanced White Pages Listings, BellSouth shall publish such listings under the same terms and conditions to AT&T for its Customers at the applicable wholesale discount set forth in Attachment 1.
- 20.1.1.3 Yellow Pages Basic Directory Listings. Where BellSouth offers to publish in its Yellow Pages Directory free Yellow Pages listings to its retail end users, BellSouth shall publish such listings, at no charge and under the same terms and conditions to AT&T for its end users. Where BellSouth charges business customers for Yellow Pages basic Directory Listings, BellSouth shall provide one Yellow Pages basic Directory Listing for each AT&T end user, who subscribes to business services, at BellSouth tariffed rates at the applicable wholesale discount set forth in Attachment 1. BellSouth shall not provide "lead" information on AT&T end users to its Yellow Pages directory publishing Affiliate without written permission from AT&T.

- 20.1.2 Treatment of Directory Listings. BellSouth shall treat all Directory Listings with the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to AT&T's end user proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings. Directory Listings of AT&T Customers shall be alphabetically commingled with the Directory Listings of all other telecommunications carriers, including BellSouth. All Directory Listings published by BellSouth will be as accurate and complete as BellSouth's own listings or those of its Affiliates.
- 20.1.3 Reserved Rights. AT&T reserves the right to withhold Directory Listing information from BellSouth if BellSouth charges AT&T a rate for inclusion of AT&T's unlisted numbers in the BellSouth directory databases exceeding the BellSouth retail tariffed charge for unlisted numbers.
- 20.2 Directory Listings Database
- 20.2.1 Maintenance. BellSouth shall maintain a Directory Listings database that shall include the directory listings of BellSouth, AT&T and any other carrier for whom BellSouth has agreed to publish Directory Listings. AT&T and BellSouth shall cooperate to ensure that Directory Listing information relating to AT&T end user is delivered to BellSouth and reflected in such database in a timely and accurate manner (and in no event in a manner that is less timely or accurate than the manner in which BellSouth's Directory Listings database is updated for information relating to BellSouth's end user). Data should be generated from the local service order process and other data feeds for facility-based carriers and should be subject to the same rigorous edits that are applied to BellSouth local service orders. BellSouth shall use all commercially reasonable efforts to maintain the Directory Listings database in good order. BellSouth shall advise AT&T as soon as possible, but in no event fewer than six (6) months in advance, of any changes in the maintenance of the Directory Listings database or any mechanisms or interfaces, whether industry standard or not, pursuant to which BellSouth will provide Directory Listings to AT&T.
- 20.2.2 Third Party Access to Directory Listings Database. AT&T authorizes BellSouth to provide Directory Listings of AT&T end user to third parties on terms and conditions that comport with the Communications Act and the relevant FCC rules and orders and on the same terms and conditions applicable to the release of Directory Listings of BellSouth end users to third parties. This data shall not be used for any other purpose than publishing a directory.

- 20.2.3 Co-operation. AT&T and BellSouth agree to co-operate in good faith to resolve any issue regarding a Directory Listing raised by an AT&T end user (e.g., publication of a nonpublished Directory Listing, etc.) Upon request by either party, AT&T and BellSouth will in good faith mutually develop a process for escalating and resolving such issues.

21. Insurance Requirements

- 21.1 At all times during the term of this Agreement, each Party shall maintain, at its own expense, all insurance required by applicable Law including insurance and approved self insurance for (i) statutory workers compensation coverage and (ii) commercial general liability coverage in the amount of not less than ten million dollars (\$10,000,000) or a combination of commercial general liability and excess/umbrella coverage totaling ten million dollars (\$10,000,000). Upon request from the other Party, each Party shall furnish the other Party with certificates of insurance which evidence the minimum levels of insurance set forth herein. Each Party shall give the other Party at least thirty (30) days advance written notice of any cancellation or non-renewal of insurance required by this Section.
- 21.2 If either Party's net worth exceeds five hundred million dollars (500,000,000), that Party may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 21.1. The Party electing to request self insurance status shall provide audited financial statements to the other Party ten (10) days after the effective date of this Agreement. The other Party shall then review such audited financial statements and respond in writing to the requesting Party in the event that self-insurance status is not granted. If self insurance status is granted, the requesting Party shall annually furnish to the other Party, and keep current, evidence of such net worth through audited financial statements.
- 21.3 The Party electing self insurance status shall provide the other Party with a certificate of self-insurance. The certificate shall certify that the Party has qualified as required by law, as a self-insurer within each state in which it does business and sets forth the occurrence based coverage under its program of self-insurance.
- 21.4 The ability to self-insure shall continue so long as the requesting Party meets all of the requirements of this Section. If the Party subsequently no longer satisfies this Section, the Party is required to purchase insurance as indicated by Section 21.1. If the requesting Party fails to purchase the insurance, then the other Party may obtain the insurance

for the requesting Party and charge the requesting Party for the expenses incurred.

- 21.5 The net worth requirements set forth in Section 21.2 may be increased from time to time during the term of this Agreement upon thirty (30) days notice to the requesting Party to at least such minimum limits as shall then be customary with respect to such insurance risks.

22. Costs

- 22.1 Except as otherwise specified in this Agreement, the Act, or any Commission order, each Party shall be responsible for all costs and expenses that it incurs to comply with its obligations under this Agreement.

23. Disaster Recovery

- 23.1 The Parties will negotiate within six (6) months of the Effective Date of this Agreement a Disaster Recovery Plan.

24. Miscellaneous

- 24.1 Delegation or Assignment

- 24.1.1 BellSouth may not assign any of its rights or delegate any of its obligations under this Agreement without the prior written consent of AT&T which will not be unreasonably withheld. Notwithstanding the foregoing, BellSouth may assign its rights and benefits and delegate its duties and obligations under this Agreement without the consent of AT&T to a 100 percent owned Affiliate company of BellSouth if such Affiliate provides wireline communications, provided that the performance of any such assignee is guaranteed by the assignor. Any prohibited assignment or delegations shall be null and void. In no event shall BellSouth require that this Agreement be assigned to an Affiliate to AT&T in order for such Affiliate to order Interconnection, Network Elements or services hereunder.

24.2 Subcontracting

- 24.2.1 If any Party's obligation under this Agreement is performed by a subcontractor or Affiliate, the Party subcontracting the obligation nevertheless shall remain fully responsible for the performance of this Agreement in accordance with its terms, and shall be solely responsible for payments due its subcontractors or Affiliate. In entering into any contract, subcontract or other agreement for the performance of any obligation under this Agreement, the Party shall

not enter into any agreement that it would not enter into if the supplier was performing services directly for said Party.

24.3 Nonexclusive Remedies

24.3.1 Except as otherwise expressly provided in this Agreement, each of the remedies provided under this Agreement is cumulative and is in addition to any remedies that may be available at law or in equity.

24.4 No Third-Party Beneficiaries

24.4.1 Except as may be specifically set forth in this Agreement, this Agreement does not provide and shall not be construed to provide third Parties with any remedy, claim, liability, reimbursement, cause of action, or other privilege.

24.5 Referenced Documents

24.5.1 Whenever any provision of this Agreement refers to a technical reference, technical publication, AT&T Practice, BellSouth Practice, any publication of telecommunications industry administrative or technical standards, or any other document specifically incorporated into this Agreement, it will be deemed to be a reference to the most recent version or edition (including any amendments, supplements, addenda, or successors) of such document that is in effect, and will include the most recent version or edition (including any amendments, supplements, addenda, or successors) of each document incorporated by reference in such a technical reference, technical publication, AT&T Practice, BellSouth Practice, or publication of industry standards (unless AT&T elects otherwise). Should there be an inconsistency between or among publications or standards, the Parties shall mutually agree upon which requirement shall apply. If the Parties cannot reach agreement, the matter shall be handled pursuant to Section 16 of the General Terms and Conditions of this Agreement.

24.6 Applicable Law

24.6.1 The validity of this Agreement, the construction and enforcement of its terms, and the interpretation of the rights and duties of the Parties shall be governed by the laws of the State of Georgia other than as to conflicts of laws, except insofar as federal law may control any aspect of this Agreement, in which case federal law shall govern such aspect. The Parties submit to personal jurisdiction in Atlanta, Georgia, and waive any objections to a Georgia venue.

24.7 Amendments or Waivers

24.7.1 Except as otherwise provided in this Agreement, no amendment or waiver of any provision of this Agreement, and no consent to any default under this Agreement, shall be effective unless the same is in writing and signed by an officer of the Party against whom such amendment, waiver or consent is claimed. In addition, no course of dealing or failure of a Party strictly to enforce any term, right or condition of this Agreement shall be construed as a waiver of such term, right or condition. By entering into this Agreement, neither Party waives any rights granted to them pursuant to the Act.

24.8 Severability

24.8.1 If any term, condition or provision of this Agreement is held to be invalid or unenforceable for any reason, such invalidity or unenforceability shall not invalidate the entire Agreement, unless such construction would be unreasonable. The Agreement shall be construed as if it did not contain the invalid or unenforceable provision or provisions, and the rights and obligations of each Party shall be construed and enforced accordingly; provided, however, that in the event such invalid or unenforceable provision or provisions are essential elements of this Agreement and substantially impair the rights or obligations of either Party, the Parties shall promptly negotiate a replacement provision or provisions.

24.9 Entire Agreement

24.9.1 This Agreement, which shall include the Attachments, Appendices and other documents referenced herein, constitutes the entire Agreement between the Parties concerning the subject matter hereof and supersedes any prior agreements, representations, statements, negotiations, understandings, proposals or undertakings, oral or written, with respect to the subject matter expressly set forth herein.

24.10 Survival of Obligations

24.10.1 Any liabilities or obligations of a Party for acts or omissions prior to the cancellation or termination of this Agreement, any obligation of a Party under the provisions regarding indemnification, Confidential Information, limitations on liability, and any other provisions of this Agreement which, by their terms, are contemplated to survive (or to be performed after) termination of this Agreement, shall survive cancellation or termination thereof.

24.11 Executed in Counterparts

24.11.1 This Agreement may be executed in any number of counterparts, each of which shall be deemed an original, but such counterparts shall together constitute one and the same instrument.

24.12 Headings of No Force or Effect

24.12.1 The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

24.13 Notice of Network Changes

24.13.1 BellSouth shall comply with the requirements of 47 C.F.R. § 51.325, et seq., regarding notice to AT&T of any network change that will affect AT&T's performance or ability to provide service or that will affect BellSouth's interoperability with AT&T. This section shall be construed in accordance with the obligations contained within 47 C.F.R. § 51.325, et seq.

24.14 Court Ordered Requests for Call Detail Records and Other Subscriber Information

24.14.1 To the extent technically feasible, BellSouth maintains call detail records for AT&T end users for limited time periods and can respond to subpoenas and court ordered requests for this information. BellSouth shall maintain such information for AT&T end users for the same length of time it maintains such information for its own end users.

24.14.2 AT&T agrees that BellSouth will respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to AT&T end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request.

24.14.3 Where BellSouth is providing to AT&T telecommunications services for resale or providing to AT&T the local switching function, then AT&T agrees that in those cases where AT&T receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to AT&T end users, if AT&T does not have the requested information, AT&T will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Where the request has been forwarded to BellSouth, billing for call detail

information will be generated by BellSouth and directed to the law enforcement agency initiating the request.

24.14.4 In all other instances, AT&T will provide AT&T end user and/or other customer information that is available to AT&T in response to subpoenas and court orders for their own end user records. When BellSouth receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to AT&T end users, BellSouth will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to AT&T.

24.15 **Filing of Agreement**

24.15.1 Upon execution of this Agreement, it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act.

24.16 **Other Proceedings**

24.16.1 Upon written request by AT&T, BellSouth agrees to negotiate rates, (if appropriate), terms and conditions to incorporate into this Agreement any obligation or commitment regarding interconnection, resale or access to Network Elements made by BellSouth to any state or federal regulatory authority or the U.S. Department of Justice ("Governmental Body") in connection with any merger or regulatory proceeding regarding BellSouth's obligations under the Act, including 47 U.S.C. § 271 thereunder. If the Parties cannot reach an agreement regarding the rates, terms and conditions, either Party may, within sixty (60) days after receipt of the request from AT&T, petition the state regulatory commission for resolution of the issue(s). The language to be negotiated and incorporated within this Agreement will be effective consistent with the effective date of the commitment or obligation made by BellSouth to the Governmental Body. AT&T's rights pursuant to this Section 24.16.1 shall be cumulative with, and not in lieu of or in limitation of, any other rights provided to AT&T under this Agreement.

25. **Reservation of Rights**

25.1 Execution of the Interconnection Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including

appeals of any such decision(s). If such appeals or challenges result in changes in the decision(s), the Parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with those changed decision(s).

25.2 This Agreement shall not, in whole or in any part, constitute or be cited as precedent or deemed an admission by any Party in any subsequent phases of the proceedings in this Docket or any other regulatory, arbitration or judicial proceeding(s) in this or in any other jurisdiction. This Agreement is solely the result of compromise in the settlement process. This Agreement is without prejudice to and shall not constitute a waiver of any position that either of the Parties may take with respect to any or all of the issues resolved herein.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

AT&T COMMUNICATIONS OF
THE SOUTH CENTRAL STATES, INC.
AND TCG OHIO

BELLSOUTH
TELECOMMUNICATIONS, INC.

By: _____
Gregory Terry
Vice President
Local Services and
Access Management

By: _____
Jerry D. Hendrix
Sr. Director
Wholesale Pricing Operations

Date: _____

Date: _____

ATTACHMENT 1

RESALE

TABLE OF CONTENTS

1	DISCOUNT RATES.....	3
2	DEFINITION OF TERMS	3
3	GENERAL PROVISIONS.....	3
4	BELLSOUTH'S PROVISION OF SERVICES TO AT&T.....	8
5	MAINTENANCE OF SERVICES	11
6	ANNOYANCE CALLS	12
7	LINE INFORMATION DATABASE ("LIDB")	12
8	RAO HOSTING	12
9	OPTIONAL DAILY USAGE FILE ("ODUF").....	12
10	ENHANCED OPTIONAL DAILY USAGE FILE ("EODUF")	12
	EXHIBIT A	15
	EXHIBIT B	18
	EXHIBIT C	20

RESALE

1. DISCOUNT RATES

- 1.1 The discount applied to AT&T's purchase of BellSouth Telecommunications services for purposes of resale shall be as set forth in Exhibit A, attached hereto and incorporated herein by this reference. The discount shall be applied to the retail rate for the telecommunications service purchased by AT&T. Such discount shall reflect the costs attributable to any marketing, billing, collection and other costs avoided by BellSouth as specified in the Act, by the FCC and the appropriate state public service commission.

2. DEFINITION OF TERMS

- 2.1 **COMPETITIVE LOCAL EXCHANGE COMPANY ("CLEC")** means a telephone company certificated by the public service commission to provide local exchange service.
- 2.2 **CUSTOMER OF RECORD** means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; and payment in full of charges incurred.
- 2.3 **DEPOSIT** means assurance provided by a Customer of Record in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 **END USER** means the ultimate user of the telecommunications services.
- 2.5 **NEW SERVICES** means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.6 **RESALE** means an activity wherein a CLEC, such as AT&T, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. GENERAL PROVISIONS

- 3.1 At the request of AT&T and pursuant to the requirements of the Act, AT&T may resell the telecommunications services of BellSouth that BellSouth provides at retail to subscribers who are not telecommunications carriers, subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and

incorporated herein by this reference. AT&T may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:

- 3.1.1 AT&T must resell services to other end users;
- 3.1.2 AT&T must order services through resale interfaces, i. e., the Local Carrier Service Center ("LCSC") and/or appropriate Resale Account Teams pursuant to Attachment 7 of this Agreement, incorporated herein by this reference; and
- 3.1.3 AT&T cannot be a CLEC for the single purpose of selling to itself.
- 3.2 The provision of services by BellSouth to AT&T does not constitute a joint undertaking for the furnishing of any service.
- 3.3 AT&T will be the Customer of Record for all telecommunications services purchased from BellSouth for the purpose of resale. Except as specified herein, BellSouth will take orders from, bill and expect payment from AT&T for said services.
- 3.4 AT&T will be BellSouth's single point of contact for all services purchased pursuant to this Attachment 1. BellSouth shall have no contact with the end user except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the end user for any services that the end user specifies it wishes to receive directly from BellSouth. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of AT&T.
- 3.6 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.7 Current telephone numbers may normally be retained by the end user. However, telephone numbers are the property of BellSouth and are assigned to the service furnished. AT&T has no property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, solely in accordance with BellSouth's practices and procedures and on a non-discriminatory basis.
- 3.8 For the purpose of the resale of BellSouth's telecommunications services by AT&T, BellSouth will provide AT&T with an on-line access to telephone

numbers pursuant to Attachment 5, Sections 1.2 and 1.3, incorporated herein by this reference.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.11 BellSouth accepts no responsibility to any person for any unlawful act committed by AT&T or its end users as part of providing service to AT&T for purposes of resale or otherwise.
- 3.12 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
 - 3.12.1 Interfere with or impair service over any facilities of BellSouth, its affiliates, or its connecting and concurring carriers involved in its service; or
 - 3.12.2 Impair the privacy of any communications.
- 3.13 If AT&T utilizes a BellSouth resold telecommunications service in a manner other than which the service was originally intended as described in BellSouth's retail tariffs, AT&T has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- 3.14 Facilities and/or equipment utilized by BellSouth to provide service to AT&T remain the property of BellSouth.
- 3.15 White page directory listings will be provided in accordance with Section 20 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 3.16 BellSouth provides electronic access to customer record information pursuant to Section 2 of Attachment 6, incorporated herein by this reference. Customer record information includes customer specific information in the Customer Record Information System ("CRIS") and the Regional Street Address Guide ("RSAG"). AT&T agrees not to view, copy, or otherwise obtain access to the customer record information of any end user without that end user's permission, and further agrees that AT&T will obtain access to customer record information only in strict compliance with all applicable state and federal laws, rules and regulations.

- 3.17 All costs incurred by BellSouth to develop and implement the electronic interfaces shall be recovered from CLECs who utilize the services, unless otherwise ordered by the Commission. Charges for the electronic interfaces developed and implemented to access Operational Support Systems functions ("OSS") for accessing customer record information and placing local service requirements for resale shall be as set forth in Exhibit A, attached hereto and incorporated herein by this reference.
- 3.18 Where available to BellSouth's end users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
- Simplified Message Desk Interface - Enhanced ("SMDI-E")
 - Simplified Message Desk Interface ("SMDI")
 - Message Waiting Indicator ("MWI") stutter dialtone and message waiting light feature capabilities
 - Call Forward on Busy/Don't Answer ("CF-B/DA")
 - Call Forward on Busy ("CF/B")
 - Call Forward Don't Answer ("CF/DA")
- 3.19 Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package, available on BellSouth's website, shall be made available for resale without the wholesale discount.
- 3.20 BellSouth's Inside Wire Maintenance Service Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.21 If AT&T requests a special assembly, AT&T agrees to pay the costs incurred by BellSouth for providing the requested special assembly. The costs will be provided to AT&T prior to providing the service. Such costs could include both recurring and non-recurring charges and shall exclude any costs attributable to any marketing, billing, collection or other costs that will be avoided by BellSouth in providing the service to AT&T.
- 3.22 Recovery of charges associated with implementing Number Portability shall be as set forth in Section 2.5 of Attachment 5, incorporated herein by this reference.

- 3.23 BellSouth agrees to notify AT&T electronically of any changes in the terms and conditions under which it offers telecommunications services to end users who are non-telecommunications carriers, including, but not limited to, the introduction or discontinuance of any features, functions, services or promotions, at least forty-five (45) days prior to the effective date of any such change, whichever is earlier. AT&T recognizes that certain revisions may occur between the time BellSouth notifies AT&T of a change pursuant to this Section and BellSouth's tariff filing of such change. BellSouth shall notify AT&T of such revisions consistent with BellSouth's internal notification process but AT&T accepts the consequences of such mid-stream changes as an uncertainty of doing business and, therefore, will not hold BellSouth responsible for any resulting inconvenience or cost incurred by AT&T unless caused by the intentional misconduct of BellSouth for the purposes of this Section. The notification given pursuant to this Section will not be used by either Party to market its offering of such changed services externally in advance of BellSouth filing of any such changes. Any change requiring modifications to BellSouth's electronic interface will be as set forth in Section 1.5 of Attachment 7, incorporated herein by this reference. The notification given pursuant to this section will not be used by either Party to market its offering of such changed services externally in advance of BellSouth filing of any such changes.
- 3.24 BellSouth shall provide 911/E911 for AT&T end users in the same manner that it is provided to BellSouth end users. BellSouth shall provide and validate AT&T end users information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its end users, the AT&T end users service information in the ALI/DMS data base (Automatic Location Identification/Database Management System) used to support 911/E911 services.
- 3.25 BellSouth and AT&T shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and AT&T shall permit similarly situated telephone exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.
- 3.26 Pursuant to 47 CFR Section 51.617, BellSouth will bill AT&T end user common line charges identical to the end user common line charges BellSouth bills its end users.
- 3.27 In general, BellSouth will not become involved in disputes between AT&T and AT&T's end user over resold services. If a dispute does arise that

cannot be settled without the involvement of BellSouth, AT&T shall contact the designated service center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with AT&T to resolve the matter in as timely a manner as possible. AT&T may be required to submit documentation to substantiate the claim.

4. BELLSOUTH'S PROVISION OF SERVICES TO AT&T

4.1 AT&T agrees that its resale of BellSouth services shall be as follows:

4.1.1 No terms and conditions, including use and user restrictions, shall be applicable to the resale of BellSouth's telecommunications services except for a restriction on the resale of cross-class selling and reasonable, nondiscriminatory and narrowly tailored terms, conditions and limitations in the underlying BellSouth tariffs.

4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital customers, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider ("IPP") customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.

4.1.3 BellSouth reserves the right to periodically audit services purchased by AT&T to establish compliance with the terms and conditions set forth above. Such audit shall not occur more than once in a calendar year. AT&T shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.

4.1.4 Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of BellSouth in the appropriate section of BellSouth's tariffs. Specific tariff features, (e.g., a usage allowance per month) shall not be aggregated across multiple resold services unless specifically provided for in BellSouth's retail tariffs.

4.1.5 Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature.

4.1.6 BellSouth will provide AT&T at least the capability to provide an AT&T end user the same experience as BellSouth provides its own end users with

respect to all resold services. The capability provided to AT&T by BellSouth shall be in accordance with standards or other measurements that are at least equal to the level that BellSouth provides or is required to provide by law or its own internal procedures.

4.2 **CLASS and Custom Features Requirements**

4.2.1 AT&T may purchase the entire set of CLASS and custom features and functions, or a subset of any one or any combination of such features, on an end user -specific basis, without restriction on the minimum or maximum number of lines and features that may be purchased for any one level of service to the extent such restrictions do not apply to BellSouth's retail end users.

4.3 **Voluntary Federal Customer Financial Assistance Programs**

4.3.1 Local telecommunications services provided to low-income subscribers, pursuant to requirements established by the appropriate state regulatory body, include programs such as Voluntary Federal Customer Financial Assistance Program and Link-Up America ("Voluntary Federal Customer Financial Assistance Programs"). When a BellSouth end user eligible for the Voluntary Federal Customer Financial Assistance Program, or other similar state programs, chooses to obtain local service from AT&T, BellSouth shall forward available information regarding such end user's eligibility to participate in such programs to AT&T, in electronic format in accordance with procedures to be mutually established by the Parties and applicable state and federal law.

4.4 **Hospitality Service**

4.4.1 BellSouth shall provide all blocking, screening, and all other applicable functions available for hospitality lines.

4.5 **Blocking Service**

4.5.1 BellSouth shall provide call blocking of 700, 900, and 976 services individually or in any combination upon request, including bill to third party and collect calls from AT&T on a line, trunk, or individual service basis at parity with what BellSouth provides its end users.

4.6 **Routing to Directory Assistance, Operator and Repair Services**

4.6.1 BellSouth shall make available to AT&T the ability to route calls utilizing the customized or compatible signaling protocol:

- 4.6.1.1 Local Directory Assistance calls (411, (NPA) 555-1212) dialed by AT&T end users directly to the AT&T directory assistance services platform;
- 4.6.1.2 Local operator services calls (0+, 0-) dialed by AT&T end users directly to the AT&T local operator services platform. Such traffic shall be routed over trunk groups between BellSouth end offices and the AT&T local operator services platform, using standard operator services dialing protocols of 0+ or 0-; and
- 4.6.1.3 Repair calls (e.g., 611) dialed by AT&T end users directly to the AT&T repair center.
- 4.6.2 All routing shall permit AT&T end users to dial the same telephone numbers for AT&T directory assistance, local operator service and repair that similarly situated BellSouth end users dial for reaching equivalent BellSouth services.
- 4.6.2.1 BellSouth branding is the default service level.
- 4.6.2.2 Unbranding, custom branding, and self-branding require AT&T to order customized routing for each originating BellSouth end office identified by AT&T. Rates for customized routing are set forth in Exhibit C of this Attachment, incorporated herein by this reference.
- 4.6.2.3 Custom branding and self-branding require AT&T to order dedicated trunking from each BellSouth end office identified by AT&T, to either the BellSouth Traffic Operator Position System ("TOPS") or AT&T operator service provider. Rates for trunks are set forth in applicable BellSouth tariffs, or Exhibit A of Attachment 2, incorporated herein by this reference.
- 4.6.2.4 Unbranding – Unbranded directory assistance and/or operator call processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by AT&T to the BellSouth TOPS. These calls are routed to "no announcement."
- 4.7 **Busy Line Verification and Emergency Line Interrupt**
- 4.7.1 Where BellSouth does not route operator services traffic to AT&T's platform, BellSouth shall perform BLV/ELI for AT&T on resold BellSouth lines. Where BellSouth routes operator services traffic to AT&T's platform, BellSouth shall provide BLV/ELI services when requested by AT&T operators.
- 4.8 **Directory Assistance and Operator Services**

- 4.8.1 Where BellSouth provides directory assistance service on behalf of AT&T, it shall be at the same level of directory assistance service available to BellSouth end users. If requested by AT&T, BellSouth will provide AT&T directory assistance service under the AT&T brand. Where not technically feasible, such calls will be unbranded.
- 4.8.2 Where BellSouth provides operator services on behalf of AT&T, it shall be at the same level of service available to BellSouth end users. BellSouth will provide service in accordance with all applicable state requirements for operator services.
- 4.8.3 Upon request, BellSouth agrees to provide AT&T operator services branded as an AT&T call. Where not technically feasible, such calls will be unbranded.
- 4.8.4 Additionally, BellSouth warrants that such service will provide the following minimum capabilities to AT&T end users:
 - 4.8.4.1 Instant credit on calls, as provided to BellSouth end users ; and
 - 4.8.4.2 Routing of calls to AT&T when requested via existing Operator Transfer Service ("OTS").

5. MAINTENANCE OF SERVICES

- 5.1 AT&T and BellSouth will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding between AT&T and BellSouth dated February 3, 1997, or as amended, incorporated herein by this reference, regarding maintenance and installation of service.
- 5.2 Services resold pursuant to this Attachment 1 shall be maintained by BellSouth.
- 5.3 AT&T or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- 5.4 BellSouth will bill AT&T for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail end users for the same services
- 5.5 BellSouth reserves the right to contact AT&T's end users on AT&T's behalf, if deemed necessary, for maintenance purposes.

- 5.6 BellSouth shall ensure that all BellSouth representatives who receive inquiries regarding AT&T services when providing services on behalf of AT&T: (i) refer such inquiries to AT&T at a telephone number provided by AT&T; (ii) provide AT&T supplied telephone numbers to callers who inquire about AT&T services or products; (iii) do not in any way disparage or discriminate against AT&T, or its products or services; and (iv) do not provide information about BellSouth products or services.

6. ANNOYANCE CALLS

- 6.1 BellSouth will continue to process calls made to the annoyance call center and will advise AT&T when it is determined that annoyance calls are originated from one of its end user's locations. BellSouth shall be indemnified, defended and held harmless by AT&T and/or the end user against any claim, loss or damage arising from providing this information to AT&T. It is the responsibility of AT&T to take the corrective action necessary with its end users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the end user's service pursuant to Attachment 6 of this Agreement, incorporated herein by this reference.

7. LINE INFORMATION DATABASE ("LIDB")

- 7.1 The Parties' agreement relating to LIDB storage is included in Exhibit A to Attachment 6 of this Agreement, incorporated herein by this reference.

8. RAO HOSTING

- 8.1 The Parties' agreement relating to RAO Hosting is included in Exhibit B to Attachment 6 of this Agreement, incorporated herein by this reference.

9. OPTIONAL DAILY USAGE FILE ("ODUF")

- 9.1 The Parties' agreement relating to ODUF is included in Exhibit C to Attachment 6 of this Agreement, incorporated herein by this reference.

10. ENHANCED OPTIONAL DAILY USAGE FILE ("EODUF")

- 10.1 The Parties' agreement relating to EODUF is included in Exhibit D of Attachment 6 of this Agreement, incorporated herein by this reference.

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by AT&T for the purposes of resale to AT&T end users shall be available at the following discount off of the retail rate. If AT&T cancels an order for telecommunications services for the purposes of resale, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with the applicable sections of the General Subscriber Services Tariff and the Private Line Service Tariff.

DISCOUNT*			
STATE	RESIDENCE	BUSINESS	CSAs***
ALABAMA	16.3%	16.3%	
FLORIDA	21.83%	16.81%	
GEORGIA	20.3%	17.3%	
KENTUCKY	16.79%	15.54%	
LOUISIANA	20.72%	20.72%	9.05%
MISSISSIPPI	15.75%	15.75%	
NORTH CAROLINA	21.5%	17.6%	
SOUTH CAROLINA	14.8%	14.8%	8.98%
TENNESSEE**	16%	16%	

- * When AT&T provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- ** In Tennessee, if AT&T provides its own operator services and directory services, the discount shall be 21.56%. AT&T must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- *** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

RATES FOR INTERFACE TO OPERATIONAL SUPPORT SYSTEMS

BellSouth has developed and made available the following mechanized systems by which AT&T may submit LSRs electronically.

- LENS Local Exchange Navigation System
- EDI Electronic Data Interface
- EDI-PC Electronic Data Interface – Personal Computer
- TAG Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an electronic interface ordering charge as specified in the Table below. Such charges will not be refunded if the order is canceled. An individual LSR will be identified for billing purposes by its Purchase Order Number ("PON"). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

INTERFACE RATES	<u>Electronic</u> Per LSR received from AT&T by one of the interactive electronic interfaces	<u>Manual</u> Per LSR received from AT&T by means other than one of the interactive electronic interfaces
Electronic Interface LSR Charge	\$3.50	\$19.99
USOC	SOMEK	SOMAN

Note: In addition to the electronic interface charges, applicable discounted service order and related discounted charges apply per the tariff.

DENIAL/RESTORAL ELECTRONIC INTERFACE CHARGE

In the event AT&T provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Note: Supplements or clarifications to a previously billed LSR will not incur another electronic interface charge.

**EXCLUSIONS AND LIMITATIONS
ON SERVICES AVAILABLE FOR RESALE**

	Type of Service	AL		FL		GA		KY		LA	
		Resale?	Discount?	Resale	Discount?	Resale	Discount?	Resale?	Discount?	Resale	Discount?
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - > 90 Days(Note 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
4	Promotions - < 90 Days (Note 3)	Yes	No	Yes	No	Yes	No	No	No	Yes	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Note 4	Yes	Yes
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
7	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
8	AdWatch SM Svc (See Note 5)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
13	Customer Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No

	Type of Service	MS		NC		SC		TN	
		Resale?	Discount?	Resale	Discount?	Resale	Discount?	Resale	Discount?
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - > 90 Days(Note 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 6
4	Promotions - < 90 Days (Note 3)	Yes	No	Yes	No	Yes	No	No	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	N11 Services	No	No	No	No	Yes	Yes	Yes	Yes
8	AdWatch SM Svc (See Note 5)	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
13	Customer Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No

Applicable Notes:

- 1 **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
- 2 (Georgia) CSAs are available for resale at the same terms and conditions offered to BellSouth's customers.
- 3 Where available for resale, promotions will be made available only to customers who would have qualified for the promotion had it been provided by BellSouth directly.
- 4 **Lifeline/Link Up** services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Kentucky, AT&T is responsible for funding its own Lifeline and Link Up benefit. In Tennessee, AT&T shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. AT&T must further discount the wholesale Message Rate Service to Lifeline customers with a discount which is no less than the minimum discount that BellSouth now provides. AT&T is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that AT&T may charge for Lifeline Service shall be capped at the flat retail rate offered by BellSouth.
- 5 AdWatchSM Service is tariffed as BellSouth[®] AIN Virtual Number Call Detail Service.
- 6 In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:
 - (a) the stated tariff rate, less the wholesale discount;
 - (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)

Customized routing, per unique line class code, per request, per switch	USOC	AL	FL	GA	KY	LA	MS
NRC	USRC			\$180.62			\$227.99
NRC – Incremental Charge – Manual Service Order			NA	\$18.94	NA	NA	\$25.52

Customized routing, per unique line class code, per request, per switch	USOC	NC	SC	TN
NRC	USRC	TBD		\$179.60
NRC – Incremental Charge – Manual Service Order		TBD		NA

ATTACHMENT 2

NETWORK ELEMENTS AND COMBINATIONS

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. NETWORK ELEMENTS AND COMBINATIONS	3
3. LOCAL LOOPS	9
4. NETWORK INTERFACE DEVICE (“NID”).....	33
5. SWITCHING CAPABILITIES.....	43
6. INTEROFFICE TRANSMISSION FACILITIES	56
7. SIGNALING NETWORKS AND CALL-RELATED DATABASES.....	60
8. DIRECTORY ASSISTANCE DATABASE SERVICE (“DADS”)	68
9. SERVICE MANAGEMENT SYSTEM.....	70
10. TRUNK INTERFACE REQUIREMENTS	72

EXHIBIT A, RATES

EXHIBIT B, COORDINATED HOT CUT PROCESS

EXHIBIT C, COORDINATED HOT CUT FLOWCHARTS

EXHIBIT D, CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

EXHIBIT E, WIRING CLOSET AND GARDEN TERMINAL DIAGRAM

NETWORK ELEMENTS AND COMBINATIONS

1 Introduction

1.1 This Attachment sets forth the Network Elements and Combinations that BellSouth agrees to offer to AT&T in accordance with its obligations under Section 251(c)(3) of the Act. The specific terms and conditions that apply to the Network Elements and Combinations are described below in this Attachment 2. The prices for the Network Elements and Combinations are set forth in Exhibit A of this Attachment 2.

1.2 BellSouth agrees to provide to AT&T access to and AT&T agrees to utilize Network Elements and Combinations in accordance with effective rules and regulations of the FCC or Commission. The Parties further agree that should such rules and regulations become vacated or stayed, that the Parties shall conform this Attachment 2 accordingly.

2 Network Elements and Combinations

2.1 Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the following Network Elements: local loops; network interface devices; subloops; switching capabilities; interoffice transmission facilities; operations support systems functions; signaling networks; access to call-related databases; and service management systems, as set forth in this Attachment 2. BellSouth shall offer operator services and directory assistance pursuant to the rates, terms and conditions contained within this Attachment.

2.2 BellSouth shall provide to AT&T for the provision of a telecommunications service, non-discriminatory access to Network Elements at any technically feasible point on terms and conditions that are just, reasonable, and non-discriminatory in accordance with the terms and conditions of the Agreement.

2.3 BellSouth will permit AT&T to interconnect AT&T's facilities or facilities provided to AT&T by an ILEC or by third parties with

each of BellSouth's Network Elements at any point designated by AT&T that is technically feasible. Any request by AT&T to interconnect at a point not previously established (i) in accordance with the terms of the Agreement or (ii) under any arrangement BellSouth may have with another telecommunications carrier, shall be subject to the process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

- 2.4 BellSouth will provide Network Elements and Combinations to AT&T via a standard interface that allows the Network Elements and Combinations to operate within the appropriate technical specification unless another technically feasible interface is agreed to by the Parties. AT&T, at its option, may designate other interfaces using the process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 2.5 AT&T may use one or more Network Elements and Combinations to provide to itself, its affiliates and to AT&T end users any feature, function, capability or service option that such Network Elements and Combinations are technically capable of providing or any feature, function, capability or service option that is described in the Telcordia and other industry standard technical references.
- 2.6 In addition to Combinations furnished by BellSouth to AT&T hereunder, BellSouth shall permit AT&T to combine any Network Element or Network Elements provided by BellSouth with another Network Element, other Network Elements or Access Services obtained from BellSouth or with compatible network components provided by AT&T or provided by third parties to AT&T to provide telecommunications services to AT&T, its affiliates and to AT&T end users.
- 2.7 Except upon request by AT&T, BellSouth shall not separate requested Network Elements that BellSouth currently combines.
- 2.7.1 **AT&T PROPOSAL**

Currently combined Network Elements are defined as elements that BellSouth ordinarily combines in its own network in the manner in which they are typically combined. AT&T may order Combinations of typically combined elements, even if the particular elements being ordered are not actually, physically connected at the time the order is placed. Combinations that

meet the definition of this section 2.7.1 are identified in Exhibit A of this Attachment.

- 2.8 For each Network Element, BellSouth shall provide a demarcation point (e.g., an interconnection point at a digital signal cross connect or light guide cross connect panel or a main distribution frame) and, if necessary, access to such demarcation point, which AT&T agrees is suitable. However, where BellSouth provides Combinations to AT&T, BellSouth may provide the existing interconnections and no demarcation point shall exist between the combined Network Elements.

2.9 **AT&T PROPOSAL**

BellSouth shall not charge AT&T an interconnection fee or demand other consideration for directly interconnecting any Network Element or Combination to any other Network Element or Combination provided by BellSouth to AT&T if BellSouth directly interconnects the same Network Elements or Combinations in providing any service to its own end users or a BellSouth affiliate, including the use of intermediary devices, such as a digital cross connect panel, to perform such interconnection.

- 2.10 Attachment 2 of this Agreement describes the Network Elements that AT&T and BellSouth have identified as of the Effective Date of this Agreement and are not exclusive. Either Party may identify additional or revised Network Elements as necessary to improve services to end users, to improve network or service efficiencies or to accommodate changing technologies, or end user demand. Upon BellSouth's offering of a new or revised Network Element, BellSouth shall notify AT&T of the existence of and the technical characteristics of the new or revised Network Element. Upon AT&T's identification of a new or revised Network Element, it shall make a request pursuant to Attachment 10 of this Agreement, incorporated herein by this reference.

2.11 **Replacement of Services with UNE(s).**

- 2.11.1 AT&T may not convert special access services to combinations of loop and transport network elements, whether or not AT&T self-provides its entrance facilities (or obtains entrance facilities from a third party), unless, AT&T uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent AT&T requests to convert any special access services to combinations of loop and transport network

elements at UNE prices, AT&T shall provide to BellSouth a written letter, pursuant to the notices requirement as set forth in section 17 of the General Terms and Conditions, certifying that AT&T is providing a significant amount of local exchange service (as described in this Section) over such combinations.

- 2.11.2 The certification letter shall indicate under what local usage option AT&T seeks to qualify for conversion of special access circuits. AT&T shall be automatically deemed to be providing a significant amount of local exchange service over such combinations if it certifies that they are meeting one of the following options:
- 2.11.3 AT&T certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at AT&T's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, AT&T is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. AT&T can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100% interstate access traffic; or
- 2.11.4 AT&T certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50% of the activated channels on the loop portion of the loop-transport combination have at least 5% local voice traffic individually, and the entire loop facility has at least 10% local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. The loop-transport combination must terminate at AT&T's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 2.11.5 The requesting carrier certifies that at least 50% of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50% of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33% local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. AT&T does not need to provide

a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

- 2.11.6 In addition, there may be extraordinary circumstances where AT&T is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 2.11.1. In such case, AT&T may petition the FCC for a waiver of the local usage options set forth herein.

2.12 AT&T PROPOSAL

If a waiver is granted, then AT&T may be able to immediately place such orders.

- 2.12.1 BellSouth may, at its sole expense, audit AT&T records in order to determine AT&T's compliance with the local usage options set forth above. All audits shall be conducted by a third party independent auditor, and AT&T and the FCC shall be given thirty (30) days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, AT&T shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that AT&T is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from AT&T.

2.13 AT&T PROPOSAL

The Parties further acknowledge that on a going forward basis, AT&T may purchase additional special access service under BellSouth's applicable tariffs and convert such special access circuits to EELs, pursuant to the terms of this Agreement and will not be subject to such circuits meeting local usage options as described in this section or subject to any termination provisions of any applicable tariffs.

- 2.13.1 When an existing special access service circuit employed by AT&T is converted to Network Elements and/or Combination, BellSouth shall not disconnect and re-connect the elements. When combinations of

loop and transport network elements include multiplexing, each of the individual DS1 circuits must meet the above criteria.

2.14

AT&T PROPOSAL

In recognition of the fact that AT&T's continued payments to BellSouth for use of Network Elements shall compensate BellSouth for its investment in the facilities originally used to provide services to AT&T, in the event that the termination of any service that is converted to Network Elements would otherwise affect AT&T's ability to satisfy any term or volume requirements applicable to existing services pursuant to tariff or contract, any lawful termination liabilities or other requirements shall be limited in the following ways:

For requirements based on the purchase by AT&T of specific aggregate volumes of services from BellSouth, the purchase price paid by AT&T to BellSouth for the Network Elements that replace any service shall be included in the calculation of AT&T purchases that apply toward such volume requirements.

For tariffs or contracts requiring minimum service terms for individual services ordered by AT&T, any lawful penalty for early termination shall be reduced by subtracting from the otherwise applicable lawful penalty an amount equal to (i) the otherwise applicable lawful penalty, multiplied by (ii) a fraction equal to (A) the recurring fixed or usage-based charges to be payable by AT&T for the Network Elements that replace the service following the conversion, divided by (B) the recurring fixed or usage-based charges that were payable by AT&T for the service being replaced prior to the conversion. For example, if the recurring monthly charges for a service prior to the conversion had been \$100, the recurring monthly charges for the Network Elements following the conversion will be \$60, and the otherwise applicable lawful termination penalty would be \$10, the termination penalty shall be reduced to \$4 [or $\$10 - \$10 (60/100)$].

2.15

Conversion of Service As Is

AT&T may request conversion of existing retail services to non-switched combinations of unbundled network elements by submitting an LSR or a conversion spreadsheet, provided by BellSouth, to the LCSC for record changes. For the conversion of retail services to switched combinations, AT&T may request such conversions on a single LSR for all services billed under the same Account Telephone Number or master billing account. BellSouth will project manage conversions of fifteen (15) or more lines.

2.16 AT&T PROPOSAL

AT&T may consolidate multiple end-user accounts to a single Account telephone Number into a single LSR.

2.17 Standards for Network Elements

2.17.1 BellSouth shall comply with the requirements set forth in the technical references, as well as any performance or other requirements identified in this Agreement, to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.

2.17.2 If one or more of the requirements set forth in this Agreement are in conflict, the parties shall mutually agree on which requirement shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in Section 16 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, shall apply.

2.17.3 The quality of the Network Elements as well as the quality of the access to said Network Elements that BellSouth provides to AT&T shall be, to the extent technically feasible, at least equal to that which BellSouth provides to itself. Detailed performance standards and measurements for Network Elements are set forth in Attachment 9 of this Agreement, incorporated herein by this reference.

2.17.4 Except as otherwise specified by law, BellSouth shall not impose any limitations, restrictions or requirements on requests for or use of Network Elements or Combinations that would impair the ability of AT&T to offer a telecommunications service in the manner AT&T intends, provided such use does not impede or impair the use of BellSouth's network by BellSouth or any other telecommunications carrier utilizing said network.

3 Local Loops

3.1 Definition

3.1.1 The local loop network element ("Loop(s)") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop Demarcation Point at an end user's premises, including inside wire owned by BellSouth. The local loop network element includes all features, functions, and capabilities of such transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services,

such as Digital Subscriber Line Access Multiplexers) and line conditioning.

- 3.1.2 The provisioning of service to AT&T will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment in Collocation Space. These cross-connects are not considered part of the loop. The purchase of such cross-connects shall be pursuant to Attachment 4, incorporated herein by this reference.
- 3.1.3 Line Conditioning. The rates for line conditioning shall be as set forth in Exhibit A of this Attachment 2 incorporated herein by this reference. BellSouth shall condition lines required to be unbundled wherever AT&T requests, whether or not BellSouth offers advanced services to the end user on that loop.
- 3.1.4 Line conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.
- 3.1.5 In so far as it is technically feasible, BellSouth shall test and report trouble for all the features, functions and capabilities of conditioned lines, and may not restrict testing to voice-transmission only.
- 3.1.6 As a chargeable option on all loops except unbundled copper loop ("UCL"), BellSouth will offer Order Coordination Time Specific ("OC-TS"). This will allow AT&T the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per appropriate local service request basis.
- 3.2 **BellSouth will offer unbundled voice-grade loops ("UVL") Service Level Two ("SL2").**
- 3.2.1 SL2 loops shall have test points, will be designed with a design layout record ("DLR") provided to AT&T, and will be provided with order coordination ("OC"). The OC feature will allow AT&T to coordinate the installation of the loop with the disconnect of an existing end user's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 3.2.2 AT&T will be responsible for isolating troubles on SL2 loops. Once AT&T has isolated a trouble to the BellSouth provided loop, AT&T will

issue a trouble report to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its end users.

- 3.2.3 If AT&T reports a trouble on SL2 loops and no trouble actually exists, BellSouth will charge AT&T for any dispatching and testing (outside the central office) required by BellSouth in order to confirm the loop's working status.
- 3.2.4 BellSouth will also offer unbundled digital loops ("UDL"). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a DLR.
- 3.2.5 AT&T will be responsible for isolating troubles on UDL. Once AT&T has isolated a trouble to the BellSouth provided loop, AT&T will issue a trouble report to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its end users.
- 3.2.6 If AT&T reports a trouble on a UDL and no trouble actually exists, BellSouth will charge AT&T for any dispatching and testing (outside the central office) required by BellSouth in order to confirm the loop's working status.
- 3.2.7 In addition to the UVLs and UDLs, BellSouth shall make available a UCL. The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, build-out capacitors, range extenders, digital loop carrier, or repeaters). The UCL will be offered in two versions - short and long. A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The long UCL (beyond 18kft) will be used when AT&T wants to condition copper loops longer than 18kft by removing load coils and other intervening equipment. BST will only ensure electrical continuity and balance to ground relative to tip and ring on UCLs.
- 3.2.8 The UCL will be a designed circuit, with or without conditioning, provisioned with a test point and come standard with a DLR. OC will be offered as a chargeable option on all UCL loops. OC-TS will not be offered on UCLs.
- 3.2.9 The UCL is a dry copper loop and is not intended to support any particular telecommunications service. AT&T may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of AT&T's

choosing. AT&T will determine the type of service that will be provided over the loop.

3.2.10 Because the UCL shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, AT&T agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that will apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance to ground relative to tip and ring on UCL.

3.2.11 The UCL shall be provided to AT&T in accordance with BellSouth's Technical Reference 73600.

3.3 Provisioning and Coordinated Cutovers

3.3.1 Section 3.3 contains the initial coordination procedures that the Parties agree to follow when AT&T orders and BellSouth provisions the conversion of active BellSouth retail end users to a service configuration by which AT&T will serve such end users by unbundled Loops and number portability (hereinafter referred to as "Hot Cuts"). Both Parties agree that these procedures may need to be refined or augmented if necessary as experience in ordering and provisioning Hot Cuts is gained, and they further agree to implement the improvement procedure provided in Section ---- below.

3.3.2 Except as otherwise agreed by the Parties, the time intervals for Hot Cuts shall be monitored and shall conform to the performance standards and consequences for failure to meet the specified standards as reflected in Attachment 9 of this Agreement, which is incorporated herein by this reference.

3.3.3 The following coordination procedures shall apply when BellSouth retail service is being converted to service to be provided by AT&T utilizing a SL2 local loop (as that term is defined in Section ----- below) provided by BellSouth to AT&T with SPNP or PNP (as these two acronyms are defined in Attachment 5, incorporated herein by this reference).

3.3.4 AT&T shall order Services and Elements as set forth in this Attachment 2 and BellSouth shall provide a Firm Order Confirmation ("FOC") (as that term and acronym are defined in Attachment 7, incorporated herein by this reference).

3.4 Ordering

- 3.4.1 AT&T shall request Hot Cuts from BellSouth by delivering to BellSouth a valid Local Service Request ("LSR") using BellSouth's ordering interfaces described in Attachment 7 to this Agreement, incorporated herein by this reference. AT&T may specify a Due Date or Frame Due Time, as defined below, at any time, including twenty-four (24) hours a day and seven (7) days a week. AT&T shall specify whether its service order is to be provisioned by BellSouth as either: (a) Order Coordination ("OC"); or (b) Order Coordination—Time Specific ("OC-TS"). OC shall mean the type of service order used by AT&T to request that BellSouth provision a Hot Cut on the particular calendar date as specified on the LSR and confirmed on the FOC as set forth in Section ----- below, at any time during that day, referred to in this Section as the "Due Date." OC-TS shall mean the type of service order used by AT&T to request that BellSouth provision a Hot Cut on the particular day returned on the FOC as set forth in Section ----- below and at the particular time specified on the FOC, referred to in this Section as the "Frame Due Time." AT&T shall pay the appropriate rate for either OC or OC-TS as set forth in Attachment 2. AT&T will be billed and will pay overtime for conversions requested and occurring outside of BellSouth's normal hours of operation as defined in Section ------ below.
- 3.4.2 Until such time as BellSouth's systems can deliver the requested frame due time on the FOC as set forth above, AT&T shall rely on the time requested on the LSR.
- 3.4.3 For purposes of this Section, BellSouth's normal hours of operation for personnel performing physical wire work are defined as follows:
- 3.4.3.1 Monday – Friday: 8:00 a.m. –5 :00 p.m. (Excluding Holidays) (Resale/UNE non-coordinated, coordinated orders and order coordination-time specific)
- 3.4.3.2 Saturday: 8:00 a.m. – 5:00 p.m. (Excluding Holidays) (Resale/UNE non-coordinated orders)
- 3.4.3.3 The above hours are defined as the time of day where the work is being performed.
- 3.4.3.4 Normal hours of operation for the various BellSouth centers supporting ordering, provisioning and maintenance are as set forth in Attachment 7 and incorporated herein by this reference. Normal hours of operation for the BellSouth centers providing AT&T support will be equal to the hours of operation that BellSouth provisions services to its affiliates, end users, and other CLECs.

- 3.4.3.5 It is understood and agreed that BellSouth technicians involved in provisioning service to AT&T may work shifts outside of BellSouth's regular working hours as defined in Section ----- above (e.g., the employee's shift ends at 7:00 p.m. during daylight savings time). To the extent that AT&T requests that work necessarily required in the provisioning of service to be performed outside BellSouth's normal hours of operation and that work is performed by a BellSouth technician during his or her scheduled shift such that BellSouth does not incur any additional costs in performing the work on behalf of AT&T, BellSouth will not assess AT&T additional charges beyond the rates and charges specified in this Agreement.
- 3.4.3.6 AT&T will not be assessed overtime charges where BellSouth elects to perform a coordinated hot cut outside of BellSouth's normal hours of operation. However, AT&T will pay overtime charges subject to the provisions of Section ----- above, where AT&T requests a time specific conversion which based on the completion intervals outlined in Section 3.8.3.6 requires BellSouth to complete the conversion outside of BellSouth's normal hours of operation. BellSouth normal hours of operation are defined in Section ----- above of this Attachment 2 as well as Attachment 7, incorporated herein by this reference.
- 3.4.3.7 Upon receipt of the LSR, BellSouth's Operational Support System (hereinafter "BellSouth's OSS") shall examine the service order to determine whether it contains all the information necessary for BellSouth to process the service order. BellSouth shall review the information provided on the LSR and identify and reject any errors contained in the information provided by AT&T for the current view of the LSR.
- 3.4.3.8 BellSouth shall provide AT&T real-time, electronic access to its LFACS system in the pre-ordering phase to allow AT&T (1) to access loop makeup in accordance with Attachment 2 incorporated herein by this reference and (2) to validate its connecting facility assignments (CFA) prior to the issuance of an LSR. Implementation of such shall be determined by the Change Control Process Guidelines outlined in Attachment 7, Exhibit A, incorporated herein by this reference. However, BellSouth commits that the CFA LFACS feature will be included in release 10.0 unless an alternative release delivery is mutually agreed to by both parties.
- 3.4.3.9 If BellSouth does not deliver CFA LFACS access as outlined in Section ----- above, BellSouth will waive OCTS charges for any time specific conversions where a post FOC CFA conflict occurs until such time as BellSouth provides CFA LFACS access as outlined in Section - ---- above. Upon facility assignment validation by AT&T and upon

receipt of AT&T's LSR, BellSouth may issue clarifications to FOCs (Post-FOC Clarification) if BellSouth determines that a connecting facility assignment ("CFA") assigned on an AT&T LSR is in conflict with BellSouth records.

- 3.4.3.10 Both parties agree that post FOC clarifications should not occur, provided AT&T checks the status of the CFA utilizing the real-time preorder LFACS access, as referenced in Section ----- above, prior to the issuance of an LSR, and BellSouth completes disconnect orders in a timely manner through updating its own CFA database and performing the required physical work. BellSouth and AT&T will investigate and address adverse trends of post FOC clarifications via the process improvement mechanism outlined in Section ----- below.
- 3.4.3.11 BellSouth and AT&T will work cooperatively to ensure data base integrity is achieved between AT&T and BellSouth CFA assignments. This cooperative effort will include at a minimum: (1) AT&T ensuring that its processes support data base integrity, e.g., timely issuance of disconnects, proper assigning of facilities pending on canceled LSRs, and use of information provided by BellSouth to allow AT&T to identify and synchronize such data base; and (2) BellSouth will ensure that it processes AT&T requests for cancellation of local service requests in a time frame that allows AT&T to accurately maintain its CFA records. Until such time BellSouth provides LFACS access to AT&T in accordance with Section ----- above, BellSouth agrees to continue processing disconnects to correct CFA data base discrepancies via a BellSouth provided spread sheet. Once access to LFACS is provided to AT&T, in accordance with Section -----above, AT&T agrees to submit individual LSRs to correct data base discrepancies and will discontinue using the spread sheet method unless the parties mutually agree otherwise.
- 3.4.3.12 BellSouth will provide AT&T with data base information via the BellSouth Interconnection Services website at weekly intervals and BellSouth and AT&T will work jointly to identify and resolve any discrepancies between BellSouth and AT&T databases containing the CFA assignments.
- 3.4.4 Firm Order Commitment ("FOC")
 - 3.4.4.1 Pursuant to Section ----- above, for purposes of this Section, a "Firm Order Commitment" or "FOC" is a notification from BellSouth to AT&T that a service order is valid and error free and that BellSouth has committed to provision the service order on the date specified on the LSR and confirmed on the FOC and or on the date and time specified on the LSR and confirmed on the FOC for time specific conversions.

BellSouth's committed due date is the date BellSouth strives to deliver service but is not a guaranteed date and may be altered due to facility or manpower shortages and acts of God.

- 3.4.4.2 For the initial LSR, BellSouth should not provide AT&T with either a request for clarification or a reject message after BellSouth provides AT&T a FOC, except as outlined in Section ----- above. Supplemental LSRs must be submitted via the method utilized to submit the original LSR e.g. mechanized or manual unless conditions warrant otherwise and mutually agreed to by both parties.
- 3.4.4.3 BellSouth's measurement of FOC/reject performance as stated in Section ----- above will be set forth in Attachment 9, incorporated herein by this reference.

3.5 Provisioning

- 3.5.1 Either party shall notify the other as soon as it becomes aware of any jeopardy condition which may arise that would jeopardize BellSouth's committed due date or OC-TS, as applicable, of providing service to AT&T.
 - 3.5.1.1 Upon receipt of the FOC pursuant to Section -----, AT&T shall notify the customer of the Due Date and or Due Time (OC-TS order). Either party shall notify the other party immediately if either party becomes unable to make the Hot Cut at the Due Time and / or on the Due Date specified. New scheduled due dates and times shall be within BellSouth's normal hours of operations unless mutually agreed to by both parties.
 - 3.5.1.2 Excluding facility shortages acts of God or unforeseen force shortages, if BellSouth changes the date of a conversion from the date returned on the FOC, the new due date will be no greater than 3 business days from the original requested date.
 - 3.5.1.3 In the event BellSouth does not complete a conversion on the date returned on the FOC or does not complete a time specific conversion as requested due solely to BellSouth reasons, the following circumstances shall occur: (a) BellSouth shall document the order as a Missed Appointment pursuant to the appropriate service quality measurement outlined in Attachment 9 and incorporated herein by this reference and (b) AT&T will not re-negotiate nor consider a change in due date and or due time as a re-negotiation; and (c) AT&T will advise BellSouth to proceed as necessary to complete the cut; and BellSouth will not bill OCTS charges and AT&T will not be required to pay for OCTS where a missed appointment of OCTS has occurred as

provided for in the service quality measurements of attachment 9 and incorporated herein by this reference.

- 3.5.1.4 Conversions that cannot be completed as requested on the LSR and confirmed on the FOC, solely to AT&T or AT&T's end user reasons will be submitted to BellSouth as a Supplemental Order. Supplemental Orders must be submitted via the method utilized to submit the original LSR, e.g., mechanized or manual unless conditions warrant otherwise and mutually agreed to by both parties.
- 3.5.2 Upon receipt of the FOC, AT&T and BellSouth agree to follow the procedures for porting numbers as outlined in Attachment 5, incorporated herein by this reference.
 - 3.5.2.1 In the event that BellSouth discovers, during the provisioning process, a conflict between BellSouth's database and its physical facilities, indicating a lack of BellSouth facilities, BellSouth shall issue a Pending Facilities ("PF") status by sending an electronic notice to AT&T, if the request was submitted electronically, or in the case of a manually submitted LSR, such notice will be provided via the PF report accessible via the Internet.
 - 3.5.2.1.1 Pending Facilities Order ("PF") status occurs when a due date may be in jeopardy due to facility delay and may become a Missed Appointment due to BellSouth reasons.
 - 3.5.2.1.2 In the event that BellSouth cannot meet its committed Due Date and/or Due Time because of a PF condition due to a BellSouth facility shortage, the following shall occur: (a) BellSouth will notify AT&T as soon as the order is placed in PF status in accordance with Section ---- above; and (b) BellSouth shall document the order as a Missed Appointment ("MA") within BellSouth's internal systems, provided BellSouth is unable to complete the work on the date returned on the FOC; and (c) BellSouth will provide AT&T estimated service date ("ESD") information at intervals that BellSouth provides such information to itself, its own end users, its affiliates or any other CLEC. BellSouth targets to provide ESD information within 5 business days from the date the PF condition occurs.
 - 3.5.2.2 AT&T shall provide BellSouth with a toll free number as stated in the Implementation Contact Telephone Number ("ImpCon") Field on the LSR that BellSouth shall commit to call and use for all notification to AT&T. In addition, an AT&T representative will answer and will respond within 5 minutes. Response as used in this section shall mean that the AT&T agent is ready to receive and record information provided by BellSouth.

- 3.5.2.3 In the event BellSouth does not find dial tone on the AT&T side when testing prior to the conversion date and time, and detects no trouble on the BellSouth side, BellSouth shall immediately notify AT&T. AT&T shall perform the appropriate internal tests and, if necessary, will dispatch a technician to its collocation site at the BellSouth Central Office. If the AT&T technician finds no trouble on the AT&T side when testing, AT&T will notify BellSouth. Both Parties will work cooperatively, to isolate and clear the trouble and arrange, if necessary, a joint meeting of a BellSouth technician and an AT&T technician at the last point of BellSouth's responsibility at the collocation site. Both Parties' technicians will meet at the collocation site to work cooperatively by jointly isolating the trouble, and repairing it. If either Party believes the trouble is not being resolved properly, either Party may escalate the matter for immediate resolution. BellSouth will continue to process the Service Order without requiring a supplemental order assuming that AT&T will correct the problem prior to the cut date and time. If the problem is determined to be a BellSouth problem and the cut time has passed, BellSouth will waive non-recurring OC-TS charges pursuant to Section ----- above, and the Parties shall establish, by mutual consent, a new due time and or due date to be met through expedited processing.
- 3.5.2.4 Troubles referred to AT&T as referenced in Section ----- above will be repaired by the AT&T technician, if necessary. Unless AT&T notifies BellSouth that the "No Dial tone" issue has not been resolved, BellSouth shall continue to process the Service Order without requiring a supplemental order. AT&T agrees that BellSouth may rely on the lack of such notification to mean that AT&T believes it can resolve the "No Dial tone" issue prior to Due Date or Due Time. AT&T shall not be required to call BellSouth to communicate that the "No Dial Tone" issue has been resolved. If at the time of the cut, AT&T dial tone is not detected on the BellSouth collocation pair and AT&T and BellSouth agree that the problem is due to AT&T and cannot be resolved within 15 minutes, AT&T will be required to supplement the order, which will be submitted via the method utilized to submit the original LSR, and request a new due date and time. If AT&T is unable to correct the repair within 15 minutes, AT&T may request that BellSouth technicians standby until the condition is corrected by paying standby rates as provided for in FCC Tariff #1. If either Party believes that the process set forth herein is not satisfactorily implemented, the process improvement plan as described in Section -----below will be applied.
- 3.5.3 AT&T will ensure that dial tone is delivered to the BellSouth collocation pair 48 hours prior to due date.

- 3.5.3.1 For OC-TS or OC conversions, BellSouth will verify the cut-over time designated by AT&T for OCTS or verify the due date for OC conversions 24-48 hours in advance via telephone to ensure that the conversion is to be completed as ordered. In addition, BellSouth shall provide the following information at the time of this call: dial tone and the ANI test results, Due Date, frame due time if the order is an OC-TS order, the number of lines and the cable and pair assignment. This telephone call at [24-48] notifying AT&T with the above information stated in this Section, will be known as the "Concurrence Call." This verified information must be the same Due Date or OC-TS as sent back on the FOC unless the Parties jointly agree on or before this concurrence call on a new due date or OC-TS. Both parties will ensure OC-TS as identified in this section will commence within 15 minutes of the agreed time. BellSouth agrees to make the concurrence call at the same time or after the dial tone and ANAC test has been completed. In the unlikely event BellSouth does not complete the dial tone and ANAC test 24 hours prior to the due date, BellSouth will either confirm that the conversion will take place at the scheduled conversion time or advise AT&T that it will not. If BellSouth advises AT&T that it will not meet the scheduled conversion date or time, BellSouth will document a missed due date or missed time specific conversion in accordance with Section ----- above.
- 3.5.3.2 BellSouth will advise AT&T, via jeopardy notice, as soon as BellSouth becomes aware of a jeopardy condition which would delay the delivery of service to AT&T as outlined in BellSouth's FOC or time of conversion as mutually agreed to or as ordered by AT&T.
- 3.5.3.3 Upon the issuance and receipt of a jeopardy notice, the Parties agree to follow mutually agreed upon business rules established for resolving various types of jeopardy conditions.
- 3.5.4 Due Date Activities
- 3.5.4.1 The Unbundled Network Element Center ("UNEC") will call AT&T to ensure AT&T's readiness to complete the conversion as scheduled.
- 3.5.4.2 The UNEC will coordinate with all internal groups within BellSouth to start the conversion at the scheduled conversion time. Once notified, the central office technician will verify AT&T dial tone at the tied in jumper at the BellSouth cable pair and will perform an ANAC verification of the line at the BellSouth cable pair. If dial tone is verified and the line is verified to the correct number, the BellSouth central office technician will monitor the line and when idle, will remove the BellSouth jumper and terminate at the BellSouth main distribution frame ("MDF") the tied in jumper to the AT&T collocation point. The

BellSouth CO technician will then perform an ANAC verification of the line to verify AT&T dial tone and ensure the correct number is delivered to the BellSouth cable pair.

3.5.5 Activities After Hot Cut

3.5.5.1 The UNEC will then advise AT&T via telephone call for all coordinated conversions that the cut is complete, pursuant to Section ----- above, and allow AT&T to accept or reject the service. BellSouth shall work cooperatively with AT&T to correct any problems associated with the conversion of the service which might result in AT&T's rejection of the service.

3.5.5.2 If BellSouth fails to contact AT&T after the hot cut and in accordance with the Cut Complete Call stated in Sections ----- and ----- above (number stated in the "ImpCon" Field of the AT&T LSR) BellSouth shall document the order as a "Missed Appointment" within BellSouth's internal systems pursuant to Section ----- above.

3.5.5.3 BellSouth will hold open the conversion orders within the following time frames after the call specified in Section ----- above has been made:

3.5.5.3.1 If the call is received by AT&T prior to 5:00 p.m. on the conversion day, BellSouth will hold the order open until 6:00 p.m.;

3.5.5.3.2 If AT&T requests the order be held open for a longer time, BellSouth will hold the requested order open until 12:00 noon the following business day;

3.5.5.3.3 If the call is received by AT&T after 5:00 p.m. on the conversion day, BellSouth will hold the order open until 12:00 noon the following business day unless otherwise agreed to by the parties;

3.5.5.3.4 If BellSouth does not receive verbal acceptance by AT&T pursuant to the above conditions, BellSouth will deem the conversion accepted by AT&T.

3.5.5.4 BellSouth and AT&T reserve the right to change its internal hot cut activities as business needs dictate. Any change to the hot cut procedures contained in this attachment will be discussed by the parties and will be implemented subject to the provisions of the process improvement mechanism as set forth in Section ----- below.

3.6 Loop Cut-Over Timing

3.6.1 BellSouth shall complete the loop cut-over step and notify AT&T of such completion in accordance with the section, commencing with the

specified time committed to on the FOC and ending no later than the following time limits depending on the number of lines being cut. In the case of a Coordinated Order Time Specific or OC conversion: loops => 60 mins (1 hour); 11-30 loops => 120 mins. (2 hours) unless project managed; 31+ loops => Project Managed.

3.6.2 BellSouth's commitment to performance as set forth in Attachment 9 of this Agreement is incorporated herein by this reference.

3.6.3 Intervals for loops for a single end user on the same local service requests for loops greater than 30 will be completed at intervals mutually coordinated by both parties through Project Management. Both parties recognize that certain conversions requiring multiple cut points may exceed the above intervals but in any event both parties will work cooperatively to limit service outage to an end user.

3.6.4 In the event BellSouth does not complete the loop cut-over step within the appropriate time limit provided in Section ----- above and notify AT&T of such completion in accordance with Section ----- above, AT&T may escalate such failure to the proper BellSouth official for expedited resolution immediately at the end of such time limit.

3.7 Completion Notice

3.7.1 BellSouth shall send AT&T completion notices when the LSRs are submitted electronically. If submitted manually, AT&T may determine the completion status for all LSRs by accessing the CSOTS Report via the Internet.

3.8 Process Improvement

3.8.1 Within seventy-five (75) calendar days of the Effective Date, the Parties agree to negotiate and adopt a process improvement method to be used throughout the term of this Agreement for amending and supplementing the initial procedures established in this Section. Such process shall be implemented by the parties 30 calendar days from the date such method is mutually developed. Both parties will work cooperatively to identify areas for improvement and, if applicable, develop and implement process changes resulting from such mutual cooperation. Such method will provide the procedures to be employed on an on-going basis by the Parties when one Party wishes to improve any of the initial provisions set out in this Section. Each improvement negotiated by the Parties must be documented in an attachment to the initial procedures as mutually agreed by the Parties.

3.8.2 In the event that the Parties are unable to enter into the improvement method contemplated in Section ----- above within ninety (90) days of the Execution Date, the Parties agree to resolve any disputes in accordance with the dispute resolution process provided in Section 16 of the General Terms and Conditions of this Agreement. Additionally, the Parties agree to seek such resolution on an expedited basis of any dispute involving a procedure that adversely impacts a customer.

3.9 New Loop Provisioning – “Loop Only”

3.9.1 BellSouth will provision new loops at intervals outlined in the Products and Service Interval Guide.

3.9.2 BellSouth will perform pre-service testing to ensure AT&T dial tone and telephone number is delivered to the BellSouth loop.

3.9.3 If AT&T dial tone is not detected during pre-service testing, BellSouth will notify AT&T and will continue with the provisioning process assuming that AT&T will correct the problem prior to the due date.

3.9.4 AT&T will deliver dial tone and telephone number to the AT&T collocation point 48 hours prior to the due date.

3.9.5 BellSouth and AT&T will notify either party if the due date cannot be met for any reason.

3.9.6 Cooperative testing, trouble resolution, completion notification and acceptance testing as provided for in Ordering and Provisioning of Hot Cuts will apply, and is incorporated herein by this reference.

3.9.7 BellSouth will deliver to the ordered location at the end users premises, loops as outline in TR 73600.

3.9.8 Where a field visit is required to provision the loop, BellSouth will test the loop ordered by AT&T to the NID. Testing requested by AT&T to points beyond the NID will be billed a time and material charge at the same increments BellSouth charges its own end users. Requests for field testing where a dispatch is not required may be made by AT&T and where mutually agreed to, BellSouth will dispatch to perform additional field testing at rates billed on a time and material basis as mentioned in this section.

3.10 Technical Requirements

3.10.1 BellSouth shall offer Loops capable of providing the following:

- 3.10.1.1 2-wire analog voice grade Loop provides an effective 2-wire channel with 2-wire interfaces at each end that is suitable for the transport of analog voice grade (nominal 300 to 3300 Hz) signals and using either Loop-start or ground start signaling;
- 3.10.1.2 4-wire analog voice grade Loop provides an effective 4-wire channel with 4-wire interfaces at each end that is suitable for the transport of analog voice grade (nominal 300 to 3300 Hz) signals. The service will operate with one of the following signaling types that may be specified when the service is ordered: Loop-start, ground-start, Loop-reverse-battery, duplex;
- 3.10.1.3 2-wire ISDN digital grade Loop provides a channel with 2-wire interfaces at each end that is suitable for the transport of 144 kbps digital services using the ISDN 2B1Q line code;
- 3.10.1.4 AT&T will be responsible for providing BellSouth with a Service Profile Identifier ("SPID") associated with a particular ISDN-cable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service;
- 3.10.1.5 ADSL-capable Loop – an ADSL-capable Loop is a basic Loop (2 or 4-wire) without any intervening equipment and is capable of permitting the transmission of communications both within the voice band and in frequency ranges above the voice band. An ADSL-capable Loop provided by BellSouth is designed to Revised Resistance Design ("RRD") guidelines and is expected to support ADSL service;
- 3.10.1.6 HDSL-capable Loop – a HDSL-capable Loop is a basic Loop (2 or 4-wire) without any intervening equipment and is capable of permitting the transmission of communications both within the voice band and in frequency ranges above the voice band. A HDSL-capable Loop provided by BellSouth is designed to CSA guidelines and is expected to support HDSL service;
- 3.10.1.7 4-wire DS-1 Loop provides a channel with 4-wire interfaces at each end. Each 4-wire channel may be equipped with DS-1 Loop repeaters suitable for the transport of 1.544 mbps digital signals simultaneously in both directions using PCM line code and may terminate on a smart jack; and
- 3.10.1.8 UCL is a dry copper Loop, not intended to support any particular telecommunications service. UCL Loops are offered pursuant to Section 3.7 of this Attachment 2. The UCL is available with a no signaling option.

3.11 AT&T PROPOSAL

BELLSOUTH shall support AT&T's ability to provide combinations of voice services, data services, or voice and data services.

3.11.1 AT&T may propose that any term or provision in this Attachment 2, Section 3.11 be amended, modified or deleted upon thirty (30) days written notice. If the Parties do not mutually agree to any change in this Section within thirty (30) days after written notice is provided, any dispute shall be resolved according to the Alternative Dispute Resolution process set forth in this Agreement.

3.11.2 Definitions

3.11.2.1 BellSouth Line Sharing -- Use of the High Frequency Spectrum ("HFS") of the local loop by AT&T or a third party CLEC to provide Advanced Services to customers that obtain retail local voice service from BellSouth on the same local loop, as addressed in the FCC's Third Report and Order in Docket 98-147 (Advanced Services) (released Dec. 9, 1999) and other applicable law.

3.11.2.2 High Frequency Spectrum (HFS) loop access -- Use of the HFS of the loop by AT&T or a third party authorized by AT&T to provide Advanced Services, on UNE loops employed by AT&T in a UNE-P configuration to provide customers retail local voice service. In this configuration, AT&T leases the entire UNE Loop from BellSouth, and BellSouth performs operational activities necessary to facilitate extracting the high frequency loop spectrum so that AT&T or an authorized Advanced Services Provider can utilize the high frequency portion of the leased loop.

3.11.2.3 Authorized Advanced Services Provider -- A CLEC, or any other entity, with whom AT&T has partnered to provide services in the HFS.

3.11.2.4 UNE Loop -- The term "UNE Loop" refers to both stand-alone loops and loops used in combination with unbundled switch ports.

3.11.3 General Requirements

3.11.3.1 AT&T shall have the right to provide voice service (to any customer who elects AT&T as its voice service provider) over the same loop that BellSouth, or any data affiliate of BellSouth or its

parent company, uses to provide data services to that customer, without interruption or termination of services provided in the HFS. BellSouth agrees to continue to provide all existing data services in the HFS, on a prospective basis, to any customer that chooses AT&T as their local service carrier for voice services and the retail customer desires continuation of such service.

- 3.11.3.2 Whenever AT&T acquires a loop from BellSouth that has existing data service operating in the HFS of the loop AT&T shall be charged for the entire UNE loop and BellSouth shall cease charging the existing data provider for utilizing the HFS of the UNE loop.
- 3.11.3.3 Whenever AT&T provides service utilizing an unbundled loop, either as part of UNE-P or otherwise, AT&T shall control the entire loop spectrum. In addition, AT&T has the right to offer services with the high frequency portion of the UNE loop either by itself or via an authorized Advanced Services Provider.
- 3.11.3.4 BellSouth, in conjunction with AT&T, shall institute procedures to allow AT&T or an authorized Advanced Services Provider to order HFS data capabilities on the AT&T UNE loop.
- 3.11.3.5 The billing for these additional features shall be billed to AT&T, or to an authorized Advanced Services Provider, per AT&T's direction.
- 3.11.3.6 BellSouth and AT&T shall jointly develop and engage in operational readiness testing and subsequently deploy mutually agreeable operational capabilities that deliver non-discriminatory support, whether compared to BellSouth operations or any affiliate of BellSouth (or the parent company) that provides comparable data service involving use of the HFS of a loop.
- 3.11.3.7 The manner in which the above provisions will be implemented is set forth below.
- 3.11.4 Procedural Requirements
 - 3.11.4.1 Operational procedures shall address, without limitation, pre-ordering, ordering, provisioning, maintenance and billing for line sharing and HFS loop access arrangements. Unless otherwise specified, support requirements will be equally applicable to both line sharing and HFS loop access. BellSouth agrees to immediately engage in a collaborative process to resolve the operational issues related to pre-ordering, ordering, provisioning

and billing as specifically related to line sharing and HFS access, regardless of form. If the collaborative process does not result in mutually agreeable operational procedures in a timely manner, either Party may elect to resolve the remaining disputes in accordance with the Alternative Dispute Resolution process set forth in Section 16 of the General Terms and Conditions of this Agreement.

3.11.5 Authorized Advanced Services Partnering Arrangements

3.11.5.1 AT&T may identify one or more CLECs as an authorized Advanced Services Provider, on a central office by central office basis, that is authorized by AT&T to add, change or delete advanced services capabilities within the HFS of a local loop UNE employed or ordered by AT&T. In such instances, AT&T will provide BellSouth with written authorization that identifies the central offices in which AT&T will engage Advanced Services Providers and, for each of the central offices, AT&T will further identify the specific providers that are authorized to access the HFS portion of an AT&T UNE loop. AT&T may modify this authorization and such changes will become effective upon thirty (30) days notice by AT&T, unless a different time period is otherwise mutually agreed. Unless AT&T provides written authorization, as required in this section, BellSouth shall reject any orders from any party, other than AT&T, that seeks to utilize, modify or in any manner affect the operation of the UNE loop employed or ordered by AT&T.

3.11.5.2 In addition to providing a list of the approved data CLECs as described in Section 5.1 above; AT&T, at its option, may inform BellSouth of these authorized Advanced Services Providers through other means, such as by an arranged assumption that if AT&T identifies the data CLEC on the order, then AT&T has an arrangement with the data CLEC.

3.11.6 Advanced Notification

3.11.6.1 BellSouth shall provide advanced notification to AT&T that identifies when xDSL qualified loops and/or electronic loop qualification information access will be made available to its retail operations or to any affiliate of BellSouth. This advance notification interval shall exceed the longest standard interval required to provide physical collocation space (both process the inquiry and subsequently provide physical collocation) in any of the central offices identified in the notification. Failure to provide

notice as documented herein shall result in the consequences set forth Attachment 9 of this Agreement.

- 3.11.7 **Advanced Services Equipment Deployment**
- 3.11.7.1 **AT&T may directly deploy, or deploy through an affiliated third party, any advanced services equipment that operates within the PSD mask parameters set forth in T1.413 or conforms to other generally recognized and applicable industry standards.**
- 3.11.7.2 **BellSouth shall not withhold any operational support so as to limit AT&T's ability to connect its advanced services equipment to a loop UNE. BellSouth may deny support only after it has made a showing to and obtained a finding by the relevant state Commission that the deployment of advanced services equipment that AT&T seeks to utilize will significantly degrade the performance of another advanced service or other voice-based services. To the extent an authorized Advanced Services Provider seeks to deploy advanced services equipment on a loop UNE used or ordered by AT&T, BellSouth shall only refuse to provide support to the extent it is permitted under the least restrictive of AT&T's or the authorized Advanced Services Provider's interconnection agreement, or as applied to the BellSouth's affiliate.**
- 3.11.7.3 **AT&T, at its option, may utilize a splitter provided by BellSouth or deploy its own splitter either directly or by utilizing an AT&T authorized Advanced Services Provider. Any splitter, regardless of the means of deployment, shall be compliant with all industry standards, including but not limited to, ANSI T1.413-1998 Annex E and NEBS safety standards.**
- 3.11.7.4 **BellSouth splitters shall be available to AT&T or its authorized Advanced Services Provider on a line by line basis. AT&T or an AT&T authorized Advanced Services Provider will furnish the Connecting Facility Assignment (CFA) to BellSouth in order that BellSouth connect the HFS (data) loop to the designated POI.**
- 3.11.7.5 **BellSouth may employ shielded cable, high twist copper, standard twisted pairs, or other reasonable transmission media to connect advanced service equipment and the UNEs provided by BellSouth. AT&T shall only be charged for standard twisted pair connections unless AT&T provides written authorization for BellSouth to do otherwise.**
- 3.11.8 **Pre-ordering**

- 3.11.8.1** BellSouth shall provide AT&T with electronic access to all loop make-up information that is currently or subsequently made available on an electronic basis to any employees of BellSouth or BellSouth affiliate(s). AT&T, at its option, may also authorize BellSouth to provide electronic access to all loop make-up information, requested by one or more AT&T authorized Advanced Services Providers, for the purpose of determining availability of loops capable of delivering HFS in partnership with AT&T. Such electronic access shall be made available to AT&T within thirty (30) days of AT&T's request whether or not BellSouth has instituted database security procedures. BellSouth will provide AT&T with advance notice of any changes to the information content, structure, business rules or any other factors relevant to the information access in accordance with Attachment 7 to this Agreement. BellSouth will offer training for AT&T personnel that is no less complete and timely as that provided to other CLECs, personnel of BellSouth or BellSouth affiliates who utilize the loop qualification information. To the extent AT&T requires additional loop qualification information that is not available electronically from BellSouth, but is maintained in manual records, BellSouth shall make such information available in a mutually agreeable form within the same time frame that the information is available to BellSouth's own personnel or that of the relevant BellSouth's subsidiary or affiliate.
- 3.11.8.2** Unless specifically waived by AT&T, BellSouth shall make all qualification information, sufficient to answer the following questions, available to AT&T in a nondiscriminatory manner:
- 3.11.8.3** Is there a digital loop carrier (DLC) present anywhere between the customer's premises and serving central office? If so, what type of DLC is present? Will it support xDSL service? Can it be removed and replaced with copper facilities?
- 3.11.8.4** Are there any intervening active or passive electronics on the loop that can reasonably be expected to affect the information carrying capacity of the loop facility? If so, what are they and where are they located? Can it be removed and replaced with copper facilities?
- 3.11.8.5** What is the working and total length of the loop and how many feet of each wire gauge make up the length of the working loop?
- 3.11.8.6** Are there bridge taps on the loop? If so, what are the locations, length and gauge of each? Can they be removed?

- 3.11.8.7** What is the total loop resistance measured in ohms?
- 3.11.8.8** How many “disturbers” are present within the same binder group in which the loop (under consideration) is located and what is the nature of each disturber? These disturbers are inclusive of but not limited to those listed in T1.413 Issue 2.
- 3.11.8.9** How many “disturbers” are present within the same cable and what is the nature of each? These disturbers are inclusive of but not limited to those listed in T1.413 Issue 2.
- 3.11.8.10** What loop design strategy was used for the loop? (e.g., Resistance Design (RD), Long-Route Design (LRD) or Unigauge (UG), which were largely employed prior to 1980, and Revised Resistance Design (RRD), Modified Long-Route Design (MLRD) and Concentrated Range Extender with Gain (CREG) which are employed primarily on a going-forward basis.)
- 3.11.9** BellSouth, within thirty (30) days of the Effective Date of this Agreement, shall disclose to AT&T all loop qualification data that is used or useful for understanding the transmission characteristic of a loop, irrespective of whether or not the retail operations of BellSouth or to the advanced services affiliate of BellSouth currently utilizes such information. BellSouth shall, at the same time, identify what information is maintained in electronic versus hard copy media. To the extent multiple sources of the same information exist, BellSouth shall identify the most reliable source. Information disclosure shall not be limited to that necessary to answer the preceding questions. For example, to the extent BellSouth keeps records that may permit AT&T to understand the quality of the loop, such records must be identified, including any overall quality indicator that may be retained with the loop record, even if it is subjective in nature. Likewise any baseline test results recorded for the loop and/or any history of trouble tickets logged for the loop under consideration should be identified. Within thirty (30) days of supplying the preceding information, unless mutually agreeable to allow more time, AT&T and BellSouth shall identify information that will be provided on a routine loop qualification request and what shall be provided through other request mechanisms. In addition, AT&T and BellSouth shall agree upon which items shall be provided electronically and which may be provide through alternative mechanism and the time frames in which such access shall be provided.

3.11.10 BellSouth shall provide AT&T with any information currently available or subsequently made available directly or indirectly to its retail operation and/or affiliates. Such information includes but is not limited to any assessment of what specific variant of xDSL capability a loop can support and whether such support is contingent upon utilization of particular brand(s) or model(s) of network equipment or premises deployed equipment. Until detailed loop qualification information that meets AT&T's requirements is provided BellSouth shall provide but not charge for loop qualification information.

3.12 Ordering

3.12.1 BellSouth shall implement ordering procedures that support AT&T line sharing or access to the HFS of the UNE loop. AT&T, at its option, may also authorize BellSouth to process orders, issued by one or more AT&T authorized Advanced Services Providers, for the purpose of adding, changing or removing capabilities to deliver service in the high frequency spectrum in partnership with AT&T. BellSouth will provide complete documentation and technical assistance necessary for AT&T to understand order format, information content, business rules and all system/network interface requirements necessary to accomplish each of the following tasks:

3.12.2 Where BellSouth is line sharing, convert the local voice portion to AT&T UNE-P while leaving the service in the HFS of the loop intact. As part of the conversion order, billing of HFS loop UNE to the Advanced Services Provider shall be terminated.

3.12.3 Where BellSouth is line sharing, convert the local voice portion to AT&T UNE-P and, as part of the same transaction, deliver the HFS (data) loop to the AT&T designated POI. AT&T, at its option, may issue the necessary order(s) to provide the advanced services capability or AT&T may provide the advanced service capability through an AT&T authorized Advanced Services Provider.

3.12.4 Where BellSouth is line sharing, convert the local voice portion to AT&T UNE-P and, as part of the same transaction, discontinue the advanced service.

3.12.5 Where AT&T seeks to add advanced service capability to a UNE loop leased by AT&T, whether on a stand alone basis or as part of UNE-P, install a line splitter to deliver the HFS (data) loop to the AT&T designated POI, perform any necessary conditioning, and perform any operational support as directed by AT&T. AT&T, at

its option, may issue the order(s) to provide the advanced services capability or AT&T may issue the orders through an authorized Advanced Services Provider.

- 3.12.6 Change the AT&T designated POI for the advanced service capability. AT&T, at its option, may issue the necessary order(s) to change the HFS (data) POI location, or AT&T may provide the advanced services capability through an authorized Advanced Services Provider.
- 3.12.7 Add voice capability, where none currently exists, to a loop where only the high frequency spectrum is used for service delivery. BellSouth shall provide the capability to utilize the telephone number of any voice line currently provided by BellSouth to the retail customer at that same location, provided the retail customer disconnects the associated BellSouth line with that telephone number, and AT&T provides service, via UNE-P from the same central office. As part of the conversion order, BellSouth shall redirect billing of the loop UNE from the Advanced Services Provider to AT&T.
- 3.12.8 BellSouth shall provide AT&T with the advanced opportunity to test all newly instituted or revised ordering capabilities in conjunction with its own internal systems through a separate testing environment that fully reflects the functionality that will be deployed in commercial market operations. Such testing will be provided in accordance with Attachment 7 of this Agreement.
- 3.12.9 To the extent necessary, AT&T and BellSouth will develop a mutually agreeable methodology for conveying Connecting Facility Assignments (CFAs) for the advanced services equipment deployed in collocation space for those instances where AT&T, rather than an authorized Advanced Services Provider, is providing the advanced services capability.
- 3.13 Provisioning
- 3.13.1 BellSouth provisioning activities associated with HFS access shall not introduce a greater degree of service interruption or service degradation than that experienced when BellSouth line engages in line sharing.
- 3.13.2 BellSouth shall implement mutually agreeable provisioning procedures for each ordering case identified above. Such procedures shall be fully deployed and demonstrated to meet minimum performance criteria as defined in Attachment 9 by the

earlier of thirty (30) days after the Effective Date of this Agreement or when BellSouth deploys procedures to support its line sharing with any CLEC or any advanced service affiliate of BellSouth.

3.13.3 For any ordering case affecting a loop where an advanced service is operable, existing wiring shall not be disturbed nor shall service in the HFS be interrupted or otherwise degraded except as documented, in advance, within mutually agreeable provisioning procedures.

3.14 Maintenance

3.14.1 BellSouth will provide AT&T and any AT&T authorized Advanced Services Provider with timely and efficient remote test access capability and operational support necessary to isolate troubles on equipment and facilities used to provide advanced services from those for voice services and from those used in common for voice and advanced services. When AT&T provides the advanced service capability, BellSouth must either provide physical test access at the point where splitting of high frequency spectrum and the voice service occurs or provide a mutually agreeable remote test access alternative (i.e., MLT or equivalent) that permits the same degree of trouble isolation by AT&T. Regardless of the party providing the advanced services capability, BellSouth shall be responsible for maintenance and repair of any equipment or facilities that it deploys including, but not limited to, the loop facility on the retail customer side of the splitter, any splitter that BellSouth has deployed and all in office wiring that BellSouth performs. BellSouth shall cooperate with AT&T and any AT&T authorized Advanced Services Provider(s) for the purposes of sectionalizing, diagnosing and otherwise resolving trouble reported or detected on these facilities.

3.14.2 Maintenance metrics shall be reported separately for loops without any advanced services operating, loops which utilize the HFS for data service, and loops supporting only advanced services.

3.15 Billing

3.15.1 Any chargeable activities initiated by an AT&T authorized Advanced Services Provider, as provided for in this section, shall at AT&T's request be billed by BellSouth to the authorized Advanced Services Provider pursuant to that party's interconnection agreement.

3.16 Digital Loop Carrier Systems

3.16.1 If AT&T requests one or more loops served by an Integrated Digital Loop Carrier system ("IDLC"), BellSouth shall unbundle the IDLC-delivered loop, as soon as practicable, using one of the following alternative arrangements: (1) utilize existing Next Generation Digital Loop Carrier ("NGDLC") facilities; (2) utilize existing Universal Digital Loop Carrier ("UDLC"); (3) utilize existing cooper facilities that serve the distribution area or allocate new copper feeder pairs to the distribution area if spare capacity is available in the feeder route or carrier serving area; (4) utilize spare capacity of existing Integrated Network Access system or other existing IDLC that is terminated on a digital cross-connect system; (5) utilize side-door/hairpin capability of switch peripheral if the serving IDLC is terminated on a peripheral with those capabilities, or if spare capacity is available on a switch peripheral; (6) activate new IDLC or NGDLC capacity to the distribution area; or (7) convert some existing IDLC capacity to UDL. These alternative arrangements will be used where available to permit AT&T to order a Loop and to provide AT&T with the capability to serve end users at the same level BellSouth provides its retail customers, to the extent technically feasible.

3.16.2 AT&T PROPOSAL

In those instances where the Loop facilities available to serve the end user passes through a digital Loop carrier equipment located between the end user premises and the serving network locations and such equipment prevents AT&T from deploying xDSL capabilities of equivalent quality to those offered by BellSouth or its affiliates, to the extent technically feasible BellSouth must provide AT&T with the following options:

a Loop without intervening transmission equipment that meets industry standard electrical characteristics suitable for supporting xDSL capabilities as specified by AT&T;

access to a Loop facility and appropriate collocation space in the remote terminal; and

a Loop equipped by BellSouth with all electronics, including but not limited to ATM transport, necessary to provide xDSL capabilities of equivalent quality to those deployed by BellSouth or its affiliates.

4 Network Interface Device ("NID")

- 4.1 Definition. The NID is defined as any means of interconnection of end user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the end user's premises. The NID features two independent chambers or divisions that separate the service provider's network from the on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider, and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.**
- 4.2 BellSouth shall permit AT&T to connect AT&T's loop facilities to on-premises wiring through BellSouth's NID or at any other technically feasible point.**
- 4.3 Access to Network Interface Device**
- 4.3.1 Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), AT&T may access the subscriber's inside wire by any of the following means:
- 4.3.1.1 BellSouth shall allow AT&T to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premise;
- 4.3.1.2 Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or
- 4.3.1.3 Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the on-premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 4.3.1.4 Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., AT&T, its agent, the building owner or the end user). Such charges will be billed to the requesting Party.
- 4.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors

without adhering to state regulatory requirements and without providing prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection (if applicable) and to maintain the physical integrity of the NID. The Party disconnecting the loop will hold BellSouth harmless for any liability associated with removal of the BellSouth loop from the BellSouth NID and the disconnecting Party will assume full liability for its actions and for any adverse consequences that may result. Furthermore, it shall be the responsibility of the disconnecting Party to reconnect the disconnected loop to a nationally-recognized-testing-laboratory-listed station protector which has been grounded as per Article 800 of the National Electrical Code within the NID. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored. If the disconnecting party does not wish to accept these responsibilities, other options exist in which BellSouth installs a NID as a chargeable option.

- 4.3.3 In no case shall either Party remove or disconnect ground wires from the other Party's NID, enclosures, or protectors.
- 4.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from the other Party's NID enclosures.
- 4.3.5 Due to the wide variety of NID enclosures and outside plant environments BellSouth will work with AT&T to develop specific procedures to establish the most effective means of implementing this section.
- 4.3.6 Technical Requirements
- 4.3.7 The NID shall provide an accessible point of interconnection for the on-premise wiring, for BellSouth's facilities, for the Subloop Distribution and/or cross connect to AT&T's NID, and shall maintain a connection to ground.
- 4.3.8 The NID shall be capable of transferring electrical analog or digital signals between the on-premise wiring and the Subloop Distribution and/or cross connect to AT&T's NID, consistent with the NID's function at the Effective Date of this Agreement.
- 4.3.9 Where a BellSouth NID exists, it is provided in its "as is" condition. AT&T may request BellSouth do additional work to the NID at the time and materials charges set forth in the appropriate BellSouth Tariff.

- 4.3.10 When AT&T deploys its own local loops with respect to multiple-line termination devices, AT&T shall specify the quantity of NID connections it requires within such devices.

5 Subloops

- 5.1 The subloop network element is defined as any portion of the loop that is technically feasible to access at terminals in BellSouth's outside plant, including inside wire owned or controlled by BellSouth. An accessible terminal is any point on the loop where technicians can access the wire or fiber within the cable without removing a splice case to reach the wire or fiber within. Such points may include, but are not limited to, the pole or pedestal, the network interface device ("NID"), cross connect block, the minimum point of entry ("MPOE"), the single point of interconnection, the main distribution frame, the remote terminal, and the feeder/distribution interface ("FDI").

- 5.2 **Inside Wire.** Inside wire is defined as all loop plant owned or controlled by BellSouth on the end-user customer premises as far as the point of demarcation as defined in 47 C.F.R § 68.3, including the loop plant near the end-user customer premises. AT&T may access the inside wire subloop at any technically feasible point including, but not limited to, the NID, the MPOE, the single point of interconnection, the pedestal, or the pole.

- 5.3 Subloop elements include, but are not limited to, the following: Distribution, including inside wire (subdivided into IntraBuilding Cable and Network Terminating Wire); Concentration Multiplexing Functionality; and Feeder.

5.4 AT&T PROPOSAL

5.4.1 Subloop Distribution

- 5.4.1.1 Subloop Distribution provides connectivity between the customer's privately owned and controlled Inside Wire and the terminal block on the end user side of an FDI, and can be assessed through a SPOI or at multiple points of interconnection located at any technically feasible point, including but not limited to, a pole or pedestal, a NID, a MPOE, or single point of interconnection which is constructed by BellSouth pursuant to Section 5.2.5 below. Subloop Distribution will be provisioned as 2-wire or 4-wire circuits up to and including the end user's demarcation point.

- 5.4.1.2 Subloop Distribution will be copper twisted pair, coaxial cable, or single or multi-mode fiber optic cable. A Combination that includes two or more of these media is also possible. Where BellSouth constructs a single point of interconnection in a multiunit installation in accordance with 47 CFR 51.319(a)(2)(E) and applicable state law, BellSouth shall provide a copper twisted pair even in instances where the Subloop Distribution for services that BellSouth offers is other than a copper facility in accordance with Section 5.2.5 of this Attachment. In other circumstances, BellSouth shall provide to AT&T, upon request, a copper twisted pair even in instances where the Subloop Distribution for services that BellSouth offers is other than a copper facility, and in such circumstances, the special construction process will be used to determine the cost for placing new copper facilities.
- 5.4.2 Requirements for Subloop Distribution
 - 5.4.2.1 Subloop distribution shall be capable of carrying all signaling messages or tones needed to provide telecommunications services.
 - 5.4.2.2 BellSouth will provide the infrastructure necessary to provision, test, and maintain subloop distribution as set forth in Attachment 7 of this Agreement, incorporated herein by this reference.
 - 5.4.2.3 Upon request, BellSouth shall provide line conditioning for Subloop Distribution pursuant to Section 3.3 of this Attachment 2 and at the rates set forth in Exhibit A of this Attachment 2, all incorporated herein by this reference.
 - 5.4.2.4 BellSouth will provide AT&T with nondiscriminatory physical access to, and the right to connect to, the FDI in conjunction with unbundled Subloop Distribution.
 - 5.4.2.5 BellSouth shall offer unbundled Subloop Distribution together with, and separately from, the NID component of a Loop. Where such Subloop Distribution is requested without BellSouth's NID, AT&T will provide a suitable NID meeting in accordance with the relevant and applicable standards listed in the industry standard technical references.
- 5.4.3 Single Unit & Multiunit Installation
 - 5.4.3.1 In the case of BellSouth facilities serving a single unit installation (e.g. a single residence or single business location), Subloop Distribution consists of all such facilities providing connectivity

between the end user's point of demarcation, including the point of demarcation, and the end user side of the FDI and can be accessed at any technically feasible point in between.

- 5.4.3.2 In the case of BellSouth facilities serving multiple unit installations, e.g., apartments, condominiums, office buildings and office complexes, Subloop Distribution shall be furnished to AT&T, depending on the location at which AT&T intends to interconnect its facilities, in either of the following elements, as requested by AT&T, at the appropriate rate set forth in Exhibit A to this Attachment:
- 5.4.3.3 **Subloop Distribution.** This is the entire Subloop Distribution element which includes all facilities from an interconnection point (e.g., terminal block or cross connect panel) on the end user side of an FDI, or any other interconnection point in between these points, including an SPOI at the MPOE, to the end user's point of demarcation; or,
- 5.4.3.4 **Intrabuilding Network Cable (a.k.a. House and Risder Cable).** This subloop element consists of those facilities owned or controlled by BellSouth, from the single point of interconnection or MPOE up to and including the point of demarcation as defined in 47 C.F.R. Sec. 68.3. Intrabuilding Network Cable also includes intra-property wiring outside buildings such as garden apartments containing multiple end users' premises; or
- 5.4.3.5 **Network Terminating Wire (NTW).** NTW extends from the BellSouth wiring closet, garden terminal or other cross-connect distribution point at a SPOI at the MPOE, to the end user's point of demarcation. NTW refers to those horizontal portions of intrabuilding network cable that are located inside a building containing multiple end users' premises and are located on the same floor as an end user's premises. NTW is the last segment of the field-side loop facilities that, in multi-unit configurations, represent the facilities extending from an SPOI at the MPOE to serve individual end users. Configurations depicting a wiring closet and garden terminal and are attached to this Attachment as Exhibit E.
- 5.4.4 **Requirements**
- 5.4.4.1 BellSouth shall be required to relinquish the first NTW pair and make it available to AT&T unless BellSouth is using the first NTW pair to concurrently serve the end user requesting service from AT&T. When BellSouth is using the first NTW pair to provide

concurrent service, BellSouth will offer to AT&T spare pairs that are available to an end user's premises.

5.4.4.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end user's premise, in response to a request from such end user, AT&T agrees to surrender its unused spare pair(s) upon request by BellSouth.

5.4.4.3 If an end user of AT&T desires to receive local exchange service from a telecommunications service provider who is not a Party to this Agreement, and such third party telecommunications service provider needs access to the BellSouth NTW to provide local exchange service to the end user, then AT&T agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.

5.4.5 Single Point of Interconnection

5.4.5.1 BellSouth shall provide a single point of interconnection (SPOI) at, or as close as commercially practicable, to the MPOE at multiunit premises that is suitable for use by multiple carriers and that provides non-discriminatory access to all subloop elements. AT&T's employees and agents shall have direct access to the SPOI at the MPOE and all NTW pairs at the SPOI at the MPOE, without the necessity of coordinating such efforts with BellSouth's employees or agents. This obligation is in addition to BellSouth's obligation to provide nondiscriminatory access to subloops at any technically feasible point. If a single point of interconnection does not exist where all NTW pairs can be accessed, BellSouth must construct a single point of interconnection that has such capability and is suitable for use by multiple carriers.

5.4.6 BellSouth shall provide a single point of interconnection at the garden terminal or wiring closet for AT&T to access the Network Terminating Wire. The SPOI will be provided at the rates set forth in Exhibit A to this Attachment.

5.5 Subloop Concentration Multiplexing Functionality

5.5.1 Where facilities permit, BellSouth will provide to AT&T the ability to concentrate its subloops onto multiple DS1s back to the BellSouth central office.

5.5.1.1 Subloop Concentration Multiplexing Functionality: (1) aggregates lower bit rate or bandwidth signals to higher bit rate or bandwidth

signals (multiplexing); (2) disaggregates higher bit rate or bandwidth signals to lower bit rate or bandwidth signals (demultiplexing); (3) aggregates a specified number of signals or channels to fewer channels (concentrating); (4) performs signal conversion, including encoding of signals (e.g., analog to digital and digital to analog signal conversion); and (5) where available, performs electrical to optical (E/O) conversion.

- 5.5.1.2 The Subloop Concentration Multiplexing Functionality may be provided through a Digital Loop Carrier ("DLC") system, multiplexer or other equipment at which traffic is encoded and decoded, multiplexed and demultiplexed, or concentrated.
- 5.5.2 Technical Requirements
 - 5.5.2.1 Subloop Concentration Multiplexing Functionality, if deployed, is used to concentrate and or multiplex the AT&T distribution media to the BellSouth feeder media. BellSouth's feeder media can be copper, coaxial (if deployed) or fiber. To the extent unbundling involves "concentration," BellSouth and AT&T will work cooperatively to establish concentration ratios for the specific application within the technical limits that may exist with deployed equipment and facilities. If concentration ratios are established which result in reengineering of the facilities, special construction charges will apply.
 - 5.5.2.2 When BellSouth provides a Subloop Concentration Multiplexing Functionality or Loop repeaters, BellSouth shall provide power for subloop equipment through a non-interruptible source with battery backup unless otherwise mutually agreed upon by the Parties.
 - 5.5.2.3 Subloop Concentration Multiplexing Functionality shall be provided to AT&T in accordance with applicable industry standard technical references.
 - 5.5.2.4 Subloop Concentration Multiplexing Functionality shall continuously monitor protected circuit packs and redundant common equipment in the same manner which BellSouth provides such functionality to itself.
 - 5.5.2.5 The redundant common equipment shall also automatically switch to a protection circuit pack on detection of a failure or degradation of normal operation where technically feasible.
 - 5.5.2.6 Subloop Concentration Multiplexing Functionality shall be capable of performing its functions on the signals needed to provide telecommunications services capable of being transmitted through said Subloop Concentration Multiplexing Functionality.

- 5.5.2.7 BellSouth shall provide power for the Subloop Concentration Multiplexing Functionality, through a non-interruptible source if the function is performed in a central office, or from a commercial AC power source with battery backup if the equipment is located outside a central office, where BellSouth provides such functionality to itself.
- 5.5.2.8 With the Effective Date of this Agreement, Subloop Concentration Multiplexing Functionality, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of AT&T's subloops to be concentrated onto multiple DS1s. System B will allow an additional 96 of AT&T's subloops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the BSWC is known as a feeder interface. Except where the Subloop Concentration Multiplexing Functionality is currently combined with other Network Elements. All DS1 feeder interfaces will terminate to AT&T's Collocation Space within the BSWC that serves the RT where AT&T's subloops are connected. Subloop Concentration Multiplexing Functionality service is offered with or without concentration and with or without a protection DS1. If BellSouth deploys a different technology for Subloop Concentration Multiplexing Functionality in its network, the Parties will negotiate rates, terms and conditions for AT&T's access to such Subloop Concentration Multiplexing Functionality.
- 5.5.2.9 If technically feasible, BellSouth shall provide AT&T access to the Subloop Concentration Multiplexing Functionality in response to a specific AT&T request. Otherwise, AT&T would be required to place a cross-box, remote terminal, or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow AT&T's subloops to then be placed on the Subloop Concentration Multiplexing Functionality.
- 5.5.2.10 Subloop Concentration Multiplexing Functionality shall be provided to AT&T in accordance with applicable industry standard technical references.
- 5.5.2.11 BellSouth shall provide AT&T real time performance and alarm data that may affect AT&T's traffic, if and when technically feasible and to partition such data for AT&T where feasible.

5.5.2.12 At AT&T's option BellSouth shall provide AT&T with real time ability to initiate non service-affecting tests on the underlying device that provides Subloop Concentration Multiplexing Functionality.

5.6 Subloop Feeder

5.6.1 Subloop Feeder is the Network Element that provides connectivity between (1) a FDI associated with Subloop Distribution and a termination point appropriate for the media in a central office, or (2) a Subloop Concentration Multiplexing Functionality provided in a remote terminal and a termination point appropriate for the media in a central office. If technically feasible, BellSouth shall provide AT&T physical access to the FDI, and the right to connect the Subloop Feeder to the FDI in response to a specific AT&T request. Otherwise, BellSouth shall provide the necessary cabling between BellSouth's equipment (i.e., FDI) and AT&T's equipment.

5.6.1.1 The physical medium of the Subloop Feeder may be copper twisted pair, coaxial (if deployed), or single or multi-mode fiber. In certain cases, BellSouth must provide a copper twisted pair loop even in instances where the medium of the Subloop Feeder for services that BellSouth offers is other than a copper facility, and in such cases, the special construction process will be used to determine the cost of placing new copper facilities.

5.6.2 Requirements for Subloop Feeder

5.6.2.1 Subloop Feeder shall be capable of transmitting analog voice frequency, basic rate ISDN, digital data, or analog radio frequency signals, where available in BellSouth's network.

5.6.2.2 BellSouth shall provide appropriate power for all active elements in the Subloop Feeder. BellSouth will provide appropriate power from a central office source, or from a commercial AC source with rectifiers for AC to DC conversion and 8-hour battery back-up when the equipment is located in an outside plant RT, where BellSouth provides such functionality to itself.

5.6.3 Additional Requirements for Special Copper Subloop Feeder Medium

5.6.3.1 In addition to requirements set forth in Section 5.4.2 above, and where available in the BellSouth network, AT&T may require BellSouth to provide copper twisted pair Subloop Feeder which is unfettered by any intervening equipment (e.g. filters, load coils, and range extenders), so that AT&T can use these Subloop Feeders for a variety of services by attaching appropriate terminal equipment at the ends.

- 5.6.4 Additional Technical Requirements for DS1 Conditioned Subloop Feeder
- 5.6.4.1 In addition to the requirements set forth in this Section, and where available in the BellSouth network, AT&T may designate that the Subloop Feeder be conditioned to transport a DS1 signal. The requirements for such transport are defined in the applicable industry standard technical references.
- 5.6.5 Additional Technical Requirements for Optical Subloop Feeder
- 5.6.5.1 Where available in BellSouth's network AT&T may designate that Subloop Feeder will transport DS3 and OCn (where n is defined in the industry standard technical reference). The requirements for such transport are defined in the applicable industry standard technical references.
- 5.6.6 Interface Requirements
- 5.6.6.1 If AT&T desires access to unbundled Subloop Feeder in a BellSouth Central Offices, the Subloop Feeder point of termination (POT) will be as follows:
- 5.6.7 Copper twisted pairs shall terminate on the MDF;
- 5.6.8 DS1 Subloop Feeder shall terminate on a DSX1, DCS1/0 or DCS3/1; and
- 5.6.9 Fiber Optic cable shall terminate on a LGX.

6 Switching Capabilities

- 6.1 **BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 6.3 of this Attachment 2, to AT&T for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to AT&T for the provision of a telecommunications service only in the limited circumstance described in Section 6.9 of this Attachment 2.**
- 6.2 **Except as otherwise provided for herein, BellSouth shall not impose any restrictions on AT&T regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of BellSouth's network by BellSouth or any other telecommunications carrier.**

6.3 Local Circuit Switching Capability, including Tandem Switching Capability

6.3.1 Definition

6.3.1.1 Local Circuit Switching capability is defined as: (A) line-side facilities, which, include but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) All features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's end users, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to, customer calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; and (D) switching provided by remote switching module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.

Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for AT&T when AT&T serves end users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro/Winston-Salem/High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link ("EEL") throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

6.3.1.2 AT&T PROPOSAL

6.3.1.3 BellSouth is not required to provide local circuit switching capability with respect to the fourth and any subsequent two (2) wire voice-grade loops that AT&T uses in combination with local circuit switching to provide retail local voice service to a single end user account name, at a single physical end user location (including a single tenant building or a single unit within a MDU or MTU) from a BellSouth central office in the MSAs listed in Section 6.3.1.2; provided however, that AT&T shall be entitled to purchase

local circuit switching pursuant to the rates set forth in Exhibit A to this Attachment for the first, second, and third lines to provide and/or continue providing telecommunications service to a single end user despite the addition of a fourth line and subsequent lines.

6.3.1.4 AT&T PROPOSAL

6.3.1.5 In the event that AT&T orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office in the MSA's listed in Section 6.3.1.2 above, BellSouth's sole recourse shall be to charge AT&T a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge AT&T the local services resale rate for use of all Combinations used to provide the affected facilities to AT&T.

6.3.1.6 When BellSouth provides the local circuit switching, BellSouth will provide to AT&T, upon request, customized routing (selective routing) of calls: (i) to a requested directory assistance services platform; (ii) to a requested operator services platform; (iii) for AT&T's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by AT&T or (iv) to a repair center. AT&T end users may use the same dialing arrangements as BellSouth end users. BellSouth shall allow AT&T to commingle local and toll OS and/or DA traffic on existing OS and/or FGD trunks. Customized routing will include but not be limited to the customized routing of inter-switch traffic on a wire center basis to a port other than the standard routing used by BellSouth.

6.4 AIN Customized (Selective) Carrier Routing

6.4.1 [BellSouth will provide AIN customized carrier routing at the request of AT&T. AIN customized carrier routing will provide AT&T with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

6.4.2 AT&T shall order AIN customized carrier routing through its Account Team. AIN customized carrier routing must first be established regionally and then on a per central office, per state basis.

6.4.3 AIN customized carrier routing is not available in DMS 10 switches.

- 6.4.4 Where AIN customized carrier routing is utilized by AT&T, the routing of AT&T 's end user calls shall be pursuant to information provided by AT&T and stored in BellSouth's AIN customized carrier routing service control point database. AIN customized carrier routing shall utilize a set of line class codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN customized carrier routing is established.
- 6.4.5 Upon ordering of AIN customized carrier routing regional service, AT&T shall remit to BellSouth the regional service order non-recurring charges set forth in Exhibit A of this Attachment. There shall be a non-recurring end office establishment charge per office due at the addition of each central office where AIN customized carrier routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit A of this Attachment. For each AT&T end user activated, there shall be a non-recurring end user establishment charge as set for in Exhibit A of this Attachment, payable to BellSouth pursuant to the terms of Attachment 6, incorporated herein by this reference. AT&T shall pay the AIN customized carrier routing per query charge set forth in Exhibit A of this Attachment.
- 6.4.6 The regional service order non-recurring charge will be non-refundable and will be paid with one half (1/2) coming up-front with the submission of all fully completed required forms, including: regional customized carrier routing order request-Form A, central office AIN customized carrier routing order request-Form B, AIN_SCR central office identification form-Form c, AIN_SCR routing options selection forms-Form D, and routing combinations table-Form E. BellSouth has thirty (30) days to respond to AT&T's fully completed firm order as a regional service order. With the delivery of this firm order response to the AT&T, BellSouth considers that the delivery schedule of this service commences. The remaining one half (1/2) of the regional service order payment must be paid when at least 90% of the central office listed on the original order have been turned up for service.
- 6.4.7 The non-recurring end office establishment charge will be billed to AT&T following BellSouth's normal monthly billing cycle for this type of order.
- 6.4.8 End user establishment orders will not be turned-up until the 2nd payment is received for the regional service order. The non-recurring end user establishment charges will be billed to AT&T following BellSouth's normal monthly billing cycle for this type of order.
- 6.4.9 Additionally, the AIN customized routing per query charge will be billed to AT&T following the normal billing cycle for per query charges.

6.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc. will be billed accordingly per contracted rates.

6.5 Line Class Code Customized (Selective) Carrier Routing

6.5.1 BellSouth will provide line class codes customized carrier routing at the request of AT&T. Line class code customized carrier routing will provide AT&T with the capability of routing operator calls, 0+ and 0-and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

6.6 Technical Requirements

6.6.1 Local Switching shall be at least equal to the requirements for Local Switching set forth in the applicable industry standard technical references.

6.6.2 BellSouth's local switch shall maintain translations necessary to direct AIN queries for selected lines and dialing sequences to the AT&T Signaling System 7 ("SS7") network.

6.6.3 BellSouth's local switch shall accept mutually agreeable AIN responses from the AT&T Service Control Point ("SCP") via SS7 network interconnection then continue call handling according to instructions contained in the response.

6.6.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.

6.6.5 BellSouth shall activate service for an AT&T end user or network interconnection on any of the local circuit switching interfaces. This includes provisioning changes to change an end user from BellSouth's services to AT&T's services without loss of switch feature functionality as defined in this Agreement.

6.6.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests ("MLT") and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

6.6.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact local circuit switching.

6.6.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

- 6.6.9 BellSouth shall perform manual call trace and permit end user originated call trace.
- 6.6.10 For local switching used as 911 Tandems, BellSouth shall allow interconnection from AT&T local switching elements and BellSouth shall route the calls to the appropriate Public Safety Access Point ("PSAP").
- 6.6.11 Special Services provided by BellSouth will include the following:
 - 6.6.11.1 Essential service lines;
 - 6.6.11.2 Telephone Service Prioritization;
 - 6.6.11.3 Related services for handicapped;
 - 6.6.11.4 Soft dial tone where required by law; and
 - 6.6.11.5 Any other service required by law.
- 6.6.12 BellSouth shall provide Switching Service Point ("SSP") capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch ("STPS"). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 6.6.13 BellSouth shall provide interfaces to adjuncts in accordance with the technical specifications set forth in the applicable industry standard technical references. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 6.6.14 BellSouth shall provide performance data regarding an end user line, traffic characteristics or other measurable elements to AT&T, upon a reasonable request from AT&T. AT&T will pay BellSouth for all costs incurred to provide such performance data through the process set forth in Section 13 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 6.6.15 BellSouth shall offer to AT&T all AIN triggers which are supported by BellSouth for offering AIN-based services in accordance with the technical specifications set forth in the applicable industry standard technical references. Triggers that are currently available include:
 - 6.6.15.1 Off-Hook Immediate,
 - 6.6.15.2 Off-Hook Delay,

- 6.6.15.3 Termination Attempt,
- 6.6.15.4 3/6/10 Public Office Dialing Plan,
- 6.6.15.5 Feature Code Dialing,
- 6.6.15.6 Customer Dialing Plan.
- 6.6.16 When additional triggers are supported by BellSouth, BellSouth will make these triggers available to AT&T:
- 6.6.16.1 Private EAMF Trunk,
- 6.6.16.2 Shared Interoffice Trunk (EAMF, SS7),
- 6.6.16.3 N11,
- 6.6.16.4 Automatic Route Selection.
- 6.6.17 If an AT&T end user subscribes to AT&T provided voice mail and messaging services, BellSouth shall redirect incoming calls to the AT&T system based upon presubscribed service arrangements (e.g., busy, don't answer, number of rings) through dedicated trunks provided by AT&T. In addition, BellSouth shall provide a Standard Message Desk Interface-Enhanced ("SMDI-E") interface to the AT&T system. BellSouth shall support the Inter-switch Voice Messaging Service ("IVMS") capability.

6.7 Tandem Switching

- 6.7.1 Definition
- 6.7.1.1 The Tandem Switching Capability is defined as:
 - 6.7.2 Trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card;
 - 6.7.3 The basic switch trunk function of connecting trunks to trunks; and
 - 6.7.4 The functions that are centralized in tandem switches (as distinguished from separate end office switches), including but not limited, to call recording, the routing of calls to operator services, and signaling conversion features.
- 6.7.4.1 BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its

interconnections. When requested by AT&T, the results and reports of the testing shall be made immediately available to AT&T.

- 6.7.4.2 BellSouth shall maintain AT&T's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 6.7.4.3 BellSouth shall control congestion points and network abnormalities. Congestion control provided or imposed on AT&T traffic shall be at parity with controls being provided or imposed on BellSouth traffic (e.g., BellSouth shall not block AT&T traffic and leave its traffic unaffected or less affected).
- 6.7.4.4 Tandem Switching shall process originating toll-free traffic received from an AT&T local switch.
- 6.7.4.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 6.7.4.6 The Local Switching and Tandem Switching functions may be combined in an office. If this is done, both Local Switching and Tandem switching shall provide all of the functionality required of each of those Network Elements in this Agreement.

6.8 Interface Requirements

- 6.8.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 6.8.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 6.8.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 6.8.4 Tandem Switching shall interconnect with AT&T's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA carriers. At AT&T's request, Tandem Switching shall record and keep records of traffic for billing.

6.9 Packet Switching

- 6.9.1 Definition

- 6.9.1.1 Packet Switching Capability. The packet switching capability Network Element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Multiplexer, including but not limited to:
- 6.9.2 The ability to terminate copper loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
- 6.9.3 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
- 6.9.4 The ability to extract data units from the data channels on the loops, and
- 6.9.5 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.
- 6.9.6 BellSouth shall be required to provide nondiscriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
 - 6.9.6.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
 - 6.9.6.2 There are no spare copper loops capable of supporting the xDSL services AT&T seeks to offer;
 - 6.9.6.3 BellSouth has not permitted AT&T to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has AT&T obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 C.F.R. § 51.319(b); and
 - 6.9.6.4 BellSouth has deployed packet switching capability for its own use.
- 6.9.7 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 16 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

7 Operator Service and Directory Assistance Service

7.1 AT&T PROPOSAL

7.1.1 BellSouth shall provide operator services and directory assistance on an unbundled basis at the rates set forth in Exhibit A to this Attachment only where BellSouth does not offer to AT&T customized (selective) routing or compatible signalling protocol. In cases where AT&T requests operator services and directory assistance and BellSouth offers customized (selective) routing, BellSouth and AT&T will negotiate the rates, terms and conditions of said operator services and directory assistance services.

7.1.2 BellSouth and AT&T will jointly test BellSouth's capability to provide customized (selective) routing as described in this Attachment. If this test demonstrates that customized (selective) routing is not provided at parity with that routing provided by BellSouth to itself, the Parties agree to negotiate terms and conditions for BellSouth's provision to AT&T of Operator Services and Directory Assistance as Network Elements.

7.1.3 When BellSouth provides Operator Services and Directory Assistance as Network Elements to AT&T pursuant to Section 7.2. above, Sections 7.3.1 and 7.3.2 below shall apply.

7.2 Operator Systems

7.2.1 Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

7.3 Operator Service

7.3.1 Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

7.3.2 Requirements

- 7.3.2.1** When AT&T requests BellSouth to provide Operator Services, the following requirements apply:
 - 7.3.2.1.1** BellSouth shall complete 0+ and 0- dialed local calls.
 - 7.3.2.1.2** BellSouth shall complete 0+ intraLATA toll calls.
 - 7.3.2.1.3** BellSouth shall process calls that are billed to AT&T end user calling cards that can be validated by BellSouth.
 - 7.3.2.1.4** BellSouth shall complete person-to-person calls.
 - 7.3.2.1.5** BellSouth shall complete collect calls.
 - 7.3.2.1.6** BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
 - 7.3.2.1.7** BellSouth shall complete station-to-station calls.
 - 7.3.2.1.8** BellSouth shall process emergency calls.
 - 7.3.2.1.9** BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
 - 7.3.2.1.10** BellSouth shall process emergency call trace, as it does for its end users prior to the Effective Date. The call must originate from a 911 provider.
 - 7.3.2.1.11** BellSouth shall process operator-assisted directory assistance calls.
 - 7.3.2.1.12** BellSouth shall adhere to equal access requirements, providing AT&T local end users the same IXC access as provided to BellSouth end users.
 - 7.3.2.1.13** BellSouth shall exercise at least the same level of fraud control in providing Operator Service to AT&T that BellSouth provides for its own operator service.
 - 7.3.2.1.14** BellSouth shall perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
 - 7.3.2.1.15** BellSouth shall direct customer account and other similar inquiries to the customer service center designated by AT&T.

- 7.3.2.1.16 **BellSouth shall provide a feed of end user call records in "EMI" format to AT&T in accordance with CLEC ODUF standards specified in Attachment 6, incorporated herein by this reference.**
- 7.3.2.2 **Interface Requirements**
- 7.3.2.2.1 **With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of AT&T, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to the applicable industry standards.**
- 7.3.3 **Directory Assistance Service**
- 7.3.3.1 **Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.**
- 7.3.3.2 **Requirement. Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by AT&T's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, AT&T may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.**
- 7.3.3.3 **Directory Assistance Service Updates**
- 7.3.3.3.1 **BellSouth shall update end user listings changes daily. These changes include:**
- 7.3.3.3.1.1 **New end user connections: BellSouth will provide service to AT&T that is equal to the service it provides to itself and its end users;**
- 7.3.3.3.1.2 **End user disconnections: BellSouth will provide service to AT&T that is equal to the service it provides to itself and its end users; and**
- 7.3.3.3.1.3 **End user address changes: BellSouth will provide service to AT&T that is equal to the service it provides to itself and its end users;**

- 7.3.3.3.1.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 7.3.4 Branding for Operator Call Processing and Directory Assistance
 - 7.3.4.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to AT&T end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows AT&T to have its calls custom branded with AT&T's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
 - 7.3.4.2 BellSouth offers four service levels of branding to AT&T when ordering Directory Assistance and/or Operator Call Processing.
 - 7.3.4.2.1 Service Level 1 - BellSouth Branding
 - 7.3.4.2.2 Service Level 2 - Unbranded
 - 7.3.4.2.3 Service Level 3 - Custom Branding
 - 7.3.4.2.4 Service Level 4 - Self Branding (applicable only to AT&T for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
 - 7.3.4.3 For Resellers and Use with an Unbundled Port
 - 7.3.4.3.1 BellSouth Branding is the Default Service Level.
 - 7.3.4.4 Unbranding, Custom Branding, and Self Branding require AT&T to order selective routing for each originating BellSouth end office identified by AT&T. Rates for Selective Routing are set forth in this Attachment.
 - 7.3.4.5 Customer Branding and Self Branding require AT&T to order dedicated trunking from each BellSouth end office identified by AT&T, to either the BellSouth Traffic Operator Position System (TOPS) or AT&T Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
 - 7.3.4.6 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by AT&T to the BellSouth TOPS. These calls are routed to "No Announcement."

- 7.3.4.7 For Facilities Based Carriers
 - 7.3.4.7.1 All Service Levels require AT&T to order dedicated trunking from AT&T's end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
 - 7.3.4.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which AT&T requires service.
- 7.3.5 Directory Assistance customized branding uses:
 - 7.3.5.1 the recording of the name;
 - 7.3.5.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 7.3.6 Operator Call Processing customized branding uses:
 - 7.3.6.1 the recording of the name;
 - 7.3.6.2 the front-end loading of the DRAM in the TOPS Switch;
 - 7.3.6.3 the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
 - 7.3.6.4 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 7.4 BellSouth will provide to AT&T purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. AT&T end users may use the same dialing arrangements as BellSouth end users, but obtain a AT&T branded service.
- 8 Interoffice Transmission Facilities
 - 8.1 BellSouth shall:
 - 8.1.1 Provide AT&T, upon request, exclusive use of interoffice transmission facilities dedicated to a particular end user or carrier, or use the

features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

- 8.1.2 Provide all technically feasible transmission facilities, features, functions, and capabilities that AT&T, upon request, could use to provide telecommunications services; and
- 8.1.3 Permit, to the extent technically feasible, AT&T, upon request, to connect such interoffice facilities to equipment designated by AT&T, including but not limited to, AT&T's collocated facilities.

8.2 Shared Transport

8.2.1 Definition

- 8.2.1.1 Shared Transport is defined as transmission facilities shared by more than one telecommunications carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches in BellSouth's network.

8.2.2 Technical Requirements

- 8.2.2.1 Shared Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for central office to central office connections in accordance with the applicable industry standard technical references.
- 8.2.2.2 Shared Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for central office to central office connections in accordance with the applicable industry standard technical references.
- 8.2.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Shared Transport.
- 8.2.2.4 At a minimum, Shared Transport shall meet all of the requirements set forth in the applicable industry standard technical references.

8.3 Dedicated Transport

8.3.1 Definition

- 8.3.1.1 Dedicated transport is defined as BellSouth transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular

customer or carrier, that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers.

- 8.3.1.2 BellSouth will, to the extent technically feasible, permit AT&T to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.
- 8.3.1.3 Local Channel
- 8.3.2 The Local Channel is the dedicated transmission path between AT&T's point of presence and the BSWC.
- 8.3.3 Local Channels may be used for either switched or non-switched traffic. Rates for Local Channels are contained in Exhibit A of this Attachment 2.
- 8.3.3.1 Technical Requirements
- 8.3.4 This Section sets forth technical requirements for all Dedicated Transport.
- 8.3.5 When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (e.g., DS1, DS3, STS-1) shall be dedicated to AT&T designated traffic.
- 8.3.6 BellSouth shall offer Dedicated Transport in all documented bandwidth interfaces used within BellSouth's network, including, but not limited to, DS1 and DS3 and OCN.
- 8.3.7 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for end user interface to central office connections in the technical reference set forth in the applicable industry standard technical reference.
- 8.3.8 For DS3 circuits, STS-1 circuits, and higher rate circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for end user interface to central office connections in the technical reference set forth in the applicable industry standard technical reference.
- 8.3.9 When requested by AT&T, Dedicated Transport shall provide physical diversity. Physical diversity means that two circuits are provisioned in

such a way that no single failure of facilities or equipment will cause a failure on both circuits.

- 8.3.10 When physical diversity is requested by AT&T, BellSouth shall provide the maximum feasible physical separation between intra-office and inter-office transmission paths (unless otherwise agreed by AT&T). BellSouth shall take appropriate steps to assure physical diversity continues to be provided for the duration of the period that AT&T employs or until such time that AT&T notifies BellSouth that physical diversity is no longer required.
- 8.3.11 Upon AT&T's request, BellSouth shall provide nondiscriminatory performance monitoring and alarming.

8.4 DARK FIBER

8.4.1 Definition

- 8.4.1.1 Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

8.4.2 Requirements

- 8.4.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two-year planning period, there is no requirement to provide said fiber to AT&T.
- 8.4.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at AT&T's request subject to time and materials charges.
- 8.4.2.3 AT&T may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- 8.4.2.4 BellSouth shall use its best efforts to provide to AT&T information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request

from AT&T ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to forty-five (45) days after Confirmation, BellSouth shall hold such requested Dark Fiber for AT&T's use and may not allow any other party to use such media, including BellSouth.

8.4.2.5 BellSouth shall use its best efforts to make Dark Fiber available to AT&T within thirty (30) business days after it receives written confirmation from AT&T that the Dark Fiber previously deemed available by BellSouth is wanted for use by AT&T. This includes identification of appropriate connection points (e.g., Light Guide Interconnection ("LGX") or splice points) to enable AT&T to connect or splice AT&T provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

8.4.2.6 Dark fiber shall meet the manufacturers' design specifications.

8.4.2.7 AT&T may splice and test Dark Fiber obtained from BellSouth using AT&T or AT&T designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

9 Signaling Networks and Call-Related Databases

9.1 BellSouth shall provide AT&T access to signaling networks, call-related databases, and service management systems on an unbundled basis for the provision of a telecommunications service.

9.2 Signaling Networks

9.2.1 Signaling networks include, but are not limited to, signaling links and signaling transfer points. When AT&T purchases unbundled switching capability from BellSouth, BellSouth shall provide access to its signaling network from that switch in the same manner in which it obtains access itself. BellSouth shall provide AT&T with its own switching facilities access to BellSouth's signaling network for each of the AT&T switches. This connection shall be made in the same manner as BellSouth connects one of its own switches to a signaling transfer point.

9.2.2 Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between AT&T-designated Signaling Points of

- Interconnection ("SPOI") and BellSouth Point of Interconnection that provides appropriate physical diversity.
- 9.2.3 The network termination point where this interconnection takes place is called the STP port termination.
- 9.2.4 Technical Requirements
- 9.2.4.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 9.2.4.2 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 9.2.5 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch ("STPS") pair and consists of two links; and
- 9.2.6 As a "D/B-link" which is a connection between two STPS pairs in different company networks (e.g., between two STPS pairs for two Competitive Local Exchange Carriers ("CLECs")) and consists of four links.
- 9.2.6.1 A signaling link layer shall satisfy a performance objective such that:
- 9.2.7 There shall be no more than two minutes down time per year for an A-link layer; and
- 9.2.8 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.
- 9.2.8.1 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.9 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.10 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a D/B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.10.1 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the central office where BellSouth STPS is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate

interface. BellSouth shall offer higher rate DS1 signaling for interconnecting AT&T local switching systems or STPSs with BellSouth STPSs as soon as these become approved ANSI standards and available capabilities of BellSouth STPSs. BellSouth and AT&T will work jointly to establish mutually acceptable SPOIs.

- 9.2.11 Signaling Transfer Points
 - 9.2.11.1 Definition
 - 9.2.12 Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the STPSs and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and STPS.
 - 9.2.12.1 Technical Requirements
 - 9.2.13 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
 - 9.2.13.1 BellSouth Service Control Points/DataBases and
 - 9.2.13.2 Third-party-provided STPSs.
 - 9.2.14 The connectivity provided by STPs shall fully support the functions of all Network Elements and AT&T or other third-party switching systems and STPs connected to BellSouth's SS7 network. This explicitly includes the use of BellSouth's SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth's SS7 network (i.e., transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part ("ISDNUP") or Transaction Capabilities Application Part ("TCAP") user data that constitutes the content of the message.
 - 9.2.15 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an AT&T local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between the AT&T local STPSs and the STPSs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPSs.
 - 9.2.16 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

- 9.2.17 STPs shall provide on a non-discriminatory basis all functions of the Operations, Maintenance and Administration Part ("OMAP") commonly provided by STPSs. All OMAP functions will be on a "where available" basis and can include:
 - 9.2.17.1 MTP Routing Verification Test ("MRVT") and
 - 9.2.17.2 SCCP Routing Verification Test ("SRVT").
- 9.2.18 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is an AT&T or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPSs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPSs, and if mutually agreed upon by AT&T and BellSouth.
- 9.2.19 BellSouth STPs shall route mutually agreeable AIN responses from the AT&T SCP via SS7 network interconnect to the local switch designated in the Signaling Connection Control Part ("SCCP") called party address.
- 9.2.20 STPs shall be equal to or better than the technical specifications set forth in the applicable industry standard technical references.
 - 9.2.20.1 Message Screening
 - 9.2.21 BellSouth shall set message screening parameters so as to accept messages from AT&T local or tandem switching systems destined to any signaling point in the BellSouth SS7 network or any network interconnected to the BellSouth SS7 network with which the AT&T switching system has a legitimate signaling relationship.
 - 9.2.22 BellSouth shall set message screening parameters so as to accept messages destined to/from an AT&T local or tandem switching system or to/from an AT&T Service Control Point from any signaling point or network interconnected to the BellSouth SS7 network with which the AT&T switching system has a legitimate signaling relationship.
- 9.3 **SS7 Advanced Intelligent Network ("AIN") Access**

- 9.3.1 SS7 AIN Access shall provide the AT&T SCP access to BellSouth local switch via interconnection of BellSouth SS7 and AT&T SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network, BellSouth must route its calls in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the AT&T SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.
- 9.3.2 SS7 AIN Access is the provisioning of AIN triggers in a BellSouth local switch and interconnection of the BellSouth SS7 network with the AT&T SS7 network to exchange TCAP queries and responses with an AT&T SCP.

9.4 Call-Related DataBases

9.4.1 Definition

- 9.4.1.1 Call-related databases are defined as databases, other than operations support systems, that are used in signaling networks for billing and collection, or the transmission, routing, or other provision of a telecommunications service. For purposes of switch query and database response through a signaling network, BellSouth shall provide access to its call-related databases, including but not limited to, the Calling Name Database, 911 Database, E911 Database, Line Information Database, Toll Free Calling Database, Advanced Intelligent Network Databases, and downstream number portability databases by means of physical access at the signaling transfer point linked to the unbundled databases. BellSouth shall not be required to unbundle the services created in the AIN platform and architecture that qualify for proprietary treatment. BellSouth shall allow AT&T when AT&T has purchased BellSouth's local switching capability to use BellSouth's service control point element in the same manner, and via the same signaling links, as BellSouth itself. BellSouth shall allow AT&T when it has deployed its own switch, and has linked that switch to BellSouth's signaling system, to gain access to BellSouth's service control point in a manner that allows AT&T to provide any call-related database-supported services to customers served by AT&T's switch. BellSouth shall provide AT&T, upon request, with access to call-related databases in a manner that complies with Section 222 of the Act.

- 9.4.2 A Service Control Point ("SCP") is a specific type of Database functionality deployed in a Signaling System 7 ("SS7") network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network.

- 9.4.3 Technical Requirements
- 9.4.3.1 Requirements for call-related databases within this section address storage of information, access to information (e.g., signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All call-related databases shall be provided in accordance with the following requirements:
- 9.4.4 BellSouth shall provide physical access to SCPs through the SS7 network and protocols, as specified in this Attachment 2, with TCAP as the application layer protocol.
- 9.4.5 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols.
- 9.4.5.1 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 9.4.6 Database Availability
- 9.4.6.1 Call-related databases shall have a maximum unscheduled unavailability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call-related databases will impact all service providers, including BellSouth, equally.
- 9.4.6.2 Any AT&T order for data to be added, modified or deleted from the databases shall be consistent with the ordering and provisioning requirements of this Agreement.
- 9.4.6.3 BellSouth shall make available call-related database functionality and complete database transactions (e.g., add, modify or delete) for AT&T customer records stored in BellSouth's databases on a basis that is equivalent to that which it provides to itself or third-party requesting telecommunications carriers.
- 9.4.7 Line Information Database ("LIDB")
- 9.4.7.1 AT&T acknowledges that BellSouth will store in its LIDB only records relating to service in the BellSouth region.
- 9.4.7.2 Definition.
- 9.4.8 The LIDB is a transaction-oriented database accessible through Common Channel Signaling ("CCS") networks. It contains records

associated with customer Line Numbers and Special Billing Numbers relating to service in the BellSouth region.

- 9.4.9 The LIDB Storage Agreement, which contains the terms and conditions for AT&T's access to LIDB, is attached as Exhibit A to Attachment 6, incorporated herein by this reference.
- 9.4.10 Toll Free Number Database
 - 9.4.10.1 The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:
 - 9.4.11 BellSouth shall make BellSouth Toll Free Number Database available for AT&T to query with a toll-free number and originating information.
 - 9.4.12 The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.
 - 9.4.12.1 Interface Requirements
 - 9.4.13 The signaling interface between the AT&T or other local switch and the Toll-Free Number database shall use the TCAP protocol and in the signaling network interface as specified in the applicable industry standard technical references.
 - 9.4.14 Automatic Location Identification/Data Management System ("ALI/DMS")
 - 9.4.14.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than 911. BellSouth shall provide the Emergency Services Database in accordance with the following:
 - 9.4.14.2 Technical Requirements
 - 9.4.15 BellSouth shall provide an electronic interface to the ALI/DMS database, through which AT&T or its agent may provide a daily update of AT&T end user information. BellSouth shall provide AT&T with record input format, consistent with the requirements imposed on

BellSouth by the governmental body administering 911 services. BellSouth shall provide error reports from the ALI/DMS data base to AT&T as soon as possible, but in any event, within 24 hours after AT&T or its agents enters information into the ALI/DMS data base. The error reports may be provided electronically if AT&T purchases the capability. If an electronic interface is not available as an offering or because of a system outage for AT&T or its agents to provide daily updates to the ALI/DMS database or for BellSouth to provide error reports from the ALI/DMS database, BellSouth shall establish a process or procedure to receive, send and process within one business day AT&T end user information. The error files will contain the AT&T reference date and file number of the original record sent.

- 9.4.16 The ALI/DMS database shall contain the following end user information:
 - 9.4.16.1 Name;
 - 9.4.16.2 Address;
 - 9.4.16.3 Telephone number; and
 - 9.4.16.4 Other information as appropriate (e.g., whether an end user is blind or deaf or has another disability).
- 9.4.17 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless AT&T requests otherwise and shall be updated if AT&T requests, provided AT&T supplies BellSouth with the updates.
- 9.4.18 When Remote Call Forwarding ("RCF") is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the end user record.
- 9.4.19 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 9.4.20 At either Party's option, however not to exceed annually unless otherwise agreed to by the Parties, the databases of both Parties shall

be compared for accuracy and uniformity. If any discrepancies are found as a result of the comparison, the Parties shall work cooperatively to correct the discrepancies within a reasonable time. The cost of the implementation of the request made other than annually shall be borne by the Party making the request.

9.4.20.1 Interface Requirements

9.4.21 The interface between the E911 Switch or Tandem and the ALI/DMS database for AT&T end users shall meet industry standards.

10 Directory Assistance Database Service ("DADS")

10.1 Directory Assistance ("DA") database contains all end user data in the database used by BellSouth to provide its own DA service and where BellSouth is authorized to include the end user data of a telecommunications carrier in the database available to AT&T. BellSouth shall provide access to the DA database in one of two manners.

10.2 BellSouth shall make its Directory Assistance Database Service ("DADS") available solely for the expressed purpose of providing Directory Assistance type services to AT&T end users. Directory Assistance type service is defined as a service that allows AT&T end users to obtain the name, telephone numbers and addresses of other subscribers of telecommunications services. AT&T agrees that Directory Assistance Database Service ("DADS") will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted use, AT&T shall not disclose DADS and shall provide due care in providing for the security and confidentiality of DADS. Further, AT&T authorizes the inclusion of AT&T's Directory Assistance listings in the BellSouth Directory Assistance products.

10.3 BellSouth shall provide AT&T initially with a base file of subscriber listings which reflect all listing change activity occurring since AT&T's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by AT&T and BellSouth. AT&T agrees to assume the costs associated with CONNECT: Direct™ connectivity, which will vary depending upon volume and mileage.

10.4 BellSouth will require approximately one month after receiving an order to prepare the base file. BellSouth will provide daily updates to AT&T which will reflect listing change activity

occurring since AT&T's most recent update. BellSouth shall provide updates to AT&T on a business, residence, or combined business and residence basis. AT&T agrees that the updates shall be used solely to keep the information current. Delivery of daily updates will commence the day after AT&T receives the base file.

- 10.5 BellSouth is authorized to include AT&T Directory Assistance listing information in its Directory Assistance Database Service. Any other use by BellSouth of AT&T Directory Assistance listing information is not authorized and with the exception of a request for DADS, BellSouth shall refer any request for such information to AT&T.
- 10.6 BellSouth shall provide to AT&T, upon request, via DADS, the names and addresses for BellSouth.
- 10.7 AT&T and other telecommunication carriers' subscribers that have unlisted and non-published directory listings. The data files shall contain a special indicator showing that the subscribers account is either unlisted or unpublished.
- 10.8 Rates for DADS are as set forth in Exhibit A of this Attachment 2.
- 10.9 Direct Access to Directory Assistance Service ("DADAS") will provide AT&T's directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow AT&T to utilize its own switch, operator workstations and optional audio subsystems.
- 10.10 BellSouth will provide DADAS from its DA location. AT&T will access the DADAS system via BellSouth provided point of availability. AT&T has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from BellSouth at rates and charges billed separately from the charges associated with this offering.
- 10.11 A specified interface to each AT&T subsystem will be provided by BellSouth. Interconnection between AT&T's system and a specified BellSouth location will be pursuant to the use of AT&T-owned or AT&T-leased facilities and shall be appropriately sized based upon the volume of queries being generated by AT&T.
- 10.12 The specifications for the three interfaces necessary for interconnection are available in the following documents:

- 10.12.1 DADAS to Subscriber Operator Position System – Northern Telecom Document CSI-2300-07; Universal Gateway/Position Message Interface Format Specification;
- 10.12.2 DADAS to Subscriber Switch – Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification;
- 10.12.3 DADAS to Audio Subsystem (Optional) – Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol – Northern Telecom Document 355-004424 and Gateway/Interactive Voice Subsystem Protocol Specification.
- 10.12.4 Rates for DADAS are as set forth in Exhibit A of this Attachment 2.
- 10.12.5 Calling Name Delivery Database Service
 - 10.12.5.1 Calling Name Delivery Database Service (“CNAM”) provides AT&T the ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party’s name before the call is answered. This service also provides AT&T the opportunity to load and store its subscriber name in the BellSouth CNAM SCPs.
 - 10.12.5.2 The CNAM Database Service Agreement is included as Exhibit D to this Attachment 2 and incorporated herein by this reference.

11 Service Management System

11.1 Definition

- 11.1.1 A Service Management System is defined as a computer database or system not part of the public switched network that, among other things: (1) interconnects to the service control point and sends to that service control point the information and call processing instructions needed for a network switch to process and complete a telephone call; and (2) provides telecommunications carriers with the capability of entering and storing data regarding the processing and completing of a telephone call. BellSouth shall provide AT&T, upon request, with access to a Service Management System in a manner that complies with Section 222 of the Act.

- 11.2 BellSouth shall provide AT&T with the information necessary to enter correctly, or format for entry, the information relevant for input into BellSouth's Service Management System.
- 11.3 BellSouth shall provide AT&T the same access to design, create, test, and deploy Advanced Intelligent Network-based services at the Service Management System, through a Service Creation Environment, that BellSouth provides itself.
- 11.4 BellSouth shall provide access to any and all BellSouth non-proprietary service applications resident in BellSouth's SCP. Such access may be from AT&T's switch or BellSouth's unbundled Local Switching element.
- 11.5 Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 11.6 BellSouth's Service Creation Environment ("SCE") and Service Management System ("SMS") Advanced Intelligent Network ("AIN") Access shall provide AT&T the capability that will allow AT&T to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. AT&T's service applications interact with AIN triggers provisioned on a BellSouth SSP. BellSouth shall provide AT&T access to the BellSouth Service Creation Environment in a manner equal to what BellSouth provides itself or requesting telecommunications carriers.
- 11.7 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to AT&T. Scheduling procedures shall provide AT&T equivalent priority to these resources.
- 11.8 BellSouth SCP shall partition and protect AT&T service logic and data from unauthorized access, execution or other types of compromise.
- 11.9 When AT&T selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable AT&T to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.

- 11.10 **When AT&T selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components.**
- 11.11 **When AT&T selects SCE/SMS AIN Access for providing services on AT&T's network, BellSouth and AT&T will work cooperatively to resolve technical and provisioning issues.**
- 12 **Trunk Interface Requirements**
- 12.1 **If a municipality has converted to E911 service, AT&T will forward 911 calls to the appropriate E911 primary tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the primary tandem trunks are not available, AT&T will alternatively route the call to a designated 7-digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party, which is in parity with BellSouth's handling of 911 calls from its customers.**
- 12.2 **911/E911 Trunks**
- 12.2.1 **Local Switch and Access Tandem Trunks**
- 12.2.1.1 **BellSouth shall provide trunk groups provisioned exclusively to carry intraLATA traffic, as designated by AT&T.**
- 12.2.1.2 **BellSouth shall provide trunk groups provisioned exclusively to carry interLATA traffic, as designated by AT&T.**
- 12.2.1.3 **BellSouth shall provide SS7 trunks which provide SS7 interconnection. At AT&T's request, MF trunks may be substituted for SS7 trunks where applicable.**
- 12.2.1.4 **BellSouth shall simultaneously route calls based on dialed digits (in accordance with the standard GR-317-CORE), and Carrier Identification Code (in accordance with the standard GR-394-CORE) over a single SS7 trunk group.**
- 12.3 **911 and E911**
- 12.3.1 **If AT&T orders Services and Elements, then AT&T is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.**
- 12.3.2 **Definition**

12.3.2.1 The 911 and E911 are requirements that provide a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911). 911 Arrangements are arrangements for routing 911 calls from AT&T end users to the appropriate PSAP, passing certain end user information for display at the PSAP answering station based on the class of 911 service (911 or E911) deployed in the area. BellSouth shall provide 911 Arrangements to AT&T in accordance with the provisions below in areas where AT&T is authorized to provide local exchange service and BellSouth is the 911 service provider. The provisions in this Section apply only to 911 Arrangements. The 911 functionality for Local Services Resale shall be governed by provisions in Attachment 1 of this Agreement incorporated herein by reference. In providing 911 Arrangements to AT&T, BellSouth shall comply with all laws, rules and regulations concerning emergency services. The 911 and E911 functions provided to AT&T shall be at least equal in quality and functionality with the support and services that the BellSouth provides to its own retail end users.

12.3.3 Requirements

12.3.3.1 911 Service Provisioning. For 911 service, BellSouth will provide to AT&T a list consisting of each municipality that subscribes to 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. AT&T will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. AT&T will be required to route that call to BellSouth at the appropriate to install dedicated facilities from its serving wire center to the appropriate BellSouth tandem or end office. When a municipality converts to E911 service, AT&T will be required to discontinue the 911 procedures and begin using E911 procedures.

12.3.3.2 E911 Service Provisioning. For E911 service, AT&T will be required to install a minimum of two dedicated trunks originating from the AT&T serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. AT&T will be required to

provide BellSouth daily updates to the E911 database. AT&T will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, AT&T will be required to route the call to a designated 10-digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. AT&T shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

12.3.4 Technical Requirements

12.3.4.1 At AT&T's request, BellSouth and AT&T shall establish dedicated trunk groups to route E911 calls placed by AT&T end users to the appropriate BellSouth 911 tandem or selective router. Trunks shall be established as CAMA MF trunks until SS7 connectivity is available. Thereafter, trunks shall be established with SS7 signaling.

12.3.4.2 BellSouth shall provision 911 trunks within 30 calendar days of receipt of AT&T's order, or such shorter time as may be established by law, rule, regulation or Commission or F.C.C. order. Alternatively, at its option, AT&T may provide the trunks. Regardless of which party provides the trunks, prior to placing a trunk in service BellSouth and AT&T shall cooperate in testing to assure proper functioning of the E911 system for calls delivered over the trunk.

12.3.4.3 BellSouth shall assure sufficient capacity at the 911 tandem or selective router to meet AT&T's requests for interconnection within 30 calendar days after receipt of the request. There shall be no limit on the number of trunks used by AT&T to connect to the 911 tandem or selective router. Interconnection to the 911 tandem shall be established to provide path and route diversity.

12.3.4.4 BellSouth shall provide the following information to AT&T, and shall promptly notify AT&T of any changes:

12.3.5 BellSouth processes and requirements for ordering trunks for 911 trunks and interconnection to the 911 tandem or selective router.

12.3.6 Trunk group specifications.

12.3.7 E911 tandem CLLI codes, circuit IDs, point codes, LEC order number, and IS code and address.

- 12.3.8 Description of BellSouth's diversity for facility routing.
- 12.3.9 Maintenance procedures for 911 trunk groups, including, but not limited to, contact names and numbers, escalation lists, and the hours that maintenance is available.
- 12.3.10 E911 Call Routing and Provision Customer Information to PSAP
 - 12.3.10.1 BellSouth shall route E911 calls delivered by AT&T to BellSouth's 911 tandems or selective routers to PSAPs in the same manner that BellSouth routes E911 calls from its own retail customers. BellSouth shall provide and validate AT&T customer information from the ALI/ANI database in the same manner BellSouth provides and validates information for its own retail customers.
 - 12.3.10.2 BellSouth shall automatically update the ALI/DMS databases with respect to NPA split conversions.
- 12.3.11 Master Street Address Guide ("MSAG")
 - 12.3.11.1 BellSouth shall provide AT&T access to the MSAG at least equal in quality and functionality with the access BellSouth provides to itself. BellSouth shall provide AT&T with a complete copy of the MSAG via CD Rom which is usable with personal computers, free of charge, once each year. Quarterly updates for each state are available for an additional charge. BellSouth shall cooperate with AT&T to ensure the accuracy of information about AT&T Customers in the MSAG and shall assist in resolving any errors. If BellSouth discovers an error in the MSAG, BellSouth shall notify PSAPs and AT&T of any errors in the MSAG concerning AT&T Customers.
- 12.3.12 Other
 - 12.3.12.1 BellSouth shall provide AT&T with 10-digit emergency telephone numbers for operator handling of emergency calls, at least equal in quality and functionality with the provisions of such information to itself.
- 12.3.13 Technical References
 - 12.3.13.1 BellSouth shall provide 911 Arrangements to AT&T based upon modified NENA 2 Recommendations.
- 12.3.14 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on AT&T beyond applicable charges for BellSouth trunking arrangements.

- 12.3.15 The 911 and E911 functions provided to AT&T shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 12.3.16 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and AT&T to follow in providing 911/E911 services.

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 1

DESCRIPTION	USOC	KY
NIDs		
NID to NID Cross Connect, 2-Wire or 4-Wire, NRC	UNDC2	NA
NID to NID Cross Connect, 2-Wire or 4-Wire, NRC	UNDC4	NA
NID, 1-2 lines	UND12	NA
NRC - 1st	UND12	TBD
NRC - Add'l	UND12	TBD
NRC - Disconnect Charge - 1st	UND12	TBD
NRC - Disconnect Charge - Add'l	UND12	TBD
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD
NID, 1-6 lines	UND16	TBD
NRC - 1st	UND16	TBN
NRC - Add'l	UND16	TBN
NRC - Disconnect Charge - 1st	UND16	TBN
NRC - Disconnect Charge - Add'l	UND16	TBN
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 2

			Nonrecurring Charge - customer transfer, feature additions, changes (1)		NA
			LOOP, EXCLUDING NID		
			2-Wire Analog VG Loop (Standard), per month		TBD
				NRC - 1st	\$18.20
				NRC - Add'l	\$86.08
			2-Wire Analog VG Loop (Customized), per month		TBD
				NRC - 1st	\$21.41
				NRC - Add'l	\$236.75
			4-Wire Analog VG Loop (Standard), per month		TBD
				NRC - 1st	\$26.38
				NRC - Add'l	\$457.14
			2-Wire ISDN Digital Grade Loop (Standard), per month		TBD
				NRC - 1st	\$29.65
				NRC - Add'l	\$541.28
			2-Wire ADSL Loop (Standard), per month		TBD
				NRC - 1st	\$10.63
				NRC - Add'l	\$713.50
			2-Wire HDSL Loop (Standard), per month		TBD
				NRC - 1st	\$7.40
				NRC - Add'l	\$713.50
			4-Wire HDSL Loop (Standard), per month		TBD
				NRC - 1st	\$9.70
				NRC - Add'l	\$609.44

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 3

		NRC - 1st		\$748.93
		NRC - Add'l		\$646.17
		LOOP, INCLUDING NID		
		2-Wire Analog VG Loop-SL1, per month		
		RC - Statewide, per month	UEAL2	NA
		RC - Zone 1, per month (Note 2)	UEAL2	\$14.79
		RC - Zone 2, per month (Note 2)	UEAL2	\$27.68
		RC - Zone 3, per month (Note 2)	UEAL2	\$47.78
		RC - Zone 4, per month (Note 2)	UEAL2	NA
		NRC - 1st	UEAL2	NA
		NRC - Add'l	UEAL2	NA
		NRC - Disconnect Charge - 1st	UEAL2	NA
		NRC - Disconnect Charge - Add'l	UEAL2	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		2-Wire Analog VG Loop-SL2 w/loop or ground start signaling, per month		
		RC - Statewide, per month	UEAL2	NA
		RC - Zone 1, per month (Note 2)	UEAL2	\$17.27
		RC - Zone 2, per month (Note 2)	UEAL2	\$32.32
		RC - Zone 3, per month (Note 2)	UEAL2	\$55.78
		RC - Zone 4, per month (Note 2)	UEAL2	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 4

		NRC - 1st	UEAL2	NA
		NRC - Add'l	UEAL2	NA
		NRC - Disconnect Charge - 1st	UEAL2	NA
		NRC - Disconnect Charge - Add'l	UEAL2	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA
		2-Wire Analog VG Loop-SL2 w/ reverse battery signaling, per month		
		RC - Statewide, per month	UEAR2	NA
		RC - Zone 1, per month (Note 2)	UEAR2	\$17.27
		RC - Zone 2, per month (Note 2)	UEAR2	\$32.32
		RC - Zone 3, per month (Note 2)	UEAR2	\$55.78
		RC - Zone 4, per month (Note 2)	UEAR2	NA
		NRC - 1st	UEAR2	NA
		NRC - Add'l	UEAR2	NA
		NRC - Disconnect Charge - 1st	UEAR2	NA
		NRC - Disconnect Charge - Add'l	UEAR2	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOCL	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 5

4-Wire Analog VG Loop, per month			
		RC - Statewide, per month	UEAL4 NA
		RC - Zone 1, per month (Note 2)	UEAL4 NA
		RC - Zone 2, per month (Note 2)	UEAL4 NA
		RC - Zone 3, per month (Note 2)	UEAL4 NA
		RC - Zone 4, per month (Note 2)	UEAL4 NA
		NRC - 1st	UEAL4 NA
		NRC - Add'l	UEAL4 NA
		NRC - Disconnect Charge - 1st	UEAL4 NA
		NRC - Disconnect Charge - Add'l	UEAL4 NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL NA
2-Wire ISDN Digital Grade Loop, per month			
		RC - Statewide, per month	U1L2X NA
		RC - Zone 1, per month (Note 2)	U1L2X \$23.66
		RC - Zone 2, per month (Note 2)	U1L2X \$44.28
		RC - Zone 3, per month (Note 2)	U1L2X \$76.42
		RC - Zone 4, per month (Note 2)	U1L2X NA
		NRC - 1st	U1L2X NA
		NRC - Add'l	U1L2X NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 6

		NRC - Disconnect Charge - 1st	U1L2X	NA
		NRC - Disconnect Charge - Add'l	U1L2X	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		2-Wire Universal Digital Carrier (UDC), statewide, per month	UDC2X	NA
		Zone 1, per month	UDC2X	\$23.66
		Zone 2, per month	UDC2X	\$44.28
		Zone 3, per month	UDC2X	\$76.42
		Zone 4, per month	UDC2X	NA
		NRC - 1st	UDC2X	NA
		NRC - Add'l	UDC2X	NA
		NRC - Disconnect Charge - 1st	UDC2X	NA
		NRC - Disconnect Charge - Add'l	UDC2X	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		2-Wire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop, includes manual service inquiry and facility reservation, statewide, per month		

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 7

		RC - Statewide, per month	UAL2X	NA
		RC - Zone 1, per month (Note 2)	UAL2X	\$8.79
		RC - Zone 2, per month (Note 2)	UAL2X	\$16.46
		RC - Zone 3, per month (Note 2)	UAL2X	\$28.40
		RC - Zone 4, per month (Note 2)	UAL2X	NA
		NRC - 1st	UAL2X	NA
		NRC - Add'l	UAL2X	NA
		NRC - Disconnect Charge - 1st	UAL2X	NA
		NRC - Disconnect Charge - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA
		2-Wire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop, <u>without manual service inquiry and facility reservation, statewide, per month</u>	UAL2W	NA
		Zone 1, per month	UAL2W	\$8.79
		Zone 2, per month	UAL2W	\$16.46
		Zone 3, per month	UAL2W	\$28.40
		Zone 4, per month	UAL2W	NA
		NRC - 1st	UAL2W	\$574.50

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 8

		NRC - Add'l	UAL2W	\$470.44
		NRC - Disconnect Charge - 1st	UAL2W	NA
		NRC - Disconnect Charge - Add'l	UAL2W	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		2-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, includes manual service inquiry and facility reservation, statewide, per month		
		RC - Statewide, per month	UHL2X	NA
		RC - Zone 1, per month (Note 2)	UHL2X	\$6.29
		RC - Zone 2, per month (Note 2)	UHL2X	\$11.78
		RC - Zone 3, per month (Note 2)	UHL2X	\$20.33
		RC - Zone 4, per month (Note 2)	UHL2X	NA
		NRC - 1st	UHL2X	NA
		NRC - Add'l	UHL2X	NA
		NRC - Disconnect Charge - 1st	UHL2X	NA
		NRC - Disconnect Charge - Add'l	UHL2X	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		2-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, <u>without</u> manual service inquiry and facility reservation, statewide, per month	UHL2W	NA
		Zone 1, per month	UHL2W	\$6.29
		Zone 2, per month	UHL2W	\$11.78
		Zone 3, per month	UHL2W	\$20.33
		Zone 4, per month	UHL2W	NA
		NRC - 1st	UHL2W	\$574.50
		NRC - Add'l	UHL2W	\$470.44
		NRC - Disconnect Charge - 1st	UHL2W	NA
		NRC - Disconnect Charge - Add'l	UHL2W	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		4-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, <u>includes</u> manual service inquiry and facility reservation, per month, statewide		
		RC - Statewide, per month	UHL4X	NA
		RC - Zone 1, per month (Note 2)	UHL4X	\$7.68

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 10

		RC - Zone 2, per month (Note 2)	UHL4X	\$14.38
		RC - Zone 3, per month (Note 2)	UHL4X	\$24.82
		RC - Zone 4, per month (Note 2)	UHL4X	NA
		NRC - 1st	UHL4X	NA
		NRC - Add'l	UHL4X	NA
		NRC - Disconnect Charge - 1st	UHL4X	NA
		NRC - Disconnect Charge - Add'l	UHL4X	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		4-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, without manual service inquiry and facility reservation, per month, statewide	UHL4W	NA
		Zone 1, per month	UHL4W	\$7.68
		Zone 2, per month	UHL4W	\$14.38
		Zone 3, per month	UHL4W	\$24.82
		Zone 4, per month	UHL4W	NA
		NRC - 1st	UHL4W	\$609.93
		NRC - Add'l	UHL4W	\$507.17
		NRC - Disconnect Charge - 1st	UHL4W	NA
		NRC - Disconnect Charge - Add'l	UHL4W	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		4-Wire DS1 Digital Loop, per month		
		RC - Statewide, per month	USLXX	NA
		RC - Zone 1, per month (Note 2)	USLXX	\$50.26
		RC - Zone 2, per month (Note 2)	USLXX	\$94.06
		RC - Zone 3, per month (Note 2)	USLXX	\$162.34
		RC - Zone 4, per month (Note 2)	USLXX	NA
		NRC - 1st	USLXX	\$849.80
		NRC - Add'l	USLXX	\$523.27
		NRC - Disconnect Charge - 1st	USLXX	NA
		NRC - Disconnect Charge - Add'l	USLXX	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$55.00
		4-Wire 56 Kbps Dig Grade Loop, per month		
		RC - Statewide, per month	UDL56	NA
		RC - Zone 1, per month (Note 2)	UDL56	NA
		RC - Zone 2, per month (Note 2)	UDL56	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		RC - Zone 3, per month (Note 2)	UDL56	NA
		RC - Zone 4, per month (Note 2)	UDL56	NA
		NRC - 1st	UDL56	NA
		NRC - Add'l	UDL56	NA
		NRC - Disconnect Charge - 1st	UDL56	NA
		NRC - Disconnect Charge - Add'l	UDL56	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA
		4-Wire 64 Kbps Dig Grade Loop, per month		
		RC - Statewide, per month	UDL64	NA
		RC - Zone 1, per month (Note 2)	UDL64	NA
		RC - Zone 2, per month (Note 2)	UDL64	NA
		RC - Zone 3, per month (Note 2)	UDL64	NA
		RC - Zone 4, per month (Note 2)	UDL64	NA
		NRC - 1st	UDL64	NA
		NRC - Add'l	UDL64	NA
		NRC - Disconnect Charge - 1st	UDL64	NA
		NRC - Disconnect Charge - Add'l	UDL64	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	NA
		2-Wire Unbundled Copper Loop/Short (less than or equal to 18kft), includes manual service inquiry and facility reservation, per month, statewide *		
		RC - Statewide, per month	UCLPB	\$11.89
		RC - Zone 1, per month (Note 2)	UCLPB	TBD
		RC - Zone 2, per month (Note 2)	UCLPB	TBD
		RC - Zone 3, per month (Note 2)	UCLPB	TBD
		RC - Zone 4, per month (Note 2)	UCLPB	NA
		NRC - 1st	UCLPB	\$713.50
		NRC - Add'l	UCLPB	\$609.44
		NRC - Disconnect Charge - 1st	UCLPB	NA
		NRC - Disconnect Charge - Add'l	UCLPB	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00
		NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 14

		2-Wire Unbundled Copper Loop/Short (less than or equal to 18kft), <u>without</u> manual service inquiry and facility reservation, per month, statewide	UCLPW	NA
		Zone 1, per month	UCLPW	TBD
		Zone 2, per month	UCLPW	TBD
		Zone 3, per month	UCLPW	TBD
		Zone 4, per month	UCLPW	NA
		NRC - 1st	UCLPW	\$574.50
		NRC - Add'l	UCLPW	\$470.44
		NRC - Disconnect Charge - 1st	UCLPW	NA
		NRC - Disconnect Charge - Add'l	UCLPW	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00
		NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	NA
		2-Wire Unbundled Copper Loop/Long (greater than 18kft), <u>includes</u> manual service inquiry and facility reservation, per month, statewide		
		RC - Statewide, per month	UCL2L	\$40.00
		RC - Zone 1, per month (Note 2)	UCL2L	TBD

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		RC - Zone 2, per month (Note 2)	UCL2L	TBD
		RC - Zone 3, per month (Note 2)	UCL2L	TBD
		RC - Zone 4, per month (Note 2)	UCL2L	NA
		NRC - 1st	UCL2L	\$713.50
		NRC - Add'l	UCL2L	\$609.44
		NRC - Disconnect Charge - 1st	UCL2L	NA
		NRC - Disconnect Charge - Add'l	UCL2L	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00
		NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00
		2-Wire Unbundled Copper Loop/Long (greater than 18kft), <u>without</u> manual service inquiry and facility reservation, per month, statewide	UCL2W	\$40.00
		Zone 1, per month	UCL2W	TBD
		Zone 2, per month	UCL2W	TBD
		Zone 3, per month	UCL2W	TBD
		Zone 4, per month	UCL2W	NA
		NRC - 1st	UCL2W	\$574.50
		NRC - Add'l	UCL2W	\$470.44

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Disconnect Charge - 1st	UCL2W	NA
		NRC - Disconnect Charge - Add'l	UCL2W	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00
		NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00
		4-Wire Unbundled Copper Loop/Short (less than or equal to 18kft), includes manual service inquiry and facility reservation, per month, statewide *	UCL4S	TBD
		Zone 1, per month	UCL4S	TBD
		Zone 2, per month	UCL4S	TBD
		Zone 3, per month	UCL4S	TBD
		Zone 4, per month	UCL4S	NA
		NRC - 1st	UCL4S	TBD
		NRC - Add'l	UCL4S	TBD
		NRC - Disconnect Charge - 1st	UCL4S	TBD
		NRC - Disconnect Charge - Add'l	UCL4S	TBD
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES

		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	TBD
		4-Wire Unbundled Copper Loop/Short (less than or equal to 18kft), <u>without</u> manual service inquiry and facility reservation, per month, statewide	UCL4W	TBD
		Zone 1, per month	UCL4W	TBD
		Zone 2, per month	UCL4W	TBD
		Zone 3, per month	UCL4W	TBD
		Zone 4, per month	UCL4W	NA
		NRC - 1st	UCL4W	TBD
		NRC - Add'l	UCL4W	TBD
		NRC - Disconnect Charge - 1st	UCL4W	TBD
		NRC - Disconnect Charge - Add'l	UCL4W	TBD
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	TBD
		4-Wire Unbundled Copper Loop/Long (greater than 18kft), <u>includes</u> manual service inquiry and reservation, per month, statewide	UCL4L	TBD
		Zone 1, per month	UCL4L	TBD
		Zone 2, per month	UCL4L	TBD
		Zone 3, per month	UCL4L	TBD

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 18

		Zone 4, per month	UCL4L	NA
		NRC - 1st	UCL4L	TBD
		NRC - Add'l	UCL4L	TBD
		NRC - Disconnect Charge - 1st	UCL4L	TBD
		NRC - Disconnect Charge - Add'l	UCL4L	TBD
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	TBD
		4-Wire Unbundled Copper Loop/Long (greater than 18kft), without manual service inquiry and facility reservation, per month, statewide	UCL4O	TBD
		Zone 1, per month	UCL4O	TBD
		Zone 2, per month	UCL4O	TBD
		Zone 3, per month	UCL4O	TBD
		Zone 4, per month	UCL4O	NA
		NRC - 1st	UCL4O	TBD
		NRC - Add'l	UCL4O	TBD
		NRC - Disconnect Charge - 1st	UCL4O	TBD
		NRC - Disconnect Charge - Add'l	UCL4O	TBD
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD
		NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	TBD
		DS3 Local Loop		
		DS3 Unbundled Local Loop - per mile	1L5ND	\$43.69
		DS3 Unbundled Local Loop- per Facility Termination	UE3PX	\$436.95
		NRC - Facility Termination - 1st	UE3PX	\$1,091.00
		NRC - Facility Termination - Add'l	UE3PX	\$661.23
		NRC - Facility Termination - Disconnect - 1st	UE3PX	NA
		NRC - Facility Termination - Disconnect - Add'l	UE3PX	NA
		NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA
		NRC - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		STS-1 Local Loop		
		STS-1 Unbundled Local Loop - per mile	1L5ND	\$43.69
		STS-1 Unbundled Local Loop- per Facility Termination	UDLS1	\$436.95
		NRC - STS-1 - Facility Termination - 1st	UDLS1	\$1,091
		NRC - STS-1 - Facility Termination - Add'l	UDLS1	\$661.23

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - STS-1 - Facility Termination - Disconnect - 1st	UDLS1	NA
		NRC - STS-1 - Facility Termination - Disconnect - Add'l	UDLS1	NA
		NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA
		NRC - STS-1 - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		OC3- Local Loop		
		Local Loop - OC3 - per Mile	TBD	\$33.15
		Local Loop - OC3 - per Facility Termination	TBD	\$713.29
		NRC - OC3 - Facility Termination - 1st	TBD	\$1,543
		NRC - OC3 - Facility Termination - Add'l	TBD	\$661.23
		NRC - OC3 - Facility Termination - Disconnect - 1st	TBD	NA
		NRC - OC3 - Facility Termination - Disconnect - Add'l	TBD	NA
		NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - 1st	SOMAN	\$93.12

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l	SOMAN	\$93.12
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		OC -12 Local Loop		
		Local Loop - OC12 - per Mile	TBD	\$40.80
		Local Loop - OC12 - per Facility Termination	TBD	\$2,457
		NRC - OC12 - Facility Termination - 1st	TBD	\$1,858
		NRC - OC12 - Facility Termination - Add'l	TBD	\$661.23
		NRC - OC12 - Facility Termination - Disconnect - 1st	TBD	NA
		NRC - OC12 - Facility Termination - Disconnect - Add'l	TBD	NA
		NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA
		NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	\$93.12
		NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	\$93.12
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		OC - 48 Local Loop		
		Local Loop - OC48 - per Mile	TBD	\$133.84
		Local Loop - OC48 - per Facility Termination	TBD	\$2,129
		Local Loop - OC12 interface on OC48 Facility	TBD	\$725.77

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - OC48 - Facility Termination - 1st	TBD	\$1,858
		NRC - OC48 - Facility Termination - Add'l	TBD	\$661.23
		NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	\$844.21
		NRC - OC48 - Interface OC12 on OC48 - Add'l	TBD	\$516.89
		NRC - OC48 - Facility Termination - Disconnect - 1st	TBD	NA
		NRC - OC48 - Facility Termination - Disconnect - Add'l	TBD	NA
		NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st	TBD	NA
		NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBD	NA
		NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMECE	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMECE	NA
		NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-1	SOMAN	NA
		NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-A	SOMAN	NA
		NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA
		NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l	SOMAN	NA
		NRC - OC-48 - Incremental Charge--Manual Svc Order-1st	SOMAN	\$93.12
		NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l	SOMAN	\$93.12
		NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc Order	SOMAN	\$93.12
		NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc Order	SOMAN	\$93.12
		Unbundled Loop Modification		

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Load Coil/Equipment Removal per 2 Wire pair - Loops less than or equal to 18kft	ULM2L	\$80.55
		NRC - Load Coil/Equipment Removal per 2 Wire pair - Loops greater than 18kft - 1st	ULM2G	\$880.00
		NRC - Load Coil/Equipment Removal per 2 Wire pair - Loops greater than 18kft -Add'l	ULM2G	\$27.30
		NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops less than or equal to 18kft	ULM4G	TBN
		NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops greater than 18kft - 1st	ULM4L	TBN
		NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops greater than 18kft -Add'l	ULM4L	TBN
		NRC - Bridge Tap Removal per pair unloaded	ULMBT	\$121.14
		UNBUNDLED SUB-LOOPS		
		SUB-LOOP DISTRIBUTION		
		Cross-Box Set-Up		
		NRC - Set-Up per Cross Box location in the field - CLEC Feeder Facility set-up	USBSA	TBN
		NRC - Set-Up per Cross Box location in the field - per 25 pair panel set-up	USBSB	TBN
		NRC - Set-Up per Building Equipment Room - CLEC Feeder Facility set-up	USBSC	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up	USBSD	TBN
		Loop Distribution per 2-Wire Analog VG Sub-Loop, per month	USBN2	\$10.83
		NRC - 1st	USBN2	\$459.85
		NRC - Add'l	USBN2	\$352.89
		NRC - Disconnect Charge - 1st	USBN2	TBN
		NRC - Disconnect Charge - Add'l	USBN2	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN
		Loop Distribution per 4-Wire Analog VG Sub-Loop, per month	USBN4	TBN
		NRC - 1st	USBN4	TBN
		NRC - Add'l	USBN4	TBN
		NRC - Disconnect Charge - 1st	USBN4	TBN
		NRC - Disconnect Charge - Add'l	USBN4	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN
		Loop Distribution per 2 Wire Unbundled Copper Sub-Loop, per month	UCS2X	TBN
		NRC - 1st	UCS2X	TBN
		NRC - Add'l	UCS2X	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 25

			NRC - Disconnect Charge - 1st	UCS2X	TBN
			NRC - Disconnect Charge - Add'l	UCS2X	TBN
			NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
			NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
			NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
			NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN
			Loop Distribution per 4 Wire Unbundled Copper Sub-Loop, per month	UCS4X	TBN
			NRC - 1st	UCS4X	TBN
			NRC - Add'l	UCS4X	TBN
			NRC - Disconnect Charge - 1st	UCS4X	TBN
			NRC - Disconnect Charge - Add'l	UCS4X	TBN
			NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
			NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
			NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
			NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN
			Sub-Loop-Intrabuilding Network Cable (INC) (a.k.a., riser cable), 2W analog, per m	USBR2	TBN
			NRC - 1st	USBR2	TBN
			NRC - Add'l	USBR2	TBN
			NRC - Disconnect Charge - 1st	USBR2	TBN
			NRC - Disconnect Charge - Add'l	USBR2	TBN
			NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
			NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN
		Sub-Loop-Intrabuilding Network Cable (a.k.a.,riser cable), 4W analog, per month	USBR4	TBN
		NRC - 1st	USBR4	TBN
		NRC - Add'l	USBR4	TBN
		NRC - Disconnect Charge - 1st	USBR4	TBN
		NRC - Disconnect Charge - Add'l	USBR4	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN
		SUB-LOOP FEEDER		
		Cross-Box Set-Up		
		NRC - DS0 Set-Up per Cross Box location - CLEC Distribution Facility set-up	USBFW	TBN
		NRC - DS0 Set-Up per Cross Box location - per 25 pair panel set-up	USBFX	TBN
		NRC - DS1 Set-Up per Cross Box location - CLEC Distribution Facility set-up	USBFY	TBN
		NRC - DS1 Set-Up per Cross Box location - per pair panel set-up	USBFZ	TBN
		2-Wire Analog VG Ground-Start Unbundled Sub-Loop Feeder, per month	USBFA	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - 1st	USBFA	TBN
		NRC - Add'l	USBFA	TBN
		NRC - Disconnect Charge - 1st	USBFA	TBN
		NRC - Disconnect Charge - Add'l	USBFA	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		2-Wire Analog VG Loop-Start Unbundled Sub-Loop Feeder, per month	USBFB	TBN
		NRC - 1st	USBFB	TBN
		NRC - Add'l	USBFB	TBN
		NRC - Disconnect Charge - 1st	USBFB	TBN
		NRC - Disconnect Charge - Add'l	USBFB	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		2-Wire Analog VG Reverse Battery Unbundled Sub-Loop Feeder, per month	USBFC	TBN
		NRC - 1st	USBFC	TBN
		NRC - Add'l	USBFC	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 28

		NRC - Disconnect Charge - 1st	USBFC	TBN
		NRC - Disconnect Charge - Add'l	USBFC	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire Analog VG Ground-Start Unbundled Sub-Loop Feeder, per month	USBFD	TBN
		NRC - 1st	USBFD	TBN
		NRC - Add'l	USBFD	TBN
		NRC - Disconnect Charge - 1st	USBFD	TBN
		NRC - Disconnect Charge - Add'l	USBFD	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire Analog VG Loop-Start Unbundled Sub-Loop Feeder, per month	USBFE	TBN
		NRC - 1st	USBFE	TBN
		NRC - Add'l	USBFE	TBN
		NRC - Disconnect Charge - 1st	USBFE	TBN
		NRC - Disconnect Charge - Add'l	USBFE	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		2-Wire ISDN Unbundled Sub-Loop Feeder, per month	USBFF	TBN
		NRC - 1st	USBFF	TBN
		NRC - Add'l	USBFF	TBN
		NRC - Disconnect Charge - 1st	USBFF	TBN
		NRC - Disconnect Charge - Add'l	USBFF	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire DSI Unbundled Sub-Loop Feeder, per month	USBFG	TBN
		NRC - 1st	USBFG	TBN
		NRC - Add'l	USBFG	TBN
		NRC - Disconnect Charge - 1st	USBFG	TBN
		NRC - Disconnect Charge - Add'l	USBFG	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN

**BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES**

		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		2-Wire Copper Unbundled Sub-Loop Feeder, per month	USBFH	TBN
		NRC - 1st	USBFH	TBN
		NRC - Add'l	USBFH	TBN
		NRC - Disconnect Charge - 1st	USBFH	TBN
		NRC - Disconnect Charge - Add'l	USBFH	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire Copper Unbundled Sub-Loop Feeder, per month	USBFJ	TBN
		NRC - 1st	USBFJ	TBN
		NRC - Add'l	USBFJ	TBN
		NRC - Disconnect Charge - 1st	USBFJ	TBN
		NRC - Disconnect Charge - Add'l	USBFJ	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

		NRC - 1st	USBFM	TBN
		NRC - Add'l	USBFM	TBN
		NRC - Disconnect Charge - 1st	USBFM	TBN
		NRC - Disconnect Charge - Add'l	USBFM	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire 19.2 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFN	TBN
		NRC - 1st	USBFN	TBN
		NRC - Add'l	USBFN	TBN
		NRC - Disconnect Charge - 1st	USBFN	TBN
		NRC - Disconnect Charge - Add'l	USBFN	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire 56 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFO	TBN
		NRC - 1st	USBFO	TBN
		NRC - Add'l	USBFO	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 33

		NRC - Disconnect Charge - 1st	USBFO	TBN
		NRC - Disconnect Charge - Add'l	USBFO	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		4-Wire 64 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFP	TBN
		NRC - 1st	USBFP	TBN
		NRC - Add'l	USBFP	TBN
		NRC - Disconnect Charge - 1st	USBFP	TBN
		NRC - Disconnect Charge - Add'l	USBFP	TBN
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN
		NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN
		Unbundled Sub-Loop Modification		
		NRC - Load Coil/Equipment Removal per 2 Wire pair	ULM2X	TBN
		NRC - Load Coil/Equipment Removal per 4 Wire pair	ULM4X	TBN
		NRC - Bridge Tap Removal per pair unloaded	ULMBT	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 34

Loop Make Up				
		NRC - Loop Makeup - Preordering Without Reservation, per working facility queried (Manual)	UMKWLW	\$134.00
		Loop Makeup - Preordering Without Reservation, per spare facility queried (Manual) Maximum number of spare facilities per manual LMUSI is (3).]	UMKWLW	\$134.00
		NRC - Loop Makeup - Preordering With Reservation, per spare facility queried (Manual) Maximum number of spare facilities per manual LMUSI is (3).]	UMKLP	\$140.00
		NRC - Loop Makeup - Preordering Without Reservation, per working facility queried (Mechanized)	TBD	\$1.08
		Loop Makeup - Preordering Without Reservation, per spare facility queried (Mechanized) Maximum number of spare facilities per mechanized LMUSI is (10).]	TBD	\$1.08
		Loop Makeup - Preordering With Reservation, per spare facility queried (Mechanized) Maximum number of spare facilities per mechanized LMUSI is (10).]	TBD	\$1.08
		Unbundled Network Terminating Wire, per pair, per month	UENPP	TBN
		NRC - UNTW Pair, per pair	UENPP	TBN
		NRC - Disconnect Charge, per pair	UENPP	TBN
		NRC - Incremental Charge - Manual Service Order	SOMAN	TBN
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 35

				Sub-Loop Concentration - Channelization Sys (Outside CO)			
				NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD	
				NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD	
				TR008 - System A (96 channel capacity - channels 1-96), per month			
				NRC - 1st	UCT8A	\$757.00	
				NRC - Add'l	UCT8A	\$633.94	
				TR008 - System B (96 channel capacity - channels 97-192), per month			
				NRC - 1st	UCT8A	\$311.60	
				NRC - Add'l	UCT8B	\$95.60	
				NRC - 1st	UCT8B	\$633.94	
				NRC - Add'l	UCT8B	\$311.60	
				TR303 - System A (96 channel capacity - channels 1-96), per month			
				NRC - 1st	UCT3A	\$799.95	
				NRC - Add'l	UCT3A	\$633.94	
				NRC - Add'l	UCT3A	\$311.60	
				TR303 - System B (96 channel capacity - channels 97-192), per month			
				NRC - 1st	UCT3B	\$138.55	
				NRC - Add'l	UCT3B	\$633.94	
				NRC - Add'l	UCT3B	\$311.60	
				DS1 Feeder Interface, per month			
				NRC 1st	UCTFS	\$77.02	
				NRC Add'l	UCTFS	\$418.13	
				NRC Add'l	UCTFS	\$198.56	
				Channel Interface - 2 Wire Voice - Loop Start , per month			
				NRC 1st	TBD	\$2.68	
				NRC Add'l	TBD	\$41.92	
				NRC Add'l	TBD	\$41.69	

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 36

	Channel Interface - 2 Wire ISDN, per month	ULCC1	\$10.72
	NRC 1st	ULCC1	\$41.92
	NRC Add'l	ULCC1	\$41.69
	Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	\$15.94
	NRC 1st	TBD	\$41.92
	NRC Add'l	TBD	\$41.69
	Channel Interface - 4 Wire Voice, per month	ULCC4	\$9.50
	NRC 1st	ULCC4	\$41.92
	NRC Add'l	ULCC4	\$41.69
	Test Circuit, per month	UCTTC	\$46.44
	NRC 1st	UCTTC	\$41.92
	NRC Add'l	UCTTC	\$41.69
	Channel Interface - Digital 56Kbps, per month	ULCC5	\$14.08
	NRC 1st	ULCC5	\$41.92
	NRC Add'l	ULCC5	\$41.69
	Channel Interface - Digital 64Kbps, per month	ULCC6	\$14.08
	NRC 1st	ULCC6	\$41.92
	NRC Add'l	ULCC6	\$41.69
	Loop Concentration System (Inside C.O.)		
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBD
	TR008 -System A (96 channel capacity - channels 1-96), per month	UCT8A	\$394.00

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 37

		NRC - 1st	UCT8A	\$1,116.15
		NRC - Add'l	UCT8A	NA
		TR008 - System B (96 channel capacity - channels 97-192), per month	UCT8B	\$72.21
		NRC - 1st	UCT8B	\$465.11
		NRC - Add'l	UCT8B	NA
		TR303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	\$445.14
		NRC - 1st	UCT3A	\$1,116.15
		NRC - Add'l	UCT3A	NA
		TR303 - System B (96 channel capacity - channels 97-192), per month	UCT3B	\$121.45
		NRC - 1st	UCT3B	\$465.11
		NRC - Add'l	UCT3B	NA
		DS1 Interface, per month	UCTCO	\$403.20
		NRC 1st	UCTCO	\$132.18
		NRC Add'l	UCTCO	\$132.18
		Channel Interface - 2 Wire Voice - Loop Start , per month	TBD	\$2.79
		NRC 1st	TBD	\$35.82
		NRC Add'l	TBD	\$35.62
		Channel Interface - 2 Wire ISDN, per month	ULCC1	\$11.18
		NRC 1st	ULCC1	\$35.82
		NRC Add'l	ULCC1	\$35.62
		Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	\$16.62
		NRC 1st	TBD	\$35.82

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 38

		NRC Add'l	TBD	\$35.62
		Channel Interface - 4 Wire Voice, per month	ULCC4	\$9.91
		NRC 1st	ULCC4	\$35.82
		NRC Add'l	ULCC4	\$35.62
		Test Circuit, per month	UCTTC	\$48.43
		NRC 1st	UCTTC	\$35.82
		NRC Add'l	UCTTC	\$35.62
		Channel Interface - Digital 56Kbps, per month	ULCC5	TBN
		NRC 1st	ULCC5	TBN
		NRC Add'l	ULCC5	TBN
		Channel Interface - Digital 64Kbps, per month	ULCC6	TBN
		NRC 1st	ULCC6	TBN
		NRC Add'l	ULCC6	TBN
		LINE SHARING		
		System Splitter - 96 Line Capacity		
		RC - Per month	ULSDA	\$100.00
		NRC - 1st	ULSDA	\$300.00
		NRC - Add'l	ULSDA	\$0.00
		NRC - Disconnect	ULSDA	NA
		System Splitter - 24 Line Capacity		

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 39

		RC - Per month	ULSDB	\$25.00
		NRC - 1st	ULSDB	\$300.00
		NRC - Addl	ULSDB	\$0.00
		NRC - Disconnect	ULSDB	NA
		Loop Capacity, Line Activation Per Occurrence		
		RC - Per Month	ULSDC	\$6.00
		NRC - 1st	ULSDC	\$40.00
		NRC - Addl	ULSDC	\$22.00
		Subsequent Activity - Per Occurrence		
		NRC - 1st	ULSDS	\$30.00
		NRC - Addl	ULSDS	\$15.00
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00
		NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77
		NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$17.77
		NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 40

				* Rates subject to true-up		

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 51

Version 2Q00:8/10/00

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--


**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 58

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 59

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

An empty table with 17 columns and 1 row, likely intended for listing network elements and their associated rates.

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 63

Version 2Q00:8/10/00

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 66

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 74

Version 2Q00:8/10/00

**BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES**

Exhibit A
Rates - Page 80

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 81

DESCRIPTION		USOC	KY
LOCAL EXCHANGE SWITCHING (PORTS)			
2-Wire Analog Line Port (Res., Bus.), per month			
	2-Wire Voice Grade Line Port (Residence), per month		
	2-wire voice unbundled port - residence	UEPRL	2.61 - Note 1
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$2.61
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$2.61
	2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAR	NA
	2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPRM	\$2.61
	2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAS	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	UEPAT	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID	UEPAU	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID	UEPAQ	NA
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 82

DESCRIPTION		USOC	KY
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA
	2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.61
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX	
	2-Wire Voice Grade Line Port(Business), per month		
	2-wire voice unbundled port without Caller ID	UEPBL	\$2.61
	2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	\$2.61
	2-wire voice unbundled outgoing only port	UEPBO	\$2.61

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 83

DESCRIPTION		USOC	KY
	2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAW	NA
	2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPBM	\$2.61
	2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAX	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	UEPAY	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID	UEPAZ	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID	UEPAV	NA
	2-wire voice unbundled incoming only port with Caller ID	UEPB1	\$2.61
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA
	2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 84

DESCRIPTION		USOC	KY
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX	
	Non-Recurring Charges (NRC) - 1st (Residence)		
	2-wire voice unbundled port - residence	UEPRL	\$37.78
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$37.78
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$37.78
	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$37.78
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 85

DESCRIPTION		USOC	KY
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA
	2-wire voice unbundled Res Low Usage Line Port with Caller+E563 ID (LUM)	UEPAP	\$37.78
	NRC - Add'l (Residence)		
	2- wire voice unbundled port - residence -	UEPRL	\$37.78
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$37.78
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$37.78
	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$37.78
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 86

DESCRIPTION		USOC	KY
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA
	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)	UEPAP	\$37.78
	NRC - Subsequent Activity	USASC	\$10.00
	NRC - 1st (Business)		
	2-wire Voice Unbundled Port without Caller ID	UEPBL	\$37.55
	2-wire voice unbundled port with Caller ID	UEPBC	\$37.55
	2-wire voice unbundled outgoing only port	UEPBO	\$37.55
	2-wire voice unbundled Area Plus Port with Caller ID	UEPBM	\$37.55
	2-wire voice unbundled Incoming only Port with Caller ID	UEPB1	\$37.55
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID+E587 (LMB)	UEPAB	NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)	UEPAC	NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)	UEPAD	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 87

DESCRIPTION		USOC	KY
	2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA
	NRC - Add'l (Business)	UEPBL	\$37.55
	2-wire voice unbundled port without Caller ID	UEPBL	\$37.55
	2-wire voice unbundled port with Caller ID	UEPBC	\$37.55
	2-wire voice unbundled outgoing only port	UEPBO	\$37.55
	2-wire voice unbundled Area Plus Port with Caller ID	UEPBM	\$37.55
	2-wire voice unbundled incoming only port with Caller ID	UEPB1	\$37.55
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)	UEPAC	NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)	UEPAD	NA
	2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA
	NRC - Subsequent Activity	USASC	\$10.00
	NRC - Disconnect Charge - 1st		

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 88

DESCRIPTION		USOC	KY
	2- wire voice unbundled port - residence		NA
	2-wire voice unbundled port with caller ID - residence		NA
	2-wire voice unbundled port outgoing only - residence		NA
	2-wire voice unbundled area plus port with caller ID - residence		NA
	2-wire voice unbundled Florida area calling with caller ID - residence		NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)		NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (ACT)		NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)		NA
	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 89

DESCRIPTION		USOC	KY
	2-wire voice unbundled port without Caller ID		NA
	2-wire voice unbundled port with Caller ID		NA
	2-wire voice unbundled outgoing only Port		NA
	2-wire voice unbundled Area Plus Port with Caller ID		NA
	2-wire voice unbundled Incoming only Port with Caller ID		NA
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)		NA
	2-wire voice unbundles SC Bus Area Calling Port with Caller ID (LMB)		NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)		NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)		NA
	2-wire voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F)		NA
	NRC - Disconnect Charge - Add'l		
	2-wire voice unbundled port - residence		NA
	2-wire voice unbundled port with caller ID - residence		NA
	2-wire voice unbundled port outgoing only - residence		NA
	2-wire voice unbundled area plus port with caller ID - residence		NA
	2-wire voice unbundled Florida area calling with caller ID - residence		NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 90

DESCRIPTION		USOC	KY
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)		NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)		NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)		NA
	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)		NA
	2-wire voice unbundled port without Caller ID		NA
	2-wire voice unbundled port with Caller ID		NA
	2-wire voice unbundled outgoing only port		NA
	2-wire voice unbundled Area Plus Port with Caller ID		NA
	2-wire voice unbundled incoming only port with Caller ID		NA
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 91

DESCRIPTION		USOC	KY
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)		NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)		NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)		NA
	2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F)		NA
	NRC - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces	SOMEK	\$3.50
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
	All available features, per month	UEPVF	NA
	NRC - 1st (all types)		NA
	NRC - Add'l (all types)		NA
	NRC - Disconnect Charge - 1st		NA
	NRC - Disconnect Charge - Add'l		NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 92

DESCRIPTION		USOC	KY
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
Three available feature, per month		UEPVF	NA
	NRC - 1st (all types)		NA
	NRC - Add'l (all types)		NA
	NRC - Disconnect Charge - 1st		NA
	NRC - Disconnect Charge - Add'l		NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
4-Wire Analog VG Port, per month		UEP4A	NA
	NRC - 1st	UEP4A	NA
	NRC - Add'l	UEP4A	NA
	NRC - Disconnect Charge - 1st	BFR	NA
	NRC - Disconnect Charge - Add'l	BFR	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 93

DESCRIPTION		USOC	KY
2-Wire DID Port, per month		UEPP2	NA
	NRC - 1st	UEPP2	NA
	NRC - Add'l	UEPP2	NA
	NRC - Disconnect Charge - 1st	UEPP2	NA
	NRC - Disconnect Charge - Add'l	UEPP2	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
4-Wire DS1 Port w/DID capability, per month		UEPDD	NA
	NRC - 1st	UEPDD	NA
	NRC - Add'l	UEPDD	NA
	NRC - Disconnect Charge - 1st	UEPDD	NA
	NRC - Disconnect Charge - Add'l	UEPDD	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
2-Wire ISDN Port(2) (3), per month		U1PMA	\$12.33
	NRC - 1st	U1PMA	\$90.48
	NRC - Add'l	U1PMA	\$84.53
	NRC - Disconnect Charge - 1st	U1PMA	NA
	NRC - Disconnect Charge - Add'l	U1PMA	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 94

DESCRIPTION		USOC	KY
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
	NRC - User Profile per B Channel (4)	U1UMA	\$5.61
2-Wire ISDN Port(2) (3) including all available features, per month		U1PMA	NA
	NRC - 1st	U1PMA	NA
	NRC - Add'l	U1PMA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
2-Wire ISDN Port(2) (3) including three available features, per month		U1PMA	NA
	NRC - 1st	U1PMA	NA
	NRC - Add'l	U1PMA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
4-Wire ISDN DS1 Port, per month		UEPEX	NA
	NRC - 1st	UEPEX	NA
	NRC - Add'l	UEPEX	NA
	NRC - Disconnect Charge - 1st	UEPEX	NA
	NRC - Disconnect Charge - Add'l	UEPEX	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 95

DESCRIPTION		USOC	KY
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
4-Wire ISDN DS1 Port including all available features, per month		UEPEX	\$275.48
	NRC - 1st	UEPEX	\$181.27
	NRC - Add'l	UEPEX	\$116.42
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
2-Wire Analog Line Port (PBX), per month			
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$2.61
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.61
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$2.61
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$2.61
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$2.61
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$2.61
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT	UEPL2	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$2.61

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 96

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	UEPT2	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT	UEPTO	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$2.61
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$2.61
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$2.61
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$2.61
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	\$2.61
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	\$2.61
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPXK	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 97

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	UEPXM	\$2.61
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	\$2.61
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVERVILLE & MEMPHIS CALLING PORT	UEPXU	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 98

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEP XV	NA
	UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER PORT)	UEPLX	
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP	
	NRC - 1st	UEPPC	\$36.47
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$36.47
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$36.47
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$36.47
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$36.47
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$36.47
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$36.47
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT	UEPL2	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$36.47

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 99

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	UEPT2	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT	UEPTO	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$36.47
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$36.47
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$36.47
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$36.47
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	\$36.47
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	\$36.47
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPXK	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 100

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	UEPXM	\$36.47
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT TENNESSEE CALLING PORT	UEPXN	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DISCOUNT ROOM CALLING PORT	UEPXO	\$36.47
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX MEASURED PORT	UEPXS	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 101

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA
	Subsequent Activity	USASC	\$10.00
	NRC - Add'l		
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$36.47
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$36.47
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$36.47
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$36.47
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$36.47
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$36.47
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT	UEPL2	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	UEPT2	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 102

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT	UEPTO	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$36.47
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$36.47
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$36.47
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$36.47
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	\$36.47
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	\$37.47
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	\$38.47
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	\$39.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEP XK	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$36.47

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 103

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	UEPXM	\$36.47
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	\$36.47
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$36.47
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVERVILLE & MEMPHIS CALLING PORT	UEPXU	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 104

DESCRIPTION		USOC	KY
	NRC - Disconnect Charge - 1st		
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence		NA
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS		NA
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS		NA
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS		NA
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS		NA
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS		NA
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT		NA
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS		NA
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 105

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT		NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD		NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT TENNESSEE CALLING PORT		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 106

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT		NA
	NRC - Disconnect Charge - Add'l		
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence		NA
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS		NA
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 107

DESCRIPTION		USOC	KY
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS		NA
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS		NA
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS		NA
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT		NA
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS		NA
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT		NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT		NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 108

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD		NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 109

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT		NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT		NA
	NRC - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces	SOME C	\$3.50
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
	2-Wire Analog Hunting, per line per month	HTGUX	\$0.29

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 110

DESCRIPTION		USOC	KY
	NRC - 1st	HTGUX	\$2.14
	NRC - Add'l	HTGUX	\$2.14
Coin Port, per month			\$3.04
	NRC - 1st		\$40.71
	NRC - Add'l		\$40.71
	NRC - Disconnect Charge - 1st		NA
	NRC - Disconnect Charge - Add'l		NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
4-Wire Coin Port, per month			NA
	NRC - 1st		NA
	NRC - Add'l		NA
	NRC - Disconnect Charge - 1st		NA
	NRC - Disconnect Charge - Add'l		NA
	NRC - Incremental Charge - Manual Service Order - 1st		NA
	NRC - Incremental Charge - Manual Service Order - Add'l		NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st		NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 111

DESCRIPTION			USOC	KY
VERTICAL FEATURES				
Local Switching Features offered with Port, Per month			N/A	No add'l charge
Three-Way Calling, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Customer Changeable Speed Calling, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Call Waiting				NA
		NRC		NA
		NRC - Disconnect		NA
Remote Activation of Call Forwarding, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Cancel Call Waiting, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Automatic Callback, per month				NA
		NRC		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 112

DESCRIPTION		USOC	KY
	NRC - Disconnect		NA
Automatic Recall, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Calling Number Delivery, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Calling Number Delivery Blocking, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Customer Originated Trace, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Selective Call Rejection, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Selective Call Forwarding, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Selective Call Acceptance, per month			NA
	NRC		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 113

DESCRIPTION	USOC	KY
NRC - Disconnect		NA
Multiline Hunt Service (Rotary)		
Service per line, (in addition to port) , per month		NA
NRC		NA
NRC - Disconnect		NA
Call Forwarding Variable, per month		NA
NRC		NA
NRC - Disconnect		NA
Call Forwarding Busy Line, per month		NA
NRC		NA
NRC - Disconnect		NA
Call Forwarding Don't Answer All Calls, per month		NA
NRC		NA
NRC - Disconnect		NA
Remote Call Forwarding, per month		NA
NRC		NA
NRC - Disconnect		NA
Call Transfer, per month		NA
NRC		NA
NRC - Disconnect		NA
Call Hold, per month		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 114

DESCRIPTION		USOC	KY
	NRC		NA
	NRC - Disconnect		NA
Toll Restricted Service, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Message Waiting Indicator - Stutter Dial Tone, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Anonymous Call Rejection, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Shared Call Appearances of a DN, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Multiple Call Appearances, per month			NA
	NRC		NA
	NRC - Disconnect		NA
ISDN Bridged Call Exclusion, per month			NA
	NRC		NA
	NRC - Disconnect		NA
Call by Call Access, per month			NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 115

DESCRIPTION			USOC	KY
		NRC		NA
		NRC - Disconnect		NA
Privacy Release, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Multi Appearance Directory Number Calls, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Make Set Busy, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Teen Service (Res. Dist. Alerting Service), per month				NA
		NRC		NA
		NRC - Disconnect		NA
Code Restriction and Diversion, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Call Park, per month				NA
		NRC		NA
		NRC - Disconnect		NA
Automatic Line, per month				NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 116

DESCRIPTION			USOC	KY
		NRC		NA
		NRC - Disconnect		NA
2-WIRE ISDN BRI FEATURES				
		Shared Primary Number-First Appr On Each Add'l Terminal	DS1FJ	TBD
		Secondary Only Dn (Shared/Non-Shared) First Appearance	LLDSF	TBD
		Shared Secondary Only Dn-First Appr On Each Add'l Term	DS1F1	TBD
		Shared Non-ISDN DN	DOE	TBD
		Privacy Release	DS1FU	TBD
		Manual Exclusion	DS1FM	TBD
		Call Forwarding Variable-Voice Or Voice/Data	LLNCV	TBD
		Call Forwarding Variable – Data	LLOCV	TBD
		Call Forwarding Variable – Feature Button – Voice	GJXCF	TBD
		Call Forwarding Variable – Feature Button – Data	LLPCD	TBD
		Call Forwarding Busy Line – Voice Or Voice/Data	LLQCV	TBD
		Call Forwarding Busy Line – Data	LLRCD	TBD
		Call Frwdng Busy Line–Prgrmmbl–Voice Or Voice/Data	M6AVA	TBD
		Call Forwarding Busy Line – Programmable - Data	M6ADF	TBD
		Call Forwarding Don't Answer – Voice Or Voice/Data	LLSCV	TBD
		Call Forwarding Don't Answer – Data	LLUCD	TBD
		Call Forwdng Don't Answer–Prgrmmble Voice Or Voice/Data	M6BVA	TBD
		Call Forwarding Don't Answer – Programmable - Data	M6BDF	TBD

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 117

DESCRIPTION	USOC	KY
Call Frwdng Multiple Simultaneous – Voice Or Voice/Data	M6CV5	TBD
Call Forwarding Multiple Simultaneous – Data	M6CD5	TBD
Conference, Drop, Hold And Transfer	DS1FN	TBD
Six-Way Conference, Drop, Hold And Transfer	LLY6P	TBD
Multi-Line Hunt Group – Voice Or Voice/Data	HTG	TBD
Multi-Line Hunt Group – Data	HTGSD	TBD
Speed Calling	LLZSU	TBD
Visual Message Waiting Indicator	LLAVP	TBD
Audible Message Waiting Indicator	MWW	TBD
Additional Call Appearance, PDN Or DN	DS1FG	TBD
Call Tracing	NST	TBD
Call Return	NSS	TBD
Preferred Call Forwarding	NCE	TBD
Call Block	NSY	TBD
Repeat Dialing	NSQ	TBD
Per Line Blocking For Agencies/Law Enforcement	NOB	TBD
Per Line Blocking For Non-Pub Customers	NOBNN	TBD
Per Line Blocking For General Public	NOBPC	TBD
Per Line Blocking For Non-Pub, And Non-Listed Customer	NOBPP	TBD
Per Line Blocking For Non-Pub Customers	NOBNP	TBD
Per Line Blocking For Non-Pub Customers	NOBNR	TBD
Call Return Denial Of, Per Activation	BCR	TBD

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 118

DESCRIPTION		USOC	KY
	Repeat Dialing, Denial Of, Per Activation	BRD	TBD
	Automatic Line/Direct Connect	M6GN9	TBD
	Make Set Busy	M6MPD	TBD
	Selective Call Acceptance	M6K16	TBD
	Call Park/Call Retrieve	M6HP6	TBD
	Call Transfer System Exception	M6QTD	TBD
	Make Set Busy – Intragroup	M6MGD	TBD
	All Customized Code Restrictions	CREX+	TBD
	Additional Listings	CLT	TBD
	Additional Listing No Rate	FLT	TBD
	Cross Reference Listing	LLT	TBD
	Non-Pub Listing No Rate	NP3	TBD
	Non-List Listing	NLT	TBD
	Non-List Listing No Rate	NLE	TBD
	Alternate Call Listing	FNA	TBD
	Manual Service Order Charge	SOMAN	TBD
	All Selective Class Of Call Screening	SRG++	TBD
	ISDN Message Waiting Indication-Lamp, per month		NA
	NRC		NA
	NRC - Disconnect		NA

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 119

DESCRIPTION		USOC	KY
ISDN Feature Function Buttons			NA
	NRC		NA
	NRC - Disconnect		NA
Subsequent Ordering Charge – (per order, per line)			NA
	NRC - Electronic - 1st		NA
	NRC - Electronic - Add'l		NA
	NRC - Manual - 1st		NA
	NRC - Manual - Add'l		NA
	NRC - Disconnect		NA
Unbundled Port Usage Charges			
End Office Switching (Port Usage)			
	End Office Switching Function, per mou	N/A	\$0.002562
	End Office Switching Function, add'l mou (5)	N/A	NA
	End Office Interoffice Trunk Port—Shared, per mou	N/A	NA
Tandem Switching (Port Usage) (Local or Access Tandem)			
	Tandem Switching Function per mou	N/A	\$0.001096
	Tandem Interoffice Trunk Port - Shared per mou		NA
Common (Shared) Transport			

BELLSOUTH/ATT RATES NETWORK ELEMENTS
AND OTHER SERVICES
PORTS

Exhibit A
Rates - Page 120

DESCRIPTION		USOC	KY
	Common (Shared) Transport per mile per mou	N/A	\$0.0000049
	Common (Shared) Transport Facilities Termination per mou	N/A	\$0.000426
NOTES:			
1	Port rate includes all available features.		
2	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.		
3	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.		
4	This rate element is for those states which have a specific rate for User Profile per B Channel.		
5	This rate element is for use in those states with a different rate for additional minutes of use.		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 121

		USOC	KY
UNBUNDLED DEDICATED TRANSPORT - Local Channel			
Local Channel - Dedicated - 2-Wire VG			
	Monthly Recurring per month	ULDV2	\$22.26
	NRC - 2-wire VG - 1st	ULDV2	\$585.15
	NRC - 2-wire VG -Add'l	ULDV2	\$98.53
	NRC - 2-Wire VG - Disconnect Chg - 1st	ULDV2	NA
	NRC - 2-Wire VG - Disconnect Chg - Add'l	ULDV2	NA
	NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
	NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA
	NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - 1st	SOMAN	\$41.46
	NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Add'l	SOMAN	\$11.99
	NRC - 2-Wire VG - Incremental Charge--Manual Svc Order-Disconnect	SOMAN	NA
Local Channel - Dedicated - 4-Wire VG			
	Monthly Recurring per month	ULDV4	\$23.38
	NRC - 4-Wire VG - 1st	ULDV4	\$585.15
	NRC - 4-Wire VG - Add'l	ULDV4	\$98.53
	NRC - 4-Wire VG - Disconnect Chg - 1st	ULDV4	NA
	NRC - 4-Wire VG - Disconnect Chg - Add'l	ULDV4	NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 122

				NRC - Manual Svc Order, per LSR	SOMAN \$19.99
				NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
				NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
				NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
				NRC - 4-Wire VG - Incremental Charge--Manual Svc Order - 1st	SOMAN \$41.46
				NRC - 4-Wire VG - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$11.99
				NRC - 4-Wire VG - Incremental Charge--Manual Svc Order-Disconnect	SOMAN NA
				Local Channel - Dedicated - DS1	
				DS1 per month	ULDF1 \$43.80
				NRC - DS1 - 1st	ULDF1 \$538.95
				NRC - DS1 - Add'l	ULDF1 \$464.94
				NRC - DS1 - Disconnect Chg - 1st	ULDF1 NA
				NRC - DS1 - Disconnect Chg - Add'l	ULDF1 NA
				NRC - Manual Svc Order, per LSR	SOMAN \$19.99
				NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
				NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
				NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
				NRC - DS1 - Incremental Charge--Manual Svc Order - 1st	SOMAN \$87.71
				NRC - DS1 - Incremental Charge--Manual Svc Order - Add'l	SOMAN NA
				NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect	SOMAN NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 124

				NRC - STS-1 - Facility Termination - Add'l	ULDFS \$661.23
				NRC - STS-1 - Facility Termination - Disconnect - 1st	ULDFS NA
				NRC - STS-1 - Facility Termination - Disconnect - Add'l	ULDFS NA
				NRC - Manual Svc Order, per LSR	SOMAN \$19.99
				NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
				NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
				NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
				NRC - STS-1 -Incremental Charge--Manual Svc Order - 1st	SOMAN \$93.12
				NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$93.12
				NRC - STS-1 - Incremental Charge--Manual Svc Order-Disconnect -1st	SOMAN NA
				NRC - STS-1 - Incremental Charge--Manual Svc Order-Disconnect-Add'l	SOMAN NA
				Local Channel - Dedicated - OC3	
				OC3 per mile per month	TBD \$28.56
				OC3 Facility Termination per month	TBD \$1,493
				NRC - OC3 - Facility Termination - 1st	TBD \$1,543
				NRC - OC3 - Facility Termination - Add'l	TBD \$661.23
				NRC - OC3 - Facility Termination - Disconnect Chg - 1st	TBD NA
				NRC - OC3 - Facility Termination - Disconnect Chg - Add'l	TBD NA
				NRC - Manual Svc Order, per LSR	SOMAN \$19.99
				NRC - Manual Svc Order, per LSR disconnect	SOMAN NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 125

			NRC - Electronic Svc Order, per LSR	SOMECEC \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMECEC NA
			NRC - OC3 - Incremental Charge--Manual Svc Order - 1st	SOMAN \$93.12
			NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$93.12
			NRC - OC3 - Incremental Charge--Manual Svc Order-Disconnect-1st	SOMAN NA
			NRC - OC3 - Incremental Charge--Manual Svc Order-Disconnect-Add'l	SOMAN NA
			Local Channel - Dedicated - OC12	
			OC12 per mile per month	TBD \$40.80
			OC12 Facility Termination per month	TBD \$4,492
			NRC - OC12 - Facility Termination - 1st	TBD \$1,858
			NRC - OC12 - Facility Termination - Add'l	TBD \$661.23
			NRC - OC12 - Facility Termination -Disconnect Chg - 1st	TBD NA
			NRC - OC12 - Facility Termination - Disconnect Chg - Add'l	TBD NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMECEC \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMECEC NA
			NRC - OC12 - Incremental Charge--Manual Svc Order - 1st	SOMAN \$93.12
			NRC - OC12 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$93.12
			NRC - OC12 - Incremental Charge--Manual Svc Order-Disconnect-1st	SOMAN NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 126

			NRC - OC12 - Incremental Charge--Manual Svc Order-Disconnect-Add'l	SOMAN NA
			Local Channel - Dedicated - OC48	
			OC48 per mile per month	TBD \$133.84
			OC48 Facility Termination per month	TBD \$2,156
			OC48 - Interface OC12 on OC48 per month	TBD \$728.81
			NRC - OC48 - Facility Termination - 1st	TBD \$1,858
			NRC - OC48 - Facility Termination -Add'l	TBD \$661.23
			NRC - OC48 - Interface OC12 on OC48 - 1st	TBD \$844.21
			NRC -OC48 - Interface OC12 on OC48 -Add'l	TBD \$516.89
			NRC - OC48 - Facility Termination - Disconnect Chg - 1st	TBD NA
			NRC - OC48 - Facility Termination - Disconnect Chg - Add'l	TBD NA
			NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - 1st	TBD NA
			NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - Add'l	TBD NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
			NRC - OC48 - Incremental Charge--Manual Svc Order - 1st	SOMAN \$93.12
			NRC - OC48 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$93.12
			NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic	SOMAN \$93.12

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 127

			NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic	SOMAN \$93.12
			NRC - OC48 - Incremental Charge--Manual Svc Order-Disconnect-1st	SOMAN NA
			NRC - OC48 - Incremental Charge--Manual Svc Order-Disconnect-Add'l	SOMAN NA
			NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic	SOMAN NA
			NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic	SOMAN NA
			UNBUNDLED DEDICATED TRANSPORT - Interoffice Channel	
			Interoffice Transport - Dedicated - 2-wire VG	
			2-Wire VG - per mile per month	1L5XX \$0.0301
			2-Wire VG - Facility Termination per month	U1TV2 \$27.66
			NRC - 2-wire VG - Facility Termination -1st	U1TV2 \$142.31
			NRC - 2-wire VG - Facility Termination - Add'l	U1TV2 \$56.21
			NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st	U1TV2 NA
			NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l	U1TV2 NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
			NRC - 2-wire VG - Incremental Charge--Manual Svc Order - 1st	SOMAN \$37.21
			NRC - 2-wire VG - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$37.21
			NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--1st	SOMAN NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 128

			NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--Add	SOMAN NA
			Common (Shared) Transport	
			Common (Shared) Transport per mile per mou	NA \$0.0000049
			Common (Shared) Transport Facilities Termination per mou	NA \$0.000426
			Interoffice Transport - Dedicated - 4-wire VG	
			4-Wire VG - per mile per month	1L5XX NA
			4-Wire VG - Facility Termination per month	U1TV4 NA
			NRC - 4-wire VG - Facility Termination -1st	U1TV4 NA
			NRC - 4-wire VG - Facility Termination - Add'l	U1TV4 NA
			NRC - 4-wire VG -Facility Termination - Disconnect Charge -1st	U1TV4 NA
			NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l	U1TV4 NA
			NRC - Manual Svc Order, per LSR	SOMAN NA
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMECA NA
			NRC - Electronic Svc Order, per LSR disconnect	SOMECA NA
			NRC - 4-wire VG - Incremental Charge--Manual Svc Order - 1st	SOMAN NA
			NRC - 4-wire VG - Incremental Charge--Manual Svc Order - Add'l	SOMAN NA
			NRC - 4-wire VG - Incremental Charge--Manual Svc Order-Disconnect--1st	SOMAN NA
			NRC - 4-wire VG - Incremental Charge--Manual Svc Order-Disconnect--Add	SOMAN NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 130

			NRC - DS0 - Facility Termination - Add'l	U1TD6 \$56.21
			NRC - DS0 -Facility Termination - Disconnect Charge - 1st	U1TD6 NA
			NRC - DS0 - Facility Termination - Disconnect Charge - Add'l	U1TD6 NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
			NRC - DS0 -Incremental Charge--Manual Svc Order - 1st	SOMAN \$37.21
			NRC -DS0 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$37.21
			NRC - DS0 -Incremental Charge--Manual Svc Order-Disconnect--1st	SOMAN NA
			NRC - DS0 -Incremental Charge--Manual Svc Order-Disconnect--Add'l	SOMAN NA
			Interoffice Transport - Dedicated - DS1	
			DS1 - per mile per month	1L5XX \$0.4500
			DS1 - Facility Termination per month	U1TF1 \$55.05
			NRC - DS1-Facility Termination - 1st	U1TF1 \$298.18
			NRC - DS1 - Facility Termination - Add'l	U1TF1 \$231.23
			NRC - DS1 - Facility Termination - Disconnect Charge - 1st	U1TF1 NA
			NRC - DS1 - Facility Termination -Disconnect Charge - Add'l	U1TF1 NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 131

			NRC - Electronic Svc Order, per LSR	SOME C \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOME C NA
			NRC - DS1 - Incremental Charge--Manual Svc Order - 1st	SOMAN NA
			NRC -DS1 - Incremental Charge--Manual Svc Order - Add'l	SOMAN NA
			NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--1st	SOMAN NA
			NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--Add'l	SOMAN NA
			Interoffice Transport - Dedicated - DS3	
			DS3 - per mile per month	1L5XX \$12.62
			DS3 -Facility Termination per month	U1TF3 \$1,204
			NRC - DS3 - Facility Termination -1st	U1TF3 \$946.23
			NRC - DS3 - Facility Termination - Add'l	U1TF3 \$516.89
			NRC - DS3 - Facility Termination - Disconnect Charge - 1st	U1TF3 NA
			NRC - DS3 - Facility Termination - Disconnect Charge - Add'l	U1TF3 NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOME C \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOME C NA
			NRC - DS3 - Incremental Charge--Manual Svc Order - 1st	SOMAN \$93.12
			NRC - DS3 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$93.12
			NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--1st	SOMAN NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 132

			NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect—Add'l	SOMAN NA
			Interoffice Transport - Dedicated - STS-1	
			STS-1 - per mile per month	1L5XX \$12.62
			STS-1 -Facility Termination per month	U1TFS \$1,204
			NRC - STS-1 - Facility Termination -1st	U1TFS \$946.23
			NRC - STS-1 - Facility Termination - Add'l	U1TFS \$516.89
			NRC - STS-1 - Facility Termination - Disconnect Charge - 1st	U1TFS NA
			NRC - STS-1 - Facility Termination - Disconnect Charge - Add'l	U1TFS NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
			NRC - STS-1 - Incremental Charge--Manual Svc Order - 1st	SOMAN \$93.12
			NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l	SOMAN \$93.12
			NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--1st	SOMAN NA
			NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect—Add'l	SOMAN NA
			Interoffice Transport - Dedicated - OC3	
			OC3 -per mile per month	1L5XX \$27.97
			OC3 -Facility Termination per month	TBD \$3,390

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 133

			NRC - OC-3 - Facility Termination - 1st	TBD \$1,399
			NRC - OC-3 - Facility Termination - Add'l	TBD \$516.89
			NRC - OC-3 - Facility Termination - Disconnect Charge - 1st	TBD NA
			NRC - OC-3 - Facility Termination - Disconnect Charge - Add'l	TBD NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMECS \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMECS NA
			NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-1st	SOMAN \$93.12
			NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l	SOMAN \$93.12
			NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect	SOMAN NA
			NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect	SOMAN NA
			Interoffice Transport - Dedicated - OC12	
			OC12 -per mile per month	1L5XX \$84.88
			OC12 -Facility Termination	TBD \$12,344
			NRC - OC12- Facility Termination - 1st	TBD \$1,713
			NRC - OC12- Facility Termination - Add'l	TBD \$516.89
			NRC - OC12 - Facility Termination - Disconnect Chg - 1st	TBD NA
			NRC - OC12 - Facility Termination - Disconnect Chg - Add'l	TBD NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 134

			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
			NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-1st	SOMAN \$93.12
			NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l	SOMAN \$93.12
			NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st	SOMAN NA
			NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-Add'l	SOMAN NA
			Interoffice Transport - Dedicated - OC48	
			OC48 -per mile per month	1L5XX \$138.02
			OC48 -Facility Termination per month	TBD \$16,017
			OC48 -per Interface OC12 on OC48 per month	TBD \$1,497
			NRC - OC48 - Facility Termination - 1st	TBD \$1,713
			NRC - OC48 - Facility Termination - Add'l	TBD \$516.89
			NRC - OC48 - Interface OC12 on OC48 - 1st	TBD \$844.21
			NRC - OC48 - Interface OC12 on OC48 - Add'l	TBD \$516.89
			NRC - OC48 - Facility Termination - Disconnect Chg - 1st	TBD NA
			NRC - OC48 - Facility Termination - Disconnect Chg - Add'l	TBD NA
			NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st	TBD NA
			NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBD NA
			NRC - Manual Svc Order, per LSR	SOMAN \$19.99

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 135

			NRC - Manual Svc Order, per LSR disconnect	SOMAN NA
			NRC - Electronic Svc Order, per LSR	SOMEK \$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK NA
			NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st	SOMAN \$93.12
			NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-Add'l	SOMAN \$93.12
			NRC - OC48 - Interface- Incremental Cost - Manual Svc. Order vs. Electronic	SOMAN \$93.12
			NRC - OC48 - Interface- Incremental Cost - Manual Svc. Order vs. Electronic	SOMAN \$93.12
			NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN NA
			NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN NA
			NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Discon	SOMAN NA
			NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Discon	SOMAN NA
			UNBUNDLED CHANNELIZATION	
			DS3 Channelization (DS3 to DS1)	
			per Channelized System (28 DS1) per month	MQ3 \$236.32
			NRC - 1st	MQ3 \$425.41
			NRC - Add'l	MQ3 \$303.33
			NRC -1st - Disconnect	MQ3 NA
			NRC -Add'l - Disconnect	MQ3 NA
			per Interface per month (COI)	UC1D1 \$8.52
			NRC - 1st	UC1D1 \$15.86

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 136

			NRC - Add'l	UC1D1	\$11.36
			NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
			NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
			NRC - Electronic Svc Order, per LSR	SOMECE	\$3.50
			NRC - Electronic Svc Order, per LSR disconnect	SOMECE	NA
			Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st	SOMAN	\$41.47
			Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l	SOMAN	\$11.99
			Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st	SOMAN	NA
			Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l	SOMAN	NA
			DS1 Channelization (DS1 to DS0)		
			per Channelized System (24 DS0) per month	MQ1	\$200.01
			NRC - 1st	MQ1	\$302.82
			NRC - Add'l	MQ1	\$184.20
			NRC -1sr - Disconnect	MQ1	NA
			NRC -Add'l - Disconnect	MQ1	NA
			- Interface (COI)		
			per OCU-DP(data) card per month (2.4-64kbs)	1D1DD	\$2.94
			NRC - 1st	1D1DD	\$15.86
			NRC - Add'l	1D1DD	\$11.36
			per BRITE card per month	UC1CA	\$4.04

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 137

		NRC - 1st	UC1CA	\$15.86
		NRC - Add'l	UC1CA	\$11.36
		per VG card per month (DS0)	1D1VG	\$1.40
		NRC - 1st	1D1VG	\$15.86
		NRC - Add'l	1D1VG	\$11.36
		NRC - Manual Svc Order, per LSR	SOMAN	\$19.99
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	\$3.50
		NRC - Electronic Svc Order, per LSR disconnect	SOMAN	NA
		Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st	SOMAN	\$41.47
		Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l	SOMAN	\$11.99
		Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st	SOMAN	NA
		Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l	SOMAN	NA
		UNBUNDLED DARK FIBER		
		Dark Fiber - Interoffice (four fiber strands) per route mile or fraction thereof, per m	1L5DF	\$31.95
		NRC - Per each four-fiber dark fiber arrangement - 1st	UDF14	\$1,741.00
		NRC - Per each four-fiber dark fiber arrangement - Add'l	UDF14	\$563.75
		NRC -Disconnect--1st	UDF14	NA
		NRC -Disconnect--Add'l	UDF14	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 TRANSPORT

Exhibit A
 Rates - Page 138

			Dark Fiber - Local Channel(four fiber strands) per route mile or fraction thereof, p	1L5DC \$49.07
			NRC - Per each four-fiber dark fiber arrangement - 1st	UDFC4 \$1,741.00
			NRC - Per each four-fiber dark fiber arrangement - Add'l	UDFC4 \$563.75
			NRC -Disconnect--1st	UDFC4 NA
			NRC -Disconnect--Add'l	UDFC4 NA
			Dark Fiber - Local Loop (four fiber strands) per route mile or fraction thereof, per	1L5DL \$49.07
			NRC - Per each four-fiber dark fiber arrangement - 1st	UDFL4 \$1,741.00
			NRC - Per each four-fiber dark fiber arrangement - Add'l	UDFL4 \$563.75
			NRC -Disconnect--1st	UDFL4 NA
			NRC -Disconnect--Add'l	UDFL4 NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
TRANSPORT

Exhibit A
Rates - Page 139

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 140

DESCRIPTION	USOC	KY
UNBUNDLED LOOP COMBINATIONS		
Unbundled Loop/Port Combinations (Note 4)		
MARKET RATES (INCLUDING ALL VERTICAL FEATURES) (Note 1)		
Density Zone 1 / Top 8 MSAs in BellSouth Region		
Customers with 4 or more DS0 Equivalent		
Currently Combined (Note2)		
2-Wire Voice Grade Loop with 2-Wire Line Port (Res. and Bus.)		
2-Wire Voice Grade Line Port (Res.), per month		
2-wire voice unbundled port - residence	UEPRL	NA
2-wire voice unbundled port with caller ID - residence	UEPRC	NA
2-wire voice unbundled port outgoing only - residence	UEPRO	NA
2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAR	NA
2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPRM	NA
2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAS	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 141

DESCRIPTION		USOC	KY
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	UEPAT	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID	UEPAU	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID	UEPAQ	NA
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 142

DESCRIPTION		USOC	KY
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA
	2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	NA
	2-Wire Voice Grade Line Port (Bus.), per month		
	2-wire voice unbundled port without Caller ID	UEPBL	NA
	2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	NA
	2-wire voice unbundled outgoing only port	UEPBO	NA
	2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAW	NA
	2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPBM	NA
	2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAX	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	UEPAY	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID	UEPAZ	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID	UEPAV	NA
	2-wire voice unbundled incoming only port with Caller ID	UEPB1	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 143

DESCRIPTION		USOC	KY
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA
	2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA
	2-Wire Voice Grade Loop (SL1) (Res. and Bus.)		
	RC - 2-Wire Voice Grade Loop - Statewide	UEPLX	NA
	RC - 2-Wire Voice Grade Loop Zone 1	UEPLX	NA
	RC - 2-Wire Voice Grade Loop Zone 2	UEPLX	NA
	RC - 2-Wire Voice Grade Loop Zone 3	UEPLX	NA
	Combination Rates		
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	NA
	Nonrecurring Charges		
	2-Wire Voice Grade Line Port (Res. And Bus.)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 144

DESCRIPTION			USOC	KY
		NRC - 2- wire voice grade unbundled port/loop combination - 1st, with change	TBD	NA
		NRC - 2- wire voice grade unbundled port/loop combination - Add'l, with change	TBD	NA
		NRC - 2- wire voice grade unbundled port/loop combination - 1st, no change	TBD	NA
		NRC - 2- wire voice grade unbundled port/loop combination - Add'l, no change	TBD	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	TBD	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces	SOMEK	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st	SOMAN	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 145

DESCRIPTION		USOC	KY
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	NA
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TBD	NA
	NRC - Incremental Manual Service Order Disconnect	TBD	NA
2-Wire Voice Grade Loop with 2-Wire Line Port PBX			
2-Wire Analog Line Port (PBX), per month			
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	NA
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	NA
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	NA
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT	UEPL2	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	UEPT2	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 146

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT	UEPTO	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	NA
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	NA
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPKK	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 147

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	UEPXM	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVERVILLE & MEMPHIS CALLING PORT	UEPXU	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 148

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP	
	2-Wire Voice Grade Loop (SL1)		
	RC - 2- Wire Voice Grade Loop - Statewide	UEPLX	NA
	RC - 2- Wire Voice Grade Loop - Zone 1	UEPLX	NA
	RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	NA
	RC - 2- Wire Voice Grade Loop - Zone 3	UEPLX	NA
	RC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	NA
	Combination Rates		
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	NA
	Nonrecurring Charges		
	NRC - 2- wire voice grade unbundled port/loop combination - 1st, with change	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 149

DESCRIPTION			USOC	KY
		NRC - 2- wire voice grade unbundled port/loop combination - Add'l, with change	TBD	NA
		NRC - 2- wire voice grade unbundled port/loop combination - 1st, no change	TBD	NA
		NRC - 2- wire voice grade unbundled port/loop combination - Add'l, no change	TBD	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	TBD	\$10.00
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st	SOMAN	NA
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l	SOMAN	NA
		NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 150

DESCRIPTION		USOC	KY
	NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TBD	NA
	NRC - Incremental Manual Service Order Disconnect	TBD	NA
COST BASED RATES (Notes 2 & 3)			
Currently Combined			
2-Wire Voice Grade Loop with 2-Wire Line Port			
2-Wire Voice Grade Line Port (Res.), per month			
	2- wire voice unbundled port - residence	UEPRL	\$2.61
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$2.61
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$2.61
	2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAR	NA
	2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPRM	\$2.61
	2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAS	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	UEPAT	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 151

DESCRIPTION		USOC	KY
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID	UEPAU	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID	UEPAQ	NA
	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$2.61
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
LOOP/PORT COMBINATIONS

Exhibit A
Rates - Page 152

DESCRIPTION		USOC	KY
	2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.61
	2-Wire Voice Grade Line Port (Bus.), per month		
	2-wire voice unbundled port without Caller ID	UEPBL	\$2.61
	2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	\$2.61
	2-wire voice unbundled outgoing only port	UEPBO	\$2.61
	2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAW	NA
	2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPBM	\$2.61
	2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAX	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	UEPAY	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID	UEPAZ	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID	UEPAV	NA
	2-wire voice unbundled incoming only port with Caller ID	UEPB1	\$2.61
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 153

DESCRIPTION		USOC	KY
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA
	2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA
	2-Wire Voice Grade Loop (SL1)		
	RC - 2- Wire Voice Grade Loop - Statewide	UEPLX	NA
	RC - 2- Wire Voice Grade Loop - Zone 1	UEPLX	\$14.79
	RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	\$27.68
	RC - 2- Wire Voice Grade Loop - Zone 3	UEPLX	\$47.78
	RC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	NA
	Combination Rates		
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	\$17.40
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	\$30.29
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	\$50.39
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	Note 8	NA
	Nonrecurring Charges		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is	USAC2	\$10.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 154

DESCRIPTION		USOC	KY
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is	USAC2	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change	USACC	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change	USACC	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	\$3.50
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st	SOMAN	\$19.99
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l	SOMAN	\$19.99
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	TBD
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TBD	TBD
	NRC - Incremental Manual Service Order Disconnect	TBD	\$20.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 155

DESCRIPTION			USOC	KY
		NRCs for New (not Currently Combined) as ordered in Georgia:		
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRL	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPRL	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRC	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPRC	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRO	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPRO	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPAP	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPAP	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPBL	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPBL	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPBC	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPBC	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPBO	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPBO	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPB1	NA
		NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPB1	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 156

DESCRIPTION		USOC	KY
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st	TBD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l	TBD	NA
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - 1st	TBD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Add'l	TBD	NA
	NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	NA
	NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TBD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 157

DESCRIPTION		USOC	KY
	2- Wire Voice Grade Loop - Bus Only with 2 -Wire DID Trunk Port		
	2 - Wire Line Port - DID Trunk Port, per month	UEPD1	TBD
	2-Wire Voice Grade Loop (SL2)		
	RC - 2- Wire Voice Grade Loop - Statewide	UECD1	NA
	RC - 2- Wire Voice Grade Loop - Zone 1	UECD1	\$17.27
	RC - 2- Wire Voice Grade Loop - Zone 2	UECD1	\$32.32
	RC - 2- Wire Voice Grade Loop - Zone 3	UECD1	\$55.78
	RC - 2- Wire Voice Grade Loop - Zone 4	UECD1	NA
	Combination Rates		
	RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Statewide	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 1 (Note 6)	Note 8	TBD
	RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 2 (Note 6)	Note 8	TBD
	RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 3 (Note 6)	Note 8	TBD
	RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone4 (Note 6)	Note 8	NA
	NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - 1st	TBD	TBD
	NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Addl	TBD	TBD

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 158

DESCRIPTION		USOC	KY
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	\$3.50
	NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual Service Order - 1st	TBD	TBD
	NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual Service Order - Addl	TBD	TBD
	2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port		
	2-wire ISDN Digital Port per month	UEPPB	\$12.33
	2-Wire ISDN Digital Grade Loop		
	RC - 2-Wire ISDN Digital Grade Loop - Statewide	USL2X	NA
	RC - 2-Wire ISDN Digital Grade Loop - Zone 1	USL2X	\$23.66
	RC - 2-Wire ISDN Digital Grade Loop - Zone 2	USL2X	\$44.28
	RC - 2-Wire ISDN Digital Grade Loop - Zone 3	USL2X	\$76.42
	RC - 2-Wire ISDN Digital Grade Loop - Zone 4	USL2X	NA
	Combination Rates		
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide	Note 8	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 159

DESCRIPTION		USOC	KY
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 1	Note 8	\$35.99
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2	Note 8	\$56.61
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3	Note 8	\$88.75
	RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4	Note 8	NA
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion	USACB	TBD
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion	USACB	TBD
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity	USASB	TBD
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOME C	\$3.50
4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port			
	4 - Wire ISDN DS1 Digital Trunk Port	UEPPP	\$275.48
	4 - Wire DS1 Digital Loop		
	RC - 4- Wire DS1 Digital Loop- Statewide	USL4P	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 160

DESCRIPTION		USOC	KY
	RC - 4- Wire DS1 Digital Loop- Zone 1	USL4P	\$50.26
	RC - 4- Wire DS1 Digital Loop- Zone 2	USL4P	\$94.06
	RC - 4- Wire DS1 Digital Loop- Zone 3	USL4P	\$162.34
	RC - 4-Wire DS1 Digital Loop - Zone 4	USL4P	NA
	Combination Rates		
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide	Note 8	NA
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1	Note 8	\$325.74
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2	Note 8	\$369.54
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3	Note 8	\$437.82
	RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 4	Note 8	NA
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st conversion	USACP	TBD
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Add'l conversion	USACP	TBD
	NRC - 4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Channel Activation - Per Channel	USASP	TBD
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Inward/2-way Telephone Numbers	PR7TG	TBD
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Outward Telephone numbers	PR7TP	TBD

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 161

DESCRIPTION		USOC	KY
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Inward Telephone Numbers	PR7ZT	TBD
	NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Subsequent Service Order Per Order	USASP	TBD
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOME C	\$3.50
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port		
	4 - Wire DID Trunk Port	TBD	TBD
	4 - Wire DS1 Digital Loop		
	4 - Wire DS1 Digital Loop - Statewide	TBD	NA
	4 - Wire DS1 Digital Loop - Zone 1	TBD	\$50.26
	4 - Wire DS1 Digital Loop - Zone 2	TBD	\$94.06
	4 - Wire DS1 Digital Loop - Zone 3	TBD	\$162.34
	4 - Wire DS1 Digital Loop - Zone 4	TBD	NA
	Combination Rates		
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Statewide	Note 8	NA
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 1	Note 8	TBD

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 162

DESCRIPTION		USOC	KY
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 2	Note 8	TBD
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 3	Note 8	TBD
	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 4	Note 8	NA
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st	TBD	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Addl	TBD	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire DIDTrunk Port - Subsequent Channel Activation - Per Channel	TBD	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Telephone Numbers	TBD	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Signaling Changes	TBD	TBD
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Service Order Per Order	TBD	TBD
	NRC - 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	\$3.50
	NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost- Manual Service Order - 1st	TBD	TBD

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 163

DESCRIPTION		USOC	KY
	NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost- Manual Service Order - Add'l	TBD	TBD
2-Wire Voice Grade Loop with 2-Wire Line Port PBX			
	2-Wire Analog Line Port (PBX), per month		
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$2.61
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.61
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$2.61
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT	UEPA2	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING PORT	UEPL2	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	UEPT2	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT	UEPTO	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$2.61
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$2.61

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 164

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$2.61
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$2.61
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	\$2.61
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	\$2.61
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPXK	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	UEPXM	\$2.61

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 165

DESCRIPTION		USOC	KY
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT TENNESSEE CALLING PORT	UEPXN	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DISCOUNT ROOM CALLING PORT	UEPXO	\$2.61
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEXPX	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX MEASURED PORT	UEPXS	\$2.61
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP	

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 166

DESCRIPTION		USOC	KY
	2-Wire Voice Grade Loop (SL1)		
	RC - 2- Wire Voice Grade Loop - Statewide	UEPLX	NA
	RC - 2- Wire Voice Grade Loop - Zone 1	UEPLX	\$14.79
	RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	\$27.68
	RC - 2- Wire Voice Grade Loop - Zone 3	UEPLX	\$47.78
	RC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	NA
	Combination Rates		
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	#VALUE!
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	#VALUE!
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	#VALUE!
	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	Note 8	NA
	Nonrecurring Charges		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is	USAC2	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is	USAC2	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change	USACC	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change	USACC	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	\$10.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 167

DESCRIPTION		USOC	KY
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	\$3.50
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st	SOMAN	\$19.99
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l	SOMAN	\$19.99
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	TBD
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TBD	TBD
	NRC - Incremental Manual Service Order Disconnect	TBD	\$20.00
	NRCs for New (not Currently Combined) as ordered in Georgia:		
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPRD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPPC	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPPC	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 168

DESCRIPTION		USOC	KY
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPPO	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPPO	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPP1	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPP1	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPLD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPLD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXA	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXA	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXB	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXB	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXC	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXC	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXE	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXE	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXL	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXL	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXM	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 169

DESCRIPTION		USOC	KY
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXM	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXO	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXO	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXS	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l	UEPXS	NA
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st	TBD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l	TBD	NA
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEK	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - 1st	TBD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Add'l	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 170

DESCRIPTION		USOC	KY
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic	TBD	NA
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TBD	NA
	NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect	TBD	NA
	All Other Loop/Port Combinations	TBD	TBD
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX	
NOTES:			
1	Market Rates will apply in those areas where BellSouth is not required to provide circuit switching pursuant to FCC rules.		
2	In Georgia, rates will apply for Currently Combined as well as not Currently Combined loop/port combinations unless otherwise identified.		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 LOOP/PORT COMBINATIONS

Exhibit A
 Rates - Page 171

	DESCRIPTION	USOC	KY
3	In the absence of ordered rates by a State Commission, the recurring rates for Currently Combined combinations of loop/port network elements will be the sum of the recurring rates for the UNEs which make up the combinations, and the nonrecurring rates shall be as set forth in this section.		
4	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements.		
5	Deleted		
6	Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection agreement.		
7	In the absence of ordered OSS rates by a state commission, BellSouth will offer regionwide rates		
8	There is not a unique combination USOC. CLEC should submit the loop and port USOCs.		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 172

ENHANCED EXTENDED LINKS (EELs)			
		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].	
		DS1 Interoffice Channel and 2-wire VG Local Loop EEL:	USOC KY
		Recurring Charges	
		2-wire VG Loop per month, statewide	UEAL2 NA
		2-wire VG Loop per month, Zone 1 (Note 1)	TBD NA
		2-wire VG Loop per month, Zone 2 (Note 1)	TBD NA
		2-wire VG Loop per month, Zone 3 (Note 1)	NA NA
		2-wire VG Loop per month, Zone 4 (Note 1)	NA NA
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX NA
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1 NA
		DS1 Channelized System per month	MQ1 NA
		VG (COCl) interface card per month	1D1VG NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)	
		NRC- DS1 interoffice Facility Termination - 1st	U1TF1 NA
		NRC-DS1 interoffice Facility Termination - Add'l	U1TF1 NA
		NRC-2-wire VG Local Loop - 1st	UEAL2 NA
		NRC-2-wire VG Local Loop - Add'l	UEAL2 NA
		NRC-DS1 Channelization System -1st	MQ1 NA
		NRC-DS1 Channelization System - Add'l	MQ1 NA
		NRC-VG(COCl)interface card -1st	1D1VG NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 173

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-VG(COCl)interface card - Add'	1D1VG	NA
		NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination	SOMEK	NA
		NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination	SOMAN	NA
		NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination	SOMAN	NA
		NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination	SOMAN	NA
		NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination	SOMAN	NA
		NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination	SOMAN	NA
		DS1 Interoffice Channel and 4-wire VG Local Loop EEL:		
		Recurring Charges		
		4-wire VG Loop per month, statewide	UEAL4	NA
		4-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA
		4-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA
		4-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA
		4-wire VG Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA
		DS1 Channelized System per month	MQ1	NA
		VG (COCl) interface card per month	1D1VG	NA
		Non-Recurring Charges - New EEL (Note 2) (Note 3)		
		NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 174

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA
		NRC-4-wire VG Local Loop - 1st	UEAL4	NA
		NRC-4-wire VG Local Loop - Add'l	UEAL4	NA
		NRC-DS1 Channelization System -1st	MQ1	NA
		NRC-DS1 Channelization System - Add'l	MQ1	NA
		NRC-VG(COC)interface card -1st	1D1VG	NA
		NRC-VG(COC)interface card - Add'l	1D1VG	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Elect	SOMEK	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manu	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manu	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manu	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manu	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manu	SOMAN	NA
		DS1 Interoffice Channel and 2-wire ISDN Local Loop:		
		Recurring Charges		
		2-wire ISDN Loop per month, statewide	U1L2X	NA
		2-wire ISDN Loop per month, Zone 1 (Note 1)	TBD	NA
		2-wire ISDN Loop per month, Zone 2 (Note 1)	TBD	NA
		2-wire ISDN Loop per month, Zone 3 (Note 1)	TBD	NA
		2-wire ISDN Loop per month, Zone 4 (Note 1)	NA	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 175

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA
		DS1 Channelized System per month	MQ1	NA
		2-wire ISDN(BRITE COCI) per month	UC1CA	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA
		NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA
		NRC- 2-wire ISDN Local Loop - 1st	U1L2X	NA
		NRC- 2-wire ISDN Local Loop - Add'l	U1L2X	NA
		NRC-DS1 Channelization System -1st	MQ1	NA
		NRC-DS1 Channelization System - Add'l	MQ1	NA
		NRC-2-wire BRITE(COCI)interface card -1st	UC1CA	NA
		NRC-2-wire BRITE(COCI)interface card -Add'l	UC1CA	NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Ele	SOMEK	NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Ma	SOMAN	NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Ma	SOMAN	NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Ma	SOMAN	NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Ma	SOMAN	NA
		NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Ma	SOMAN	NA
		DS1 Interoffice Channel and 4-wire 56 kbps Local Loop:		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 176

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Recurring Charges		
		4-wire 56kbps Loop per month, statewide	UDL56	NA
		4-wire 56kbps Loop per month, Zone 1 (Note 1)	TBD	NA
		4-wire 56kbps Loop per month, Zone 2 (Note 1)	TBD	NA
		4-wire 56kbps Loop per month, Zone 3 (Note 1)	TBD	NA
		4-wire 56kbps Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA
		DS1 Channelized System per month	MQ1	NA
		4-wire 56kbps card COCI per month	1D1DD	NA
		Non-Recurring Charges - New EEL (Note 2) (Note 3)		
		NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA
		NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA
		NRC-4-wire 56kbps Local Loop - 1st	UDL56	NA
		NRC-4-wire 56kbps Local Loop - Add'l	UDL56	NA
		NRC-DS1 Channelization System -1st	MQ1	NA
		NRC-DS1 Channelization System - Add'l	MQ1	NA
		NRC-4-wire 56kbps(COCI)interface card -1st	1D1DD	NA
		NRC-4-wire 56kbps(COCI)interface card -Add'l	1D1DD	NA
		NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - E	SOMECE	NA
		NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 177

					New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].
				M	SOMAN NA
				M	SOMAN NA
				M	SOMAN NA
				M	SOMAN NA
					DS1 Interoffice Channel and 4-wire 64 kbps Local Loop:
					Recurring Charges
					4-wire 64kbps Loop per month, statewide UDL64 NA
					4-wire 64kbps Loop per month, Zone 1 (Note 1) TBD NA
					4-wire 64kbps Loop per month, Zone 2 (Note 1) TBD NA
					4-wire 64kbps Loop per month, Zone 3 (Note 1) TBD NA
					4-wire 64kbps Loop per month, Zone 4 (Note 1) NA NA
					Interoffice Channel - Dedicated - DS1 - per mile per month 1L5XX NA
					Interoffice Channel - Dedicated - DS1 - Facility Termination per month U1TF1 NA
					DS1 Channelized System per month MQ1 NA
					4-wire 64kbps card COCI per month 1D1DD NA
					Non-Recurring Charges - New EEL (Note 2) (Note 3)
					NRC- DS1 interoffice - 1st U1TF1 NA
					NRC- DS1 interoffice - Add'l U1TF1 NA
					NRC-4-wire 64kbps Local Loop - 1st UDL64 NA
					NRC-4-wire 64kbps Local Loop - Add'l UDL64 NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 178

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-DS1 Channelization System -1st	MQ1	NA
		NRC-DS1 Channelization System - Add'l	MQ1	NA
		NRC-4-wire 64kbps(COC!)interface card -1st	1D1DD	NA
		NRC-4-wire 64kbps(COC!)interface card -Add'l	1D1DD	NA
		NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - E	SOMEC	NA
		NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA
		NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA
		DS1 Interoffice Channel and DS1 Interoffice Local Loop:		
		Recurring Charges		
		DS1 Loop per month,State wide	USLXX	NA
		DS1 Loop per month, Zone 1 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 2 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 3 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA
		Non-Recurring Charges - New EEL (Note 2) (Note 3)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 179

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC- DS1 interoffice - 1st	U1TF1	NA
		NRC- DS1 interoffice - Add'l	U1TF1	NA
		NRC-DS1 Local Loop - 1st	USLXX	NA
		NRC-DS1 Local Loop - Add'l	USLXX	NA
		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Electronic	SOMEC	NA
		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		DS3 Interoffice Channel and DS3 Local Loop:		
		Recurring Charges		
		DS3 Loop per Facility Termination per month	UE3PX	NA
		DS3 Loop per mile	1L5ND	NA
		Interoffice Channel - Dedicated - DS3 - Facility Termination per month	1L5XX	NA
		Interoffice Channel - Dedicated - DS3 - per mile per month	U1TF3	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- DS3 interoffice - 1st	U1TF3	NA
		NRC- DS3 interoffice - Add'l	U1TF3	NA
		NRC-DS3 Local Loop - 1st	UE3PX	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 180

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-DS3 Local Loop - Add'l	UE3PX	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Electronic	SOMEK	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Sv	SOMAN	NA
		STS-1 Interoffice Channel and STS-1 Local Loop:		
		Recurring Charges		
		STS-1 Loop per Facility Termination per month	UDLS1	NA
		STS-1 Loop per mile	1L5ND	NA
		Interoffice Channel - Dedicated - STS-1 - Facility Termination per month	U1TFS	NA
		Interoffice Channel - Dedicated - STS-1 - per mile per month	1L5XX	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- STS-1 interoffice - 1st	U1TFS	NA
		NRC- STS-1 interoffice - Add'l	U1TFS	NA
		NRC-STS-1 Local Loop - 1st	UDLS1	NA
		NRC-STS-1 Local Loop - Add'l	UDLS1	NA
		NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Electro	SOMEK	NA
		NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manua	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 181

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-STIS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA
		NRC-STIS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA
		NRC-STIS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA
		NRC-STIS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA
		DS3 Interoffice Channel and DS1 Local Loop:		
		Recurring Charges		
		DS1 Loop per month, State wide	USLXX	NA
		DS1 Loop per month, Zone 1 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 2 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 3 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - DS3 - Facility Termination per month	U1TF3	NA
		Interoffice Channel - Dedicated - DS3 - per mile per month	1L5XX	NA
		DS3 Channelized System per month	MQ3	NA
		DS3 Interface per month (DS1 COCI)	UC1D1	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- DS3 interoffice - 1st	U1TF3	NA
		NRC- DS3 interoffice - Add'l	U1TF3	NA
		NRC-DS1 Local Loop - 1st	USLXX	NA
		NRC-DS1 Local Loop - Add'l	USLXX	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 182

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-DS3 Channelization System -1st	MQ3	NA
		NRC-DS3 Channelization System - Add'l	MQ3	NA
		NRC-DS1(COC)interface card -1st	UC1D1	NA
		NRC-DS1(COC)interface card -Add'l	UC1D1	NA
		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Electronic	SOMEK	NA
		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Sv	SOMAN	NA
		STS-1 Interoffice Channel and DS1 Local Loop:		
		Recurring Charges		
		DS1 Loop per month,State wide	USLXX	NA
		DS1 Loop per month, Zone 1 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 2 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 3 (Note 1)	TBD	NA
		DS1 Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - STS-1 - Facility Termination per month	U1TFS	NA
		Interoffice Channel - Dedicated - STS-1 - per mile per month	1L5XX	NA
		DS3 Channelized System per month	MQ3	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 183

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		DS3 Interface per month (DS1 COCI)	UC1D1	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC-DS1 Local Loop - 1st	USLXX	NA
		NRC-DS1 Local Loop - Add'l	USLXX	NA
		NRC- STS-1 interoffice - 1st	U1TFS	NA
		NRC- STS-1 interoffice - Add'l	U1TFS	NA
		NRC-DS3 Channelization System -1st	MQ3	NA
		NRC-DS3 Channelization System - Add'l	MQ3	NA
		NRC-DS1(COC)interface card -1st	UC1D1	NA
		NRC-DS1(COC)interface card -Add'l	UC1D1	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Electron	SOMEC	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA
		NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA
		2-wire VG Interoffice Channel and 2-wire VG Local Loop:		
		Recurring Charges		
		2-wire VG Loop per month, statewide	UEAL2	NA
		2-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 184

			New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
			2-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA
			2-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA
			2-wire VG Loop per month, Zone 4 (Note 1)	NA	NA
			Interoffice Channel - Dedicated - 2-wire VG - Facility Termination per month	U1TV2	NA
			Interoffice Channel - Dedicated - 2-wire VG - per mile per month	1L5XX	NA
			Non-Recurring Charges - New EEL (Note 2)(Note 3)		
			NRC- 2-wire VG interoffice - 1st	U1TV2	NA
			NRC- 2-wire VG interoffice - Add'l	U1TV2	NA
			NRC-2-wire VG Local Loop - 1st	UEAL2	NA
			NRC-2-wire VG Local Loop - Add'l	UEAL2	NA
			NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination	SOMEC	NA
			NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination	SOMAN	NA
			NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination	SOMAN	NA
			NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination	SOMAN	NA
			NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination	SOMAN	NA
			NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination	SOMAN	NA
			4-wire VG Interoffice Channel and 4-wire VG Local Loop:		
			Recurring Charges		
			4-wire VG Loop per month, statewide	UEAL4	NA
			4-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 185

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		4-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA
		4-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA
		4-wire VG Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - 4-wire VG - Facility Termination per month	U1TV4	NA
		Interoffice Channel - Dedicated - 4-wire VG - per mile per month	1L5XX	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- 4-wire VG interoffice - 1st	U1TV4	NA
		NRC- 4-wire VG interoffice - Add'l	U1TV4	NA
		NRC-4-wire VG Local Loop - 1st	UEAL4	NA
		NRC-4-wire VG Local Loop - Add'l	UEAL4	NA
		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination	SOMEC	NA
		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination	SOMAN	NA
		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination	SOMAN	NA
		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination	SOMAN	NA
		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination	SOMAN	NA
		NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination	SOMAN	NA
		4-wire 56 kbps Interoffice Channel and 4-wire 56kbps Local Loop:		
		Recurring Charges		
		4-wire 56kbps Loop per month, statewide	UDL56	NA
		4-wire 56kbps Loop per month, Zone 1 (Note 1)	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 186

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		4-wire 56kbps Loop per month, Zone 2 (Note 1)	TBD	NA
		4-wire 56kbps Loop per month, Zone 3 (Note 1)	TBD	NA
		4-wire 56kbps Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - 4-wire 56kbps - Facility Termination per mo	U1TD5	NA
		Interoffice Channel - Dedicated - 4-wire 56kbps - per mile per month	1L5XX	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- 4-wire 56kbps interoffice - 1st	U1TD6	NA
		NRC- 4-wire 56kbps interoffice - Add'l	U1TD6	NA
		NRC-4-wire 56kbps Local Loop - 1st	U1TD5	NA
		NRC-4-wire 56kbps Local Loop - Add'l	U1TD5	NA
		NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Comb	SOMEK	NA
		NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Comb	SOMAN	NA
		4-wire 64 kbps Interoffice Channel and 4-wire 64 kbps Local Loop:		
		Recurring Charges		
		4-wire 64kbps Loop per month, statewide	UDL64	NA
		4-wire 64kbps Loop per month, Zone 1 (Note 1)	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 187

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		4-wire 64kbps Loop per month, Zone 2 (Note 1)	TBD	NA
		4-wire 64kbps Loop per month, Zone 3 (Note 1)	TBD	NA
		4-wire 64kbps Loop per month, Zone 4 (Note 1)	NA	NA
		Interoffice Channel - Dedicated - 4-wire 64kbps - Facility Termination per month	U1TD6	NA
		Interoffice Channel - Dedicated - 4-wire 64kbps - per mile per month	1L5XX	NA
		Non-Recurring Charges - New EEL (Note 2)(Note 3)		
		NRC- 4-wire 64kbps interoffice - 1st	U1TD6	NA
		NRC- 4-wire 64kbps interoffice - Add'l	U1TD6	NA
		NRC-4-wire 64kbps Local Loop - 1st	UDL64	NA
		NRC-4-wire 64kbps Local Loop - Add'l	UDL64	NA
		NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Comb	SOMEC	NA
		NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Comb	SOMAN	NA
		NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Comb	SOMAN	NA
			USOC	KY
		Local Loop:		
		2-Wire Analog Voice Grade Loop - Service Level 1	UEAL2	\$20.00
		Zone 1	TBD	\$14.79

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 188

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Zone 2	TBD	\$27.68
		Zone 3	TBD	\$47.78
		Zone 4	TBD	NA
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 1st	UEAL2	NA
		NRC - Add'l	UEAL2	NA
		NRC - Disconnect Charge - 1st	UEAL2	NA
		NRC - Disconnect Charge - Add'l	UEAL2	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		4-Wire Analog Voice Grade Loop	UEAL4	\$28.28
		Zone 1	TBD	\$20.92
		Zone 2	TBD	\$39.14

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 189

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Zone 3	TBD	\$67.56
		Zone 4	TBD	NA
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 1st	UEAL4	NA
		NRC - Add'l	UEAL4	NA
		NRC - Disconnect Charge - 1st	UEAL4	NA
		NRC - Disconnect Charge - Add'l	UEAL4	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		2-Wire ISDN Digital Grade Loop	U1L2X	\$31.99
		Zone 1	TBD	\$23.66
		Zone 2	TBD	\$44.28
		Zone 3	TBD	\$76.42

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 190

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Zone 4	TBD	NA
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 1st	U1L2X	NA
		NRC - Add'l	U1L2X	NA
		NRC - Disconnect Dcharge - 1st	U1L2X	NA
		NRC - Disconnect Charge - Add'l	U1L2X	NA
		NRC - Electronic Svc Order, per LSR	SOMECH	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		4-Wire 56 kbps Digital Grade Loop	UDL56	NA
		Zone 1	TBD	NA
		Zone 2	TBD	NA
		Zone 3	TBD	NA
		Zone 4	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 191

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 1st	UDL56	NA
		NRC - Add'l	UDL56	NA
		NRC - Disconnect Dcharge - 1st	UDL56	NA
		NRC - Disconnect Charge - Add'l	UDL56	NA
		NRC - Electronic Svc Order, per LSR	SOMECH	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		4-Wire 64 kbps Digital Grade Loop	UDL64	NA
		Zone 1	TBD	NA
		Zone 2	TBD	NA
		Zone 3	TBD	NA
		Zone 4	TBD	NA
		NRC - Ordinarily Combined in GA (Note 5)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 192

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - 1st	UDL64	NA
		NRC - Add'l	UDL64	NA
		NRC - Disconnect Dcharge - 1st	UDL64	NA
		NRC - Disconnect Charge - Add'l	UDL64	NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		4-Wire DS1 Digital Loop	USLXX	\$67.96
		Zone 1	TBD	\$50.28
		Zone 2	TBD	\$94.06
		Zone 3	TBD	\$162.34
		Zone 4	TBD	NA
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 1st	USLXX	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 193

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Add'l	USLXX	NA
		NRC - Disconnect Charge - 1st	USLXX	NA
		NRC - Disconnect Charge - Add'l	USLXX	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
		NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l	UNCCC	\$0.00
		DS3 Loop		
		per mile per month	1L5ND	\$43.69
		facility termination per month	UE3PX	\$436.95
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - Facility Termination - 1st	UE3PX	NA
		NRC - Facility Termination - Add'l	UE3PX	NA
		NRC - Facility Termination - Disconnect - 1st	UE3PX	NA
		NRC - Facility Termination - Disconnect - Add'l	UE3PX	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 194

			New EEL rates are the sum of the individual UNE network elements (Interoffice transport and loop [channelization if applicable].		
			NRC - Manual Svc Order, per LSR	SOMAN	NA
			NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
			NRC - Electronic Svc Order, per LSR	SOMEK	NA
			NRC - Electronic Svc Order, per LSR disconnect	SOMEK	NA
			NRC - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
			NRC - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
			NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
			NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-A	SOMAN	NA
			NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
			NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
			NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
			NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
			NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
			STS-1 Loop		
			per mile per month	1L5ND	\$43.69
			facility termination per month	UDLS1	\$436.95
			NRC - Ordinarily Combined in GA (Note 5)		
			NRC - STS-1 - Facility Termination - 1st	UDLS1	NA
			NRC - STS-1 - Facility Termination - Add'l	UDLS1	NA
			NRC - STS-1 - Facility Termination - Disconnect - 1st	UDLS1	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 195

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - STS-1 - Facility Termination - Disconnect - Add'l	UDLS1	NA
		NRC - Manual Svc Order, per LSR	SOMAN	NA
		NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA
		NRC - Electronic Svc Order, per LSR	SOMECE	NA
		NRC - Electronic Svc Order, per LSR disconnect	SOMECE	NA
		NRC - STS-1 - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disco	SOMAN	NA
		NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disco	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		OC-3 Loop	1L5ND	\$33.15
		per mile per month	TBD	\$436.95
		facility termination per month		
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC3 - Facility Termination - 1st	TBD	NA
		NRC - OC3 - Facility Termination - Add'l	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 196

				New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].
				NRC - OC3 - Facility Termination - Disconnect - 1st
			TBD	NA
				NRC - OC3 - Facility Termination - Disconnect - Add'l
			TBD	NA
				NRC - Electronic Svc Order, per LSR
			SOME C	NA
				NRC - OC3 - Incremental Charge--Manual Svc Order - 1st
			SOMAN	NA
				NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l
			SOMAN	NA
				NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconn
			SOMAN	NA
				NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconn
			SOMAN	NA
				NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)
				NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st
			UNCCC	\$54.09
				NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad
			UNCCC	\$32.16
				NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D
			UNCCC	\$0.00
				NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D
			UNCCC	\$0.00
				OC-12 Loop
				per mile per month
			1L5ND	\$40.80
				facility termination per month
			TBD	\$2,457
				NRC - Ordinarily Combined in GA (Note 5)
				NRC - OC12 - Facility Termination - 1st
			TBD	NA
				NRC - OC12 - Facility Termination - Add'l
			TBD	NA
				NRC - OC12 - Facility Termination - Disconnect - 1st
			TBD	NA
				NRC - OC12 - Facility Termination - Disconnect - Add'l
			TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 197

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA
		NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconne	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconne	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		OC-48 Loop		
		per mile per month	1L5ND	\$166.59
		facility termination per month	TBD	\$2,129
		OC-12 Interface on OC-48 Loop per month	TBD	\$725.77
		NRC - Ordinarily Combined In GA (Note 5)		
		NRC - OC48 - Facility Termination - 1st	TBD	NA
		NRC - OC48 - Facility Termination - Add'l	TBD	NA
		NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	NA
		NRC - OC48 - Interface OC12 on OC48 - Add'l	TBD	NA
		NRC - OC48 - Facility Termination - Disconnect - 1st	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 198

			New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
			NRC - OC48 - Facility Termination - Disconnect - Add'l	TBD	NA
			NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBD	NA
			NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBD	NA
			NRC - Electronic Svc Order, per LSR	SOMEC	NA
			NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Dis	SOMAN	NA
			NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Dis	SOMAN	NA
			NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1	SOMAN	NA
			NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-A	SOMAN	NA
			NRC - OC-48 - Incremental Charge--Manual Svc Order-1st	SOMAN	NA
			NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l	SOMAN	NA
			NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manua	SOMAN	NA
			NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manua	SOMAN	NA
			NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
			NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1s	UNCCC	\$54.09
			NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
			NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
			NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
			Local Channels:		
			Local Channel - Dedicated - 2-Wire VG		
			Monthly Recurring per month	ULDV2	\$22.26

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 199

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 2-wire VG Local Channel - 1st	ULDV2	NA
		NRC - 2-wire VG Local Channel -Add'l	ULDV2	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Disconnect - 1	SOMAN	NA
		NRC - 2-Wire VG - Incremental Charge--Manual Svc Order - Disconnect - A	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		Local Channel - Dedicated - 4-Wire VG		
		Monthly Recurring per month	ULDV4	\$23.38
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC-4-wire VG Local Channel - 1st	ULDV4	NA
		NRC-4-wire VG Local Channel - Add'l	ULDV4	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 200

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order	SOMAN	NA
		NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order	SOMAN	NA
		NRC - 4-Wire VG Local Channel - Incremental Charge--Manual Svc Order	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Discon	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Discon	UNCCC	\$0.00
		Local Channel - Dedicated - DS1		
		DS1 Monthly Recurring per month	ULDF1	\$43.80
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - DS1 Local Channel - 1st	ULDF1	NA
		NRC - DS1 Local Channel - Add'l	ULDF1	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - Discon	SOMAN	NA
		NRC - DS1 Local Channel - Incremental Charge--Manual Svc Order - Discon	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 201

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Local Channel - Dedicated - DS3	USOC	KY
		DS3 Local Channel - per mile per month	1L5NC	\$34.00
		DS3 Local Channel - Facility Termination per month	ULDF3	\$635.09
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - DS3 Local Channel Facility Termination - 1st	ULDF3	NA
		NRC - DS3 Local Channel - Facility Termination - Add'l	ULDF3	NA
		NRC - Electronic Svc Order, per LSR	SOMEC	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Disconnect	SOMAN	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Disconnect	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 202

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Local Channel - Dedicated - STS-1		
		STS-1 Local Channel - per mile per month	1L5NC	\$34.00
		STS-1 Local Channel - Facility Termination per month	ULDFS	\$635.09
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - STS-1 Local Channel Facility Termination - 1st	ULDFS	NA
		NRC - STS-1 Local Channel - Facility Termination - Add'l	ULDFS	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - Disc	SOMAN	NA
		NRC - STS-1 Local Channel - Incremental Charge--Manual Svc Order - Disc	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
		NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
		Local Channel - OC3		
		Local Channel - OC3 - per Mile	TBA	\$33.15
		Local Channel - OC3 - per Facility Termination	TBA	\$713.29
		NRC - Ordinarily Combined in GA (Note 5)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 203

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - OC3 - Facility Termination - 1st	TBA	NA
		NRC - OC3 - Facility Termination - Add'l	TBA	NA
		NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA
		NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Local Channel - OC12	USOC	KY
		Local Channel - OC12 - per Mile	TBA	\$40.80
		Local Channel - OC12 - per Facility Termination	TBA	\$2,457
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC12 - Facility Termination - 1st	TBA	NA
		NRC - OC12 - Facility Termination - Add'l	TBA	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 204

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA
		NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA
		NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Local Channel - OC48	USOC	KY
		Local Channel - OC48 - per Mile	TBA	\$133.84
		Local Channel - OC48 - per Facility Termination	TBA	\$2,129
		Local Channel - OC12 interface on OC48 Facility	TBA	\$725.77
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC48 - Facility Termination - 1st	TBA	NA
		NRC - OC48 - Facility Termination - Add'l	TBA	NA
		NRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

			New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
			NRC - OC48 - Interface OC12 on OC48 - Add'l	TBA	NA
			NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA
			NRC - OC48 - Facility Termination - Disconnect - Add'l	TBA	NA
			NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA
			NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA
			NRC - Electronic Svc Order, per LSR	SOMEK	NA
			NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconn	SOMAN	NA
			NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconn	SOMAN	NA
			NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA
			NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l	SOMAN	NA
			NRC - OC-48 - Incremental Charge--Manual Svc Order-1st	SOMAN	NA
			NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l	SOMAN	NA
			NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O	SOMAN	NA
			NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O	SOMAN	NA
			NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
			NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
			NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
			NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconn	UNCCC	\$0.00
			NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconn	UNCCC	\$0.00
			High Capacity Loops:		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 206

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Local Loop - Dedicated - DS3		
		DS3 Local Loop- per mile per month	1L5ND	\$43.69
		DS3 Local Loop- per Facility Termination	UE3PX	\$436.95
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - DS3 Local Channel - Facility Termination - 1st	UE3PX	NA
		NRC - DS3 Local Channel - Facility Termination - Add'l	UE3PX	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Discon	SOMAN	NA
		NRC - DS3 Local Channel - Incremental Charge--Manual Svc Order - Discon	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Local Loop - Dedicated - STS-1		
		STS-1 Local Loop - per mile	1L5ND	\$43.69
		STS-1 Local Loop- per Facility Termination	UDLS1	\$436.95
		NRC - Ordinarily Combined in GA (Note 5)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 207

			New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
			NRC - STS-1 Local Loop - Facility Termination - 1st	UDLS1	NA
			NRC - STS-1 Local Loop - Facility Termination - Add'l	UDLS1	NA
			NRC - Electronic Svc Order, per LSR	SOMECC	NA
			NRC - STS-1 Local Loop - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
			NRC - STS-1 Local Loop - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
			NRC - STS-1 Local Loop - Incremental Charge--Manual Svc Order - Disconnect	SOMAN	NA
			NRC - STS-1 Local Loop - Incremental Charge--Manual Svc Order - Disconnect	SOMAN	NA
			NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
			NRC-STIS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
			NRC-STIS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
			NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
			NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
			Local Loop - OC3		
			Local Loop - OC3 - per Mile	TBA	\$33.15
			Local Loop - OC3 - per Facility Termination	TBA	\$713.29
			NRC - Ordinarily Combined in GA (Note 5)		
			NRC - OC3 - Facility Termination - 1st	TBA	NA
			NRC - OC3 - Facility Termination - Add'l	TBA	NA
			NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA
			NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 208

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Local Loop - OC12		
		Local Loop - OC12 - per Mile	TBA	\$40.80
		Local Loop - OC12 - per Facility Termination	TBA	\$2,457
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC12 - Facility Termination - 1st	TBA	NA
		NRC - OC12 - Facility Termination - Add'l	TBA	NA
		NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA
		NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 209

			New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
			NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA
			NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
			NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Ad	SOMAN	NA
			NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
			NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
			NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
			NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
			NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
			Local Loop - OC48		
			Local Loop - OC48 - per Mile	TBA	\$133.84
			Local Loop - OC48 - per Facility Termination	TBA	\$2,129
			Local Loop - OC12 interface on OC48 Facility	TBA	\$725.77
			NRC - Ordinarily Combined in GA (Note 5)		
			NRC - OC48 - Facility Termination - 1st	TBA	NA
			NRC - OC48 - Facility Termination - Add'l	TBA	NA
			NRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA
			NRC - OC48 - Interface OC12 on OC48 - Add'l	TBA	NA
			NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA
			NRC - OC48 - Facility Termination - Disconnect - Add'l	TBA	NA
			NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 210

			New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
			NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA
			NRC - Electronic Svc Order, per LSR	SOMEK	NA
			NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA
			NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA
			NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA
			NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l	SOMAN	NA
			NRC - OC-48 - Incremental Charge--Manual Svc Order-1st	SOMAN	NA
			NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l	SOMAN	NA
			NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O	SOMAN	NA
			NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc	SOMAN	NA
			NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
			NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
			NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
			NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
			NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
			Interoffice Channels:		
			Interoffice Channel - Dedicated - 2-wire VG		
			Interoffice Channel - Dedicated 2-wire VG - per mile per month	1L5XX	\$0.03
			Interoffice Channel - Dedicated 2-wire VG - Facility Termination per month	U1TV2	\$27.66
			NRC - Ordinarily Combined in GA (Note 5)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 211

		New EEL rates are the sum of the individual UNE network elements (Interoffice transport and loop [channelization if applicable].		
		NRC - 2-wire VG Interoffice Channel - Facility Termination - 1st	U1TV2	NA
		NRC - 2-wire VG Interoffice Channel - Facility Termination - Add'l	U1TV2	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - 2-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC - 2-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC - 2-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC - 2-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		Interoffice Channel - Dedicated - 4-wire VG		
		Interoffice Channel - Dedicated 4-wire VG - per mile per month	1L5XX	NA
		Interoffice Channel - Dedicated 4-wire VG - Facility Termination per month	U1TV4	NA
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 4-wire VG Interoffice Channel - Facility Termination - 1st	U1TV4	NA
		NRC - 4-wire VG Interoffice Channel - Facility Termination - Add'l	U1TV4	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 212

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC - 4-wire VG Interoffice Channel - Incremental Charge--Manual Svc Ord	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		Interoffice Channel - Dedicated - DS0 - 56kbps		
		Interoffice Channel - Dedicated - DS0 - 56kbps - per mile per month	1L5XX	\$0.0301
		Interoffice Channel - Dedicated - DS0 - 56 kbps - Facility Termination per m	U1TD5	\$26.95
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 4-wire 56kbps Interoffice Channel - Facility Termination - 1st	U1TD5	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Facility Termination - Add'l	U1TD5	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 213

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		Interoffice Channel - Dedicated - DS0 - 64kbps		
		Interoffice Channel - Dedicated - DS0 - 64kbps - per mile per month	1L5XX	\$0.0301
		Interoffice Channel - Dedicated - DS0 - 64 kbps - Facility Termination per m	U1TD6	\$26.95
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - 4-wire 64kbps Interoffice Channel - Facility Termination - 1st	U1TD6	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Facility Termination - Add'l	U1TD6	NA
		NRC - Electronic Svc Order, per LSR	SOMECC	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC - 4-wire 64 kbps Interoffice Channel - Incremental Charge--Manual Svc	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.16
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00
		NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D	UNCCC	\$0.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 214

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Interoffice Channel - Dedicated - DS1		
		Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	\$0.45
		Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	\$55.05
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - DS1 Interoffice Channel - Facility Termination - 1st	U1TF1	NA
		NRC - DS1 Interoffice Channel - Facility Termination - Add'l	U1TF1	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - 1	SOMAN	NA
		NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - A	SOMAN	NA
		NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - D	SOMAN	NA
		NRC - DS1 Interoffice Channel - Incremental Charge--Manual Svc Order - D	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Interoffice Channel - Dedicated - DS3 - per mile per month		
		Interoffice Channel - Dedicated - DS3 - per mile per month	1L5XX	\$12.06
		Interoffice Channel - Dedicated - DS3 - Facility Termination per month	U1TF3	\$1,112.02

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 215

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - DS3 Interoffice Channel - Facility Termination - 1st	U1TF3	NA
		NRC - DS3 Interoffice Channel - Facility Termination - Add'l	U1TF3	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - 1	SOMAN	NA
		NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - A	SOMAN	NA
		NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - D	SOMAN	NA
		NRC - DS3 Interoffice Channel - Incremental Charge--Manual Svc Order - D	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnected	UNCCC	\$0.00
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnected	UNCCC	\$0.00
		Interoffice Channel - Dedicated - STS-1		
		Interoffice Channel - Dedicated - STS-1 - per mile per month	1L5XX	\$12.62
		Interoffice Channel - Dedicated - STS-1 - Facility Termination per month	U1TFS	\$1,204
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - STS-1 Interoffice Channel - Facility Termination - 1st	U1TFS	NA
		NRC - STS-1 Interoffice Channel - Facility Termination - Add'l	U1TFS	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 216

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order -	SOMAN	NA
		NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order -	SOMAN	NA
		NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order -	SOMAN	NA
		NRC - STS-1 Interoffice Channel - Incremental Charge--Manual Svc Order -	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-ST5-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-ST5-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
		NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
		Interoffice Channel - OC3		
		Interoffice Channel - OC3 - per Mile	1L5XX	\$27.97
		Interoffice Channel - OC3 - per Facility Termination	TBA	\$3,390
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC3 - Facility Termination - 1st	TBA	NA
		NRC - OC3 - Facility Termination - Add'l	TBA	NA
		NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA
		NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - OC3 - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 217

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Interoffice Channel - OC12		
		Interoffice Channel - OC12 - per Mile	TBA	\$84.88
		Interoffice Channel - OC12 - per Facility Termination	TBA	\$12,344
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC12 - Facility Termination - 1st	TBA	NA
		NRC - OC12 - Facility Termination - Add'l	TBA	NA
		NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA
		NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA
		NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA
		NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Ad	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 218

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconn	UNCCC	\$0.00
		NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconn	UNCCC	\$0.00
		Interoffice Channel - OC48		
		Interoffice Channel - OC48 - per Mile	TBA	\$138.02
		Interoffice Channel - OC48 - per Facility Termination	TBA	\$16,017
		Interoffice Channel - OC12 interface on OC48 Facility	TBA	\$1,497
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - OC48 - Facility Termination - 1st	TBA	NA
		NRC - OC48 - Facility Termination - Add'l	TBA	NA
		NRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA
		NRC - OC48 - Interface OC12 on OC48 - Add'l	TBA	NA
		NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA
		NRC - OC48 - Facility Termination - Disconnect - Add'l	TBA	NA
		NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA
		NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA
		NRC - Electronic Svc Order, per LSR	SOMECS	NA
		NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconn	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 219

				New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].
				NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconn
			SOMAN	NA
				NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st
			SOMAN	NA
				NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l
			SOMAN	NA
				NRC - OC-48 - Incremental Charge--Manual Svc Order-1st
			SOMAN	NA
				NRC - OC-48 - Incremental Charge--Manual Svc Order-Add'l
			SOMAN	NA
				NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O
			SOMAN	NA
				NRC - OC48 - Interface OC12 on OC48 - Incremental Charge--Manual Svc O
			SOMAN	NA
				NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)
				NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st
			UNCCC	\$54.09
				NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l
			UNCCC	\$32.16
				NRC - OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne
			UNCCC	\$0.00
				NRC - OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne
			UNCCC	\$0.00
				Channelization:
				DS3 Channelization
				DS3 Channelized System per month
			MQ3	\$236.32
				DS3 Interface per month (DS1 COCI)
			UC1D1	\$8.52
				NRC - Ordinarily Combined in GA (Note 5)
				NRC - DS3 Channelization - 1st
			MQ3	NA
				NRC - DS3 Channelization - Add'l
			MQ3	NA
				NRC - Channel Activation - 1st
			UC1D1	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 220

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		NRC - Channel Activation - Add'l	UC1D1	NA
		NRC - Electronic Svc Order, per LSR	SOMEK	NA
		NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - Discd	SOMAN	NA
		NRC - DS3 Channelization - Incremental Charge--Manual Svc Order - Discd	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-ST5-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-ST5-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- ST5-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
		NRC- ST5-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00
		OR		
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		DS1 Channelization		
		DS1 Channelized System per month	MQ1	\$200.01
		OCU-DP(data) interface card per month (2.4-64kbs)	1D1DD	\$2.94
		VG interface card per month	1D1VG	\$1.40

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 221

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable]).		
		2-wire ISDN(BRITE card) per month	UC1CA	\$4.04
		NRC - Ordinarily Combined in GA (Note 5)		
		NRC - DS1 Channelization - 1st	MQ1	NA
		NRC - DS1 Channelization - Add'l	MQ1	NA
		NRC - Channel Activation VG - 1st	1D1VG	NA
		NRC - Channel Activation VG - Add'l	1D1VG	NA
		NRC - Channel Activation OCU-DP- 1st	1D1DD	NA
		NRC - Channel Activation OCU-DP- Add'l	1D1DD	NA
		NRC - Channel Activation BRITE - 1st	UCICA	NA
		NRC - Channel Activation BRITE - Add'l	UCICA	NA
		NRC - Electronic Svc Order, per LSR	SOMECA	NA
		NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - 1st	SOMAN	NA
		NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - Add'l	SOMAN	NA
		NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - Discd	SOMAN	NA
		NRC - DS1 Channelization - Incremental Charge--Manual Svc Order - Discd	SOMAN	NA
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnec	UNCCC	\$0.00
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnec	UNCCC	\$0.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 222

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		
		Access to DCS - Customer Reconfiguration (FlexServ)		
		DS1 DSC Termination with DS0 Switching	TBD	TBD
		DS1 DSC Termination with DS1 Switching	TBD	TBD
		DS3 DSC Termination with DS1 Switching	TBD	TBD
		NRC - Ordinarily Combined in GA:		
		NRC - Customer Configuration Establishment	TBD	TBD
		NRC - Customer Configuration Establishment - Disconnect	TBD	TBD
		NRC- DS1 DSC Termination with DS0 Switching - 1st	TBD	TBD
		NRC- DS1 DSC Termination with DS0 Switching - Add'l	TBD	TBD
		NRC- DS1 DSC Termination with DS0 Switching - Disconnect - 1st	TBD	TBD
		NRC- DS1 DSC Termination with DS0 Switching - Disconnect - Add'l	TBD	TBD
		NRC- DS1 DSC Termination with NRC- DS1 Switching - 1st	TBD	TBD
		NRC- DS1 DSC Termination with NRC- DS1 Switching - Add'l	TBD	TBD
		NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - 1st	TBD	TBD
		NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - Add'l	TBD	TBD
		NRC- DS3 DSC Termination with DS1 Switching - 1st	TBD	TBD
		NRC- DS3 DSC Termination with DS1 Switching - Add'l	TBD	TBD
		NRC- DS3 DSC Termination with DS1 Switching - Disconnect - 1st	TBD	TBD
		NRC- DS3 DSC Termination with DS1 Switching - Disconnect - Add'l	TBD	TBD
		NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.09

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

Exhibit A
 Rates - Page 223

		New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable]).		
		NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l	UNCCC	\$32.16
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00
		Notes :		
		1 Deaveraged Rates will be effective May 1, 2000		
		2 New EELs will only be available in the State of Georgia and in density Zone 1 of the following MSAs in t		
		Florida - Miami, Orlando, Ft. Lauderdale		
		Louisiana - New Orleans		
		N. Carolina - Greensboro, Charlotte		
		Tennessee - Nashville		
		3 Unapproved rates are subject to true up.		
		4 Add together the recurring rates of all the applicable network elements in order to obtain total monthly re		
		* Examples:		
		- 2-wire VG Loop + Voice Grade Interface Card + DS1 Channelization System + DS1 Interoffice Chan		
		- DS1 Loop + DS1 Interface Card + DS3 Channelization System + DS3 Interoffice Channel		
		- DS3 Local Channel + DS3 Interoffice Channel + DS3 Channelization System + DS1 Interface Card		
		5 The Ordinarily Combined in GA NRC applies to new combinations within the State of Georgia.		
		6 The "Switch As Is" NRC is a conversion charge. One SAI charge is applicable per circuit.		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 ENHANCED EXTENDED LINKS

				New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].		

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 225

DESCRIPTION		USOC	KY
Operational Support Systems			
	Recovery of incremental OSS costs, per CLP, per month	TBD	NA
	RC - OSS OLEC Daily Usage File: Recording, Per Message	TBD	\$0.0008611
	RC- OSS OLEC Daily Usage File: Message Processing, Per Message	TBD	\$0.0032357
	RC - OSS OLEC Daily Usage File: Message Distribution, Per Magnetic Tape	TBD	\$55.68
	RC - OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT),	TBD	\$0.0000365
Access Daily Usage File (ADUF)			
	RC - ADUF, Message Processing, per message	TBD	\$0.004
	RC - ADUF, Message Distribution, per Magnetic Tape provisioned	TBD	NA
	RC - ADUF, Data Transmission (CONNECT:DIRECT), per message	TBD	\$0.001
Enhanced Optional Daily Usage File (EODUF)			
	Enhanced Optional Daily Usage File: Message Processing , Per Message	TBD	\$0.004
	Enhanced Optional Daily Usage File: Message Processing, per magnetic tape	TBD	NA
	Enhanced Optional Daily Usage File: Data Transmission (CONNECT:DIRECT),	TBD	NA
SWA 8XX Toll Free Dialing Ten Digit Screening Service (Note 1)			
	8XX Access Ten Digit Screening (all types), per call (Note 2)	N/A	NA
8XX Access Ten Digit Screening Svc. W/8XX No. Delivery			
	per query	N/A	\$0.0010
	for 8XX Numbers, with Optional Complex Features, per query	N/A	\$0.0011
8XX Access Ten Digit Screening Svc. W/POTS No. Delivery			

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 226

DESCRIPTION		USOC	KY
	per query	N/A	\$0.0010
	with Optional Complex Features, per query	N/A	\$0.0011
8XX Access Ten Digit Screening Svc. W/800 No. Delivery			
	per message	N/A	NA
	for 8XX Numbers, w/Optional Complex Features, per message	N/A	NA
8XX Access Ten Digit Screening Svc. W/POTS No. Delivery			
	per message	N/A	NA
	with Optional Complex Features, per message	N/A	NA
Reservation Charge per 8XX number reserved			
	NRC - 1st	N8R1X	\$10.05
	NRC - Add'l	N8R1X	\$1.19
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
Per 8XX # Established w/o POTS (w/8XX No.) Translations			
	NRC - 1st	N/A	\$30.59
	NRC - Add'l	N/A	\$3.22
	NRC - Disconnect Charge - 1st	N/A	NA
	NRC - Disconnect Charge - Add'l	N/A	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 227

DESCRIPTION		USOC	KY
Per 8XX # Established with POTS Translations			
	NRC - 1st	N8FTX	\$30.59
	NRC - Add'l	N8FTX	\$3.22
	NRC - Disconnect Charge - 1st	N8FTX	NA
	NRC - Disconnect Charge - Add'l	N8FTX	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
Customized Area of Service per 8XX Number			
	NRC - 1st	N8FCX	\$6.97
	NRC - Add'l	N8FCX	\$3.49
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
Multiple Inter LATA Carrier Routing per Carrier Requested per 8XX #			
	NRC - 1st	N8FMX	\$8.16
	NRC - Add'l	N8FMX	\$4.67
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
Change Charge per request			
	NRC - 1st	N8FAX	\$11.24
	NRC - Add'l	N8FAX	\$1.19

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 228

DESCRIPTION		USOC	KY
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
Call Handling and Destination Features			
	NRC - 1st	N8FDX	\$6.97
	NRC - Add'l	N8FDX	\$6.97
LINE INFORMATION DATABASE ACCESS (LIDB)			
	LIDB Common Transport per query	OQT	\$0.00006
	LIDB Validation per query	OQU	\$0.00938
	LIDB Originating Point Code Establishment or Change - NRC	N/A	\$107.60
	NRC - Incremental Charge - Electronic Service Order	TBD	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
CCS7 SIGNALING TRANSPORT SERVICE			
	CCS7 Signaling Connection, per link (A link) per month		\$16.31
	NRC		\$354.95
	NRC - Disconnect		NA
	NRC - Incremental Charge - Manual Service Order	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
	CCS7 Signaling Connection, per link (B link) (also known as D link) per month		\$16.31

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 229

DESCRIPTION		USOC	KY
	NRC		\$354.95
	NRC - Disconnect		NA
	NRC - Incremental Charge - Manual Service Order	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA
CCS7 Signaling Termination, per STP port per month			\$174.08
CCS7 Signaling Usage, per ISUP message			\$0.000037893
	(applicable when measurement and billing capability exists.)		
CCS7 Signaling Usage, per TCAP message			\$0.000102042
	(applicable when measurement and billing capability exists.)		
CCS7 Signaling Usage Surrogate, per link per LATA per mo (9)			\$329.98
CCS7 Signaling Point Code, Establishment or Change, per STP affected			
	NRC		\$62.00
OPERATOR CALL PROCESSING			
Operator Provided Call Handling per min - Using BST LIDB		N/A	\$1.6016
	Call Completion Access Termination Charge per call attempt	N/A	NA
Operator Provided Call Handling per min - Using Foreign LIDB		N/A	\$1.6249
	Call Completion Access Termination Charge per call attempt	N/A	NA
Operator Provided Call Handling, per call		N/A	NA
Fully Automated Call Handling per call - Using BST LIDB		N/A	\$0.0856
Fully Automated Call Handling per call - Using Foreign LIDB		N/A	\$0.1071

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 230

DESCRIPTION	USOC	KY
Professional recording of name (OCP alone)	USOD1	\$7,000.00
Professional recording of name (DA and OCP alone)	USOD1	\$7,000.00
DRAM or front-end loading, per TOPS switch	USOD2	\$250.00
AABS or back-end loading, per IVS	USOD2	\$225.00
EBAS or 0- automation loading, per NAV shelf	USOD2	\$270.00
Recording Charge per Branded Announcement – Disconnect – Initial	N/A	NA
Recording Charge per Branded Announcement – Disconnect – Subsequent	N/A	NA
INWARD OPERATOR SERVICES		
Verification, per minute	N/A	NA
Verification and Emergency Interrupt, per minute	N/A	NA
Verification, per call	VIL	\$1.00
Verification and Emergency Interrupt, per call	N/A	\$1.111
DIRECTORY ASSISTANCE SERVICES		
Directory Assist Call Completion Access Svc (DACC), per call attempt	N/A	\$0.10
Call Completion Access Term charge per completed call	N/A	NA
Number Services Intercept per query	N/A	\$0.0086
Number Services Intercept per Intercept Query Update	N/A	\$0.0055
Directory Assistance Access Service Calls, per call	N/A	\$0.275
Professional recording of name (DA alone)	N/A	\$3,000.00
Professional recording of name (DA and OCP alone)	N/A	\$7,000.00

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 231

DESCRIPTION	USOC	KY
DRAM or front-end loading, per TOPS switch	N/A	\$250.00
AABS or back-end loading, per IVS	N/A	\$225.00
EBAS or 0- automation loading, per NAV shelf	N/A	\$270.00
Recording Charge per Branded Announcement – Disconnect – Initial	N/A	NA
Recording Charge per Branded Announcement – Disconnect – Subsequent	N/A	NA
Directory Transport		
Directory Transport - Local Channel DS1, per month	N/A	\$36.32
NRC - 1st	N/A	\$637.46
NRC - Add'l	N/A	\$546.94
NRC - Disconnect Charge - 1st	N/A	NA
NRC - Disconnect Charge - Add'l	N/A	NA
NRC - Incremental Charge-Manual Svc Order - NRC - 1st	SOMAN	NA
NRC - Incremental Charge-Manual Svc Order - NRC - add'l	TBD	NA
NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect	SOMAN	NA
Directory Transport - Dedicated DS1 Level Interoffice per mile per mo	N/A	\$0.45
Directory Transport - Dedicated DS1 Level Interoffice per facility termination per m	N/A	\$55.05
NRC - 1st	N/A	\$298.18
NRC - Add'l	N/A	\$231.18
NRC - Disconnect Charge - 1st	N/A	NA
NRC - Disconnect Charge - Add'l	N/A	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 232

DESCRIPTION		USOC	KY
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
	Switched Common Transport per DA Access Service per call	N/A	\$0.000175
	Switched Common Transport per DA Access Service per call per mile	N/A	\$0.000004
	Access Tandem Switching per DA Access Service per call	N/A	\$0.000783
	DA Interconnection, per DA Access Service Call	N/A	NA
	Directory Transport-Installation NRC, per trunk or signaling connection	N/A	
	NRC - 1st	N/A	\$501.98
	NRC - Add'l	N/A	\$13.32
	NRC - Disconnect Charge - 1st	N/A	NA
	NRC - Disconnect Charge - Add'l	N/A	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
	NRC - Manual Service Order - 1st	TBD	NA
	NRC - Manual Service Order - Add'l	TBD	NA
Directory Assistance Database Service (DADS)			
	Directory Assistance Database Service charge per listing	N/A	\$0.0193
	Directory Assistance Database Service, per month	DBSOF	\$120.76

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 233

DESCRIPTION			USOC	KY
Direct Access to Directory Assistance Service (DADAS)				
		Direct Access to Directory Assistance Service, per month	DBSDS	\$7,235.01
		Direct Access to Directory Assistance Service, per query	DBSDA	\$0.0052
		Direct Access to Directory Assistance Service, svc estab charge	DBSDE	
		NRC	DBSDE	\$1,186.94
		NRC - Disconnect	DBSDE	NA
		NRC - Incremental Charge Manual Service Order - 1st	SOMAN	NA
AIN (Note 4)				
		AIN, per message	CAM	NA
		AIN - BellSouth AIN SMS Access Service	CAM	
		Service Establishment Charge, per state, initial set-up		
		NRC	CAMSE	NA
		NRC - Disconnect	CAMSE	NA
		Port Connection - Dial/Shared Access		
		NRC	CAMDP	NA
		NRC - Disconnect	CAMDP	NA
		Port Connection - ISDN Access		
		NRC	CAM1P	NA

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Exhibit A
Rates - Page 234

DESCRIPTION			USOC	KY
		NRC - Disconnect	CAM1P	NA
		User ID Codes - per User ID Code		
		NRC	CAMAU	NA
		NRC - Disconnect	CAMAU	NA
		Security Card per User ID Code, initial or replacement		
		NRC	CAMRC	NA
		NRC - Disconnect	CAMRC	NA
		Storage, per unit (100Kb)	N/A	NA
		Session per minute	N/A	NA
		C0. Performed Session, per minute		NA
AIN - BellSouth AIN Toolkit Service				
AIN, Service Creation Tools			CAMBP	NA
		Service Establishment Charge, per state, initial set-up		
		NRC	BAPSC	NA
		NRC - Disconnect	BAPSC	NA
		Training Session, per customer		
		NRC	BAPVX	NA
		NRC - Disconnect	BAPVX	NA
		Trigger Access Charge, per trigger, per DN, Term. Attempt		
		NRC	BAPTT	NA
		NRC - Disconnect	BAPTT	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 235

DESCRIPTION		USOC	KY
	Trigger Access Charge, per trigger per DN, Off-Hook Delay		
	NRC	BAPTD	NA
	NRC - Disconnect	BAPTD	NA
	Trigger Access Charge, per trigger, per DN, Off-Hook Immediate		
	NRC	BAPTM	NA
	NRC - Disconnect	BAPTM	NA
	Trigger Access Charge, per trigger, per DN, 10-Digit PODP		
	NRC	BAPTO	NA
	NRC - Disconnect	BAPTO	NA
	Trigger Access Charge, per trigger, per DN, CDP		
	NRC	BAPTC	NA
	NRC - Disconnect	BAPTC	NA
	Trigger Access Charge, per trigger, per DN, Feature Code		
	NRC	BAPTF	NA
	NRC - Disconnect	BAPTF	NA
	Query Charge, per query		NA
	Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query		NA
	SCP Storage Charge, per SMS Access Acct, per 100 Kb	N/A	NA
	Monthly Report - per AIN Toolkit Service Subscription	BAPMS	NA
	NRC	BAPMS	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 236

DESCRIPTION		USOC	KY
	NRC - Disconnect	BAPMS	NA
Special Study - per AIN Toolkit Service Subscription		BAPLS	NA
	NRC	BAPLS	NA
	NRC - Disconnect	BAPLS	NA
Call Event Report - per AIN Toolkit Service Subscription		BAPDS	NA
	NRC	BAPDS	NA
	NRC - Disconnect	BAPDS	NA
Call Event special Study - per AIN Toolkit Service Subscription		BAPES	NA
	NRC	BAPES	NA
	NRC - Disconnect	BAPES	NA
CALLING NAME (CNAM) QUERY SERVICE			
CNAM (Database Owner), Per Query		N/A	\$0.016
CNAM (Non-Database Owner), Per Query *		N/A	\$0.01
	NRC, applicable when CLEC-1 uses the Character Based User Interface (CHUI)	N/A	\$595.00
	* Volume and term arrangements are also available.		
SELECTIVE ROUTING (Note 5)			
Per Line or PBX Trunk, each			\$10.00 (Interim)
	NRC		NA
Customized routing per unique line class code, per request, per switch			

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 237

DESCRIPTION		USOC	KY
	NRC	USRCR	\$229.65
	NRC - Incremental Charge - Manual Service Order		NA
VIRTUAL COLLOCATION			
	NRC - Virtual Collocation - Application Cost - Manual	TBD	NA
	NRC - Virtual Collocation - Cable Installation Cost per Cable - Manual	TBD	NA
	RC - Virtual Collocation - Floor space per square feet	TBD	NA
	RC - Virtual Collocation - Floor space power, per ampere	TBD	NA
	RC - Virtual Collocation - Cable support structure, per entrance cable	TBD	NA
2-wire Cross-Connect			
	RC	UEAC2	\$0.31
	NRC - 1st	UEAC2	\$54.21
	NRC - Add'l	UEAC2	\$51.07
	NRC - 1st - Manual Service Order	TBD	NA
	NRC - Add'l - Manual Service Order	TBD	NA
	NRC - Disconnect - 1st	UEAC2	NA
	NRC - Disconnect - Add'l	UEAC2	NA
4-wire Cross-Connect			
	RC	UEAC4	\$0.62
	NRC - 1st	UEAC4	\$54.23
	NRC - Add'l	UEAC4	\$50.96

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 238

DESCRIPTION		USOC	KY
	NRC - 1st - Manual Service Order	TBD	NA
	NRC - Add'l - Manual Service Order	TBD	NA
	NRC - Disconnect - 1st	UEAC4	NA
	NRC - Disconnect - Add'l	UEAC4	NA
2-fiber Cross-Connect			
	RC	CNC2F	\$15.64
	NRC - 1st	CNC2F	\$41.56
	NRC - Add'l	CNC2F	\$29.82
	NRC - Disconnect - 1st	CNC2F	NA
	NRC - Disconnect - Add'l	CNC2F	NA
4-fiber Cross-Connect			
	RC	CNC4F	\$28.11
	NRC - 1st	CNC4F	\$50.53
	NRC - Add'l	CNC4F	\$38.78
	NRC - Disconnect - 1st	CNC4F	NA
	NRC - Disconnect - Add'l	CNC4F	NA
DS1 Cross-Connects			
	RC	TBD	NA
	NRC - 1st	TBD	NA
	NRC - Add'l	TBD	NA
	NRC - Manual Service Order - 1st	TBD	NA

BELLSOUTH/ATT RATES
 NETWORK ELEMENTS
 AND OTHER SERVICES
 OSS/SWA 8XX/DATABASES

Exhibit A
 Rates - Page 239

DESCRIPTION		USOC	KY
	NRC - Manual Service Order - Add'l	TBD	NA
DS3 Cross-Connects			
	RC	TBD	NA
	NRC - 1st	TBD	NA
	NRC - Add'l	TBD	NA
	NRC - Manual Service Order - 1st	TBD	NA
	NRC - Manual Service Order - Add'l	TBD	NA
If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth ta			
	1 BellSouth and CLEC shall negotiate rates for this offering. If agreement is not reached within sixty (60) days of the Effective Date, either party may petition the Florida PSC to settle the disputed charge or charges. (FL)		
	2 This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.		
	3 This charge is only applicable where signaling usage measurement or billing capability does not exist.		
	4 Prices for AIN to be determined upon development of mediation device. (TN)		

BELLSOUTH/ATT RATES
NETWORK ELEMENTS
AND OTHER SERVICES
OSS/SWA 8XX/DATABASES

Exhibit A
Rates - Page 240

DESCRIPTION			USOC	KY
	5	Price for Line Class Codes for Selective Routing shall be determined by the TRA. (TN)		

Exhibit B Deleted

Exhibit C Deleted

KY 02/22/01

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1. Definitions

- 1.1 For the purpose of this Exhibit D, the following terms shall be defined as:
- 1.1.1 **CALLING NAME DELIVERY DATABASE SERVICE (CNAM)** - The ability to **associate** a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides AT&T the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 1.1.2 **CALLING PARTY NUMBER (CPN)** - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.
- 1.1.3 **COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7)** - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.
- 1.1.4 **SERVICE CONTROL POINTS (SCPs)** - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.
- 1.1.5 **SERVICE MANAGEMENT SYSTEM (SMS)** - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.
- 1.1.6 **SERVICE SWITCHING POINTS (SSPs)** - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.
- 1.1.7 **SUBSYSTEM NUMBER (SSN)** - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2. Exhibit D

- 2.1 This Exhibit D contains the terms and conditions where BellSouth will provide to the AT&T access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.2 AT&T shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Exhibit C. Said notice shall be in writing, no less than 60 days prior to AT&T's access to BellSouth's CNAM Database Services and shall be addressed to AT&T's Account Manager.

3. Physical Connection and Compensation

- 3.1 BellSouth's provision of CNAM Database Services to AT&T requires interconnection from AT&T to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Exhibit D.
- 3.2 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, AT&T shall provide its own CNAM SSP. AT&T's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.3 If AT&T elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that AT&T desires to query.
- 3.4 Out-Of-Region Customers


If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be

established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

4. CNAM Record Initial Load and Updates

- 4.1 The mechanism to be used by AT&T for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by AT&T in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of AT&T to provide accurate information to BellSouth on a current basis.
- 4.2 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.3 AT&T CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

AT&T PROPOSAL



Placeholder for BellSouth/MediaOne NTW/SPOI Agreement

NOT AVAILABLE AT THIS TIME

ATTACHMENT 3

LOCAL INTERCONNECTION

TABLE OF CONTENTS

1.	NETWORK INTERCONNECTION	1
2.	METHODS OF INTERCONNECTION.....	4
3.	INTERCONNECTION TRUNKING AND ROUTING.....	7
4.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	11
5.	NETWORK MAINTENANCE.....	19
6.	INTERCONNECTION COMPENSATION	30
	EXHIBIT A Rates for Interconnection	
	EXHIBIT B Space License Terms and Conditions	
	EXHIBIT C AT&T Proposed Network Interconnection	

LOCAL INTERCONNECTION

1 NETWORK INTERCONNECTION

- 1.1 The Parties shall provide interconnection with each other's network for the transmission and routing of telephone exchange service and exchange access service.
- 1.2 BellSouth shall provide interconnection with BellSouth's network at any technically feasible point within BellSouth's network.
- 1.3 **AT&T must establish only one Point of Interconnection ("POI") within each LATA in which AT&T offers local exchange service. Under a LATAwide single POI arrangement, AT&T will terminate Local Traffic at such single POI destined for any end office in the LATA that subtends any one of the tandems operated by BellSouth. Additional POIs within a LATA may be established at AT&T's sole discretion. (AT&T's proposal)**
- 1.4 BellSouth shall interconnect to the AT&T network (*i.e.*, establish a POI) for the delivery of Local Traffic originating on the BellSouth network at such points mutually agreed to between the Parties or, lacking mutual agreement, at each respective AT&T Switch Center serving the terminating AT&T end user. (AT&T's proposal)
- 1.5 **Each Party shall compensate the terminating Party for any transport that is used to carry Local Traffic between the POI and a distant switch serving the terminating end user. Such transport shall be either Dedicated Transport or Common Transport pursuant to the interconnection method elected by the originating party. For purposes of this Attachment 3, every AT&T switch is deemed to be a tandem switch. (AT&T's proposal)**
- 1.6 **In the event that AT&T elects to offer service within a LATA using a switch located in another LATA, AT&T agrees to provide the transport for both Party's traffic between the remote AT&T switch and a point (*i.e.*, a facility point of presence) within the LATA in which AT&T offers service. Such facility point of presence shall be deemed to be an AT&T Switch Center for the purposes of this Attachment. (AT&T's proposal)**
- 1.7 A Point of Presence is the physical location (a structure where the environmental, power, air conditioning, etc. specifications for a Party's terminating equipment can be met) at which a Party establishes itself

for obtaining access to the other Party's network. The Point of Presence is the physical location within which the Point(s) of Interface occur.

- 1.8 A Physical Point of Interface is the physical telecommunications interface between BellSouth and AT&T's interconnection facilities. It establishes the technical interface and point of operational responsibility. The primary purpose of the Point of Interface is to serve as the terminus for each Party's interconnection facilities. The Point of Interface has the following main characteristics:
 - 1.8.1 It is a cross-connect point to allow connection, disconnection, transfer or restoration of service.
 - 1.8.2 It is a point where BellSouth and AT&T can verify and maintain specific performance objectives.
 - 1.8.3 It is specified accordingly to the interface offered in this Attachment 3.
- 1.9 **The Point of Interconnection is a location on the terminating party's network to which the interconnecting party terminates its trunks and is financially responsible for providing interconnection facilities. For purposes of accessing unbundled network elements, the Point of Interconnection is a location on BellSouth's network where AT&T accesses unbundled network elements. (AT&T's proposal)**
- 1.10 The Parties will work cooperatively to establish the most efficient trunking network in accordance with the provisions set forth in this Attachment 3 and accepted industry practices.
- 1.11 Prices for interconnection facilities are contained in Exhibit A to this Attachment.

2 METHODS OF INTERCONNECTION

- 2.1 The Parties shall interconnect their networks utilizing one of the following methods in accordance with the provisions set forth in this Attachment 3.
- 2.2 Interconnection by one Party at the premises of the other Party.
 - 2.2.1 BellSouth shall provide collocation to AT&T pursuant to the terms set forth in Attachment 4 of this Agreement, incorporated herein by this reference. AT&T may, at its option, purchase such collocation at the

rates, terms, and conditions set forth in Attachment 4 of this Agreement, incorporated herein by this reference.

- 2.2.2 **AT&T, pursuant to the prices, terms and conditions contained in Exhibit B to this Attachment, incorporated herein by this reference, may permit BellSouth to utilize space and power in AT&T facilities specified by AT&T solely for the purpose of terminating BellSouth's local traffic. BellSouth may request installation of both cable and equipment, or cable only. (AT&T's proposal)**
- 2.3 Leased Facilities – where the Party requesting interconnection utilizes the facilities offered by the other Party. Such leased facilities shall be provided at the rates, terms, and conditions set forth in this Attachment 3. At AT&T's request, it may lease separate facilities for the sole purpose of delivering undipped 8YY traffic from AT&T's end users to BellSouth's Switching Services Port ("SSP") for dipping into BellSouth's toll free database.
- 2.4 Third Party Facilities – where the Party requesting interconnection utilizes the facilities provided by a source other than the Parties to this Agreement. The Party utilizing this option shall comply with industry standards to maintain network integrity and will be solely responsible for any charges or fees assessed by the third party for use of its facilities.
- 2.5 Commercial Intra-building Interconnection – where both Parties have constructed broadband facilities into a commercial building (i.e., a building that is not a telephone central office) and agree to establish a Point of Interface at such location utilizing intra-building cable.
- 2.6 Fiber Meet - where the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface), at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e., Point of Interface). A Fiber Meet shall be an arrangement as set forth in Section 2.3 of this Attachment 3.
- 2.7 AT&T may combine originating Local Traffic with exchange access traffic on Feature Group B and D exchange access trunks it obtains from BellSouth, and report to BellSouth the factors necessary for proper billing of such combined traffic. Such factors shall be provided in accordance with Section 6.3 of this Attachment.
- 2.8 Any other method determined to be technically feasible and requested by AT&T shall be done pursuant to the process defined in Attachment

14 of this Agreement, incorporated herein by this reference. Any other method determined to be technically feasible and requested by BellSouth and agreed to by AT&T shall be done

- 2.9 **When a specified local calling area is served by more than one BellSouth local tandem, AT&T must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, AT&T may choose to establish a Point of Interconnection at the BellSouth local tandems where it has no codes homing but is not required to do so. It is AT&T's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to AT&T's codes. Likewise, AT&T shall obtain its routing information from the LERG. (AT&T's proposal)**
- 2.9.1 Notwithstanding establishing Points of Interconnection to BellSouth's local tandems, AT&T must also establish Points of Interconnection to BellSouth access tandems within the LATA on which AT&T has NPA/NXX's homed for the delivery of Interexchange Carrier Switched Access ("SWA") and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth cannot switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's General Subscriber Services Tariff, Section A35.)
- 2.10 Fiber Meet
- 2.10.1 If AT&T elects to establish a POI with BellSouth pursuant to a Fiber Meet, AT&T and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of local traffic via a facility at either the DS1, or DS3 level and shall be ordered via an Access Services Request ("ASR") in the initial phase of this offering. The Parties shall work jointly to determine the specific transmission system. The parties will work cooperatively to establish joint access to transmission overhead signals and commands for such facilities and software. However, AT&T's SONET transmission must be compatible with BellSouth's equipment in the serving wire center. The Parties will work cooperatively in the selection of compatible transmission equipment and software. Fiber Meet will be used for the

provision of two-way trunking unless otherwise agreed to by the Parties.

- 2.10.2 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BellSouth Serving Wire Center ("BSWC").
- 2.10.3 AT&T shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the AT&T Serving Wire Center ("ASWC").
- 2.10.4 The parties shall mutually agree upon a Point of Interface outside of the BSWC as a Fiber Meet point and shall make all necessary preparations to receive and to allow and enable delivery of fiber optic facilities into the Point of Interface with sufficient spare length to reach the Point of Interface. A Common Language Location Identification ("CLLI") code will be established for each Point of Interface. The code established must be a building type code. All orders shall originate from the Point of Interface (i.e., Point of Interface to AT&T or Point of Interface to BellSouth).
- 2.10.5 The Parties shall deliver and maintain their own strands wholly at their own expense. Upon verbal request by either Party, the other Party shall allow access to the Fiber Meet entry point for maintenance purposes as promptly as possible.
- 2.10.6 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 2.10.7 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 2.10.8 Neither Party shall charge the other for its portion of the Fiber Meet facility between the ASWC and the BSWC used exclusively for the other Party's local traffic (i.e., the Local Channel). The Parties do not intend to utilize this arrangement for transit traffic.

3 INTERCONNECTION TRUNKING AND ROUTING

- 3.1 **The parties will establish separate trunk groups as follows:**
 - 3.1.1 **Local Traffic trunk groups will be established to carry combined local and intraLATA toll traffic. Local traffic means traffic that is originated by an end user of one Party and terminates to an end**

user of the other Party within a given LATA. Unless the Parties mutually agree otherwise, Local Traffic trunk groups shall be one-way terminating trunks.

- 3.1.2 **Two-way Meet Point Traffic trunk groups will be established to carry Switched Access traffic for third-party IXC customers.**
- 3.1.3 **Two-way Transit Traffic trunk groups will be established to carry traffic between AT&T and third party CLECs or ILECs other than BellSouth. The Parties agree that Meet Point Traffic and Transit Traffic may be combined on a single trunk group at AT&T's request.**
- 3.1.4 **At AT&T's request, one-way Meet Point Traffic trunks will be established by the Parties to enable AT&T to deliver undipped 8YY traffic from AT&T Customers to the LEC SSP for dipping in the Industry Toll Free Data Base. All originating toll free service calls for which AT&T requests that the BellSouth perform the SSP function (e.g., perform the database query) shall be delivered to BellSouth, using an agreed upon signaling format. This can be either GR-394-CORE format with Carrier Code "0110" and Circuit Code of "08" or GR-317-CORE format. Charges for dipping and transport to the IXC will be billed in accordance with MECOD/MECAB guidelines.**
- 3.1.5 **Special use trunks (e.g., 911, choke) will be established in accordance with this Attachment. (AT&T's proposal)**
- 3.2 The Parties will convert all existing interconnection arrangements and trunks to the interconnection arrangements described in this Attachment in accordance with the following:
 - 3.2.1 Within 45 days of the Effective Date, the Parties will mutually develop an operations plan based on sound engineering and operations principles, which will specify the guidelines to convert from the existing interconnection arrangements to the interconnection arrangements described in this Attachment 3. Such guidelines will conform to standard industry practices adopted by and contained in documents published by Industry Forums, including but not limited to, the Alliance for Telecommunications Industry Solutions ("ATIS") and the Ordering and Billing Forum ("OBF").
 - 3.2.2 Each Party shall bear its own costs to convert from the existing interconnection arrangements to the interconnection arrangements described in this Attachment.

- 3.2.3 Unless otherwise mutually agreed, the Parties will complete the conversion within one (1) year of the Effective Date of the Agreement.
- 3.2.4 If, following one (1) year after the Effective Date of the Agreement, there exists any interconnection trunks which have not been converted to the interconnection arrangements described in this Attachment 3, then either Party may invoke the dispute resolution process, pursuant to Section 16 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 3.3 The Parties will use the following interconnection standards:
- 3.3.1 The Parties agree to establish Binary 8 Zero Sum Extended Superframe line protocol, where technically feasible.
- 3.3.2 In those cases where either Party's equipment will not support 64K Clear Channel Capability ("CCC"), the Parties agree to establish AMI line coding. Any AMI line coding will be Superframe formatted. DS3 facilities will be provisioned with C-bit parity.
- 3.3.3 Where additional equipment is required, such equipment shall be obtained, engineered, and installed to support 64K CCC trunks.
- 3.3.4 All interconnection facilities between the Parties will be sized according to mutual forecasts developed per the requirements of Section 4.8 of this Attachment 3 and sound engineering practices.
- 3.3.5 Interconnection will be provided utilizing either a DS1 or DS3 interface or, with the mutual agreement of the Parties, another technically feasible interface (e.g., STS-1).
- 3.3.6 **BellSouth and AT&T shall establish interconnecting trunk groups and trunking configurations between networks including the establishment of one-way or two-way trunks. (AT&T's proposal)**
- 3.3.7 **All terms and conditions, as well as charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and AT&T not addressed in Exhibit A shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services. For two-way trunking that carries the Parties' local and intraLATA toll traffic, excluding transit traffic, the Parties shall be compensated for the nonrecurring and recurring charges for trunks and DS1 facilities based on the other Parties proportion of the traffic it sends to the other Party of the applicable contractual or tariff rates for the services provided by**

each Party. AT&T shall be responsible for ordering and paying for any two-way trunks carrying transit traffic. (AT&T's proposal)

- 3.4 The Parties will work cooperatively to assure that reasonable diversity is achieved among the trunk groups between each Party's switches within each LATA.
- 3.5 All originating toll free service calls for which the end office Party performs the SSP function, if delivered to the tandem Party, shall be delivered by the end office Party using GR-394 CORE format for IXC bound calls, or using GR-317-CORE format for LEC bound calls.
- 3.6 Originating Feature Group B calls delivered to either Party's tandem shall use GR-317-CORE signaling format unless the associated FGB carrier employs GR-394-CORE signaling for its FGB traffic at the serving access tandem.
- 3.7 The Parties shall deliver over any trunk groups groomed for a specific access tandem only traffic destined for those publicly-dialable NPA NXX codes served by: (1) end offices that directly subtend the access tandem; and (2) those providers (including, but not limited to CMRS providers, other independent LECs, and CLECs) that directly connect to the access tandem.
- 3.8 For BellSouth end offices that do not normally subtend tandem for which calls are routed to that end office on an alternate routing basis, BellSouth will provide AT&T its alternative routing (scheme) arrangements. Where BellSouth utilizes alternative arrangements, it shall deliver any traffic through that alternative routing.
- 3.9 The Parties shall deliver over any trunk groups groomed for a specific end office only traffic destined for those publicly-dialable NPA NXX codes served by that end office, unless otherwise agreed to by the Parties.
- 3.10 The source for the routing information for all traffic shall be the LERG, unless otherwise agreed to between the Parties.
- 3.11 Where either Party delivers over the local traffic trunk groups miscellaneous calls (e.g., time, weather, 976) destined for the other Party, it shall deliver such traffic in accordance with the serving arrangements defined in the LERG.
- 3.12 The Parties will cooperate to establish separate, choke trunk groups for the completion of calls to end users such as radio contest lines. Notwithstanding the foregoing, the Parties agree that where the

Parties' switch has the capability to perform call gapping and other protective network traffic management controls, separate trunk groups shall not be required to carry such traffic.

- 3.13 N11 code traffic shall be routed between the Parties' networks pursuant to accepted industry practice (e.g., over local traffic trunks or over separate trunk groups).
- 3.14 Each Party shall establish procedures whereby its operator bureau will coordinate with the operator bureau of the other Party in order to provide Busy Line Verification/Busy Line Verification Interrupt services on calls between their respective line side end users for numbers that are not ported.
- 3.15 A blocking standard of one-half of one percent (.005) shall be maintained during the average busy hour for final trunk groups carrying jointly provided exchange access traffic between an end office and an access tandem. All other final trunk groups are to be engineered with a blocking standard of one percent (.01). High usage trunk groups shall be sized to an economic CCS parameter mutually agreed to by both Parties.
- 3.15.1 BellSouth agrees to provide upon request of AT&T, pursuant to Section 10 of the General Terms and Conditions of this Agreement, traffic usage data (including, but not limited to, usage, peg and overflow counts) for each AT&T NXX subtending the BellSouth tandem to determine which AT&T traffic by NXX is being blocked.
- 3.15.2 Pursuant to Attachment 9, incorporated herein by this reference, BellSouth shall report to AT&T information regarding blocking of interconnection traffic.
- 3.16 The Parties agree to jointly manage the capacity of interconnection trunk groups to encourage the economic deployment of increasingly robust and diverse interconnection between their networks.
- 3.17 **AT&T's proposed interconnection architecture is illustrated in EXHIBIT C, pages one and two. (AT&T's proposal)**

4 NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 4.1 Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact

numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

- 4.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the technical specifications set forth in the applicable industry standard technical references. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the applicable industry standard technical references. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- 4.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- 4.4 Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks. The Parties will provide all line information signaling parameters including, but not limited to, Calling Party Number, Charge Number (if it is different from calling party number), and originating line information ("OLI"). For terminating FGD, either Party will pass any CPN it receives from other carriers. All privacy indicators will be honored. Where available, network signaling information such as Transit Network Selection ("TNS") parameter (SS7 environment) will

be provided by the end office Party wherever such information is needed for call routing or billing. Where TNS information has not been provided by the end office Party, the tandem Party will route originating exchange access traffic to the IXC using available translations. The Parties will follow all industry Ordering and Billing Forum ("OBF") adopted guidelines pertaining to TNS codes.

- 4.4.1 BellSouth's Common Channel Signaling Access Service ("CCSAS") allows interconnected carriers to exchange signaling information over a communications path that is separate from the message path.
- 4.4.2 The transport portion of CCSAS, commonly referred to as a signaling link, is provided via dedicated 56 kbps out of band signaling connections between the AT&T signaling point of interconnection and BellSouth's signaling point of interconnection ("SPOI").
- 4.4.3 The network termination point where this interconnection takes place is called the Signaling Transfer Point ("STP") port termination.
- 4.4.4 Charges for signaling links and the STP port termination can be found in Attachment 2 of this Agreement, incorporated herein by this reference.
- 4.4.5 Each CCSAS signaling connection provides for two-way digital transmission at speeds in multiples of 56 kbps. The connection to BellSouth's STP pair can be made from either AT&T's signaling point ("SP"), which requires a minimum of two links, or from AT&T's STP pair, which requires a minimum of four links.
- 4.5 SS7 Interconnection will take place at STP locations that are mutually agreed to by the Parties.
- 4.6 Where CCS is not available, in-band multi-frequency signaling will be provided. In such an arrangement, each Party will outpulse the full ten-digit telephone number of the called party to the other Party with appropriate call set-up and Automatic Number Identification ("ANI") where available, at parity.
- 4.7 The Parties will provide CCS to one another, where and as available, in conjunction with access to call related databases and Service Control Points ("SCP"), including toll free databases, Line Information Database ("LIDB"), Calling Name ("CNAM"), and any other necessary databases.

- 4.8 When the Parties establish new links, each Party shall provide its own STP port termination(s) and charge the other Party for the signaling links as follows:
- 4.8.1 Where the SPOI for the signaling link is at a Fiber Meet, there shall be no compensation between the Parties for the signaling link facilities used.
- 4.8.2 Where the SPOI for the signaling link facilities is located at the BellSouth Serving Wire Center where the signaling link facilities terminates and AT&T has furnished the interconnection facility, BellSouth will pay a monthly charge equal to one half of the AT&T-provided facility charge according to BellSouth's unbundled rate element for the facility used. Rates for said interconnection facilities shall be as set forth in Exhibit A in Attachment 2, incorporated herein by this reference.
- 4.8.3 Where the SPOI for the signaling link facilities is located at the AT&T Serving Wire Center facility where the signaling link facilities terminate and BellSouth has furnished the interconnection facility, AT&T will pay a monthly charge equal to one half of the BellSouth-provided facility charge according to BellSouth's unbundled rate element for the facility used. Rates for said interconnection facilities shall be as set forth in Exhibit A in Attachment 2, incorporated herein by this reference.
- 4.8.4 Each party is responsible for all facility maintenance and provisioning on its side of the SPOI.
- 4.9 Implementation of new interconnection arrangements (as opposed to augmentation of existing arrangements), including testing of SS7 interconnection, shall be pursuant to the technical specifications set forth in the applicable industry standard technical references. Each Party will be expected to provide sufficient cooperative testing resources to ensure proper provisioning, including the ability to confirm that AT&T LERG-assigned NPA NXX codes have been opened, translated and routed accurately in all appropriate BellSouth switches. A mutually agreed test calling plan shall be conducted to ensure successful completion of originating and terminating calls.
- 4.10 Message Screening
- 4.10.1 BellSouth shall set message screening parameters so as to accept messages from AT&T local or tandem switching systems destined to any signaling point in the BellSouth SS7 network or any network interconnected to the BellSouth SS7 network with which the AT&T switching system has a legitimate signaling relationship.

- 4.10.2 BellSouth shall set message screening parameters so as to accept messages destined to/from an AT&T local or tandem switching system or to/from an AT&T Service Control Point ("SCP") from any signaling point or network interconnected to the BellSouth SS7 network with which the AT&T switching system has a legitimate signaling relationship.
- 4.11 STP Requirements
- 4.11.1 BellSouth shall provide message transfer part and Signaling Connection Control Point ("SCCP") protocol interfaces in accordance with the technical specifications set forth in the applicable industry standard technical references.
- 4.12 SS7 Network Interconnection
- 4.12.1 SS7 Network Interconnection is the interconnection of AT&T STPs and AT&T local or tandem switching systems with the BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, AT&T local or tandem switching systems and other third-party switching systems directly connected to the BellSouth SS7 network.
- 4.12.2 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 4.12.2.1 BellSouth local or tandem switching systems;
- 4.12.2.2 BellSouth databases; and
- 4.12.2.3 Other third party local or tandem switching systems.
- 4.12.3 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and AT&T or other third-party switching systems with (note could be an A link or a D/B link direct access to the BellSouth SS7 network.
- 4.12.4 SS7 Network Interconnection shall provide transport for certain types of TCAP messages. If traffic is routed based on dialed or translated digits between an AT&T local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List

Editing) between the AT&T local STPs and the BellSouth or other third-party local switch.

- 4.12.5 When the capability to route messages based on Intermediate Signaling Network Identifier ("ISNI") is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code ("CIC").
- 4.12.6 BellSouth shall offer the following SS7 Network Interconnection options to connect AT&T or AT&T-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
 - 4.12.6.1 A-link interface from AT&T local or tandem switching systems; and
 - 4.12.6.2 D/B-link interface from AT&T STPs.
- 4.12.7 Each interface shall be provided by one or more sets (layers) of signaling links, as follows:
 - 4.12.7.1 An A-link layer shall consist of two links.
 - 4.12.7.2 A D/B-link layer shall consist of four links.
- 4.12.8 The Parties agree to implement intraoffice diversity for the signaling links so that no single failure of intraoffice facilities or equipment shall cause the failure of any two links in a layer connecting to a BellSouth STP.
- 4.13 Trunk Forecasting and Servicing Requirements.
- 4.13.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas. In order for BellSouth to provide as accurate reciprocal trunking forecasts as possible to AT&T, AT&T must timely inform BellSouth of any known or anticipated events that may affect BellSouth reciprocal trunking requirements. If AT&T refuses to provide such information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth's annual estimated percentage of BellSouth subscriber line growth.
- 4.13.2 Both Parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast

of its traffic and volume requirements for the interconnection and Network Elements provided under this Agreement, in the form and in such detail as agreed by the Parties. The Parties agree that each forecast provided under this section shall be deemed "Confidential Information" as set forth in Section 18 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

- 4.13.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 48 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this section shall be deemed "Confidential Information" as set forth in Section 18 of the General Terms and Conditions of this Agreement, incorporated herein by this reference. Each Party shall provide a specified point of contact for planning, forecasting and trunk servicing purposes.
- 4.13.4 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time.
- 4.13.5 Signaling Call Information. BellSouth and AT&T will send and receive 10 digits for local traffic. Additionally, BellSouth and AT&T will exchange the proper call information, i.e., originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.
- 4.13.6 Both Parties will manage the capacity of their interconnection trunk groups. BellSouth will issue an ASR to AT&T to order changes BellSouth desires to the BellSouth interconnection trunk groups based

on BellSouth's capacity assessment. AT&T will issue an ASR to BellSouth to order changes AT&T desires to the AT&T interconnection trunk groups based on AT&T's capacity assessment.

- 4.13.6.1 Either Party may issue a Trunk Group Service Request ("TGSR") to the other Party to order changes it desires to the interconnection trunk groups based on its capacity assessment. The Party receiving the TGSR will, within ten (10) business days, respond with an ASR or an explanation of why it believes an ASR is inappropriate.
- 4.13.6.2 The Party submitting an ASR will provide complete and accurate tie down inventory assignments in typical industry bay, panel and jack format, or in such other format as the Parties agree, on each order by use of a Design Layout Record. Additional tie down information, such as span information, may be required when applicable. The Parties will prepare ASRs pursuant to the industry standard guidelines of the OBF. When submitting an ASR, BellSouth will identify AT&T's end office in the SEC LOC field of the ASR form.
- 4.13.6.3 The Party provisioning the ASR will assign to the requesting Party a location code expressed in CLLI code format that will appear in the Access Customer Terminal Location Field of the ASR.
- 4.13.7 The standard interval used for the provisioning of additions to local interconnection trunk groups shall be no greater than ten (10) business days, for orders of fewer than ninety-six (96) DS-0 trunks. Other orders shall be determined on an individual case basis. Where feasible, either Party will expedite installation, upon the other Party's request.
- 4.13.8 Major projects shall be limited to those projects that require the coordination and execution of multiple orders or related activities between and among BellSouth and AT&T work groups specifically relating to: (i) the initial establishment of local interconnection trunk groups; (ii) extending service into a new area; (iii) NXX code moves; (iv) facility grooming; or (v) network rearrangements. If orders that are component pieces of a major project are submitted after project implementation has been jointly planned and coordinated, they shall be submitted with a major project reference. Several orders submitted at one time may not be classified as a major project without the consent of the submitting Party. Each Party will identify a single point of contact that will be responsible for overall coordination and management of a major project through an agreed completion point.
- 4.13.9 As provided herein, AT&T and BellSouth agree to exchange escalation lists that reflect contact personnel including vice president level

officers. These lists shall include name, department, title, phone number, and fax number for each person. AT&T and BellSouth agree to exchange an up-to-date list promptly following changes in personnel or information.

4.14 Interference or Impairment

4.14.1 Within three (3) business days of receipt of notification of blocking of traffic originated within the other Party's network, the Parties shall determine and begin work to implement reasonable corrective measures in a manner consistent with industry practices.

4.15 Local Dialing Parity

4.15.1 BellSouth and AT&T shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and AT&T shall permit similarly situated telephone exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.

5 NETWORK MAINTENANCE

5.1 Outage Repair Standard

5.1.1 In the event of an outage or trouble in any arrangement, facility, or service being provided by BellSouth hereunder, BellSouth will follow procedures for isolating and clearing the outage or trouble that are no less favorable than those that apply to comparable arrangements, facilities, or services being provided by BellSouth to itself, Affiliate or any other carrier whose network is connected to that of BellSouth.

5.2 BellSouth shall provide AT&T at least sixty (60) days' advance notice of any scheduled maintenance activity which may impact AT&T's end users. Scheduled maintenance shall include, without limitation, such activities as, switch software retrofits, power tests, major equipment replacements and cable rolls. Plans for scheduled maintenance shall include, at a minimum, the following information: location and type of facilities, specific work to be performed, date and time work is scheduled to commence, work schedule to be followed, date and time work is scheduled to be completed, estimated number of work-hours for completion.

6 INTERCONNECTION COMPENSATION

- 6.1 Compensation for Local and IntraLATA Toll Traffic
- 6.1.1 **Local Traffic means any telephone call that originates and terminates in the same LATA. (AT&T's proposal)**
- 6.1.2 **Except as provided in this Attachment, the Parties shall bill each other reciprocal compensation in accordance with the standards set forth in this Agreement for all local and intraLATA toll traffic originated by one Party and terminated to the other Party. Such traffic shall be recorded and transmitted to AT&T in accordance with Attachment 6 of this Agreement. Reciprocal compensation for the transport and termination of local and intraLATA toll traffic shall be charged at rates specified in Exhibit A of this Attachment. (AT&T's proposal)**
- 6.1.3 **As clarification of this definition and for reciprocal compensation, Local Traffic does include traffic that originates from or terminates to or through an enhanced service provider or information service provider. The Parties recognize and agree that such compensation will not be billed and shall not be paid for calls where a Party sets up a call, or colludes with a third party to set up a call, to the other Party's network for the purpose of receiving reciprocal compensation, and not for the purpose of providing a telecommunications service to an end user. (AT&T's proposal)**
- 6.1.4 **Each Party is financially responsible for providing, on its side of the POI, the facilities on which the Local Traffic trunks carrying such Party's local and intraLATA toll traffic are provisioned. (AT&T's proposal)**
- 6.1.5 If AT&T utilizes a switch outside the LATA and BellSouth chooses to purchase dedicated or common (shared) transport from AT&T for transport and termination of BellSouth originated traffic, BellSouth will pay AT&T no more than the airline miles between the V & H coordinates of the Point of Interface within the LATA where AT&T receives the BellSouth-originated traffic and the V & H coordinates of the BellSouth Exchange Rate Center Area that the AT&T terminating NPA/NXX is associated in the same LATA. For these situations, BellSouth will compensate AT&T at either dedicated or common (shared) transport rates specified in Exhibit A and based upon the network facilities provided by AT&T as defined in this Attachment 3.
- 6.1.6 Unidentifiable traffic. AT&T shall utilize its NPA/NXXs in such a way and will provide the necessary information so that BellSouth shall be able to distinguish local from intraLATA toll traffic for BellSouth

originated traffic. AT&T end users assigned NPA/NXX line numbers shall be physically located in the BellSouth rate center with which the NPA/NXX has been associated. Whenever BellSouth delivers traffic to AT&T for termination on the AT&T's network, if BellSouth cannot determine, because of the manner in which AT&T has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Services Tariff. BellSouth will make appropriate billing adjustments if AT&T can provide sufficient information for BellSouth to determine whether said traffic is local or toll.

- 6.2 Percent Local Use. Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding intermediary traffic. BellSouth shall report quarterly PLU factors to AT&T. BellSouth will accept from AT&T monthly PLU factors provided under the previous agreement until the third quarter of 2001, at which time AT&T shall report quarterly PLU factors. BellSouth and AT&T shall also provide a positive report updating the PLU. Detailed requirements associated with PLU reporting shall be as set forth in BellSouth's Standard Percent Local Use Reporting Platform for Interconnection Purchasers, as it is amended from time to time during this Agreement. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate reciprocal compensation to be paid.

- 6.2.1 **Percent Local Facility.** Each Party shall report to the other a **Percent Local Facility ("PLF")**. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to multiplexing, local channel and interoffice channel switched dedicated transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Percent Local Use/Percent Local Facility Reporting Guidebook, as it is amended from time to time. (AT&T's proposal)

- 6.3 Percentage Interstate Usage. For combined interstate and intrastate AT&T traffic terminated by BellSouth over the same facilities, AT&T will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to AT&T. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate reciprocal compensation to be paid.
- 6.4 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit of the traffic reported. BellSouth and AT&T shall retain records of call detail for a minimum of nine months from which a PLU and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.
- 6.5 Compensation for 800 Traffic. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the each Party's intrastate or interstate switched access tariffs.
- 6.6 Records for 8YY Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8YY customers. Records required for billing end users purchasing 8YY Services shall be provided pursuant to Attachment 6 of this Agreement, incorporated herein by this reference.
- 6.7 Transit Traffic Service. BellSouth shall provide tandem switching and transport services for AT&T's transit traffic. Transit traffic is traffic originating on AT&T's network that is switched and/or transported by

BellSouth and delivered to a third party's network, or traffic originating on a third Party's network that is switched and/or transported by BellSouth and delivered to AT&T's network. Rates for local transit traffic shall be the applicable call transport and termination charges as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access transit traffic shall be the applicable call transport and termination charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Switched Access transit traffic presumes that AT&T's end office is subtending the BellSouth Access Tandem for switched access traffic to and from AT&T's end users utilizing BellSouth facilities, either by direct trunks with the IXC, or via the BellSouth Access Tandem. Billing associated with all transit traffic shall be pursuant to MECAB procedures. Wireless Type 1 traffic shall not be treated as transit traffic from a routing or billing perspective. Wireless Type 2A traffic shall not be treated as transit traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly meet-point-bill in accordance with Multiple Exchange Carrier Access Billing (MECAB) guidelines.

7

OSS RATES

7.1

Rates for using interfaces to OSS – To the extent AT&T orders Services and Elements for the purpose of interconnection with BellSouth, the rates set forth in Exhibit A of Attachment 2, incorporated herein by this reference, shall apply.

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)	
	End Office Switching, per mou
	Direct Local Interconnection, per mou (same as End Office Switching in FL & LA)
	Tandem Switching, per mou
	Tandem Local Interconnection, per mou (includes end office switching element)
	Multiple Tandem Switching, per mou (applies to initial tandem only), effective 10/99
	Local Intermediary, per mou (applies to transit traffic only)
	Tandem Intermediary Charge, per mou*
	*(This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.)
TRUNK CHARGE	
	Interim charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and CLEC-1 shall be as set forth in this Exhibit. At such time as BellSouth develops a final cost based rate for such interconnecting trunk groups, the Parties shall amend this agreement to include such final cost based rates and shall true up such charges in accordance with this Attachment.
	Installation Trunk Side Service - per DS0
	NRC - 1st
	NRC - Add'l
INTEROFFICE TRANSPORT	
Common (Shared) Transport	
	Common (Shared) Transport per mile per mou
	Common (Shared) Transport Facilities Termination per mou
Interoffice Channel Transport - Dedicated - VG	
	Interoffice Transport - Dedicated - 2-wire VG
	2-Wire VG - per mile per month
	2-Wire VG - Facility Termination per month

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	NRC - 2-wire VG - Facility Termination -1st
	NRC - 2-wire VG - Facility Termination - Add'l
	NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st
	NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order - 1st
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order - Add'l
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--Add'l
	Interoffice Transport - Dedicated - 2 Wire VG - Kentucky & Mississippi
	2-Wire VG - per mile per month
	2-Wire VG - Facility Termination per month
	NRC - 2-wire VG - Facility Termination -1st
	NRC - 2-wire VG - Facility Termination - Add'l
	NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st
	NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order - 1st
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order - Add'l
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - 2-wire VG - Incremental Charge--Manual Svc Order-Disconnect--Add'l

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	Interoffice Transport - Dedicated - DS0 - 56/64 KBPS
	DS0 - per mile per month
	DS0 - Facility Termination per month
	NRC - DS0 - Facility Termination - 1st
	NRC - DS0 - Facility Termination - Add'l
	NRC - DS0 -Facility Termination - Disconnect Charge - 1st
	NRC - DS0 - Facility Termination - Disconnect Charge - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - DS0 -Incremental Charge--Manual Svc Order - 1st
	NRC -DS0 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS0 -Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - DS0 -Incremental Charge--Manual Svc Order-Disconnect--Add'l
	Interoffice Transport - Dedicated - DS0 - 56/64 KBPS - Kentucky & Mississippi
	DS0 - per mile per month
	DS0 - Facility Termination per month
	NRC - DS0 - Facility Termination - 1st
	NRC - DS0 - Facility Termination - Add'l
	NRC - DS0 -Facility Termination - Disconnect Charge - 1st
	NRC - DS0 - Facility Termination - Disconnect Charge - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - DS0 -Incremental Charge--Manual Svc Order - 1st
	NRC -DS0 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS0 -Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - DS0 -Incremental Charge--Manual Svc Order-Disconnect--Add'l
Interoffice Transport - Dedicated - DS1	
	DS1 - per mile per month
	DS1 -Facility Termination per month
	NRC - DS1-Facility Termination - 1st
	NRC - DS1 - Facility Termination - Add'l
	NRC - DS1 - Facility Termination - Disconnect Charge - 1st
	NRC - DS1 - Facility Termination -Disconnect Charge - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - DS1 - Incremental Charge--Manual Svc Order - 1st
	NRC -DS1 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--Add'l
Interoffice Transport - Dedicated - DS1 - Kentucky & Mississippi	
	DS1 - per mile per month
	DS1 -Facility Termination per month
	NRC - DS1-Facility Termination - 1st
	NRC - DS1 - Facility Termination - Add'l
	NRC - DS1 - Facility Termination - Disconnect Charge - 1st

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	NRC - DS1 - Facility Termination -Disconnect Charge - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - DS1 - Incremental Charge--Manual Svc Order - 1st
	NRC -DS1 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect--Add'l
	Interoffice Transport - Dedicated - DS3
	DS3 - per mile per month
	DS3 -Facility Termination per month
	NRC - DS3 - Facility Termination -1st
	NRC - DS3 - Facility Termination - Add'l
	NRC - DS3 - Facility Termination - Disconnect Charge - 1st
	NRC - DS3 - Facility Termination - Disconnect Charge - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - DS3 - Incremental Charge--Manual Svc Order - 1st
	NRC - DS3 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--Add'l
	Interoffice Transport - Dedicated - DS3 - Kentucky & Mississippi
	DS3 - per mile per month

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	DS3 -Facility Termination per month
	NRC - DS3 - Facility Termination - 1st
	NRC - DS3 - Facility Termination - Add'l
	NRC - DS3 - Facility Termination - Disconnect Charge - 1st
	NRC - DS3 - Facility Termination - Disconnect Charge - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - DS3 - Incremental Charge--Manual Svc Order - 1st
	NRC - DS3 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--1st
	NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect--Add'l
Local Channel - Dedicated	
Local Channel - Dedicated - 2-Wire VG	
	Monthly Recurring per month
	Zone 1
	Zone 2
	Zone 3
	Zone 4
	NRC - STS-1 - Facility Termination - 1st
	NRC - STS-1 - Facility Termination - Add'l
	NRC - STS-1 - Facility Termination - Disconnect - 1st
	NRC - STS-1 - Facility Termination - Disconnect - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - STS-1 - Incremental Charge--Manual Svc Order - 1st
	NRC - STS-1 - Incremental Charge--Manual Svc Order - Add'l
	NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st
Local Channel - Dedicated - 4-Wire VG	
	Monthly Recurring per month
	Zone 1
	Zone 2
	Zone 3
	Zone 4
	NRC - 4-Wire VG - 1st
	NRC - 4-Wire VG - Add'l
	NRC - 4-Wire VG - Disconnect Chg - 1st
	NRC - 4-Wire VG - Disconnect Chg - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	NRC - 4-Wire VG - Incremental Charge--Manual Svc Order - 1st
	NRC - 4-Wire VG - Incremental Charge--Manual Svc Order - Add'l
Local Channel - Dedicated - DS1	
	DS1 Monthly Recurring per month
	DS1 per mile per month
	Zone 1
	Zone 2
	Zone 3

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION		
		Zone 4
		NRC - DS1 - 1st
		NRC - DS1 - Add'l
		NRC - DS1 - Disconnect Chg - 1st
		NRC - DS1 - Disconnect Chg - Add'l
		NRC - Manual Svc Order, per LSR
		NRC - Manual Svc Order, per LSR disconnect
		NRC - Electronic Svc Order, per LSR
		NRC - Electronic Svc Order, per LSR disconnect
		NRC - DS1 - Incremental Charge--Manual Svc Order - 1st
		NRC - DS1 - Incremental Charge--Manual Svc Order - Add'l
		Local Channel - Dedicated - DS3
		DS3 - per mile per month
		DS3 - Facility Termination per month
		NRC - DS3 - Facility Termination - 1st
		NRC - DS3 - Facility Termination - Add'l
		NRC - DS3 - Facility Termination - Disconnect - 1st
		NRC - DS3 - Facility Termination - Disconnect - Add'l
		NRC - Manual Svc Order, per LSR
		NRC - Manual Svc Order, per LSR disconnect
		NRC - Electronic Svc Order, per LSR
		NRC - Electronic Svc Order, per LSR disconnect
		NRC - DS3 -Incremental Charge--Manual Svc Order - 1st
		NRC - DS3 - Incremental Charge--Manual Svc Order - Add'l
		NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect -1st
		NRC - DS3 - Incremental Charge--Manual Svc Order-Disconnect-Add'l

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
CHANNELIZATION	
	DS3 Channelization (DS3 to DS1)
	per Channelized System (28 DS1) per month
	NRC - 1st
	NRC - Add'l
	NRC -1st - Disconnect
	NRC -Add'l - Disconnect
	per Interface per month (COCI)
	NRC - 1st
	NRC - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l
	DS3 Channelization (DS3 to DS1) - Kentucky & Mississippi
	per Channelized System (28 DS1) per month
	NRC - 1st
	NRC - Add'l
	NRC -1st - Disconnect
	NRC -Add'l - Disconnect
	per Interface per month (COCI)
	NRC - 1st
	NRC - Add'l
	NRC - Manual Svc Order, per LSR

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l
	DS1 Channelization (DS1 to DS0)
	per Channelized System (24 DS0) per month
	NRC - 1st
	NRC - Add'l
	NRC -1sr - Disconnect
	NRC -Add'l - Disconnect
	- Interface (COI)
	per OCU-DP(data) card per month (2.4-64kbs)
	NRC - 1st
	NRC - Add'l
	per BRITE card per month
	NRC - 1st
	NRC - Add'l
	per VG card per month (DS0)
	NRC - 1st
	NRC - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	DS1 Channelization (DS1 to DS0) - Kentucky & Mississippi
	per Channelized System (24 DS0) per month
	NRC - 1st
	NRC - Add'l
	NRC -1sr - Disconnect
	NRC -Add'l - Disconnect
	- Interface (COCI)
	per OCU-DP(data) card per month (2.4-64kbs)
	NRC - 1st
	NRC - Add'l
	per BRITE card per month
	NRC - 1st
	NRC - Add'l
	per VG card per month (DS0)
	NRC - 1st
	NRC - Add'l
	NRC - Manual Svc Order, per LSR
	NRC - Manual Svc Order, per LSR disconnect
	NRC - Electronic Svc Order, per LSR
	NRC - Electronic Svc Order, per LSR disconnect
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st
	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l
	Local Interconnection Mid-Span Meet
	Local Channel - Dedicated - DS1
	DS1 Monthly Recurring per month

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

DESCRIPTION	
	NRC - DS1 - 1st
	NRC - DS1 - Add'l
	NRC - DS1 - Disconnect Chg - 1st
	NRC - DS1 - Disconnect Chg - Add'l
	NRC - DS1 - Incremental Charge--Manual Svc Order - 1st
	NRC - DS1 - Incremental Charge--Manual Svc Order - Add'l
	NRC - DS1 - Incremental Charge--Manual Svc Order-Disconnect
NOTES:	
	1. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party.
	2. All rates are interim, subject to true-up, pending the outcome of Case No. 382.

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
N/A	\$0.002562
	NA
N/A	\$0.001096
N/A	NA
N/A	NA
N/A	NA
N/A	\$0.001096
TPP++	\$334.09
TPP++	\$57.12
N/A	\$0.0000049
N/A	\$0.000426
1L5XF	NA
1L5XF	NA

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
1L5XF	NA
1L5XF	NA
1L5XF	NA
1L5XF	NA
SOMAN	NA
SOMAN	NA
SOMEK	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
1L5NF	\$0.03
1L5NF	\$27.66
1L5NF	\$142.31
1L5NF	\$56.21
1L5NF	NA
1L5NF	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
1L5XK	NA
1L5XK	NA
1L5XK	NA
1L5XK	NA
1L5XK	NA
1L5XK	NA
SOMAN	NA
SOMAN	NA
SOMEK	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
1L5NK	\$0.0301
1L5NK	\$26.95
1L5NK	\$142.31
1L5NK	\$56.21
1L5NK	NA
1L5NK	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
SOMEK	NA
SOMAN	\$37.21
SOMAN	\$37.21
SOMAN	NA
SOMAN	NA
1L5XL	NA
1L5XL	NA
1L5XL	NA
1L5XL	NA
1L5XL	NA
1L5XL	NA
SOMAN	NA
SOMAN	NA
SOMEK	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
1L5NL	\$0.45
1L5NL	\$55.05
1L5NL	\$298.18
1L5NL	\$231.23
1L5NL	NA

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
1L5NL	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
1L5XM	NA
1L5XM	NA
1L5XM	NA
1L5XM	NA
1L5XM	NA
1L5XM	NA
SOMAN	NA
SOMAN	NA
SOMEK	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
1L5NM	\$12.06

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
1L5NM	\$1,112.02
1L5NM	\$858.75
1L5NM	\$524.95
1L5NM	NA
1L5NM	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
TEFV2	\$22.26
TBD	NA
TBD	NA
TBD	NA
TBD	NA
TEFV2	\$585.15
TEFV2	\$98.53
TEFV2	\$11.99
TEFV2	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
TEFV4	\$23.38
TBD	NA
TBD	NA
TBD	NA
TBD	NA
TEFV4	\$585.15
TEFV4	\$98.53
TEFV4	NA
TEFV4	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
TEFHG	\$43.80
1L5NC	\$0.00
TBD	NA
TBD	NA
TBD	NA

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
TBD	NA
TEFHG	\$538.95
TEFHG	\$464.94
TEFHG	NA
TEFHG	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
1L5NC	\$34.00
TEFHJ	\$635.09
TEFHJ	\$1,091.00
TEFHJ	\$661.23
TEFHJ	NA
TEFHJ	NA
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
SATCS	NA
SATCS	NA
SATCS	NA
SATCS	NA
SATCS	NA
SATCO	NA
SATCO	NA
SATCO	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SATNS	\$303.33
SATNS	NA
SATNS	NA
SATNS	\$8.52
SATNS	\$15.86
SATCO	\$11.36
SATCO	\$19.99
SATCO	NA
SOMAN	\$3.50

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
SOMAN	NA
SOMEK	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SATC1	NA
SATC1	NA
SATC1	NA
SATC1	NA
SATC1	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SATSA	NA
SOMAN	NA
SOMAN	NA
SOMEK	NA
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
SASTN1	\$200.01
SASTN1	\$302.82
SASTN1	\$184.20
SASTN1	NA
SASTN1	NA
SATSA	\$2.94
SATSA	\$15.86
SATSA	\$11.36
SATSA	\$4.04
SATSA	\$15.86
SATSA	\$11.36
SATSA	\$1.40
SATSA	\$15.86
SATSA	\$11.36
SOMAN	\$19.99
SOMAN	NA
SOMEK	\$3.50
SOMEK	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
SOMAN	NA
TEFHG	\$21.90

**BELLSOUTH/AT&T RATES
LOCAL INTERCONNECTION**

Exhibit A

USOC	KY
TEFHG	\$269.48
TEFHG	\$232.47
TEFHG	NA
TEFHG	NA
SOMAC	\$87.71
SOMAC	NA
SOMAC	NA

EXHIBIT B: SPACE LICENSE

1. AT&T, at its sole discretion, may license BellSouth to situate BellSouth equipment in the AT&T central office and to utilize AT&T site support services in the AT&T central office such as power, heating, ventilation, air conditioning and security for such equipment, for the sole purpose of interconnection. Such licenses and site support services are referred to herein collectively as a "Space License." If AT&T denies BellSouth a Space License in a particular AT&T central office, AT&T shall assure that BellSouth may interconnect with AT&T's network through an alternative arrangement reasonably acceptable to both parties, including without limitation, lease of AT&T's facilities directly connected to BellSouth's network; mid-span fiber meet; space in an adjacent premises; and an arrangement by which AT&T would assume ownership and control of equipment provided by BellSouth to be located in the AT&T central office for the sole purpose of interconnection.
2. The allowable network interfaces under a Space License are DS1, DS3 or another network interface as mutually agreed upon between the Parties to this Agreement.
3. Space Licenses are available subject to the availability of space and site support services in each AT&T central office. To establish a Space License, BellSouth must complete and submit a questionnaire providing requested information to support new space and site support services or to provide additional capacity for existing arrangements.
- 3.1 Among the information to be provided in the interface arrangement questionnaire, BellSouth must identify the quantity, manufacturer, type and model of any equipment to be installed; the quantity, type and specifications of any transmission cable to be installed (collectively "Licensed Facilities"). The space in the AT&T central office in which BellSouth's equipment is or is to be located is referred to herein as the "Equipment Space."
- 3.2 BellSouth is responsible for the installation of Licensed Facilities in accordance with AT&T's installation processes and procedures. BellSouth will use AT&T's certified vendors for the installation of License Facilities.
- 3.3 If BellSouth desires to modify its request, prior to notification from

- AT&T regarding availability, BellSouth may do so by requesting that AT&T cancel the original request providing a new questionnaire to AT&T to process.
4. Following receipt of the questionnaire, AT&T will determine whether there is sufficient AT&T central office space and site support services to meet the request contained in BellSouth's questionnaire. AT&T will notify BellSouth in writing within thirty (30) business days whether there is sufficient AT&T central office space available for each such request.
 5. Upon receiving written notification of the availability of AT&T central office space from AT&T, BellSouth will provide written verification that it still requires such AT&T central office space. This written notification is BellSouth's firm order for each AT&T central office space requested, and will constitute an executed Space License under the terms of this Exhibit B.
 6. The rates and charges are to be negotiated by the Parties.
 7. AT&T agrees to provide site support services as follows:
 - 7.1 AT&T will design, engineer, furnish, install, and maintain cable racks for BellSouth's use.
 - 7.2 AT&T will design, engineer, furnish, install, and maintain a battery distribution fuse board ("BDFB") from which AT&T will supply DC power to BellSouth.
 - 7.3 AT&T will provide common use convenience outlets (120V) as required for test equipment, etc. within Equipment Space.
 - 7.4 AT&T will maintain temperature and humidity conditions for the Equipment Space within substantially the same ranges that AT&T maintains for its own similar equipment.
 8. AT&T will provide the amount of space requested by BellSouth unless AT&T reasonably determines the quantity of space requested is not available. If the amount of requested space is not available, AT&T will specify the dimensions of the Equipment Space available and will specify any physical or space separation requirements. If the amount of space requested is available, AT&T will provide the location of the space and will specify any physical or space separation requirements.

9. For the purpose of performing work for which BellSouth is responsible under this Exhibit B, AT&T licenses BellSouth to enter and exit the Equipment Space through portions of the AT&T central office as designated by AT&T. Unless a service outage is occurring or appears to be imminent, BellSouth shall perform its work in the AT&T central office during regular business hours as designated from time to time by AT&T. BellSouth and AT&T will establish contact lists and procedures for after hours entry to the AT&T central office.
10. BellSouth will provide a twenty-four (24) hour local or toll free telephone number which AT&T can use to verify the authority of such personnel to enter the Equipment Space. BellSouth shall furnish to AT&T, and keep current, samples of the identifying credentials to be carried by all BellSouth employees authorized to enter the Equipment Space. Notwithstanding Section 10 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, or except in the case of willful misconduct or gross negligence on the part of AT&T, BellSouth hereby releases AT&T, AT&T's Affiliates and their officers, directors, employees, agents, contractors, and suppliers from liabilities arising from the acts or omissions of any person who possesses a BellSouth employee identification badge and who was verified and admitted by AT&T.
11. While in the AT&T central office, employees of BellSouth and its contractors must comply at all times with AT&T's security and safety procedures and requirements. AT&T may refuse entry to, or require the departure of, any person who is disorderly or who has failed to comply with AT&T's procedures and requirements after being notified of them.
12. Each Party shall cause its employees and contractors to act in a careful and workmanlike manner to avoid damage to the other Party's property and the property of others in and around AT&T's central office.
13. BellSouth's employees and contractors shall abide by the requirements of Section 5.10, Interference or Impairment, of Attachment 4, incorporated herein by this reference.
14. In addition to the Licensed Facilities, BellSouth may bring into the Equipment Space whatever tools and equipment necessary to install and maintain its equipment. BellSouth will be responsible for the care and safeguarding of all such items. BellSouth may not bring into the

AT&T central office any of the following: wet cell batteries, explosives, flammable liquids or gases, alcohol, controlled substances, weapons, cameras, tape recorders, and similar items.

15. AT&T and its designees may inspect or observe the Equipment Space, the space designated by AT&T for BellSouth transmission cable, the Licensed Facilities, and any work performed by or on behalf of BellSouth in the AT&T central office, at any time. If the Equipment Space is surrounded by a security enclosure, BellSouth shall furnish AT&T with all mechanisms and information needed for entry to the Equipment Space.
16. AT&T and BellSouth intend that the Licensed Facilities, whether or not physically affixed to the AT&T central office, shall not be construed to be fixtures. BellSouth (or the lessor of BellSouth equipment, if applicable) will report the Licensed Facilities as its personal property wherever required by applicable laws, and will pay all taxes levied upon the Licensed Facilities.
17. BellSouth agrees not to sell, convey, or lease BellSouth transmission cable under any circumstances, except for a conveyance of BellSouth transmission cable to AT&T or to another space licensee upon termination of the applicable Space License. BellSouth further agrees not to cause, suffer, or permit BellSouth transmission cable to become encumbered by a lien, trust, pledge, or security interest as a result of rights granted by BellSouth or any act or omission of BellSouth. If BellSouth transmission cable becomes so encumbered, BellSouth agrees to discharge the obligation within thirty (30) days after receiving notice of the encumbrance.
18. The licenses granted by this Agreement are non-exclusive personal privileges allowing BellSouth to situate the Licensed Facilities in the locations indicated by AT&T. These licenses and the payments by BellSouth under this Agreement do not create or vest in BellSouth (or in any other person) any property right or interest of any nature in any part of the AT&T central office.
19. The licenses granted to BellSouth under this Agreement shall be subordinate to any mortgages or deeds of trust that may now exist or may in the future be placed upon any AT&T central office; to any and all advances to be made under such mortgages or deeds of trust; and to the interest thereon and all renewals, replacements, or extensions thereof.

20. AT&T may relocate the licensed space, or the AT&T central office, or both upon thirty (30) days prior written notice to BellSouth. If relocation of Licensed Facilities is required, the party that originally installed such Licensed Facilities will be responsible for relocating them. Any such relocation work that is AT&T's responsibility and is performed by AT&T will be without charge to BellSouth. AT&T will reimburse BellSouth for the reasonable cost of such relocation work performed by BellSouth, and AT&T will provide at its own expense any additional or replacement cable racks and BellSouth transmission cable needed to accommodate the relocation of the installation. AT&T and BellSouth will work together in good faith to minimize any disruption of service in connection with such relocation.
21. Licensed Facilities will be furnished, installed and maintained in accordance with the following:
22. BellSouth agrees to furnish all Licensed Facilities.
- 22.1 BellSouth agrees to install the Licensed Facilities. BellSouth agrees to comply with specifications and processes which adhere to the installation standards of Telcordia GR-1275 and AT&T Addendum 800-614-105 for installation performed by BellSouth.
- 22.2 BellSouth agrees to install the DC power supply and single circuit (battery and ground) from its fuse panel located in BellSouth's frame to the designated AT&T power source. BellSouth will distribute the power among its equipment within the Equipment Space.
- 22.3 BellSouth agrees to maintain in good working order all BellSouth equipment in Equipment Space. AT&T agrees to repair BellSouth transmission cable. BellSouth is not permitted to repair installed BellSouth transmission cable in order to avoid possible harm to other transmission cables.
- 22.4 BellSouth may use contractors to perform installation and maintenance for which BellSouth is responsible. AT&T consents to use of those contractors listed on a then current AT&T approved list of BellSouth submitted contractors. Use of any other contractors shall require AT&T's prior written consent, which shall not be unreasonably withheld.
- 22.5 BellSouth may, at its own discretion and expense, choose to install its equipment in locked cabinets, provided that space and configuration

- will permit such. If BellSouth chooses to install its equipment in locked cabinets, BellSouth shall leave the appropriate keys with AT&T and agrees to allow AT&T the right of entry to such cabinets.
23. Under the Space Licenses, AT&T performs no communications services, provides no goods except for short lengths of wire or cable and small parts incidental to the services furnished by AT&T, and provides no maintenance for any BellSouth equipment in Equipment Space. AT&T warrants that the services provided under this Agreement will be performed in a workmanlike manner and in accordance with AT&T technical specifications and that the incidental material provided by AT&T shall be free from defects. AT&T MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, AND SPECIFICALLY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
24. In addition to any other rights or remedies that AT&T may have under this Agreement or at law, AT&T may terminate the applicable Space License if any of the following events occurs and is not corrected within thirty (30) days after written notice to cure:
- 24.1 BellSouth fails to pay charges due or fails to comply with any of the terms or conditions of this Exhibit B.
- 24.2 BellSouth fails to comply with applicable laws or is in any way prevented by the order or action of any court, or other governmental entity from performing any of its obligations under this Exhibit B.
25. In the event that a Space License is terminated for any reason, the Parties will act in accordance with the following:
- 25.1 Within thirty (30) days after termination of a Space License, BellSouth will, at its sole expense, remove all BellSouth equipment in Equipment Space and restore the Equipment Space to its previous condition, normal wear and tear excepted. If BellSouth fails to complete such removal and restoration within thirty (30) days after termination of the applicable Space License, AT&T may, at its option, upon ten (10) days written notice to BellSouth, perform the removal and restoration at BellSouth's sole risk and expense.
- 25.2 Because removal of installed BellSouth transmission cable may cause damage to other cables or fiber, BellSouth agrees to relinquish or transfer its transmission cable to AT&T or to another AT&T space

licensee in lieu of removal. Upon termination of the applicable Space License, unless transferred to another AT&T space licensee, all BellSouth transmission cable will be automatically conveyed to AT&T, thereby becoming the property of AT&T, free of any interest or lien of any kind by BellSouth (or by any person claiming through BellSouth). At AT&T's request, BellSouth will promptly execute and deliver to AT&T a bill of conveyance or such other assurances as may be requisite to confirm or perfect the transfer of BellSouth transmission cable to AT&T.

- 25.3 If no monies are owed by BellSouth to AT&T under this Agreement, AT&T agrees to deliver such removed equipment to BellSouth's last known business address or to a domestic location designated by BellSouth, at BellSouth's sole risk and expense.


ARRANGEMENT FOR TANDEM SWITCHED TRAFFIC

Exhibit C
Page 1

LATA

EACH PARTY'S INTERCONNECTION POINT IS LOCATED AT THE "TOP" OF ITS NETWORK

- △ = BST TANDEM CENTER
- ⊙ = BST END OFFICE
- = AT&T SWITCH
- ☎ = END USER




- TRUNKS USING BST PROVIDED FACILITY
- TRUNKS USING AT&T PROVIDED FACILITY
- - - AT&T FIBER-OPTIC TRANSPORT FACILITY
- LOOP FACILITY

DIRECT TRUNK ARRANGEMENT FOR AT&T ORIGINATING TRAFFIC

Exhibit C
Page 2

LATA

- △ = BST TANDEM CENTER
- ⊙ (EO) = BST END OFFICE
- = AT&T SWITCH
- ☎ = END USER



INTERCONNECTION POINT
AT A BST TANDEM CENTER

"Top" of BST's network

ONE-WAY ORIGINATING
TRUNK GROUPS

- TRUNKS USING BST PROVIDED FACILITY
- TRUNKS USING AT&T PROVIDED FACILITY
- - - AT&T TRANSPORT FACILITY
- LOOP FACILITY

DIRECT TRUNK ARRANGEMENT FOR BST ORIGINATING TRAFFIC


Exhibit C
Page 3

LATA

- △ = BST TANDEM CENTER
- ⊙(EO) = BST END OFFICE
- = AT&T SWITCH
- ☎ = END USER

INTERCONNECTION POINT
AT AN AT&T SWITCHING CENTER

"Top" of AT&T's network



- TRUNKS USING BST PROVIDED FACILITY
- TRUNKS USING AT&T PROVIDED FACILITY
- - - - AT&T TRANSPORT FACILITY
- LOOP FACILITY

Attachment 4

Collocation

TABLE OF CONTENTS

1. SCOPE OF ATTACHMENT 3

2. SPACE NOTIFICATION 5

3. COLLOCATION OPTIONS..... 6

4. OCCUPANCY..... 11

5. USE OF COLLOCATION SPACE 12

6. ORDERING AND PREPARATION OF COLLOCATION SPACE 18

7. RATES AND CHARGES 25

8. INSURANCE 27

9. MECHANICS LIENS..... 27

10. INSPECTIONS 28

11. SECURITY AND SAFETY REQUIREMENTS 28

12. NOTIFICATION OF SERVICE AFFECTING ACTIVITY WITHIN THE
BELLSOUTH PREMISES..... 31

13. DESTRUCTION OF COLLOCATION SPACE..... 32

14. EMINENT DOMAIN 33

15. RELOCATION OF AT&T'S EQUIPMENT..... 33

16. NONEXCLUSIVITY 33

EXHIBIT A, RATES 38

EXHIBIT B, ENVIRONMENTAL AND SAFETY PRINCIPLES 41

COLLOCATION

1. SCOPE OF ATTACHMENT

- 1.1 Scope of Attachment. BellSouth shall offer to AT&T collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules and regulations of the FCC. If BellSouth provides any collocation to its own customers, to a BellSouth affiliate or to any other entity, BellSouth will provide the same collocation to AT&T at rates, terms and conditions no less favorable to AT&T than those provided by BellSouth to itself or to any other party. The rates, terms, and conditions contained within this Attachment shall only apply when AT&T is occupying the collocation space as a sole occupant or as a Host, as defined below, pursuant to Section 3 of this Attachment 4.
- 1.1.1 The Parties agree that for the purposes of this Attachment 4, "Day" means calendar day, unless otherwise specifically noted.
- 1.2 Right to occupy. Subject to Section 4 of this Attachment 4, BellSouth hereby grants to AT&T a right to occupy that certain area designated by BellSouth within a BellSouth Premises, of a size which is specified by AT&T and agreed to by BellSouth (hereinafter "Collocation Space"). "Premises" refers to BellSouth's central offices and serving wire centers, as well as all buildings or similar structures owned or leased by BellSouth that house its network facilities, and all structures that house BellSouth's facilities on public rights-of-way, including but not limited to vaults containing loop concentrators or similar structures and all land owned, leased, or otherwise controlled by BellSouth that is adjacent to these central offices, wire centers, buildings, and structures. To the extent this Agreement does not include all the necessary rates, terms and conditions for BellSouth Premises other than BellSouth central offices, the Parties will negotiate said rates, terms and conditions at the request for collocation at other than a central office. Notwithstanding the foregoing, BellSouth shall consider in its designation for cageless collocation any unused space within the BellSouth Premises. The size specified by AT&T may contemplate a request for space sufficient to accommodate AT&T's growth within a two year period unless otherwise agreed to by the Parties.
- 1.2.1 Space Reclamation. In the event of space exhaust within a Premise, BellSouth may provide notice, which must be in writing, to AT&T requesting that AT&T release non-utilized Collocation Space to

BellSouth to be allocated to other physical collocation applicants when 100% of the space in AT&T's collocation arrangement is not being utilized by the end of the second year from the date AT&T accepted the Collocation Space. AT&T, within twenty (20) days of receipt of a written notification from BellSouth, shall either: (i) return the non-utilized Collocation Space to BellSouth, in which case AT&T shall be relieved of all obligation for charges for that portion of the Collocation Space so released; (ii) provide BellSouth evidence that equipment is on order which will be installed in the non-utilized Collocation Space; or (iii) enter into a sharing relationship with another telecommunications carrier who will utilize the non-utilized Collocation Space.

- 1.3 Use of Space. AT&T shall use the Collocation Space for the purposes of installing, provisioning, maintaining and operating AT&T's equipment (to include testing and monitoring equipment) necessary primarily to gain access to Network Elements and Combinations and secondarily to interconnect with BellSouth services and facilities, for the provision of telecommunications services. Pursuant to Section 5 of this Attachment 4, AT&T may at its option, place AT&T-owned or AT&T-leased entrance facilities to the Collocation Space. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.
- 1.4 BellSouth will offer virtual or adjacent, where technically feasible, collocation of the equipment where BellSouth is prepared to demonstrate that physical collocation is not practical for technical reasons or because of space limitations as provided in § 251(c)(6) of the Act and FCC orders.
- 1.5 Rates and charges. AT&T agrees to pay the rates and charges identified at Exhibit A attached hereto.
- 1.6 Due Dates. If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.
- 1.7 **AT&T PROPOSAL**
 - 1.7.1 **In buildings in which BellSouth and AT&T have a joint tenancy, referred to herein as Condominium Arrangements, AT&T shall locate, in AT&T's wire center, equipment that enables AT&T to access BellSouth provided Network Elements at the DS0, DS1, DS3, OC3, OC12, OC48, STS-1, STS-3c, and other rates that are established pursuant to the applicable industry standard**

technical references. AT&T's equipment located in the condo space shall be treated as collocated equipment in all respects including the right for AT&T to interconnect directly to other collocated CLECs in BellSouth's physical space. AT&T shall be responsible for the connection between AT&T wire center and BellSouth's facilities. Should AT&T elect to place a physical collocation arrangement in BellSouth's wire center, AT&T shall be allowed to cable directly between the AT&T wire center in the condo building to the AT&T collocation space in BellSouth's wire center without having to go off-premise.

2. SPACE NOTIFICATION

- 2.1 Availability of Space. Upon submission of an application pursuant to Section 6 of this Attachment 4, BellSouth will permit AT&T to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless BellSouth has determined that there is no space available due to space limitations or no space available due to technical infeasibility. BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. If BellSouth responds that requested space is not available within the requested BellSouth Premises, BellSouth will inform AT&T of the amount of space that is available. If no space is available, BellSouth will inform AT&T that virtual or adjacent collocation is an option at the requested Premises.
- 2.2 Reporting. Upon request from AT&T, BellSouth will provide a written report specifying the amount of collocation space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report or the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
 - 2.2.1 The request from AT&T must be written and must include the Premises and Common Language Location Identification ("CLLI") code of the Premises where applicable. Such information regarding Premises and CLLI code is located in the National Exchange Carriers Association ("NECA") Tariff FCC No. 4.
 - 2.2.2 BellSouth will respond to a request for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will respond in ten (10) calendar days to a request for up to and including five (5)

Premises within the same state. The response time for a request of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar-day response time, BellSouth shall notify AT&T and inform AT&T of the time frame under which it can respond.

- 2.3 Denial of Application. After notifying AT&T that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow AT&T, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the central office must be received by BellSouth within five (5) calendar days of the Denial of Application. Notwithstanding the foregoing, the Parties may agree to conduct the tour outside of the 10-day period.
- 2.4 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6) and the appropriate state and federal rules and regulations.
- 2.5 Waiting List. On a first come first served basis, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a letter of intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of the telecommunications carrier on said waiting list. Upon request BellSouth will advise AT&T as to its position on the list.
- 2.6 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) business days of the Denial of Application date. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a central office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5 of this Attachment 4.

3. **COLLOCATION OPTIONS**

- 3.1 Cageless. Except where local building code does not allow cageless collocation, BellSouth shall allow AT&T to collocate AT&T's equipment and facilities without requiring the construction of a cage or similar structure to enclose said equipment and without requiring the creation of a separate entrance to the Collocation Space. BellSouth shall allow AT&T to have direct access to its equipment and facilities but may require AT&T to use a central entrance to the BellSouth Premises. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7.4 of this Attachment 4. BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, AT&T must provide the equipment layout, including spatial dimensions for such equipment pursuant to Section 5.1.1 of this Attachment 4 and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 5.6 of this Attachment 4.
- 3.1.1 Shared Cageless Collocation. AT&T may allow other telecommunications carriers to share AT&T's cageless collocation arrangements pursuant to the terms and conditions of Section 3.1.1 and Section 3.3 of this Attachment. Notwithstanding the forgoing, sharing of cageless space within the cageless arrangement shall not be authorized (1) where local building codes do not allow shared cageless collocation; or (2) where the BellSouth Premises is located within a leased space and BellSouth is prohibited by that lease from offering shared cageless collocation or (3) where the only remaining space of AT&T's cageless collocation arrangement requires AT&T's equipment to be commingled with BellSouth equipment. For purposes of this section, commingled means that the location of the AT&T cageless arrangement in the BellSouth equipment lineup is such that BellSouth is not able to enclose BellSouth's equipment. AT&T shall coordinate with its Guest, as defined below, and BellSouth to limit the number of parties working within the shared cageless collocation arrangement at the same time. BellSouth agrees to waive this provision in the event a specific project requires the presence of multiple parties all at the same time.
- 3.2 Cages and Adjacent Arrangement Enclosures. At AT&T's option and upon request, BellSouth shall construct cages in compliance with AT&T's collocation request. At AT&T's request, BellSouth shall permit AT&T to subcontract the construction of physical collocation arrangements with BellSouth Certified Vendors, provided however, that BellSouth shall not unreasonably withhold approval of contractors.

- 3.2.1 When AT&T subcontracts the construction, AT&T must arrange with a BellSouth Certified Vendor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications and at AT&T's expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, AT&T and AT&T's BellSouth Certified Vendor must comply with local building code requirements. AT&T's BellSouth Certified Vendor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with AT&T and provide, at AT&T's expense, the documentation, including architectural drawings, necessary for AT&T to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to AT&T the costs of providing the documentation. The Certified Vendor shall bill AT&T directly for all work performed for AT&T pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges invoiced by the Certified Vendor.
- 3.2.2 BellSouth has the right to inspect the enclosure after construction to make sure it is designed and constructed according to BellSouth's specifications and to require AT&T to remove or correct at AT&T's cost any structure that does not meet these standards.
- 3.2.3 AT&T must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Access Keys provided to BellSouth shall not be duplicated under any circumstances. Except in case of emergency, BellSouth will not access AT&T's locked enclosure prior to notifying AT&T. BellSouth shall notify AT&T in writing immediately in the case of lost or stolen Access Keys. BellSouth will reimburse AT&T the reasonable costs to replace each Access Key lost or stolen. Should it become necessary for AT&T to re-key locked enclosures as a result of a lost Access Key(s) or for failure to return an Access Key(s), BellSouth shall pay for all reasonable costs associated with the re-keying. AT&T shall have the right, at its expense, to have locks changed where deemed necessary for the protection and security of its locked enclosures, provided that AT&T shall immediately provide BellSouth with such new keys.
- 3.3 Shared Caged Collocation. AT&T may allow other telecommunications carriers to share AT&T's caged collocation arrangement pursuant to terms and conditions agreed to by AT&T ("Host") and other telecommunications carriers ("Guests") and pursuant to this section with the following exceptions: (1) where local

building code does not allow Shared Caged Collocation and (2) where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. The terms and conditions of the agreement between the Host and its Guests shall be written and AT&T shall provide written notice to BellSouth that it has entered into a shared arrangement prior to submitting an application for said Guest. Further, said agreement shall incorporate by reference the rates, terms, and conditions of this Attachment 4.

- 3.3.1 AT&T shall be the sole interface and responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placements of Guest; for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. In the event the Host and Guest jointly submit an initial Application, only one Application Fee will be assessed. A separate initial Guest Application shall require the assessment of a Subsequent Application Fee, as set forth in Exhibit A, if this Application is not the initial Application made for the arrangement. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provisions of the services and access to Network Elements.
- 3.3.2 AT&T shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of AT&T's Guests in the Collocation Space.
- 3.4 Adjacent Collocation. BellSouth will make available, where space is legitimately exhausted in a particular BellSouth Premises, collocation in adjacent controlled environmental vaults or similar structures to the extent technically feasible. BellSouth will permit AT&T to construct or otherwise procure such an adjacent structure, subject only to reasonable safety and maintenance requirements. BellSouth will provide power and physical collocation services and facilities, subject to the same nondiscrimination requirements as applicable to any other physical collocation arrangement. BellSouth will permit AT&T to place its own equipment, including, but not limited to, copper cables, coaxial cables, fiber cables, and telecommunications equipment, in adjacent facilities constructed by either BellSouth or by AT&T itself. The Adjacent Arrangement shall be constructed or procured by AT&T and in conformance with BellSouth's reasonable safety and maintenance requirements. BellSouth will provide specifications upon request. Further, AT&T shall construct, procure, maintain and operate said

Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be as set forth in Exhibit A.

- 3.4.1 Should AT&T elect such option, AT&T must arrange with a BellSouth Certified Vendor to construct an Adjacent Arrangement structure. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, AT&T and AT&T's contractor must comply with local building code requirements. AT&T's contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. BellSouth shall cooperate with AT&T and provide, at AT&T's expense, the documentation necessary for AT&T to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to AT&T the costs of providing the documentation. AT&T's BellSouth Certified Vendor shall bill AT&T directly for all work performed for AT&T pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges invoiced by the Certified Vendor.
- 3.4.2 BellSouth may inspect the Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4.1 of this Attachment 4, to ensure the design and construction comply with BellSouth's specifications. BellSouth may require AT&T, at AT&T's sole cost, to correct any deviations from BellSouth's specifications found during such inspection(s), up to and including removal of the Adjacent Arrangement, within five (5) business days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.3 AT&T shall provide a concrete pad, the structure housing the arrangement, HVAC, lighting, and all facilities that connect the structure (i.e. racking and conduit) to the BellSouth point of interconnection. At AT&T's option, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement.
- 3.4.4 Where AT&T has elected to construct the adjacent enclosure itself, BellSouth shall deliver to AT&T the requested ground space thirty (30) days after BellSouth receives AT&T's Bona Fide Firm Order.
- 3.4.5 BellSouth shall allow other telecommunications carriers to share AT&T's Adjacent Arrangements pursuant to the terms and conditions set forth in Sections 3.1.1 and 3.3 above.

- 3.4.6 If physical collocation space becomes available in a previously exhausted BellSouth structure, BellSouth must not require AT&T to move or prohibit AT&T from moving, a collocation arrangement into that structure in accordance with the rates terms and conditions of this Attachment 4. Instead, BellSouth must continue to allow AT&T to collocate in any adjacent controlled environmental vault, controlled environmental vault or similar structure that AT&T has constructed or procured unless otherwise agreed to by the Parties or as ordered by the Kentucky Public Service Commission

4. OCCUPANCY

- 4.1 Commencement Date. The "Commencement Date" shall be the day AT&T's equipment becomes operational as described in Section 4.2 of this Attachment 4.
- 4.2 Occupancy. BellSouth will notify AT&T in writing that the Collocation Space is ready for occupancy. AT&T must place operational telecommunications equipment in the Collocation Space and begin either receiving access to Network Elements or interconnecting with BellSouth's network within one hundred eighty (180) days after receipt of such notice. AT&T must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. If AT&T fails to place operational telecommunications equipment in the Collocation Space within 180 calendar days and such failure continues for a period of thirty (30) days after receipt of written notice from BellSouth, then BellSouth may, upon thirty (30) days written notice, request AT&T to return the space. AT&T is not required to return the space if, within that thirty (30) day period: (1) AT&T utilizes the space by placing equipment in the space; (2) AT&T provides BellSouth a legitimate business plan within fifteen (15) calendar days showing its intent to utilize the space within forty-five (45) days of submitting the business plan; or (3) AT&T enters into a sharing relationship for its space pursuant to Sections 3.1.1 and 3.3 of this Attachment 4. In the event that AT&T does not satisfy any of the foregoing conditions, its right to occupy the Collocation Space terminates and BellSouth shall have no further obligations to AT&T with respect to said Collocation Space. However, for good cause shown, AT&T may request and BellSouth will grant an extension of up to 30/60 days. Termination of AT&T's rights to the Collocation Space pursuant to this section shall not operate to release AT&T from its obligation to reimburse BellSouth for all unpaid costs reasonably incurred by BellSouth pursuant to Section 4.2.2 of this Attachment 4 in

preparing the Collocation Space, but rather such obligation shall survive this Attachment. For purposes of this Section 4.2, AT&T's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

4.2.1 If, after the initial installation of AT&T's equipment, the initial connections provided by BellSouth on BellSouth's side of the demarcation point do not allow AT&T's equipment to function in a manner that allows AT&T to provide telecommunications services to its end users, BellSouth will credit AT&T the floor space charges for the period of time that the AT&T equipment is not operational due to the faulty connections. Such credit will also include a pro rata credit for cross-connections and any Network Elements ordered and installed and will not apply if the malfunction results from BellSouth provisioning such connections in accordance with AT&T specifications.

4.2.2 Termination. Except where otherwise agreed to by the Parties, AT&T may terminate occupancy in a particular Collocation Space upon thirty (30) calendar days prior written notice to BellSouth. Upon termination of such occupancy, AT&T at its expense shall remove its equipment and other property from the Collocation Space. AT&T shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of any other occupant of AT&T's Collocation Space; provided, however, that AT&T shall continue payment of monthly fees to BellSouth until such date as AT&T has fully vacated the Collocation Space. Upon expiration of this Attachment, AT&T shall surrender the Collocation Space to BellSouth in the same condition as when first occupied by the AT&T except for ordinary wear and tear. Unless otherwise agreed upon by the Parties, AT&T shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of an Adjacent Collocation arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. USE OF COLLOCATION SPACE

5.1 Equipment Type. BellSouth shall permit the collocation of any type of equipment necessary for interconnection or for access to Network Elements in the provision of telecommunications services. Such equipment necessary for interconnection and access to Network

Elements includes, but is not limited to transmission equipment including, but not limited to, optical terminating equipment and multiplexers, equipment being collocated to terminate basic transmission facilities pursuant to § 64.1401 and § 64.1402 of Title 47 of the Code of Federal Regulations as of August 1, 1996, and digital subscriber line access multiplexers, routers, asynchronous transfer mode multiplexers, remote switching modules, and digital/optical cross-connect panels, and digital loop carrier. Nothing in this section requires BellSouth to permit collocation of equipment used solely for switching or solely to provide enhanced services; provided, however, that BellSouth may not place any limitations on the ability of AT&T to use all the features, functions, and capabilities of equipment collocated including, but not limited to, switching and routing features and functions and enhanced services functionalities.

- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Specifications (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. BellSouth may not object to the Collocation of equipment on the ground that the equipment fails to comply with NEBS performance standards.
- 5.1.2 AT&T shall not use the Collocation Space for marketing purposes nor shall it place any advertising signs or markings in the area surrounding the Collocation Space or on the grounds of the Premises.
- 5.1.3 AT&T shall place a plaque or other identification affixed to AT&T's equipment, cage or adjacent structure necessary to identify AT&T's equipment, including a list of emergency contacts with telephone numbers.
- 5.1.4 BellSouth shall not impose any performance standards, except for safety, on AT&T equipment. These safety standards will not exceed the standards that BellSouth imposes on its own equipment, its subsidiaries' equipment, or to the equipment of any third person.
- 5.2 For both Physical Collocation and Virtual Collocation, AT&T may either purchase unbundled transmission facilities (and any necessary cross-connection) from BellSouth or provide its own or third-party leased transmission facilities and terminate those transmission facilities in its equipment located in its Collocation Space at BellSouth's Premises.

5.3 Entrance Facilities. AT&T may elect to place AT&T-owned or AT&T-leased entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection as close as reasonably possible to the Premises housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both Parties. AT&T will provide and place fiber cable at the point of interconnection of sufficient length to be pulled through conduit and into the splice location. If AT&T desires to place cable other than fiber, BellSouth shall permit interconnection using copper or coaxial cable if such interconnection is first approved by the Commission. AT&T will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to the AT&T's equipment in the Collocation Space. AT&T must arrange for BellSouth to splice the entrance facility to AT&T-provided riser cable. In the event AT&T utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Pursuant to the AT&T/BellSouth Right-of-Way Attachment 8, incorporated herein by this reference, AT&T must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. AT&T is responsible for maintenance of the entrance cable.

5.3.1 Dual Entrance. BellSouth will provide at least two (2) such interconnection points at each BellSouth Premises at which there are at least two (2) entry points for BellSouth's cable facilities, and at which space is available for new facilities in at least two (2) of those entry points. In response to a request for physical collocation under this Attachment, BellSouth shall provide AT&T with information regarding BellSouth's capacity to accommodate dual entrance facilities. Consistent with Attachment 8, incorporated herein by this reference, if conduit in the serving manhole(s) is available and is not reserved for another purpose, BellSouth will make the requested conduit space available for installing a second entrance facility to AT&T's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth so long as the location selected is as close as reasonably possible. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.

5.3.2 Shared Use. AT&T may utilize spare capacity on an existing telecommunications service providers entrance facility for the purpose of providing an entrance facility to another AT&T collocation arrangement within the same Premises. AT&T must arrange for BellSouth to splice the entrance facility to AT&T-provided riser cable.

- 5.4 Splicing in the Entrance Manhole. Although not generally permitted, should AT&T request a splice to occur in the entrance manhole(s), BellSouth, at its sole discretion, may grant such a request, provided that BellSouth will not unreasonably withhold approval of requests to make such a splice. When the request for a splice is granted to AT&T by BellSouth, AT&T shall ensure its employees or agents entering and/or performing work in the entrance manhole(s) are trained and comply with BellSouth procedures and OSHA requirements regarding access to manholes and that BellSouth personnel are notified and present for all entrances and work performed in the entrance manhole(s). Manhole covers shall be properly closed and secured at the conclusion of entry and/or work. Advance notification to BellSouth shall occur at a minimum of 48 hours prior to desired entry for normal work activities and at a minimum of 2 hours prior to desired entry in an out of service condition.
- 5.5 Demarcation Point. For the purposes of this Attachment, BellSouth will designate the point(s) of interconnection between AT&T's equipment and/or network and BellSouth's network located as close as reasonably possible to AT&T's Collocation Space. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. BellSouth will not require AT&T to use an intermediate interconnection arrangement in lieu of direct connection to BellSouth's network, if technically feasible. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. AT&T shall be responsible for providing, and AT&T's BellSouth Certified Vendor shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 5.6 of this Attachment 4. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. AT&T or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6 of this Attachment 4, and may self-provision cross-connects that may be required within the collocation space to activate service requests. At AT&T's option, expense, and if space permits, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space but shall not serve as the demarcation point, but may serve as a testing point.
- 5.6 AT&T's Equipment and Facilities. AT&T, or if required by this Attachment, AT&T's BellSouth certified vendor, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by AT&T. Such equipment and facilities may

include but are not limited to cable(s); equipment; and point of termination connections. Before beginning delivery, installation, replacement or removal work for equipment and/or facilities located within the Collocation Space, AT&T shall obtain BellSouth's approval of AT&T's proposed scheduling of the work in order to coordinate use of temporary staging areas and other building facilities. BellSouth may request additional information before granting approval.

- 5.7 Easement Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to AT&T when access to the Collocation Space is required and provide a list of names of individuals authorized to enter said space. AT&T may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that AT&T will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 11 of this Attachment 4, AT&T shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. AT&T agrees to provide the name and either Driver's License, social security number, or date of birth of each employee, contractor, or agents provided with Access Keys or cards ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. AT&T agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of AT&T employees, contractors, other occupants of AT&T's Collocation Space, or agents after termination of the employment relationship, contractual obligation with AT&T or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement. Within sixty (60) days of the Effective Date of this Agreement, BellSouth and AT&T shall establish an agreed upon procedure for the return and confirmation of the return of Access Keys. Within ten (10) business days after receipt of AT&T's Bona Fide Order, BellSouth and AT&T will visit, without charge, AT&T's designated collocation arrangement location. BellSouth must allow AT&T reasonable access to its selected collocation space during construction after receipt of a Bona Fide Firm Order.
- 5.8.1 Security Escort. A security escort will be required whenever AT&T or its agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed after Bona Fide Firm Order without charge to AT&T prior to completing BellSouth's Security Training requirements and/or prior to Space

Acceptance. Rates for a security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.

- 5.8.2 Lost or Stolen Access Keys. AT&T shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. AT&T will reimburse BellSouth the reasonable costs to replace each Access Key lost or stolen. Should it become necessary for BellSouth to re-key buildings as a result of a lost Access Key(s) or for failure to return an Access Key(s), AT&T shall pay for all reasonable costs associated with the re-keying. AT&T must submit to BellSouth the completed Access Control Request Form (RF-2906-C) for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date AT&T desires access to the Collocation Space.
- 5.8.3 AT&T authorized personnel will have immediate access to health related facilities (e.g., bathrooms, eyewash stations, shower stations, drinking water, etc., within the collocated facility), as well as access to parking.
- 5.9 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Collocation Space by AT&T shall not interfere with or impair service provided by BellSouth or by any other telecommunications carriers located in the Premises; shall not endanger or damage the facilities of BellSouth or of any other telecommunications carrier located in the Premises, the Collocation Space, or the Premises; shall not compromise the privacy of any communications carried in, from, or through the Premises; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of AT&T violates the provisions of this paragraph, BellSouth shall give written notice to AT&T, which notice shall direct AT&T to cure the violation within forty-eight (48) hours of AT&T's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. If AT&T fails to take any action within 48 hours of receipt of the written notice or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or interference/impairment of the services provided by BellSouth or any other telecommunications carrier located in the Premises, then and only in that event BellSouth may take such action as it deems

appropriate to correct the violation, including without limitation the interruption of electrical power to AT&T's equipment. BellSouth will endeavor, but is not required, to provide notice to AT&T prior to taking such action and shall have no liability to AT&T for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.9.1 AT&T will be responsible for notifying BellSouth of any significant outages of AT&T's equipment which could impact any of the services offered by BellSouth, and provide estimated clearing time for restoration.
- 5.10 Personalty and its Removal. Subject to requirements of this Attachment, AT&T may place or install in or on the Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business, provided that such equipment is telecommunications equipment, does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by AT&T in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by AT&T at any time. Any damage caused to the Collocation Space by AT&T's employees, agents or representatives during the removal of such property shall be promptly repaired by AT&T at its expense.
- 5.11 Alterations. In no case shall AT&T or any person acting on behalf of AT&T make any rearrangement, modification, improvement, addition, repair, or other alteration to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by AT&T.
- 5.12 Janitorial Service. AT&T will not be responsible for costs associated with maintenance and upkeep of the building. AT&T shall be responsible for the general upkeep and cleaning of the Caged Collocation Space and shall arrange directly with a BellSouth Certified Vendor for janitorial services. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. ORDERING AND PREPARATION OF COLLOCATION SPACE

- 6.1 Application for Space. AT&T shall submit an application document when AT&T or AT&T's Guest(s), as defined in Sections 3.1.1 and 3.3 of this Attachment 4, desires to request or modify the use of the Collocation Space. BellSouth shall provide AT&T with a single point of contact for all inquiries regarding collocation.
- 6.1.1 Initial Application. For AT&T or AT&T's Guest(s) initial equipment placement, AT&T shall submit to BellSouth a complete and accurate (complete and accurate means all required fields are filled in with the appropriate type of information) Application and Inquiry document ("Bona Fide Application"). The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in AT&T's Collocation Space(s) and an estimate of the amount of square footage required.
- 6.1.2 Subsequent Application Fee. In the event AT&T or AT&T's Guest(s) desire to modify the use of the Collocation Space, AT&T shall complete a Bona Fide Application detailing all information regarding the modification to the Collocation Space. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by AT&T in the Bona Fide Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, and equipment additions. The fee paid by AT&T for its request to modify the use of the Collocation Space shall be dependent upon the modification requested. Where the subsequent application does not require provisioning or construction work by BellSouth, no Subsequent Application Fee will be required. The fee for an application where the modification requested has limited effect (e.g., does not require capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A to Attachment 4. In the event that the modification requires a capital expenditure by BellSouth, the Application Fee set forth in Exhibit A to Attachment 4 shall be assessed. In such event, the Subsequent Application Fee shall be considered a partial payment of the Application Fee, and the outstanding balance (Application Fee minus Subsequent Application Fee) shall be due from AT&T within thirty (30) calendar days following AT&T's receipt of a bill or invoice from BellSouth.
- 6.2 Application Response. In addition to the notice of space availability pursuant to Section 2.1 of this Attachment 4, BellSouth will include in its response whether the application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. When space has been determined to be available, BellSouth

will provide a written response (“Application Response”) within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.3 Bona Fide Firm Order. AT&T shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order to BellSouth. A Bona Fide Firm Order requires AT&T to complete the Bona Fide Application process described in Section 6.1 of this Attachment 4, and submit the Expanded Interconnection Bona Fide Firm Order document (BSTEI-1P-F) indicating acceptance of the written application response provided by BellSouth (“Bona Fide Firm Order”). The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth’s response to AT&T’s Bona Fide Application. If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of AT&T or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If BellSouth needs to reevaluate AT&T’s application as a result of changes requested by AT&T to AT&T’s original application, then BellSouth will charge AT&T a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require AT&T to resubmit the Application with an Application Fee.

- 6.3.1 The firm order date will be the date BellSouth receives a Bona Fide Firm Order. BellSouth will acknowledge the receipt of AT&T’s Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth

response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date.

6.3.2 Within ten (10) business days after receipt of AT&T's Bona Fide Order, BellSouth and AT&T will visit, without charge, AT&T's designated collocation arrangement location.

6.3.3 Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order.

6.4 Construction and Provisioning Interval. Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth and AT&T may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.4.1 Joint Planning Meeting. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and AT&T will commence within a maximum of 15 business days from BellSouth's receipt of a Bona Fide Firm Order and the payment of agreed upon fees. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Application and affirmed in the Bona Fide Firm Order. The Collocation Space Completion time period will be provided to AT&T during the joint planning meeting or as soon as possible thereafter. BellSouth will complete all design work following the joint planning meeting.

- 6.4.2 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within 7 business days of the completion of finalized construction designs and specifications.
- 6.4.3 Acceptance Walk Through. AT&T and BellSouth will complete an acceptance walk through of each Collocation Space requested from BellSouth by AT&T. The acceptance walk through shall occur within 15 calendar days of BellSouth's notification to AT&T that the collocation space is ready for occupancy. BellSouth will correct any deviations to AT&T's original or jointly amended requirements within five (5) business days after the walk through, unless the Parties jointly agree upon a different time frame. The correction of these deviations from AT&T's original request for collocation shall be at BellSouth's expense. At the end of the acceptance walk through or after any deviations are corrected, AT&T will execute a written document accepting the Collocation Space.
- 6.5 Use of Certified Vendor. A "BellSouth Certified Vendor" is a vendor that has been certified by BellSouth to perform certain activities pursuant to BellSouth's certified vendor program. AT&T shall select a vendor which has been approved as a BellSouth Certified Vendor to perform all engineering and installation work required in the Collocation Space. In some cases, AT&T must select separate BellSouth Certified Vendors for transmission equipment, switching equipment and power equipment. BellSouth shall provide AT&T with a list of Certified Vendors upon request. The Certified Vendor(s) shall be responsible for installing AT&T's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and AT&T upon successful completion of installation. The Certified Vendor shall bill AT&T directly for all work performed for AT&T pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. BellSouth shall certify AT&T or any vendor proposed by AT&T when either satisfactorily completes BellSouth's certified vendor program.
- 6.6 Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth's and AT&T's equipment and facilities. Should AT&T elect to place alarms within its Collocation Space, AT&T shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service AT&T's Collocation Space. Upon request, BellSouth will provide AT&T with applicable tariffed service(s) to facilitate remote monitoring of

collocated equipment by AT&T. Both Parties shall use best efforts to notify the other of any verified environmental hazard known to that Party. The Parties agree to utilize and adhere to the Environmental and Safety Principles identified as Exhibit B attached hereto.

- 6.7 Power. BellSouth shall supply -48 Volt (-48V) DC power, including back-up power, for AT&T's Collocation Space within the Premises and shall make available AC power at AT&T's option for Adjacent Arrangement collocation. The power provided to AT&T by BellSouth shall be at least equal in quality and service level as that which is provided by BellSouth to itself or to any third party. When obtaining AC power from a BellSouth Service Panel, fuses and power cables must be engineered (sized) and installed by AT&T's BellSouth Certified Vendor. AT&T's BellSouth Certified Vendor must also provide a copy of the engineering power specification prior to the Commencement Date. When obtaining power from a BellSouth Battery Distribution Fuse Bay, fuses and power cables (A&B) must be engineered (sized) and installed by AT&T's BellSouth Certified Vendor. Electrical engineering standards require that the fuse positions for power feeders must exceed the actual drain (or expected consumption) by 50%. When obtaining power from a BellSouth Power Board, power cables (A&B) must be engineered (sized) and installed by AT&T's BellSouth Certified Vendor. AT&T's BellSouth Certified Vendor must also provide a copy of the engineering power specification prior to the Commencement Date. BellSouth may be required to construct additional DC power plant or upgrade the existing DC power plant in a Premises as a result of AT&T's request to collocate in that Premises ("Power Plant Construction"). The determination of whether Power Plant Construction is necessary shall be within BellSouth's sole, but reasonable, discretion. BellSouth shall comply with all Telcordia and ANSI Standards regarding power cabling, including Telcordia Network Equipment Building System (NEBS) Standard GR-63-CORE. If BellSouth has not previously provided for power plant capacity for collocation at a specific site, then AT&T has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Vendor and such contractor shall comply with BellSouth's guidelines and specifications. Where AT&T performs its own dedicated Power Plant Construction, upon termination of this Attachment AT&T shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. The termination and grounding locations shall be as mutually agreed upon by the Parties.
- 6.8 Basic Telephone Service. Upon request of AT&T, BellSouth will provide basic telephone service to the Collocation Space under the

rates, terms and conditions of the current tariff offering for the service requested.

6.9 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. AT&T shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date AT&T first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event AT&T opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to AT&T as prescribed in Section 7.4.

6.10 Virtual Collocation Transition. BellSouth offers Virtual Collocation pursuant to the rates, terms and conditions set forth in its F.C.C. Tariff No. 1. For the interconnection to BellSouth's network and access to BellSouth Network Elements, AT&T may purchase Cross-Connects as set forth in Exhibit A, and AT&T may designate within its Virtual Collocation arrangements the placement of telecommunications equipment set forth in Section 5.1 of this Attachment 4. In the event physical collocation space was previously denied at a location due to technical reasons or space limitations, and that physical collocation space has subsequently become available, AT&T may transition its virtual collocation arrangements to physical collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by AT&T, such information will be provided to AT&T in BellSouth's written denial of physical collocation. To the extent that (i) physical collocation space becomes available to AT&T within 180 days of BellSouth's written denial of AT&T's request for physical collocation, and (ii) AT&T was not informed in the written denial that physical collocation space would become available within such 180 days, then AT&T may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. AT&T must arrange with a BellSouth certified vendor for

the relocation of equipment from its virtual collocation space to its physical collocation space and will bear the cost of such relocation.

- 6.10.1 BellSouth will authorize the conversion of virtual collocation arrangements to physical collocation arrangements without requiring the relocation of the virtual arrangement where there are no extenuating circumstances or technical reasons that would cause the arrangement to become a safety hazard within the Premises or otherwise being in conformance with the terms and conditions of this Attachment and where (1) there is no change to the arrangement; (2) the conversion of the virtual arrangement would not cause the arrangement to be located in the area of the Premises reserved for BellSouth's forecast of future growth; and (3) due to the location of the virtual collocation arrangement, the conversion of said arrangement to a physical arrangement would not impact BellSouth's ability to secure its own facilities. Notwithstanding the foregoing, if the BellSouth Premises is at or nearing space exhaust, BellSouth may authorize the conversion of the virtual arrangement to a physical arrangement even though BellSouth could no longer secure its own facilities.
- 6.11 Cancellation. If, at anytime, AT&T cancels its order for the Collocation Space(s), BellSouth shall return that portion of the charges paid by AT&T which exceed any expenses incurred up to the date that written notice of the cancellation is received. If BellSouth can demonstrate that BellSouth's expenses exceeded the estimated charges paid by AT&T, AT&T will pay BellSouth the additional charges. In no event will the level of reimbursement under this paragraph exceed the maximum amount AT&T would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.
- 6.12 Licenses. AT&T, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

7 RATES AND CHARGES

- 7.1 BellSouth may begin billing AT&T for recurring charges for the Collocation Space on the date that AT&T executes the written document accepting the Collocation Space pursuant to Section 6.4.3 of this Attachment, or on the date AT&T first occupies the Collocation Space whichever is sooner. If AT&T fails to schedule and complete the walkthrough pursuant to Section 6.4.3, then BellSouth shall begin billing AT&T for recurring charges as of the day after expiration of the

timeframe in which AT&T is required to schedule the acceptance walkthrough.

- 7.2 Documentation. BellSouth shall provide documentation to establish the actual Space Preparation Fee.
- 7.3 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed.
- 7.4 Floor Space. The floor space charge includes reasonable charges for lighting, heat, air conditioning, ventilation and other allocated expenses associated with maintenance of the Premises but does not include amperage necessary to power AT&T's equipment. When the Collocation Space is enclosed, AT&T shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, AT&T shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event AT&T's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, AT&T shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date AT&T first occupies the Collocation Space, whichever is sooner.
- 7.5 Charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Vendor engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and cable rack to AT&T's equipment or space enclosure. In the event BellSouth shall be required to construct additional DC power plant or upgrade the existing DC power plant in a central office as a result of AT&T's request to collocate in that central office ("Power Plant Construction"), AT&T shall pay its pro-rata share of costs associated with the Power Plant Construction. BellSouth will notify AT&T of the need for the Power Plant Construction and will estimate the costs associated with the Power Plant Construction if BellSouth were to perform the Power Plant Construction. The costs of power plant construction shall be prorated and shared among all

telecommunications carriers that benefit from that construction. The proration shall be based on the cost of providing one (1) ampere of DC power multiplied by the nominal drain requirements indicated by AT&T in its physical collocation application. AT&T shall pay BellSouth one-half of its prorata share of the estimated Power Plant Construction costs prior to commencement of the work. AT&T shall pay BellSouth the balance due (actual cost less one-half of the estimated cost) within thirty (30) days of completion of the Power Plant Construction.

7.5.1 Charges for AC power will be assessed per breaker ampere per month based upon the BellSouth Certified Vendor engineered and installed power feed fused ampere capacity. Rates include the provision of commercial and standby AC power. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A of this Attachment 4, incorporated herein by this reference. AC power voltage and phase ratings shall be determined on a per location basis.

7.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due thirty (30) days after receipt of the bill (payment due date). AT&T will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

8 **INSURANCE**

8.2 Insurance coverage shall be maintained pursuant to Section 21 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

9 **MECHANICS LIENS**

9.1 If any mechanics lien or other liens shall be filed against property owned by either Party (BellSouth or AT&T), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The

Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. INSPECTIONS

10.1 BellSouth shall conduct an inspection of AT&T's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between AT&T's equipment and equipment of BellSouth. BellSouth may conduct an inspection if AT&T adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide AT&T with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth. If, as a result of the inspection by BellSouth, AT&T is found to be in non-compliance with the terms and conditions of this section, AT&T must modify its installation to achieve compliance.

11. SECURITY AND SAFETY REQUIREMENTS

11.1 AT&T PROPOSAL

11.2 Only BellSouth employees, BellSouth Certified Vendors and authorized employees, authorized Guests, pursuant to Sections 3.1.1 and 3.3 of this Attachment 4, or authorized agents of AT&T will be permitted in the BellSouth Premises. AT&T shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's or agent's name and photo, and AT&T's name. BellSouth reserves the right to remove from its Premises any employee or agent of AT&T not possessing identification issued by AT&T. AT&T shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises in accordance with Section 10 of the General Terms and Conditions of this Agreement, incorporated herein by this reference. AT&T shall be solely responsible for ensuring that any Guest of AT&T is in compliance with all subsections of this Section 11.

11.3 **AT&T PROPOSAL**

BellSouth may, at its option, adopt the following security measures in protecting its equipment and ensuring network reliability:

Installing security cameras or other monitoring systems; or

Requiring AT&T personnel to use badges with computerized tracking systems; or

Requiring AT&T employees to undergo the same level of security training, or its equivalent, that BellSouth's own employees, or third party contractors providing similar functions, must undergo; provided, however, that BellSouth may not require AT&T employees to receive such training from BellSouth itself, but must provide information to AT&T on the specific type of training required so AT&T employees can conduct their own training.

11.4 AT&T will administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth or meeting criteria defined by BellSouth.

11.5 At BellSouth's request, AT&T shall promptly remove from the BellSouth Premises any employee or agent of AT&T's BellSouth does not wish to grant access to its Premises pursuant to any investigation conducted by BellSouth.

11.6 Notification to BellSouth. BST reserves the right to interview AT&T's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to AT&T's Security contact of such interview and arranges for AT&T's Security personnel to participate. AT&T and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving AT&T's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill AT&T for all reasonable costs associated with investigations involving its employees, agents or contractors if it is established and mutually agreed in good faith that AT&T's employees, agents or contractors are responsible for the alleged act. BellSouth shall bill AT&T for BellSouth property which is

stolen or damaged where an investigation determines the culpability of AT&T's employees, agents or contractors and where AT&T agrees, in good faith, with the results of such investigation. AT&T shall notify BellSouth in writing immediately in the event that AT&T discovers one of its employees or agents already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Premises, any employee or agent found to have violated the security and safety requirements of this section. AT&T shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises in accordance with Section 10 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

- 11.7 Use of Supplies. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards), will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 11.8 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.9 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees or agents.
- 11.10 BellSouth shall not use any information it collects in the course of implementing or operating security arrangements or other activities for marketing or any other purpose.
- 11.11 BellSouth shall exercise the same level of care it provides to itself to prevent harm or damage to AT&T, its employees, agents or end users, or their property. BellSouth agrees to take reasonable and prudent steps to ensure the adequate protection of AT&T property located within BellSouth Premises including, but not limited to:

- 11.11.1 Agreeing not to use card access readers and devices that use cards that are encoded identically or mechanized coded locks on external doors or on internal doors to spaces that house AT&T equipment.
- 11.11.2 Insure that the area that houses AT&T's equipment is adequately secured and monitored to prevent unauthorized entry.
- 11.11.3 Assuring that the physical security and the means of ingress and admission to spaces that house AT&T equipment or equipment enclosures are equal to or exceed those provided for BellSouth pursuant to BellSouth admissions practices.
- 11.11.4 Installing security studs in the hinge plates of doors having exposed hinges with removable pins if such leads to spaces that contain or house AT&T equipment or equipment enclosures.
- 11.11.5 Controlling access from passenger and freight elevators by continuous surveillance or by installing security partitions, security grills, locked gates or doors between elevator lobbies and spaces that contain or house AT&T equipment or equipment enclosures.
- 11.11.6 BellSouth will provide notification to designated personnel of an actual or attempted security breach of AT&T's Collocation Space, upon BellSouth discovery of such breach.

12 NOTIFICATION OF SERVICE AFFECTING ACTIVITY WITHIN THE BELLSOUTH PREMISES

- 12.1 BellSouth shall provide AT&T with written notice five (5) business days prior to those instances where BellSouth or its subcontractors may be performing non-emergency work that may directly affect the Collocation Space occupied by AT&T or that is directly related to AT&T circuits that support AT&T equipment. BellSouth will inform AT&T by telephone of any emergency-related activity that BellSouth or its subcontractors may be performing that may directly affect the Collocation Space occupied by AT&T or that is directly related to AT&T circuits that support AT&T equipment. Notification of any emergency-related activity shall be made as soon as practicable after BellSouth learns that such emergency activity is necessary but in no event longer than thirty (30) minutes after such time. To the extent that the Emergency Notification Process requires BellSouth to incur additional costs, AT&T shall reimburse BellSouth for such costs. The ACAC

(Access Carrier Advocacy Center) shall be the single point of contact on all matters pertaining to the following areas:

- Equipment or Central Office Engineering
- Outside Plant Engineering
- Physical & Logical Security
- Provisioning
- Maintenance
- Billing
- Operations
- Site and Building Managers
- Environmental and Safety

13 DESTRUCTION OF COLLOCATION SPACE

- 13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for AT&T's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate this Attachment, only with respect to the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If a Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for AT&T's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to AT&T, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. AT&T may, at its own expense, accelerate the rebuild of its Collocation Space and equipment, provided however, that a BellSouth Certified Vendor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If AT&T's acceleration of the project increases the cost of the project, then those additional charges will be incurred by AT&T. Where allowed and where practical, AT&T may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where a damaged Collocation Space shall be rebuilt or repaired, AT&T shall be entitled to an equitable abatement of rent and other charges, depending upon the

unsuitability of such damaged Collocation Space for AT&T's permitted use, until such Collocation Space is fully repaired and restored and AT&T's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where AT&T has placed an Adjacent Arrangement pursuant to Section 3.4 of this Attachment 4, AT&T shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

14 EMINENT DOMAIN

- 14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate only with respect to such taken Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for such taken Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and AT&T shall each have the right to terminate this Attachment only with respect to such part of the Collocation Space or Adjacent Arrangement taken and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15 RELOCATION OF AT&T'S EQUIPMENT

- 15.1 Except as otherwise stated in this Attachment, BellSouth shall use its best efforts to prevent AT&T from having to relocate its equipment during the term of this Agreement. If AT&T, at BellSouth's request, agrees to relocate its equipment, then BellSouth shall reimburse AT&T for any and all costs reasonably associated with such relocation.

16 NONEXCLUSIVITY

- 16.1 AT&T understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served

basis in accordance with the procedures established in this
Attachment of obtaining Collocation Space.

**BELLSOUTH/AT&T RATES – KENTUCKY
PHYSICAL COLLOCATION**

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee*	Per request	NA	\$3,761.00
PE1CA	Subsequent Application Fee*	Per request	NA	\$3,135.00 Minimum
PE1SJ	Space Preparation Fees			
PE1SK	Firm Order Processing*			\$1,202.00
PE1SL	Central Office Modifications*	Per sq. ft.	\$2.38	
PE1SM	Common Systems Modifications – Cageless*	Per sq. ft.	\$3.30	
PE1SM	Common Systems Modifications – Caged*	Per cage	\$112.11	
PE1BW	Space Enclosure (100 sq. ft. minimum)			
PE1CW	Welded Wire-mesh*	Per first 100 sq. ft.	\$189.85	NA
PE1PW	Welded Wire-mesh*	Per add'l 50 sq. ft.	\$18.62	NA
PE1PJ	Floor Space*	Per sq. ft.	\$8.20	NA
PE1BD	Cable Installation*	Per cable	NA	\$1,755.00
PE1PM	Cable Support Structure*	Per entrance cable	\$20.14	NA
PE1PL	Power			
PE1FB	-48V DC Power*	Per amp	\$8.77	NA
PE1FD	120V AC Power single phase*	Per breaker amp	\$5.58	-
PE1FE	240V AC Power single phase*	Per breaker amp	\$11.16	-
PE1FG	120V AC Power three phase*	Per breaker amp	\$16.74	-
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.65	-
PE1P2	Cross Connects	Per cross connect		First/Add'l
PE1P4	2-wire*		\$0.037	\$33.67/\$31.78
PE1P1	4-wire*		\$0.075	\$33.66/\$31.70
PE1P3	DS-1*		\$1.51	\$52.97/\$39.90
PE1F2	DS-3*		\$19.15	\$52.04/\$38.62
PE1F4	2-fiber*		\$3.80	\$52.04/\$38.63
PE1F4	4-fiber*		\$6.75	\$64.59/\$51.18

KENTUCKY (continued)				
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1AX	Security Access System Security System*	Per premises	\$78.11	
PE1A1	New Access Card Activation*	Per card	\$.059	\$55.59
PE1AA	Administrative change, existing card*	Per card		\$15.59
PE1AR	Replace lost or stolen card*	Per card		\$45.58
PE1AK	Initial Key*	Per key	NA	\$26.20
PE1AL	Replace lost or stolen key*	Per key	NA	\$26.20
PE1SR	Space Availability Report*	Per premises requested		\$2,151
	POT Bay Arrangements <i>Prior to 6/1/99</i>	Per cross-connect		
PE1PE	2-Wire Cross-Connect		\$0.06	NA
PE1PF	4-Wire Cross-Connect		\$0.15	NA
PE1PG	DS1 Cross-Connect		\$0.58	NA
PE1PH	DS3 Cross-Connect		\$4.51	NA
PE1B2	2 Fiber Cross-Connect*		\$38.79	NA
PE1B4	4 Fiber Cross-Connect*		\$52.31	NA
	Security Escort	Per half hr./Add'l half hr.		
PE1BT	Basic Time		NA	\$33.86/\$21.46
PE1OT	Overtime		NA	\$44.10/\$27.72
PE1PT	Premium Time		NA	\$54.35/\$33.97
	Cable Records ¹			Note 2
				Initial/subsequent
PE1CR	Cable Records*	Per request	NA	\$1709/1166
PE1CD	VG/DS0 Cable*	Per cable record	NA	\$923.83/\$923.83
PE1CO	VG/DS0 Cable*	Per each 100 pair	NA	\$18.03/\$18.03
PE1C1	DS1*	Per T1TIE	NA	\$8.44/\$8.44
PE1C3	DS3*	Per T3TIE	NA	\$29.54/\$29.54
PE1CB	Fiber Cable*	Per cable record	NA	\$279.05/\$279.05

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

1.1 Compliance with Applicable Law. BellSouth and AT&T agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this agreement.

1.2 Notice. BellSouth and AT&T shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. AT&T should contact 1-800-743-6737 for BellSouth MSDS sheets.

1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for AT&T to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. AT&T will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.

1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the AT&T space with proper notification. BellSouth reserves the right to stop any AT&T work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by AT&T are owned by AT&T. AT&T will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by AT&T or different hazardous materials used by AT&T at BellSouth Facility. AT&T must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by AT&T to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and AT&T will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and AT&T will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, AT&T must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and AT&T shall indemnify, defend and hold harmless the other party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, AT&T agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. AT&T further agrees to cooperate with BellSouth to ensure that AT&T's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by AT&T, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

2. **Categories for Consideration of Environmental Issues (cont.)**

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10
Emergency response	Hazmat/waste release/spill firesafety emergency	GU-BTEN-001BT, Chapter Building Emergency Operations Plan (EOP) (specific to Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact E/S or your DEC/LDEC for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10
Maintenance/operations work which may produce a waste Other maintenance work	Protection of BST employees and equipment	Std T&C 450 GU-BTEN-001BT, Chapter 10 29CFR 1910.147 29CFR 1910 Subpart O

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All HazMat & Waste Asbestos notification protection of BST employees and equipment	P&SM Manager - Procurement GU-BTEN-001BT, Chapter 4, GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Pollution liability insurance Manhole entry requirements EVET approval of contractor	Std T&C 450 Std T&C 660-3 BSP 620-145-011PR Issue A, August 1996 GU-BTEN-001BT, Chapter 10 RL9706008BT
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

EVET - Environmental Vendor Evaluation Team

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

NESC - National Electrical Safety Codes

Attachment 5

**Access to Numbers
and
Number Portability**

TABLE OF CONTENTS

1 NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS 3

2 PERMANENT NUMBER PORTABILITY 3

3 SERVICE PROVIDER NUMBER PORTABILITY 7

4 SPNP IMPLEMENTATION 7

5 LERG REASSIGNMENT 12

6 RATES 13

7 TRANSITION TO PERMANENT NUMBER PORTABILITY 13

Exhibit A, The Local Number Portability Ordering Guide for CLECs

Exhibit B, Rates for Service Number Portability

ACCESS TO NUMBERS and NUMBER PORTABILITY

1 Non-Discriminatory Access to Telephone Numbers

- 1.1 During the term of this Agreement, AT&T shall contact NeuStar for the assignment of numbering resources. In order to be assigned a Central Office Code, AT&T will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 For the purposes of the resale of BellSouth's telecommunications services by AT&T, BellSouth will provide AT&T with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. AT&T acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code ("CLLIC") and in such instances BellSouth may request that AT&T cancel all or a portion of its reservations of numbers. AT&T's consent to such request shall not be unreasonably withheld.
- 1.3 Further, upon AT&T request and for the purposes of the resale of BellSouth's telecommunications services by AT&T, BellSouth will reserve up to 100 telephone numbers per CLLIC, for AT&T's sole use. Such telephone number reservations shall be transmitted to AT&T via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. AT&T acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for AT&T's reasonable need in that particular CLLIC.

2 Permanent Number Portability

- 2.1 The FCC, the Commissions and industry forums have developed a permanent approach to providing service provider number portability and BellSouth is working to implement Permanent Number Portability ("PNP"). Both Parties agree to implement a permanent approach as developed and approved by the Commission, the FCC and industry forums. Consistent with the requirements to move to PNP, interim

Service Provider Number Portability ("SPNP") is available pursuant to Section 3 of this Attachment 5.

- 2.2 BellSouth and AT&T will adhere to the process flows and cutover guidelines outlined in "The Local Number Portability Ordering Guide for CLECs," Issue 1b, dated October 10, 1999, attached as Exhibit A to this Attachment 5.
- 2.2.1 BellSouth and AT&T will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry forums addressing PNP.
- 2.2.2 Both Parties shall cooperate in the process of porting numbers from one carrier to another so as to limit service outage for the ported subscriber. BellSouth will set LRN unconditional or 10-digit triggers where applicable which should ensure no interruption to the end user. Where triggers are set, BellSouth removes the ported number at the same time the trigger is removed.
- 2.2.3 For porting of numbers where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.2.4 BellSouth will provide ordering support for AT&T's PNP requests Monday through Friday 8:00 AM until 8:00 PM EST. BellSouth normal hours of operation for provisioning support are defined in Attachment 15, incorporated herein by this reference. Ordering and provisioning support required by AT&T outside of these hours will be considered outside of normal business hours and will be subject to overtime billing. For stand alone PNP where LRN unconditional or 10-digit triggers are set, AT&T may port numbers during times that are supported by NPAC 24 hours a day 7 days a week. BellSouth will provide maintenance assistance to AT&T 24 hours a day 7 days a week to resolve issues arising from the porting of numbers for problems isolated to the BellSouth network.
- 2.2.5 AT&T will provide ordering support for BellSouth's PNP requests Monday through Friday, 8:00 a.m. until 5:00 p.m. MST.
- 2.2.6 Performance Measurements for BellSouth providing PNP are located in Attachment 9 to this Agreement, incorporated herein by this reference.
- 2.3 BellSouth will use best efforts to update switch translations, where necessary, in time frames that are consistent with the time frames BellSouth's end users experience or as offered to other CLECs.

- 2.4 AT&T may request deployment of PNP according to and pursuant to the rules and regulations set forth in 47 CFR § 52.23.
- 2.5 End User Line Charge. Recovery of charges associated with implementing PNP through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in BellSouth's FCC Tariff No. 1 and will be billed to AT&T where AT&T is a subscriber to local switching or where AT&T is a reseller of BellSouth telecommunications services. This charge will not be discounted.
- 2.6 **LRN-LNP employs an "N-1" Query Methodology**
- 2.6.1 For interlata or intralata toll calls the originating carrier will pass the call to the appropriate toll carrier who will perform the LNP query. In this situation, the toll carrier is the N-1 carrier.
- 2.6.2 For a local call to a ported number, BellSouth or AT&T, as the originating carrier, will be the N-1 carrier. The N-1 carrier will perform an external database query and pass the call to the appropriate terminating carrier.
- 2.6.3 For local calls to an NXX in which at least one number has been ported via LRN-PNP, the Party that owns the originating switch shall query an LRN-PNP database as soon as the call reaches the first LRN-PNP-capable switch in the call path. The Party that owns the originating switch shall query on a local call to an NXX in which at least one number has been ported via LRN-PNP prior to any attempts to route the call to any other switch. Prior to the first number in an NXX being ported via LRN-PNP, neither Party will charge a query charge to the other Party when the other Party is the N-1 carrier.
- 2.6.4 A Party shall be charged for an LRN-PNP query by the other Party only if the Party to be charged is the N-1 carrier and it was obligated to perform the LRN-PNP query but failed to do so. Parties are not obligated to perform the LNP-PNP query prior to the first port in an NXX.
- 2.6.5 On calls originating from a Party's network, the Party will populate, in the SS7 Initial Address Message, if technically feasible, the Jurisdiction Information Parameter ("JIP") with the first six digits of the ten digit Location Routing Number ("LRN") in accordance with the applicable industry technical standards.

2.7 **SMS Administration**

2.7.1 AT&T and BellSouth will adhere to the Number Portability Administration Center ("NPAC") Service Management System ("SMS") Functional Requirements Specification ("FRS") as described in the NANC-FRS-Number Portability Administration Center-SMS, Version 1.1, dated May 5, 1997, as required in FCC Order No. 97-289, released August 18, 1997, or as further required by the FCC in future proceedings.

2.8 **Project Management Guidelines for PNP**

2.8.1 BellSouth will project manage a PNP order from AT&T if it meets one or more of the following criteria:

- 51 + telephone numbers on basic service;
- 15 + loops;
- telephone numbers associated with a complex class of service.

2.8.2 As used herein, the term "Project Manage" means that the Parties shall negotiate implementation details, including but not limited to, due dates, cut-over intervals and times, coordination of technical resources and completion notices.

2.9 **Excluded Numbers**

2.9.1 Neither Party shall be required to provide number portability for excluded numbers (e.g., 500 and 900 NPAs, 950 and 976 NXX number services, and others as excluded by FCC rulings issued from time to time) under this Agreement.

2.10 **Mass Calling Numbers/Choke Networks**

2.10.1 Mass Call Numbers will not be ported with LRN (i.e., there will be no database queries made for mass call number NXX's associated with choke networks). Until the FCC has adopted a standard for porting mass call numbers, the Parties will work cooperatively with each other to direct calls to the mass calling network using arrangements that are economical and efficient for both Parties.

2.11 **Operator Services, Line Information Database ("LIDB") and Directory Assistance**

2.11.1 If Operator Services, LIDB and Directory Assistance services are provided pursuant to this Agreement, they shall also apply when PNP is in place.

2.12 If Integrated Services Digital Network User Part ("ISUP") signaling is used, BellSouth and AT&T shall provide, if technically feasible, the Jurisdiction Information Parameter ("JIP") in the SS7 Initial Address Message ("IAM") in accordance with applicable industry standard technical references.

2.13 **Porting of PNP DID Block Numbers**

BellSouth and AT&T shall offer number portability to customers for any portion of an existing DID block without being required to port the entire block of DID numbers. BellSouth and AT&T shall permit end users who port a portion of DID numbers to retain DID service on the remaining portion of the DID numbers. Porting a portion of a range of DID numbers can be provided by BellSouth pursuant to its General Subscriber Services Tariff. The lines remaining with BellSouth will be billed to BellSouth end users at the applicable tariffed rates or consistent with BellSouth pricing guidelines.

3 **Service Provider Number Portability**

3.1 Definition. Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same serving wire center of his existing number.

3.2 Methods of Providing Number Portability. SPNP is available on a per telephone number basis through either remote call forwarding ("SPNP-RCF"), LERG reassignments (SPNP-LERG), direct inward dialing trunks (SPNP-DID), or route indexing (SPNP-RI) at the election of the Party requesting SPNP.

4 **SPNP Implementation**

4.1 SPNP is available only where AT&T or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic local exchange service to the affected end user. SPNP for a particular telephone number is available only from the central office originally providing local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a

change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

- 4.2 Signaling Requirements. SS7 Signaling is required for the provision of SPNP services. SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis.
- 4.3 The calling party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or the CLEC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either Party may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls an individual end user account level. The billable detail will be delivered to the requesting Party pursuant to the terms and conditions contained within Attachment 6, incorporated herein by this reference.
- 4.4 Each Party shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 4.5 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to

disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.

- 4.6 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each Party's end user. Each Party reserves the right to contact the other Party's customers if deemed necessary for maintenance purposes.
- 4.7 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other Party obsolete or renders necessary modification of the other Party's equipment.
- 4.8 For terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability.
- 4.9 If SPNP is deployed by either Party and prior to conversion to PNP:
- 4.9.1 If requested by either Party, the other Party shall provide Emergency Interrupt ("EI") trunks to the requesting Party's End Office for Busy Line Verification/Busy Line Interrupt ("BLV/BLI") call requests for lines that terminate at the requesting Party's End Office;
- 4.9.2 When a BLV/BLI request for a ported number is directed to one Party's operator and the query is not successful (i.e., the request yields an

- abnormal result), the operator shall confirm whether the number has been ported and shall direct the request to the appropriate operator;
- 4.9.3 BellSouth shall remove from its LIDB all existing BellSouth issued Telephone Line Number ("TLN")-based card numbers when a customer ports its number to AT&T; and
- 4.9.4 Where BellSouth has control of directory listings and/or directory assistance for NXX codes containing ported numbers, BellSouth shall process the requests for directory listings and Directory Assistance entries as specified by AT&T on the appropriate service request.
- 4.9.5 AT&T shall have the right to use the existing BellSouth 911 infrastructure for all 911 capabilities. With respect to 911 service associated with ported numbers under SPNP, the Parties agree that all ported numbers will remain in the Public Service Answering Points ("PSAP") routing databases. When remote call forwarding ("RCF") is used, both the ported numbers and shadow numbers for a Party's ported subscribers shall be stored in PSAP databases. Either Party shall have the right to verify the accuracy of the information in the PSAP databases.
- 4.9.6 Cut-over intervals for SPNP provided to AT&T end users will be at parity with the intervals experienced by BellSouth end users, BellSouth itself, or any other CLEC, in accordance with the Performance Measurements in Attachment 9, incorporated herein by this reference.
- 4.10 SPNP-RCF, as contemplated by this Attachment 5, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by AT&T or BellSouth, as appropriate. The forwarding company will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths are available and rates are set forth in Exhibit B.
- 4.11 SPNP-DID service, as contemplated by this Attachment 5, provides trunk side access to end office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to lines associated with the other company's switching

equipment and must be provided on all trunks in a group arranged for inward service.

- 4.11.1 A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as said tariff is amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method.
- 4.11.2 SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes.
- 4.11.3 Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities.
- 4.11.4 SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped.
- 4.11.5 Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service.
- 4.11.6 Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group.
- 4.11.7 Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.
- 4.11.8 BellSouth and AT&T shall offer number portability to customers for any portion of existing DID block without being required to port the entire block of DID numbers. BellSouth and AT&T shall permit end users who port a portion of DID numbers to retain DID service on the remaining portion of the DID numbers. Porting a portion of a range of

DID numbers can be provided by BellSouth pursuant to its General Subscriber Services Tariff. The lines remaining with BellSouth will be billed to BellSouth's end users at the applicable tariffed rates or consistent with BellSouth pricing guidelines.

- 4.11.9 SPNP-DID is available from BellSouth on a per DS1 or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable rates are set forth in Exhibit A to this Attachment 5.

4.12 **Route Indexing**

- 4.12.1 Route Indexing ("RI") may take two forms: Route Index-Portability Hub ("RI-PH") or Directory Number-Route Index ("DN-RI").

- 4.12.2 RI-PH will route a dialed call to the first Party's (Party A's) switch associated with the NXX of the dialed number. Party A's switch shall then insert a prefix onto the dialed number which identifies how the call is to be routed to the other Party (Party B) as the local service provider. The prefixed dialed number is transmitted to Party A's tandem switch to which the Party B is connected. The prefix is removed by the operation of the tandem switch and the dialed number is routed to Party B's switch so the routing of the call can be completed by Party B.

- 4.12.3 DN-RI is a form of RI-PH that requires direct trunking from BellSouth's switch where the ported number was originally assigned to the AT&T switch where the number has been ported. The BellSouth switch shall send without a prefix the originally dialed number to AT&T's switch.

- 4.12.4 BellSouth shall provide RI-PH or DN-RI on an individual telephone number basis, as the other Party designates. Where technically feasible, AT&T may designate both methods so that calls to ported numbers are first directed to AT&T's switch over direct trunks but may overflow to tandem trunks if all trunks in the direct group are occupied.

- 4.12.5 For both RI-PH and DN-RI the trunks used may, at AT&T's option, be the same as those used for exchange of other local traffic with the other Party if technically feasible. At either Party's option, the trunks shall employ SS7 or in band signaling and may be one way or two way.

5 **LERG Reassignment**

- 5.1 BellSouth and AT&T will mutually agree, on a case by case basis, when an entire NXX is to be reassigned using LERG reassignment.

Both parties will work cooperatively to coordinate and complete the transfer prior to the date on which LERG changes become effective using processes and intervals agreed to by both Parties.

6 Rates

- 6.1 Rates for SPNP are set out in Exhibit B to this Attachment 5, incorporated herein by this reference. If no rate is identified in this Agreement, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.
- 6.2 Rates for the interfaces to access Operations Support Systems functions shall be as set forth in Exhibit A of Attachment 2, incorporated herein by this reference.

7 Transition to Permanent Number Portability

- 7.1 Once PNP is implemented in an end office , with advance written notice, both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within one hundred twenty (120) days from the date PNP is implemented in the end office serving the telephone number. Neither Party shall charge the other Party for conversion from SPNP to PNP. The Parties shall comply with any SPNP/PNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

Local Number Portability Ordering Guide for CLECs

Network & Carrier Services

Copyright

October 1999

© BellSouth Telecommunications

Contents

Subject	Page
Introduction	v
Purpose	v
Version Information	v
1. Introduction to Local Number Portability	1
1.1 Description of LNP	1
1.2 Network Provisioning for Local Number Portability	1
1.3 LNP Order Status	3
2. LNP Order Process Flows	5
2.1 High Level LNP Order Process Flow and Narrative	5
2.2 Detailed LNP Order Process Flow and Narrative	7
2.2.1 LNP Order Process - Port Out and Port Out with Loop	8
3. LNP Clarification and Supplement (SUP) LSR Process Flows	17
3.1 Detailed LNP Clarification Process Flow and Narrative	17
3.1.1 Clarification Process	17
3.2 Detailed Supplement (SUP) LSR Process Flow and Narrative	18
3.2.1 Supplement (SUP) LSR Change Process	19
4. Requirements for LNP Ordering	23
4.1 Requirements for LNP Ordering	23
4.2 Local Number Portability Rules	24
4.3 Required Forms	26
4.4 Minimum Required Fields for Faxed LNP Orders	28
4.4.1 LSR Minimal Required Fields for Faxed Orders (LNP Port-out With or Without Loop)	28
4.4.2 Faxed End User Information Form Fields	32
4.4.3 Faxed Number Portability Form Fields	33
4.4.4 Faxed Loop Service with Number Portability Form Fields	34
4.5 Complex LNP Orders	36
4.6 Faxed Loop Service with Number Portability Fields	36
4.7 Project Managed LNP Orders and Standard Intervals	37
5. Critical Success Factors for LNP Ordering	39
5.1 Pre-Order Information	39
5.2 LSR Order Forms for LNP	39
5.3 Supplemental LSRs	40
5.4 Clarifications	40
5.5 Standard Intervals	40
5.6 NPAC Communication	41

5.7	E911 Lock Down	41
6.	System Interfaces	43
6.1	Interface Options for Order Submission	43
6.2	System Interface Descriptions	43
7.	Frequently Asked Questions	47
7.1	General	47
7.2	Ordering Options	48
7.3	LSR Error Notices	48
7.4	Due Dates	49
7.5	NPAC Communication	49
8.	LNP Ordering Checklist	51
8.1	LNP Ordering Checklist	51
9.	Glossary of LNP Terms	53
9.1	Glossary of LNP Terms	53

Issue 1b, October 1999

Introduction

Purpose

This document contains information on Local Number Portability for CLECs interested in ordering this service from BellSouth. The Guide is intended to increase the CLEC's understanding of LNP Order Process at BellSouth; to provide guidelines for LSR completion; and to offer information on critical success factors for LSR submission.

This guide is intended to be used as a supplement to, not a replacement for, the **BellSouth Ordering Guide for CLECs** and the **LEO Implementation Guide**, which are available on-line through the BellSouth Interconnection website at: <http://www.interconnection.bellsouth.com/guides/guides.html>

Information resources reviewed for this guide include, but are not limited to:

- BellSouth CLEC Interconnections Web Site
- BellSouth Interconnection Services Ordering Guide for CLECs
- BellSouth LNP Documentation
- North American Numbering Council (NANC) Architecture and Administrative Plan for Local Number Portability
- North American Numbering Council (NANC) Inter-Service Provider LNP Operations Flows
- www.fcc.gov
- www.npac.com/home.htm
- www.ported.com

Version Information

Table A Revision History

Chapter	Action Request #	Date/Issue	Description
Various	N/A	October 1999/ 1b	General Revision
Various	N / A	April 2, 1999 / 1a	General Revisions
All	N / A	March, 1999 / 1	First Issue

1. Introduction to Local Number Portability

1.1 Description of LNP

Local Service Provider Portability

Local Number Portability (LNP) is a part of local competition that provides end users with the ability to retain their phone numbers when they change their Local Service Provider.

Phase	Description
Local Service Provider (SPP)	Allows customers to keep their current telephone number(s) if they chose to switch from their current Local Service Provider to another.

The Telecommunications Act of 1996 requires BellSouth to provide a mechanism for customers to retain their current telephone numbers when they change their Local Service Provider.

Orders of the FCC pursuant to the Telecommunications Act of 1996 provide deadlines for implementing Local Service Provider Portability (SPP) in the top 100 metropolitan areas in the United States. The BellSouth territory includes 21 of the top 100 metropolitan areas. To learn more about BellSouth's implementation schedule plan, please visit us at:

Note: http://g8058183.ga.bst.bls.com/ibu/files/infra_inp/LNP/LNPtrack.xls

1.2 Network Provisioning for Local Number Portability

Interim Number Portability (INP) is a temporary solution for porting numbers which involves two telephone numbers to route calls to the serving wire center using one of the following methods:

- Remote Call Forwarding
- Direct Inward Dialing
- Route Index Hubbing

Local Number Portability (LNP) is the long range solution for Service Provider Portability (SPP) and includes the following characteristics:

- uses only one telephone number.
- requires significant network architecture hardware and software upgrades.
- uses the Advanced Intelligent Network (AIN).
- requires new routing methodology to send calls to the wire center of the company currently providing the local service.

Note: All calls to a port eligible NPA NXX will route using the AIN to look up the correct routing information (LRN) for the telephone number.

The **LNP Gateway (LNP GW)** is a major link in the LNP process for BellSouth since it provides both internal and external communications with various interfaces and processes, including:

- linking BellSouth to the Number Portability Administration Center (NPAC).
- allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- providing interface between NPAC and AIN SMS for LNP routing processes.

The **Number Portability Administration Center (NPAC)** is a neutral third party organization that oversees the porting of telephone numbers for Local Number Portability. The NPAC maintains and communicates LNP-related data including

- Old Service Provider ID (OCN)
- New Service Provider ID (OCN)
- Local Routing Number (LRN)
- Due Dates
- CLASS-DPC
- CLASS-SSN
- LIDB-DPC
- LIDB-SSN
- CNAM-DPC
- CNAM-SSN
- ISVM-DPC
- ISVM-SSN

The BellSouth LNP Gateway must communicate with the NPAC as to whether numbers are porting out or porting in. The messages sent to and from the NPAC are called Subscription Versions (SVs). Subscription Versions are the messages that flow through the NPAC to provide information for routing calls to ported numbers. The SV can only contain one telephone number (TN), which means that one LSR may have many TNs and SVs associated with it.

LSRs for INP

LSRs requesting Interim Number Portability (INP) will not be accepted with due dates by BellSouth after the completion for each phase. If the due date is between ready to port and completion date, the CLEC may request INP or LNP.

1.3 LNP Order Status

Online Order Status Information For Faxed LSR's

CLEC PON Status Reports for faxed LNP LSRs are now available via BellSouth's website at <https://clec.bellsouth.com>. This report is located in the same location as your company's measurement reports. The information can be found as report number 00 (PON Report) on the CLEC reports page.

The report will provide status for all orders tracked into BellSouth's Local Order Number (LON) systems for the most recent 31 days. The report is CLEC specific. This will answer the majority of questions CLECs have about orders that have been submitted.

Each CLEC will be required to have a specific login and password to access these reports. The application for this report is also found on the web. Once the form is completed, it should be sent to the account team for processing.

EDI/TAG POS and CN

Users submitting LSR's through EDI or TAG receive Pending Order Statuses (POS) and Jeopardy Notifications back through the return path for these systems. Completion notification (CN) is sent when all service orders associated with the LSR are complete.

2. LNP Order Process Flows

2.1 High Level LNP Order Process Flow and Narrative




Figure 1 High Level LNP Order Process Flow

Step	Action
1.0 Order Submission:	CLEC sends LNP LSR to BellSouth LCSC via fax, EDI, or TAG.
2.0 Order Validation:	BellSouth validates CLEC LSR for errors, and requests clarification when necessary.

Step	Action
3.0 Order Administration:	BellSouth sends FOC to CLEC if clarification is not needed. CLEC receives FOC and immediately sends Create SV to NPAC. BellSouth then sends Concur SV to NPAC. The CLEC sends the Activate SV to NPAC on the Due Date, porting the number.
4.0 Order Completion:	BellSouth completes the Disconnect order and sends E911 Unlock message to SCC. CLEC sends E911 Migrate message to SCC.

2.2 Detailed LNP Order Process Flow and Narrative




Figure 2 Detailed LNP Order Process Flow

2.2.1 LNP Order Process - Port Out and Port Out with Loop

1.0 Order Submission

1.1

Step	Action
Process Step	CLEC sends LNP LSR to BST LCSC via fax, EDI or TAG
Predecessor	Bell South End User initiates LNP Request with CLEC
Input	End-user CSR; BellSouth Ordering Guide for CLECs; order forms; BellSouth Standard Interval information; BellSouth LNP Ordering Checklist (Section 8.0 of BellSouth LNP Ordering Guide for CLECs)
Output	BellSouth LCSC receives paper copy LSR via fax server OR digital LSR for EDI or TAG orders
Key Interface	Fax; EDI; TAG
Notes	LSR format defined by OBF

2.0 Order Validation

2.1

Step	Action
Process Step	BST LCSC validates LSR
Predecessor	CLEC submission of LSR
Input	CLEC LSR
Output	Validated LSR

Step	Action
Key Interface	BellSouth LNP-Gateway
Notes	CLECs may access pre-order support using a web browser and the LENS interface. Use the Inquiry function to confirm the accuracy of customer record information, address, etc.
Decision Point	
Step	Action
Process Step	Does LSR contain Fatal Error*?
If YES:	Proceed to 2.2 "BST LCSC sends Rejection Notification to CLEC"
If NO:	Proceed to Decision Point "Does LSR fail validation?"
Notes	*Fatal Reject errors include missing required fields, duplicate PON, and invalid entries.
2.2	
Step	Action
Process Step	BST LCSC sends Rejection Notification to CLEC
Predecessor	CLEC LNP LSR contains fatal errors (e.g., missing fields, duplicate PON, invalid entries)
Input	Rejected LSR
Output	Notification of fatal errors sent to CLEC
Key Interface	Fax, EDI, TAG, BellSouth LNP-Gateway
Notes	Fatal reject notices for EDI or TAG orders will be transmitted electronically via EDI or TAG. Fatal reject notices for faxed orders will be transmitted via fax.

Decision Point

Step	Action
Process Step	Does LSR fail validation?
If YES:	Proceed to 2.3 "Clarification Process"
If NO:	Proceed to 3.1 "BellSouth LCSC Sends FOC with Due Date to CLEC"

2.3

See Clarification Process

3.0 Order Administration

3.1

Step	Action
Process Step	BST LCSC Sends FOC with Due Date to CLEC
Predecessor	CLEC LSR passes BellSouth LNP Gateway validation.
Input	Valid LSR
Output	FOC is sent to CLEC via EDI, TAG, or fax; BellSouth LCSC issues 10 digit trigger order if applicable
Key Interface	EDI; TAG; fax; BellSouth LNP Gateway
Notes	"Trigger" may not be applicable for all types of service. See Local Number Portability Rules in section 4.0 for more details.

3.2

Step	Action
Process Step	CLEC receives FOC with Due Date
Predecessor	BellSouth LCSC sends CLEC FOC via fax, EDI, or TAG
Input	Valid LSR with FOC
Output	CLEC receives FOC with Due Date
Key Interface	Fax; EDI; TAG

3.3

Step	Action
Process Step	CLEC sends Create SV to NPAC with Due Date on FOC and Time set to 00:00
Predecessor	FOC received by CLEC
Input	FOC with Due Date sent by BellSouth LCSC
Output	NPAC notifies BellSouth LCSC that CLEC has sent Create SV
Key Interface	NPAC - Service Order Administration (SOA); BellSouth LNP Gateway
Notes	SV - Subscription Version BellSouth will place SVs in Conflict if CLEC sends the Create SV to NPAC prior to CLEC receiving FOC from BellSouth.

3.4

Step	Action
Process Step	BST LCSC sends Concur SV to NPAC with Due Date on FOC and Time set to 00:00
Predecessor	BellSouth receives notification of Create SV from NPAC
Input	Create SV sent by CLEC to NPAC
Output	NPAC notifies CLEC that Concur SV has been sent by BellSouth
Key Interface	NPAC - Service Order Administration (SOA); BellSouth LNP Gateway
Notes	BellSouth LCSC has <u>18 hours</u> after Create SV to send Concur SV to NPAC.
Decision Point	

Step	Action
Process Step	Does CLEC require Change* or Cancel to Original LSR?
If YES:	Proceed to 3.5 "Supplement (SUP) LSR Process"
If NO:	Proceed to 3.6 "CLEC sends Activate SV to NPAC with Due Date on FOC"
Notes	*Change to original LSR includes: Due Date change; Add/Remove TNs

3.5
See Supplement (SUP) LSR Process

3.6

Step	Action
Process Step	CLEC Sends Activate SV to NPAC on Due Date on FOC
Predecessor	BellSouth LCSC sends Concur SV to NPAC
Input	CLEC receives Concur SV from NPAC
Output	NPAC receives Activate SV from CLEC on Due Date on FOC
Key Interface	NPAC - Service Management System (SMS); BellSouth LNP Gateway
Notes	BellSouth is no longer responsible for customer after CLEC sends Activate SV to port the number. Activate SV should be sent for <u>all</u> telephone numbers on the LSR.

4.0 Order Completion

4.1

Step	Action
Process Step	BST LCSC Issues Disconnect Order
Predecessor	CLEC sends Activate SV to port number.
Input	NPAC notification of CLEC Activate SV sent to BellSouth
Output	Disconnect service orders issued by BellSouth LCSC

Step	Action
Key Interface	NPAC - Service Management System (SMS); BellSouth LNP Gateway
Notes	Following this point, questions regarding maintenance & repair should go to the UNE Center. LCSC will not issue disconnect until the Activate SV is received for <u>all</u> telephone numbers on LSR.
4.2	

Step	Action
Process Step	BST sends Unlock Message to SCC for E911
Predecessor	BellSouth completes Disconnect service order
Input	Disconnect service order
Output	SCC receives BellSouth's Unlock message
Key Interface	SCC
Notes	BellSouth will not send the Unlock message to SCC before the Disconnect service order is complete. BellSouth will not send the Unlock message for E911 until Activate SV is received for <u>all</u> telephone numbers on LSR.

4.3

Step	Action
Process Step	CLEC Sends Migrate Message to SCC for E911
Predecessor	BellSouth Unlock message has been received by E911 SCC
Input	BellSouth Unlock message

Step	Action
Output	E911 record locked
Key Interface	SCC
Notes	If CLEC Migrate (Lock) message makes it to SCC before BellSouth's Unlock Message, then the CLEC message goes on an error report. BellSouth will not send Unlock message to SCC until CLEC has sent Activate SVs to NPAC for all telephone numbers on LSR.

3. LNP Clarification and Supplement (SUP) LSR Process Flows

3.1 Detailed LNP Clarification Process Flow and Narrative

Clarifications

Any LSR will be returned to the CLEC for clarification when BellSouth is not able to issue the orders requested due to:

- incomplete information
- incorrect information
- conflicting information

For faxed requests, clarifications will be sent via fax. Clarifications for EDI or TAG orders are sent via EDI or TAG. The CLEC has 10 business days to respond to the request for clarification by submitting a supplemental LSR. (SUP)* If no response is received, the LSR will be canceled on the eleventh day. If canceled by BellSouth, a new LSR (PON) must be submitted.

Note: * SUP LSRs must be sent using the same ordering method as the original LSR (i.e., Fax, EDI, TAG)




Figure 3 Detailed LNP Clarification Process Flow

3.1.1 Clarification Process

2.3.1

Step	Action
Process Step	BST LCSC sends Clarification to CLEC via Fax, EDI, or TAG
Predecessor	LSR falls out of BellSouth LNP-Gateway and requires clarification

Step	Action
Input	LSR rejected by BellSouth LNP-Gateway for clarification
Output	Clarification sent to CLEC via fax, EDI, or TAG
Key Interface	Fax; EDI; TAG
2.3.2	

Step	Action
Process Step	CLEC submits SUP LSR via fax, EDI, or TAG to BST LCSC
Predecessor	LSR falls out of LNP-Gateway and requires clarification
Input	Clarification sent by LCSC via fax, EDI, or TAG to CLEC
Output	SUP LSR sent to LCSC
Key Interface	Fax; EDI; TAG
Notes	SUP must be sent via the same channel (EDI, TAG or fax) as the original LSR.

2.1
Go to "BST LCSC validates LSR"

3.2 Detailed Supplement (SUP) LSR Process Flow and Narrative

Supplement (SUP) LSR

A supplemental change (SUP) LSR will be required if a CLEC:

- has been asked for clarification on an LNP LSR,
- is requesting a Due Date Change,

Issue 1b, October 1999

- would like to cancel an LSR,
- would like to add/remove telephone numbers for porting on LSR.

If a CLEC is changing the original LSR, a SUP LSR must be filed with BellSouth prior to any contact with NPAC.

Note: SUP LSRs must be sent using the same ordering method as the original LSR (i.e., Fax, EDI, TAG)




Figure 4 Detailed Supplement (SUP) LSR Process Flow

3.2.1 Supplement (SUP) LSR Change Process

3.5.1

Step	Action
Process Step	CLEC sends SUP LSR to BST LCSC
Predecessor	Create and Concur SV received by NPAC for original LSR
Input	Original FOC and LSR; SUP LSR
Output	BST LCSC receives SUP LSR via fax, EDI, or TAG

Step	Action
Key Interface	EDI; TAG; Fax
Notes	SUP LSR must be sent to BellSouth LCSC and revised FOC received by CLEC prior to CLEC sending Modify SV to NPAC. CLEC must complete SUP field and VER field on LSR form.

3.5.2

Step	Action
Process Step	BST LCSC validates SUP LSR
Predecessor	CLEC submission of SUP LSR
Input	CLEC SUP LSR
Output	Validated SUP LSR; BellSouth updates internal records with supplemental information on LSR
Key Interface	BellSouth LNP-Gateway

3.5.3

Step	Action
Process Step	
Predecessor	BellSouth receives and validates SUP LSR from CLEC
Input	SUP LSR; original LSR and FOC
Output	BellSouth LCSC updates internal records with new Due Date; new FOC sent to CLEC via fax, EDI, or TAG

Issue 1b, October 1999

Step	Action
Key Interface	BST LNP-Gateway; EDI; TAG; fax
Notes	CLEC must receive FOC prior to sending Modify SV to NPAC Revised Due Date on FOC will be based on the receipt of SUP LSR and the BST Standard Intervals.

3.4

Step	Action
Process Step	CLEC sends Modify, Create or Cancel SV to NPAC
Predecessor	CLEC receives revised FOC with new Due Date
Input	SUP LSR; Revised FOC with new Due Date
Output	NPAC receives Modify, Create, or Cancel SV
Key Interface	NPAC - Service Order Administration (SOA)
Notes	If changing the Due Date on LSR, CLEC sends a Modify SV If removing TNs to port from original LSR, CLEC sends a Cancel SV for each TN. If adding TNs for porting, CLEC sends Create SVs for each new TN on the SUP LSR. If canceling the original LSR, CLEC sends Cancel SV to NPAC.

3.6

Go to "CLEC Sends Activate SV to NPAC on Due Date"

4. Requirements for LNP Ordering

4.1 Requirements for LNP Ordering

A telephone number may port out when all of the following are true:

- NPA NXX is portable.
- telephone number is a working number or end user is paying to reserve the number.
- end user name on the LSR matches the BellSouth customer record.
- end user address on the LSR is in the same Toll Message Rate Center (TMRC) as the address on the BellSouth customer record.
- number is associated with a line type that is portable. (Refer to Local Number Portability Rules - Section 4.2 below to determine if service type is portable and if a trigger order is necessary)

The responsibilities for porting out telephone numbers are described in the following table.

Table B The responsibilities for porting out telephone numbers are described in the following table

Work Group	Responsibilities
CLEC	<ul style="list-style-type: none"> • Send LSR to BellSouth to request number(s) to be ported. • Receives FOC before sending SVs to NPAC. • Provide service to end user. • Notify the NPAC when ready to port the number. • Update E911 information. • Send SUP LSR to change Due Date, Cancel LSR, or modify TN on LSR.
LCSC	<ul style="list-style-type: none"> • Process LSR and FOC for port out requests. • Issue trigger/port out/listing/loop service orders. • Send and receive NPAC messages.
UNE Center	<ul style="list-style-type: none"> • Coordinate port out with loop orders with CLEC as needed. • Complete port out with loop orders as needed. <p>Note: UNE Center is involved in provisioning only if loop is requested.</p>

4.2 Local Number Portability Rules

The following table may be used to determine if the service type is portable and if a trigger order is required. The existing service or line type is for reference only because the service is not portable. Only the number is ported.

Table C Local Number Portability Rules

Service / Line Type	Portable - w/ LRN	Trigger	Notes
AdWatch	Y	N	The number will no longer work for AdWatch once it is Ported.
Choke Codes	N		Does not involve LRN

Table C Local Number Portability Rules (continued)

Service / Line Type	Portable - w/ LRN	Trigger	Notes
Denied for Non-Pay	Y	N	
DID (Block of 20)	Y	N	To Port a portion of a range will require special assembly.
ESSX 7 MultiServ	Y	Y	If lines are in a hunting arrangement, see hunting Lines below.
FX / FCO	Y	Y	The number can be ported within the same Toll Message Rate Center (TMRC). The BST designed circuit will be disconnected and the new service provider must establish the service.
Hunting Lines	Y	Y	If not all of the numbers in the hunt group are porting, the numbers porting must be removed from the hunt group the day before the port due date. CLEC can determine Frame Due Time or use BST default of 9:00 PM day before Port.
ISDN	Y	Y	
N11	N		
Out dial trunks	Y	N	
Party Line	Y	N	The number may be ported without loop. The BST service must be disconnected
Remote Call Forwarding / Interim Number Portability	Y	N	
Reserved numbers	Y	N	Only numbers reserved with chargeable USOCs may be ported
RingMaster	Y	N	
Sub-Let	Y	Y	
Surrogate Client Number	Y	N	
Suspend for season	Y	N	
Uniserve	N		

- continued -

Table C Local Number Portability Rules (continued)

Service / Line Type	Portable - w/ LRN	Trigger	Notes
Warm Line	N		
ZipCONNECT	N		

4.3 Required Forms

Required Forms for Port Out

The CLEC submits the following forms to the LCSC to request telephone numbers to Port Out:

- Local Service Request (LSR)
- End User (EU)
- Number Portability (NP) or Loop Service with Number Portability (LSNP)

Conditional Forms for Porting Out

- Directory Listing Request (DLR)

If listings are required, the Directory Listing Request (DLR) will be needed unless the ACT code is **W**. The **W** ACT code is a switch as is for listings and directory delivery requirements. This activity code is only valid when porting out all numbers on an account. Without a **W** ACT code on a full port, all listings are deleted unless the CLEC submits a DLR.

LNP Order Form Matrix

Table D LNP Order Form Matrix

When Ordering:	These Forms Are:				
	LSR	EU	NP	LSNP	DLR
Number Portability	R	R	R	P	C*
Loop Service with Number Portability	R	R	P	R	C*

Form Names:	Form Requirements:
LSR = Local Service Request Form	R=Required
EU = End User Form	P=Prohibited
NP = Number Portability Form	C=Conditional

- continued -

LSNP = Loop Service with Number Portability Form	O=Optional
DLR = Directory Listing Request Form	

* If all the telephone numbers for the Account are converting (Full Migration) and no change is being made to the listing, the DLR is not required. (This requires an ACT code of W.) However, if only a portion of the lines on the account are converting (Partial Migration), the DLR should be submitted to request listings. A DLR is **not required** when associated with LNP (Local Number Portability), even for partial migration. However, directory listings or directory delivery will not be established without a DLR.

Required Forms for SUPs

A supplemental change (SUP) LSR will be required if a CLEC:

- has been asked for clarification on an LNP LSR,
- is requesting a Due Date Change,
- would like to cancel an LSR,
- would like to add/remove telephone numbers for porting on LSR.

Use the **LNP Order Matrix Form** above to determine which order forms must be used.

A supplemental change LSR (SUP) should contain complete information and will supersede the original LSR. The SUP must reflect the same PON and CC from the original request. It must also have a higher version number in the VER field. The SUP field must be populated with:

- (1) to Cancel. (Prohibited if CLEC has sent Activate SV to NPAC for any numbers on the LSR)
- (2) for Desired Due Date changes. The new date is specified in the DDD field. If the request is to establish a due date less than the standard interval (from the date the SUP is sent), the EXP field must also be populated.
- (3) for other types of changes. This includes adding or removing porting numbers. Also includes requests for a change in desired due date in conjunction with other changes to a pending order. The standard interval should be used to establish a new due date when adding or removing ported numbers.

EDI, TAG and Fax requests may not be combined for the same PON. If an LSR is submitted via:

- EDI all SUPs for the PON must be sent through EDI.
- Fax all SUPs for the PON must be faxed.
- TAG all SUPs for the PON must be sent through TAG.

4.4 Minimum Required Fields for Faxed LNP Orders

Minimal Required Fields on the Faxed LSR for LNP

Please review the notes for each field, as they may highlight common errors on LNP LSRs. The fields below are those required for LNP orders. They may be required, conditional, or optional for other types of orders.

4.4.1 LSR Minimal Required Fields for Faxed Orders (LNP Port-out With or Without Loop)

Table E LSR Minimal Required Fields for Faxed Orders (LNP Port-out With or Without Loop)

Field Abbreviation	Field Name	Explanation
CCNA	Customer Carrier Name Abbreviation	Refer to CLEC Order Guide 9.1.2.1 Note: Required for orders with loop.
PON	Purchase Order Number	Refer to CLEC Ordering Guide 9.1.2.2 Note: Every new request requires a unique PON number. Note: When issuing a SUP, the same PON number on the original LSR should be used; however, the (VER) must be different.
VER	Version Identification	Refer to CLEC Ordering Guide 9.1.2.3 Note: This field is conditional. When submitting a supplement (SUP) LSR, the CLEC must populate this field to uniquely distinguish this LSR from any other version. Note: If VER is entered, CLEC must also complete SUP field.
SC	Service Center	Refer to CLEC Ordering Guide 9.1.2.7
PG_OF__	Page number / Total pages	Refer to CLEC Ordering Guide 9.1.2.8
D / TSENT	Date and Time Sent	Refer to CLEC Ordering Guide 9.1.2.9

- continued -

Table E LSR Minimal Required Fields for Faxed Orders (LNP Port-out With or Without Loop) (continued)

Field Abbreviation	Field Name	Explanation
DDD	Desired Due Date	Refer to CLEC ordering guide 9.1.2.10 Note: Reference BST Standard Intervals for LNP when completing this field.
DFDT	Desired Frame Due Time	Refer to CLEC Ordering guide 9.1.2.14
REQTYP	Requisition Type and Status	Refer to CLEC Ordering Guide 9.1.2.17 Note: LNP with loop, will always be BB. LNP without loop, will always be CB
ACT	Activity	Refer to CLEC Ordering Guide 9.1.2.18. Note: Will be V to indicate conversion to another local service provider or C for INP to LNP conversion or W for Conversion Listing as Is (LNP Full Migrations Only)
SUP	Supplement Type	Refer to CLEC Ordering Guide 9.1.2.19 Note: This field is conditional. When submitting a supplement (SUP) LSR, this field must be populated.
CC	Company Code	Refer to CLEC Ordering Guide 9.1.2.23 Note: This code must be the code used for the NPAC and for CLEC Q-accounts. The CC is also known as the four digit OPERATING COMPANY NUMBER (OCN)
ACTL	Access Customer Terminal Location	Refer to CLEC Ordering Guide 9.1.2.30 Note: Required for orders with designed loop.
LSO	Local Service Office	Refer to CLEC Ordering Guide 9.1.2.34 Note: Required for loop orders or when a directory listing is requested on the end user telephone number which is from a CLEC assigned NPA NXX.

- continued -

Table E LSR Minimal Required Fields for Faxed Orders (LNP Port-out With or Without Loop) (continued)

Field Abbreviation	Field Name	Explanation
TOS	Type of Service	Refer to CLEC Ordering Guide 9.1.2.35 Note: Identifies type of service (business, residential, or government) for the existing account which is porting out. Note: Be sure to use D as the second character for Complex service.
NC	Network Channel	Refer to CLEC Ordering Guide 9.1.2.37 Note: Required for loop orders.
NCI	Network Channel Interface	Refer to CLEC Ordering Guide 9.1.2.38 Note: Required for designed loop orders.
SECNCI	Secondary Network Channel Interface	Refer to CLEC Ordering Guide 9.1.2.40 Note: Required for designed loop orders.
CIC	Carrier Identification Code	Refer to CLEC Ordering Guide 9.1.2.48
CUST	Customer Name	Refer to CLEC Ordering Guide 9.1.2.49
BAN1	Billing Account Number 1	Refer to CLEC Ordering Guide 9.1.2.51
ACNA	Access Customer Name Abbreviation	Refer to CLEC Ordering Guide 9.1.2.54 Note: Required for orders with loop.
TE	Tax Exemption	Generated by BST
INIT	Initiator Identification	Refer to CLEC Ordering Guide 9.1.2.69
TEL NO (INIT)	Telephone Number	Refer to CLEC Ordering Guide 9.1.2.70
FAX NO	Initiator Fax Number	Refer to CLEC Ordering Guide 9.1.2.72 Note: Required to send FOC via fax
STREET	Initiator Street Address	Refer to CLEC Ordering Guide 9.1.2.73
CITY	City	Refer to CLEC Ordering Guide 9.1.2.76

- continued -

Table E LSR Minimal Required Fields for Faxed Orders (LNP Port-out With or Without Loop) (continued)

Field Abbreviation	Field Name	Explanation
STATE	State	Refer to CLEC Ordering Guide 9.1.2.77
ZIPCODE	Zip Code	Refer to CLEC Ordering Guide 9.1.2.78
MPCON	Implementation Contact	Refer to CLEC Ordering Guide 9.1.2.79 Note: : Required for orders with loop and for ACT of V (indicates conversion to another local service provider)
TEL NO	Telephone Number	Refer to CLEC Ordering Guide 9.1.2.80 Note: Required for orders with loop and for ACT of V (indicates conversion to another local service provider)
DRC	Design Routing Code	Refer to CLEC Ordering Guide 9.1.2.86 Note: Required on orders with non-designed loop when requesting a Loop Make-up.

Critical Fields on LSR

There are certain critical fields on the LSR that cannot be changed once the LSR has been validated. If these fields are to be changed, the first LSR must be canceled and a new LSR issued on a different PON. The critical fields are:

- PON
- CC
- ATN
- AN
- EATN
- EAN
- ACT
- NPT

4.4.2 Faxed End User Information Form Fields

Please review the notes for each field, as they may highlight common errors on LNP LSRs. The fields below are those required for LNP orders. They may be required, conditional, or optional for other types of orders

Table F Minimal Required Fields for Faxed End User Form

Field Abbreviations	Field Name	Explanation
PON	Purchase Order Number	Refer to CLEC Ordering Guide 9.2.2.1 Note: This entry must be identical to the PON entry on the LSR form.
VER	Version Identification	Refer to CLEC Ordering Guide 9.2.2.2 Note: This field is conditional. When submitting a supplement (SUP) LSR, this entry must be identical to VER entry on the SUP LSR.
PG_OF__	Page Number / Total Pages	Refer to CLEC Ordering Guide 9.2.2.6
NAME	End User Name	Refer to CLEC Ordering Guide 9.2.3.1
SANO*	Service Address House Number	Refer to CLEC Ordering Guide 9.2.3.4
SASN	Service Address Street Name	Refer to CLEC Ordering Guide 9.2.3.7
CITY	City	Refer to CLEC Ordering Guide 9.2.3.14
STATE	State / Province	Refer to CLEC Ordering Guide 9.2.3.15
ZIP CODE	Zip Code	Refer to CLEC Ordering Guide 9.2.3.16

Note: Depending on the address associated with the order, conditional address fields may be required to provide a complete and valid end user location.

Note: The CLEC must advise BellSouth how to handle additional telephone numbers on the end user account. The additional telephone numbers may be associated with features such as:

- Ringmaster
- Surrogate Client MemoryCall
- Flexible Call Forwarding Dial Around (FCPAN)

If these telephone numbers are not porting, use the disconnect section on the End User Form to detail this information.

4.4.3 Faxed Number Portability Form Fields

Faxed Number Portability Form Fields

Note: The PS Form must always be associated with the Local Service Request (LSR) and End User (EU) forms. Please review the notes for each field, as they may highlight common errors on LNP LSRs. The fields below are those required for LNP orders. They may be required, conditional, or optional for other types of orders.

Table G Minimal Required Fields for the Faxed Number Portability Form

Field Abbreviation	Field Name	Explanation
PON	Purchase Order Number	Refer to CLEC Ordering Guide 9.8.2.1 Note: This entry must be identical to the PON entry on the LSR form.
VER	Version Identification	Refer to CLEC Ordering Guide 9.8.2.2 Note: This field is conditional. When submitting a supplement (SUP) LSR, this entry must be identical to VER entry on the SUP LSR.
NPQTY	Number Portability Quantity	Refer to CLEC Ordering Guide 9.8.2.5
PG_OF__	Page Number / Total Pages	Refer to CLEC Ordering Guide 9.8.2.6
REF NUM	Reference Number	Refer to CLEC Ordering Guide 9.8.3.1 Note: REF NUMs must be unique on each form associated with the LSR. REF NUMs may not be duplicated and are associated with porting numbers, disconnecting numbers, and directory listings.

- continued -

**Table G Minimal Required Fields for the Faxed Number Portability Form
(continued)**

Field Abbreviation	Field Name	Explanation
LNA	Line Activity	Refer to CLEC Ordering Guide 9.8.3.3 Note: V= conversion of service to new LSP C= change existing account (e.g. INP to LNP)
PORTED #	Ported Telephone Number	Refer to CLEC Ordering Guide 9.8.3.7
NPT	Number Portability Type	Refer to CLEC Ordering Guide 9.8.3.10 Note: D= Local Number Portability

4.4.4 Faxed Loop Service with Number Portability Form Fields

Faxed Loop Service with Number Portability Form Fields

Note: The LSNP form must always be associated with the Local Service Request (LSR) and End User (EU) forms. Please review the notes for each field, as they may highlight common errors on LNP LSRs. The fields below are those required for LNP orders. They may be required, conditional, or optional for other types of orders.

Table H Minimal Required Fields for Faxed Loop Service with Number Portability Form

Field	Abbreviation Field	Name Explanation
PON	Purchase Order Number	Refer to CLEC Ordering Guide 9.10.2.1 Note: This entry must be identical to the PON entry on the LSR form.
VER	Version Identification	Refer to CLEC Ordering Guide 9.10.2.2 Note: This field is conditional. When submitting a supplement (SUP) LSR, this entry must be identical to VER entry on the SUP LSR.
LQTY	Loop Quantity	Refer to CLEC Ordering Guide 9.10.2.5
PG_OF__	Page Number / Total Pages	Refer to CLEC Ordering Guide 9.10.2.6

- continued -

Table H Minimal Required Fields for Faxed Loop Service with Number Portability Form (continued)

Field	Abbreviation Field	Name Explanation
REF NUM	Reference Number	Refer to CLEC Ordering Guide 9.10.3.1 Note: For LNP, REF NUMs must be unique on each form associated with the LSR. REF NUMs may not be duplicated and are associated with porting numbers, disconnecting numbers, and directory listings.
LNA	Line Activity	Refer to CLEC Ordering Guide 9.10.3.3 Note: V= conversion of service to new LSP
SYSTEM ID	System Identification	Refer to CLEC Ordering Guide 9.10.3.8
CABLE ID	Cable Identification	Refer to CLEC Ordering Guide 9.10.3.11 Note: Required for port-out with loop orders. Note: Note: In some wire centers, CFA (Connecting Facility Assignment) may be used instead of cable ID and chain/pair. Refer to CLEC Ordering Guide 9.10.3.9
SHELF		Refer to CLEC Ordering Guide 9.10.3.12
SLOT		Refer to CLEC Ordering Guide 9.10.3.13
RELAY RACK		Refer to CLEC Ordering Guide 9.10.3.14

- continued -

Table H Minimal Required Fields for Faxed Loop Service with Number Portability Form (continued)

Field	Abbreviation Field	Name Explanation
CHAN / PAIR	Channel / Pair	Refer to CLEC Ordering Guide 9.10.3.15 Note: Identifies the customer's system to be used in a collocation arrangement. Required when the customer has assignment control in a collocation arrangement, otherwise prohibited. Note: Required for port-out with loop orders. In some wire centers, CFA (Connecting Facility Assignment) may be used instead of cable ID and chain/pair. Refer to CLEC Ordering Guide 9.10.3.9
PORTED #	Ported Telephone Number	Refer to CLEC Ordering Guide 9.10.3.23
NPT	Number Portability Type	Refer to CLEC Ordering Guide 9.10.3.26 Note: D= Local Number Portability

4.5 Complex LNP Orders

Definition of Complex Services

The Local Number Portability (LNP) request is classified as complex if the number(s) being ported out is working on a complex class of service. Requests to port out telephone numbers working on the following types of service are considered complex:

- ESSEX / MultiServ
- Primary Rate ISDN
- Basic Rate ISDN
- Channelized Megalink
- PBX - DID, Inward/Outward/Combination trunks
- Pathlink

4.6 Faxed Loop Service with Number Portability Fields

Faxed Loop Service with Number Portability Fields

Note: The LSNP form must always be associated with the Local Service Request (LSR) and End User (EU) forms. Please review the notes for each field, as they may highlight common errors on LNP LSRs. The fields below are those required for LNP orders. They may be required, conditional, or optional for other types of orders.

Field	Abbreviation Field	Name Explanation
PON	Purchase Order Number	Refer to CLEC Ordering Guide 9.10.2.1 Note: This entry must be identical to the PON entry on the LSR form.
VER	Version Identification	Refer to CLEC Ordering Guide 9.10.2.2 Note: This field is conditional. When submitting a supplement (SUP) LSR, this entry must be identical to VER entry on the SUP LSR.
LQTY	Loop Quantity	Refer to CLEC Ordering Guide 9.10.2.5
PG_OF_	Page Number/Total Pages	Refer to CLEC Ordering Guide 9.10.2.6
REF NUM	Reference Number	Refer to CLEC Ordering Guide 9.10.3.1 Note: For LNP, REF Num's must be unique on each form associated with porting numbers, and directory listings.
LNA	Line Activity	Refer to CLEC Ordering Guide 9.10.3.3 Note: V= conversion of service to new LSP N= new loop
System ID	System Identification	Refer to CLEC Ordering Guide 9.10.3.8

4.7 Project Managed LNP Orders and Standard Intervals

Note: For information on project management and due date intervals, refer to BellSouth Products and Services Interval Guide Interconnection Services @ http://interconnection.bellsouth.com/guides/guides_html

5. Critical Success Factors for LNP Ordering

5.1 Pre-Order Information

1. CLEC can proactively check the following points in the LSR before submitting via fax, EDI, or TAG.
 - a. Customer address is RSAG valid and within the rate center;
 - b. NPA-NXX is marked portable in the LERG;
 - c. TNs on LSR match TNs on end user account;
 - d. Due Date intervals are based on BellSouth Standard Intervals.
2. CLEC must have a Q-account for each OCN registered with NPAC and stated on LSR. All new OCNs registered with NPAC should be updated with BellSouth and a Q-account should be established.
3. CLEC should use correct OCN. OCN used at NPAC must match OCN used in CC field on CSR and OCN for Q account in BAN field.
4. CLEC must obtain end-user authorization to request LNP before submitting LNP LSR.

5.2 LSR Order Forms for LNP

1. CLEC should complete all required fields. Refer to Section 4.2, Minimum Required Fields, in this Guide.
2. CLEC should provide previously unassigned PON on LSR.
3. If CLEC is porting on any day other than the Due Date stated on the FOC, the CLEC should send BellSouth a SUP LSR prior to the Due Date stated on the LSR. BellSouth will then send a revised FOC with the new due date to the CLEC.
4. Per the BellSouth Ordering Guide for CLECs, a REF NUM may not be duplicated on an individual PON. **REF NUMs are associated with:**
 - porting numbers
 - disconnecting numbers
 - directory listings

Example: If a REF NUM is used on the Directory Listing Request form, it may not be repeated on the Number Portability/Loop form or the End User Disconnect form.

- PONs containing duplicate REF NUMs are placed in clarification.
5. The CLEC must advise BellSouth how to handle additional telephone numbers on the end user account. The additional telephone numbers may be associated with features such as:
 - Ringmaster
 - Surrogate Client MemoryCall
 - Flexible Call Forwarding Dial Around

If these telephone numbers are not porting, use the disconnect section on the End User Form to detail this information.

6. For all LNP orders, the LSR must provide the initiator's fax number in the FAX NO field, even for EDI or TAG LSRs.
7. CLEC should provide accurate cable & pair information for loop orders to avoid provisioning delays.
8. An LSR must contain numbers on one CSR. An LSR must be sent for each CSR..

5.3 Supplemental LSRs

1. If CLEC intends to port on any day other than the Due Date stated on the FOC, the CLEC should send BellSouth a SUP LSR prior to the due date originally stated on the FOC.
2. A supplemental change LSR (SUP) must reflect the same PON, CC, ATN, AN, EATN, EAN, ACT, and NPT as the original request.
3. SUP must also have a higher VER number and SUP field entry complete
4. EDI/TAG vs. FAX: EDI or TAG and Fax requests may not be combined for the same PON. If an LSR is submitted via:
 - EDI all SUPs for the PON must be sent through EDI.
 - TAG all SUPs for the PON must be sent through TAG.
 - Fax all SUPs for the PON must be faxed.

Example: The original LSR is sent via EDI and then placed in clarification by the LCSC. CLEC must send a SUP through EDI to change or cancel the request.

5.4 Clarifications

1. The CLEC has 10 business days to respond to the request for clarification by submitting a supplemental LSR.
2. If no response is received by BellSouth LCSC within 10 business days, the LSR will be canceled on the eleventh business day.
3. If original LSR is canceled by BellSouth, a new LSR with new PON must be submitted.
4. CLEC should not send Create SV to NPAC until an FOC has been received.
5. BellSouth will place SVs in Conflict if CLEC sends Create before FOC is received.

5.5 Standard Intervals

1. CLEC should review BellSouth Standard Interval Guide prior to submitting LSR.
2. The minimum Due Date for port-out is five business days after the FOC receipt date. The first TN ported in an NPA-NXX is no earlier than five business days after FOC receipt date.

5.6 NPAC Communication

1. CLEC must receive FOC from BellSouth prior to sending any NPAC SV messages (Create or Modify).
2. The CLEC should send the Create SV immediately upon receipt of FOC.
3. The Due Date on the Create SV sent to NPAC by the CLEC must match Due Date on FOC sent by BellSouth
4. The Due Time on the Create SV must be set to 00:00.
5. CLEC should send Activate SV to NPAC on FOC due date.
6. BellSouth LCSC does not issue the Disconnect service order until notification of CLEC Activate SV is received from NPAC for all TNs on the LSR. This is done to avoid disruption to end-user service.
7. For any change in the Due Date to port numbers, to cancel port, or to add/remove telephone numbers, a SUP LSR must be sent to BellSouth LCSC and CLEC must receive revised FOC prior to sending a Modify message to NPAC.

5.7 E911 Lock Down

1. CLEC must send Activate SV to NPAC before BellSouth LCSC will issue the Disconnect.
2. BellSouth will not send the Unlock Message until Disconnect service order is complete.
3. If CLEC Migrate message reaches SCC before BellSouth's Unlock Message, the CLEC Migrate message will be shown on an error report which is sent to CLECs daily. CLEC must be sure they have sent Activate SVs to NPAC for all TNs which appear on error reports from SCC. (Refer to Section 7.2 of this guide for more details)
4. CLEC and BellSouth should send Migrate and Unlock messages to SCC with the same due date as the Activate SV to NPAC.

6. System Interfaces

6.1 Interface Options for Order Submission

Ordering Options for LSRs

The CLEC must send the Local Service Request (LSRs) for Local Number Portability or Loop Service with Number Portability to the BellSouth LCSC for processing. The request may be faxed or sent electronically through Electronic Data Interchange (EDI) or Telecommunication Access Gateway (TAG).

If the LSR is received electronically, the FOC is sent to the CLEC automatically through EDI or TAG. The CLEC also receives completion notices through EDI or TAG once the service orders are complete. EDI, TAG and Fax requests may not be combined on the same PON. If an LSR is originally submitted via EDI, then all SUPS for this PON must be sent through EDI.

For further information on EDI, refer to **BellSouth Ordering Guide for CLECs**, Section 6.2.1 on Electronic Data Interchange. (EDI)

6.2 System Interface Descriptions

Local Exchange Navigational System (LENS)

Step	Action
Description	Front-end GUI application which provides pre-ordering support for LNP orders using the Inquiry function.
Inputs	Customer address, customer information
Outputs	RSAG Address Validation Service availability for a particular NPA NXX Customer record information
Notes	LNP LSRs <u>can</u> not be submitted via LENS.

PON Order Status via the Web

Step	Action
Description	Supports on-line viewing of faxed LSR order status.
Inputs	Faxed LSRs
Outputs	CLEC-specific LSR status by PON
Notes	For faxed LSRs
Fax	

Step	Action
Description	Supports the transmission of manual CLEC orders.
Inputs	Paper LSR
Outputs	Clarifications; FOCs
Notes	Clarifications and FOCs for faxed LSRs are sent via fax. SUP LSRs for faxed LSRs must be submitted via fax. EDI, TAG and faxed requests may not be combined on the same PON.

Issue 1b, October 1999

Electronic Data Interchange (EDI)

Step	Action
Description	Supports the CLEC transmission of orders to BellSouth, and the acknowledgment of receipt of orders to CLEC by BellSouth.
Inputs	Digital LSR
Outputs	Clarifications; Rejects, FOCs, Pending Order Statuses, Completion Notices

Telecommunications Access Gateway (TAG)

Step	Action
Description	Supports the CLEC transmission of orders to BellSouth, and the acknowledgment of receipt of orders to CLEC by BellSouth. CLEC has access to ordering and pre-ordering functionality via TAG.
Inputs	Digital LSR
Outputs	Clarifications; Rejects, FOCs, Pending Order Statuses, Completion Notices

BellSouth LNP Gateway

Step	Action
Description	Supports both internal and external communications with various interfaces and processes, including NPAC (SOA & SMS), EDI, and TAG.
Inputs	· LNP LSRs, NPAC messages, EDI and TAG orders
Outputs	Rejects; Clarifications; FOCs NPAC concurrence messages Service orders to provisioning
NPAC	

Step	Action
Description	NPAC is the third party organization that oversees the porting of telephone numbers for Local Number Portability.
Inputs	CLEC and BellSouth subscription versions.
Outputs	CLEC and BellSouth subscription versions.
Note:	Interface descriptions are specific to LNP orders only.

7. Frequently Asked Questions

7.1 General

1. 1. What should be done if it is determined that some numbers sent on an LSR are not to be ported?
A sup should be sent immediately to delete the telephone numbers from the NP or LSNP form if they are not porting. The account will not be disconnected until all telephone numbers on the NP or LSNP form have been ported.
2. 2. How is a CLEC LSR validated?
The validation process includes the following steps to ensure that the requested number(s) may be ported out.

Step	Action
1	Are the porting number(s) on the LSR working number(s) on the CSR (or customer is paying to reserve the numbers)? If yes, go to step 2. If no, go to step 7.
2	Does the end user name on the LSR match the listed name and/or billing name on the CSR? If yes, go to step 3. If no, go to step 7.
3	Are the telephone number(s) on the LSR associated with a line type that is portable? Refer to Local Number Portability Rules (Section 4.2 of this guide). If yes, go to step 4. If no, go to step 7.
4	Does the service address information on the LSR match the LA or SA on the CSR? If yes, go to step 6. If no, go to step 5. Note: If the line type on the existing end user service is FX/FCO, go to step 5.
5	Is the Toll Message Rate Center (TMRC) for the porting number(s) shown on the LSR the same as the TMRC for the address shown on the LSR? If yes, go to step 6. If no, go to step 7.
6	Is LNP available for the NPA NXX at this time? If yes, go to step 8. If no, go to step 7.
7	Send CLEC Clarification request and wait for receipt of SUP LSR.
8	Proceed with Service Order Issuance Process.

3. What CLEC actions would cause an LNP request to fall out of the order process at Bell-South?

Some reasons for an LSR to fall out of the order process are:

- CLEC sent a create SV before receiving an FOC. BellSouth will put SV in Conflict with NPAC

- CLEC sent a create on the wrong TN
- CLEC sent create with due date different than FOC due date
- CLEC sent create with time other than 00:00
- CLEC ported number before or after Due Date on the FOC

If the CLEC LSR has fallen out of the order process, BellSouth will not be able to automatically send Concur SV to the CLEC Create SV.

- 4. What CLEC actions should be taken if the end user is continuing to receive a bill from BST after the account is ported out?
- CLEC should verify that the activate SV has been sent on all telephone numbers provided on the LSR. If yes, refer the account to the LCSC for investigation. If no, send the activate SV to the NPAC.

7.2 Ordering Options

1. In what form should a CLEC expect to receive an FOC, Clarification, or Reject response?
 - If an order was sent via EDI, the response will be sent via EDI.
 - If an order was sent via TAG, the response will be sent via TAG
 - If an order was sent via fax, the response will be sent via fax.

2. Why can't the status of an LSR submitted via EDI be viewed in the PON Status Reports which are available on-line?

The PON Status Reports are for orders which were submitted via fax. Status for orders submitted via EDI/TAG are received via EDI/TAG.

7.3 LSR Error Notices

1. What types of errors would require clarification?

Some examples of errors for which BellSouth will request clarification:

- Some numbers on an account are being ported, but information/instruction has not been provided on ALL numbers listed on the account (i.e., Ringmaster; Surrogate Client MemoryCall; Flexible Call Forwarding Dial Around (FCPAN))
- REF NUM are duplicated on the LSR
- LSR does not contain the minimum required fields
- Duplicate PON
- Data was entered into a prohibited field
- Busy cable & pair
- Incorrect address
- End user & central office are not in same wire center (may be wrong ACTL)
- Invalid ACT
- Invalid Q-account

- TN listed is not a working BellSouth TN
 - Listing 2 numbers to port from two different CSRs on one LSR
2. Why would the CLEC receive error reports from SCC, Manager of the E911 database?
If the CLEC sends the Migrate message to the SCC to lock E911 prior to SCC receiving BellSouth's Unlock message, the CLEC Migrate message will be placed on an error report (755) which is distributed daily to CLECs from SCC. SCC will mechanically process the Migrate/Unlock record match for 7 days for all 755 error messages. After 7 days the record will move to a 760 error file. SCC will manually continue to look for the record match there. CLEC should be sure that the Activate SV has been sent to NPAC for the Migrate messages which appear on the 755 or 760 error reports.

7.4 Due Dates

1. What are the key steps to changing the Due Date for a previously submitted LNP LSR?
The most important part of a Due Date change is submitting a SUP LSR to the BellSouth LCSC and receipt of a revised FOC prior to sending the Modify SV to NPAC. If the Modify SV is sent to NPAC prior to receipt of the revised FOC from BellSouth, the LSR will fall out of the order process at BellSouth. Due Date changes should be requested prior to the due date and not later than the due date originally stated.
2. Why does the FOC have a Due Date which is different than the Desired Due Date?
If the Desired Due Date on the original LSR did not adhere to BellSouth Standard Intervals for LNP orders, then the Due Date on the FOC would reflect the appropriate interval. Refer to BellSouth Standard Interval Guide for more details.
3. Why does the CLEC have to send the Activate SV on the Due Date?
If the CLEC sends the Activate SV before or after the Due Date on the FOC, end user service could be impacted.

7.5 NPAC Communication

1. What does it mean when a CLEC receives an SV with Authorization set to NO (Conflict) from NPAC?
This SV indicates that the CLEC sent a Create SV to NPAC prior to receipt of an FOC for the TN. CLEC should check for receipt of an FOC for the TN.
2. Why can't the CLEC send the Create SV to NPAC prior to receiving an FOC from BellSouth?
If the CLEC sends the Create SV to NPAC prior to receiving an FOC from BellSouth, BellSouth will send SV with Authorization set to NO (Conflict) to NPAC. CLEC should follow industry flow for successful porting.
3. How does CLEC know BellSouth is ready to port number?
CLEC should complete the following steps at least the day before the due date:
- verify FOC was received
 - verify FOC due date
 - verify SV is Pending with Concurrence for all TNs on LSR

- verify SV due date is same as FOC due date for all TNs on LSR
4. What happens if the NPAC telephone number disconnect option is used after sending the activate (number ported) message?
The telephone number and not the end user is returned to BellSouth. The CLEC must arrange to provide service for the end user because upon receipt of the Activate SV, BST will proceed with the disconnect order.

8. LNP Ordering Checklist

8.1 LNP Ordering Checklist

1. **Pre- Submission: The LSR Form for LNP**

Has the pre-order information been validated? CLECs may access pre-order support using a web browser and the LENS interface. Use the Inquiry function to confirm the accuracy of the following information:

- TNs on LSR match TNs on CSR
 - LSR address is RSAG valid
2. Have you included/checked the following items:
- Previously unassigned PON on LSR
 - Unique REF NUMs on all associated forms for LSR
 - Minimum required fields are complete
3. Is there a Q-account for each OCN registered at the NPAC and stated on the LSR in the CC field?
4. Were BellSouth Standard Due Date Intervals followed when assigning the Desired Due Date? (Refer to BellSouth Products and Services Interval Guide.)
5. **NPAC Communication**
Do not send NPAC messages (e.g., Create or Modify) prior to receipt of FOC. (For original LSR or SUP LSR)
6. The Create SV should be sent immediately upon receipt of FOC by the CLEC for all TNs on the LSR.
7. Does the Due Date on Create message must match Due Date on FOC sent by BST?
8. For any change in the Due Date to port numbers, a SUP LSR must be sent to BellSouth LCSC prior to sending a Modify message to NPAC. Any other changes, such as Cancellations, also require a SUP LSR.
9. Does the Due Time have setting of 00:00?
10. **E911 Lockdown**

The Migrate message to lock records at an E911 SCC should be sent after the Activate message is sent to NPAC.

Note: This list is not all inclusive, but highlights the actions which would most contribute to the submission of a valid LSR.

9. Glossary of LNP Terms

9.1 Glossary of LNP Terms

Advanced Intelligent Network (AIN)	Evolving, service-independent network architecture that provides important new capabilities for rapid creation of customized telecommunications services. AIN offers one way for a network element to query a central database to obtain local number portability routing information.
BST	Acronym used to indicate BellSouth.
Central Office (CO)	An environmentally controlled space in which a telecommunications network switching system and other associated operating systems are installed.
Central Office Exchange (CENTREX)	A telephone service offered by LSPs that provides the end-user with advanced features and services from the LSPs EO
Clarification	Requested by BellSouth LCSC when an CLEC LSR contains incomplete or inaccurate information which requires further documentation from the CLEC to allow order processing to continue.
Competitive Local Exchange Carrier (CLEC)	A new entrant into a market where there is already an incumbent LEC (ILEC) providing local phone service.
Conflict	An SV status which indicates that an error has occurred in the ordering process which will require further CLEC action for BellSouth to resume order processing. For example, BST will place SV in conflict if CLEC sends a Create SV before an FOC has been issued.
Directory Number (DN)	An end-user's telephone number, also known as a TN. In its most restrictive definition, an end-user number which is listed in a directory or with directory assistance.
Donor Switch	Switch/Office/Exchange Refers to the local switch from which an end-user was served, prior to changing SPs.

End Office (EO)	A switching system used to provide local service for a local telephone company; also known as a central office. End offices are typically equipped with both line and trunk terminations.
Fall-Out	Human eyes are needed to review the order, e.g. with a partial migration.
Fatal Reject	A type of error which suggests that the minimal requirements of an LSR were not fulfilled. For example, a missing required field or a duplicate PON. A Fatal Reject will not allow the CLEC order to be processed further by the BellSouth LCSC.
Federal Communications Commission (FCC)	Congressionally credited governmental agency with the responsibility to direct the U.S. national and international telecommunications regulatory environment.
Firm Order Confirmation (FOC)	Verification/acknowledgment from one SP to another of receipt of a valid Local Service Request (LSR)
Incumbent Local Exchange Carrier (ILEC)	Typically, the RBOC or independent who services local end-users (prior to a market opening up to local competition)
Intelligent Network (IN)	Hardware and software platform used to provide enhanced voice, video and data services. IN offers one way for a network element to query a central database to obtain local number portability routing information.
Inter-Exchange Carrier (IXC)	A carrier that provides connections between LATAs, between serving areas, and between LATAs and serving areas where the calling or called end-user is located in the United States.
Interim Number Portability (INP)	A temporary solution for porting telephone numbers that routes calls to the CLEC wire center using: <ul style="list-style-type: none">• Remote Call Forwarding (RCF)• Direct Inward Dialing (DID)• Route Index Hubbing (RTI)
Local Exchange Carrier (LEC)	A company that provides local telephone service. LECs also include independent local telephone companies.

Local Exchange Routing Guide (LERG)	Bellcore administered Network Routing and V&H Coordinate information for U.S. Telecommunications Industry and others.
Local Number Portability (LNP)	Provides end users with the ability to retain their numbers when they change their local service provider.
Local Number Portability Gateway (LNP GW)	<p>A BellSouth System created to support LNP that:</p> <ul style="list-style-type: none"> • includes desktop application for LCSC Service Representatives. • is used to process LNP LSR's on-line. • communicates with the NPAC. • interfaces with the AIN database to update call routing information.
Local Service Management System (LSMS)	The LSP owned network database which holds downloaded ported number information.
Local Service Provider (LSP)	A company that provides basic local telephone service.
Location Routing Number (LRN)	<p>A routing code that is:</p> <ul style="list-style-type: none"> • unique • 10 digits • identifies the switch in which a ported number resides. <p>LRN utilizes AIN triggers, SS7 signaling, and unique 10-digit code for switch identification.</p>
Lockheed-Martin IMS (LM-IMS)	The neutral third-party administrator for the LNP database NPAC.
New Service Provider (NSP)	<p>Subscribers selection of exchange carrier that will be providing dial tone. This will usually be the exchange carrier that is not the default SP for the NPA NXX. This would be the recipient switch for the porting of a number when the end-user is being ported. When the end-user is changing from ported to non-porting the NSP would be the donor switch.</p>
Non-Portable Number	Numbers are those that have not been designated as ported exchanges or portable capabilities in the LERG.
North American Numbering Council (NANC)	FCC -mandated task force assigned to oversee NPAC and NANP administration for the U.S. telecommunications industry.

North American Numbering Plan (NANP)	A plan for the allocation of unique 10 digit address numbers. The numbers consist of a 3 digit area (numbering plan area) code, a 3 digit office code, and a 4 digit line number. The plan also extends to format variations (e.g., 3 digit and 7 digit address), prefixes (e.g., 1, 0, 01 and 011), and special code applications (e.g., Service Access Codes).
Number Portability Administration Center (NPAC)	A neutral third party vendor contracted by BellSouth and the CLEC's to: <ul style="list-style-type: none">• maintain the master database for LNP.• coordinate the flow of information between service providers.
Numbering Plan Area (NPA)	A defined geographic area identified by a unique three digit code used in the North American Numbering Plan Area.
NXX	End Office Code A three digit code used to identify a central office exchange. However, in a portable environment the last 4 digits or the 7-digit telephone number may not always reside in the central office exchange to which the NXX was natively assigned.
Plain Old Telephone Service (POTS)	Basic residence or business telephone service which provides users with simple telephone features or service.
Port In	A term used with Local Number Portability to indicate that a customer is changing his facility based local service provider from a CLEC to BellSouth and wishes to keep his same telephone number.
Port Out	A term used with Local Number Portability to indicate that a BellSouth customer is taking his telephone number with him to another facility based local service provider.
Portability	The ability of the user to change local telephone companies, location and/or service without changing the telephone number.

Portable Number	Those numbers within an exchange that have portable capabilities and are assigned to a designated portable exchange. These are the numbers that are assigned to the designated default switch and have not been ported to another LSP. These numbers are commonly identified as working on the "Donor" switch. Portable numbers are all numbers in an NXX where portability is allowed. Numbers will be declared portable on an NXX basis.
Ported Number	Those that have been assigned to other LSPs providing recipient switch access for Portable exchanges. This is commonly termed as the numbers assigned to the "Recipient" switches. The "Recipient" switch is not the default switch in the SCP. Ported numbers are the subset of portable numbers that have actually been moved from the LERG based switch (donor) to another switch (recipient).
Private Branch Exchange (PBX)	System typically installed in a business that serves as the central telephone system for that business and which may provide certain enhanced services for that business.
Recipient Switch	Switch/Office/Exchange — Refers to local end office switch to which an end-user is served, after changing SPs.
Remote Call Forwarding (RCF)	LNP deployment model generally viewed as an interim solution. For customers changing their local telephone company and wanting to keep their phone number, routes all incoming calls to the old company switch first. Then the calls are forwarded to a new phone
SCC	Neutral third party responsible for the E911 database administration. (SCC is not an abbreviation.)
Service Management System (SMS)	Computer facility permitting access to records contained in the number portability database. Receives Number Ported messages from NPAC.
Service Order Administration (SOA)	Interface to the NPAC for porting end-user TNs. Receives create and sends concurrence SVs.
Service Provider (SP)	A company that provides telephone service.
Subscription Version (SV)	A message that flows through the NPAC to provide information regarding LNP.

Telecommunications Access Gateway
(TAG)

TAG is a transaction based messaging system with data translation. TAG provides a by-directional flow of information between the CLEC and BellSouth, and gives the CLEC access to pre-ordering and ordering functionality.

Toll Message Rate Center (TMRC)

A uniquely defined geographic area:

- created to allow for the proper rating of toll and message charges.
- appears in LERG for a wire center/switch.

Trigger Order

6-Digit Trigger – identifies NPA XXX that is portable and causes querying. 10-Digit Trigger – end-users' telephone number. This trigger causes look up process so when the 10-digit trigger is dialed the call is routed through AIN to the SS7 database.

Note: "Trigger" is not available for all service types.

**BELLSOUTH/CLEC-1 RATES
 SERVICE PROVIDER
 NUMBER PORTABILITY**

DESCRIPTION	USOC	KY
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF (1) (2)		
RCF, per number ported (Business Line), 10 paths	TNPBL	NA
RCF, per number ported (Residence Line), 6 paths	TNPRL	NA
RCF, per number ported (Business Line)	TNPBL	NA
NRC - Electronic	TNPBL	NA
NRC - Disconnect Charge	TNPBL	NA
RCF, per number ported (Residence Line)	TNPRL	NA
NRC	TNPRL	NA
NRC - Disconnect Charge	TNPRL	NA
RCF, add'l capacity for simultaneous call forwarding, per additional path	N/A	NA
RCF, per service order, per location	(++) Bus = TNPBD Res = TNPRD	
NRC - 1st	TNP++	NA
NRC - Add'l	TNP++	NA
NRC - Disconnect - 1st	TNP++	NA
NRC - Disconnect - Add'l	TNP++	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID		
DID per number ported, Residence - NRC	TNPDR	NA

**BELLSOUTH/CLEC-1 RATES
 SERVICE PROVIDER
 NUMBER PORTABILITY**

DESCRIPTION	USOC	KY
DID per number ported, Residence - NRC - Disconnect	TNPDR	NA
DID per number ported, Business - NRC	TNPDB	NA
DID per number ported, Business - NRC - Disconnect	TNPDB	NA
DID per service order, per location		
NRC - 1st	TNPRD	NA
NRC - Add'l	TNPRD	NA
NRC - Disconnect - 1st	TNPRD	NA
NRC - Disconnect - Add'l	TNPRD	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	NA
DID, per trunk termination, Initial	TNPT2	NA
DID, per trunk termination, Initial - NRC	TNPT2	NA
DID, per trunk termination, Initial - Disconnect	TNPT2	NA
DID, per trunk termination, Subsequent	TNPT2	NA
DID, per trunk termination, Subsequent - NRC	TNPT2	NA
DID, per trunk termination, Subsequent - Disconnect	TNPT2	NA

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff

**BELLSOUTH/CLEC-1 RATES
 SERVICE PROVIDER
 NUMBER PORTABILITY**

DESCRIPTION	USOC	KY
<p>or as negotiated by the Parties upon request by either Party.</p> <p>1 Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950737-TP. (FL)</p>		
<p>2 BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY)</p>		

ATTACHMENT 6
CONNECTIVITY BILLING AND RECORDING

ATTACHMENT 6

CONNECTIVITY BILLING AND RECORDING

TABLE OF CONTENTS

1.1	GENERAL	3
1.2	BILLABLE INFORMATION AND CHARGES	4
1.3	MEET POINT BILLING	5
1.4	COLLOCATION	7
1.5	RIGHT-OF-WAY	8
1.6	INFORMATION SERVICES	8
1.7	LOCAL NUMBER PORTABILITY	8
1.8	ISSUANCE OF BILLS - GENERAL	8
1.9	ELECTRONIC TRANSMISSIONS	9
1.10	TAPE OR PAPER TRANSMISSIONS	11
1.11	TESTING REQUIREMENTS	17
1.12	ADDITIONAL REQUIREMENTS	18
1.13	BILL ACCURACY CERTIFICATION	18
1.14	PAYMENT OF CHARGES	19
1.15	BILLING DISPUTES	19
1.16	LATE PAYMENT CHARGES	21
1.17	DISCONTINUANCE OF SERVICE	21
1.18	ADJUSTMENTS	22
2.	PROVISION OF CUSTOMER USAGE DATA	23
2.1	INTRODUCTION	23
3.	LOCAL ACCOUNT MAINTENANCE	24

EXHIBIT A, LINE INFORMATION DATA BASE ("LIDB") STORAGE AGREEMENT	26
--	----

EXHIBIT B, RAO HOSTING	31
------------------------------	----

EXHIBIT C, OPTIONAL DAILY USAGE FILE	36
--	----

EXHIBIT D, ENHANCED OPTIONAL DAILY USAGE FILE	40
---	----

EXHIBIT E, RATES	
------------------	--

CONNECTIVITY BILLING AND RECORDING

1.1 General

- 1.1.1 This Section describes the requirements for BellSouth to bill and record all charges AT&T incurs for purchasing: (a) telecommunications services that BellSouth currently provides, or may offer hereafter for resale; (b) interconnection of BellSouth's network to AT&T's network; (c) certain unbundled Network Elements and certain combinations of such unbundled Network Elements (Network Elements and Combinations) (resale, interconnection, Network Elements and Combinations) shall collectively be referred to as "Billed Services"); and to provide Meet Point Billing and Mutual Compensation.
- 1.1.2 After receiving certification as a local exchange company from the appropriate regulatory agency, AT&T will provide the appropriate BellSouth service center the necessary documentation in order for BellSouth to establish service for AT&T.
- 1.1.3 Prior to submitting orders to BellSouth for local service, a master account must be established for AT&T. AT&T is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 1.1.4 Payment of all charges will be the responsibility of AT&T. AT&T shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by AT&T from AT&T's end user. BellSouth will not become involved in billing disputes that may arise between AT&T and its end user. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.1.5 Upon proof of tax exempt certification from AT&T, the total amount billed to AT&T will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. AT&T will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to AT&T's end user.
- 1.1.6 BellSouth will not perform billing and collection services for AT&T as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.

1.2 Billable Information and Charges

- 1.2.1 BellSouth will bill and record in accordance with this Agreement those charges AT&T incurs as a result of AT&T's purchasing Billed Services from BellSouth. BellSouth will bill charges for Billed Services through Carriers Access Billing System ("CABS") or in the CABS format. BellSouth will format all bills in CBOS Standard or CRIS/CLUB format, depending on the type of service ordered, and will include sufficient bill detail to identify the particular services ordered. For those Billed Services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.2.2 BellSouth shall provide AT&T a monthly bill that includes all charges incurred by and credits and/or adjustments due to AT&T for those Billed Services ordered, established, utilized, discontinued or performed pursuant to this Agreement. Each bill provided by BellSouth to AT&T shall include: (1) all non-usage sensitive charges incurred for the period beginning with the day after the current bill date and extending to, and including, the next bill date; (2) any known unbilled non-usage sensitive charges for prior periods; (3) unbilled usage sensitive charges for the period beginning with the last bill date and extending through the current bill date, except for detail usage for resold services which could extend beyond the current bill date, which are: per use vertical services, directory services, operator charges, IntraLATA toll and optional calling plans, excluding Watsaver® Service; (4) any known unbilled usage sensitive charges for prior periods; and (5) any known unbilled adjustments. Each bill shall set forth the quantity and description of each such Billed Services billed to AT&T. All charges billed to AT&T must indicate the state from which such charges were incurred except in cross boundary state situations. A listing of cross boundary exchanges has been provided to AT&T.
- 1.2.3 The Bill Date, as defined herein, must be present on each bill transmitted by BellSouth to AT&T and must be a valid calendar date. Bills should not be rendered for any charges which are incurred under this agreement on or before one (1) year preceding the bill date. However, both parties recognize that situations exist which would necessitate billing beyond the one (1) year limit, as permitted by law. These exceptions are:
- 1.2.3.1 Charges connected with jointly provided services whereby meet point billing guidelines require either party to rely on records provided by a third party;
- 1.2.3.2 Charges incorrectly billed due to error in or omission of customer provided data such as PIU and PLU factors, or other ordering data.

- 1.2.3.3 Both parties agree that these limits will be superceded by any Bill Accuracy Certification Agreement which might be negotiated between the parties.
- 1.2.4 Charges for Billed Services shall be in conversation seconds for those services that are billed based on conversation time. For resold services, charges will be billed in accordance with retail billing standards. For other than resold services, the total seconds per chargeable rate element per end office will be totaled and rounded to the nearest whole minute. The incremental seconds per chargeable rate element per end office will be totaled and rounded to the next whole minute. Self reporting factors such as PLU and PIU will be used to determine jurisdiction of unidentifiable traffic.
- 1.2.5 Billing Account Numbers ("BANS") will be established in accordance with BellSouth billing policy and OBF standards. The BellSouth billing policy in effect at the time this Agreement is signed will govern the billing account structure during the term of this Agreement. BellSouth will provide such policy to AT&T at such time. Changes to the BellSouth billing policy will be co-ordinated with AT&T and the AT&T Account Team to ensure that AT&T will not be adversely impacted by such changes. AT&T may request that certain categories of charges be included in separate bills which are to be sent to different billing addresses. AT&T will submit such request through the Bona Fide Request/New Business Request ("BFR/NBR") process set forth in Attachment 10 of this Agreement, incorporated herein by this reference.
- 1.2.6 Each Party shall provide the other Party, at no additional charge, a contact person for the handling of any billing questions or problems that may arise during the implementation and performance of the terms and conditions of this Attachment 6. Billing questions subsequent to implementation will be directed to the appropriate BellSouth billing specialist.
- 1.3 Meet Point Billing**
- 1.3.1 Where appropriate, AT&T and BellSouth will establish meet-point billing ("MPB") arrangements in accordance with the Meet-Point Billing guidelines adopted by and contained in the OBF's MECAB and MECOD documents, except as modified herein. Both Parties will individually and collectively maintain provisions in their respective federal and state access tariffs, and/or provisions within the National Exchange Carrier Association ("NECA") Tariff No. 4, or any successor tariff to reflect the MPB arrangements identified in this Agreement, in MECAB and in MECOD.

- 1.3.2 AT&T and BellSouth will implement the "Multiple Bill/Multiple Tariff" option in order to bill any interexchange carrier ("IXC") for that portion of the jointly provided switched exchange access service provided by AT&T or BellSouth.
- 1.3.3 BellSouth shall provide to AT&T the billing name, billing address, and carrier identification code ("CIC") of the IXCs that may utilize any portion of AT&T's network in an AT&T/BellSouth MPB arrangement in order to comply with the MPB Notification process as outlined in the MECAB document. Such information shall be provided to AT&T in the format and via the medium that the Parties agree. If BellSouth does not have a CIC for any IXC that will utilize a portion of AT&T's network in an AT&T/BellSouth MPB arrangement, and for whom BellSouth must supply to AT&T MPB billing information, BellSouth agrees that it will assist such carrier in obtaining a CIC expeditiously. Until such carrier has obtained a CIC, BellSouth will submit BellSouth's CIC on those MPB records provided to AT&T for MPB. BellSouth understands and agrees that it will be solely responsible for obtaining any reimbursements from those carriers who have utilized the jointly provided networks of BellSouth and AT&T.
- 1.3.4 BellSouth and AT&T agree that in an MPB arrangement where one Party provides local transport and the other Party provides the end office switching, the Party who provides the end office switching is entitled to bill any residual interconnection charges ("RIC") and common carrier line ("CCL") charges associated with the traffic. The Parties further agree that in those MPB situations where one Party sub-tends the other Party's access tandem, the Party providing the access tandem is only entitled to bill the access tandem fee and any associated local transport charges. The Parties also agree that the Party who provides the end office switching is entitled to bill end office switching fees, local transport charges, RIC and CCL charges, as appropriate, and such other applicable charges. BellSouth and AT&T agree that in a MPB arrangement, where transport is jointly provided, and/or the tandem is owned by one Party and the end office is owned by the other Party, charges will be billed using tariff rates and in accordance to MECAB guidelines.
- 1.3.5 BellSouth and AT&T will record and transmit switched exchange access service records in accordance with the MECAB standards. Such data shall be transmitted to the other Party within ten (10) days of its recording. BellSouth and AT&T will coordinate and exchange the billing account reference ("BAR") and billing account cross reference ("BACR") numbers or Operating Company Number ("OCN"), as appropriate, for the MPB arrangements described in this Agreement. Each Party will notify the other if the level of billing or other BAR/BACR elements change, resulting in a new BAR/BACR number.

- 1.3.6 If MPB data is not processed and delivered by either BellSouth or AT&T and sent to the other Party within ten (10) days of their recording and in turn such Party is unable to bill the IXC for the appropriate charges, the Party who failed to deliver the data will be held liable for the amount of the unbillable charges.
- 1.3.7 If MPB data is not submitted within ten (10) days of their recording or is not in the proper format as set forth in this Agreement, and if as a result the other Party is delayed in billing the IXC for the appropriate charges it incurs, the delaying Party shall pay the other Party a late MPB data delivery charge which will be the total amount of the delayed charges times the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days from the date the MPB charges should have been received to and including the date the MPB charge information is actually received.
- 1.3.8 Errors in MPB data exchanged by the Parties may be discovered by AT&T, BellSouth or the billable IXC. Both AT&T and BellSouth agree to provide the other Party with notification of any discovered errors within two (2) business days of the discovery. The other Party shall correct the error within eight (8) business days of notification and resubmit the data. In the event the errors cannot be corrected within the time period specified above, the erroneous data shall be considered lost. If MPB data is lost due to incorrectable errors or otherwise, the Parties shall follow the procedures set forth in Section 1.15 of this Attachment 6.
- 1.3.9 Both Parties will provide the other a single point of contact to handle any MPB questions.
- 1.3.10 MPB will apply for all traffic bearing the 500, 700, 900, 8YY or any other non-geographic NPA which may be likewise designated for such traffic in the future.

1.4 Collocation

- 1.4.1 When AT&T collocates with BellSouth in BellSouth's facility as described in this Agreement, capital expenditures (e.g., costs associated with building the "cage"), shall not be included in the bill provided to AT&T pursuant to this Attachment 6. All such capital expenses shall be given a unique BAN and invoice number. All invoices for capital expenses shall be sent to the location specified by AT&T for payment. All other non-capital recurring collocation expenses shall be billed to AT&T in accordance with this Agreement. The CABS Billing Output Specifications ("BOS") documents provide the guidelines on how to bill the charges associated with collocation.

The bill label for those collocation charges shall be entitled "Expanded Interconnection Service." For those nonmechanized bills, the bill label for non-capital recurring collocation expenses shall be entitled "Collocation".

1.5 Right-of-Way

1.5.1 Billing for right-of-way, poles and conduits will be addressed in Attachment 8 of this Agreement, incorporated herein by this reference.

1.6 Information Services

1.6.1 The transport for 976 and other information services calls will be billed in accordance with the reciprocal compensation arrangement described in Section ___ of Attachment 3 of this Agreement, incorporated herein by this reference.

1.7 Local Number Portability

1.7.1 When an IXC terminates an interLATA or intraLATA toll call to an AT&T local exchange customer whose telephone number has been ported from BellSouth, the Parties agree that AT&T shall receive those IXC access charges associated with end office switching, local transport, RIC and CCL, as appropriate. BellSouth shall receive any access tandem fees, dedicated and common transport charges, to the extent provided by BellSouth, and any Service Provider Number Portability ("SPNP") fees (i.e., such as RCF charges) set forth in this Agreement. When a call for which access charges are not applicable is terminated to an AT&T local exchange customer whose telephone number has been ported from BellSouth, and is terminated on AT&T's own switch, the Parties agree that the mutual compensation arrangements described in this Agreement shall apply.

1.8 Issuance of Bills - General

1.8.1 BellSouth and AT&T will issue all bills in accordance with the terms and conditions set forth in this Section. BellSouth and AT&T will establish monthly billing dates ("Bill Date") for each Billing Account Number ("BAN"). Each BAN shall remain constant from month to month, unless changed as agreed to by the Parties. Each Party shall provide the other Party at least thirty (30) calendar days written notice prior to changing, adding or deleting a BAN. The Parties will provide one billing invoice associated with each BAN. Each invoice must contain an invoice number (which will vary from month to month). The bill date is the only varying invoice number available on the Resale bill. On each bill associated with a BAN, the appropriate invoice number and the charges contained on such invoice must be reflected. All bills must be received by the other Party no later than ten (10) calendar

days from Bill Date and at least twenty (20) calendar days prior to the payment due date, whichever is earlier. Any bill received on a Saturday, Sunday or a day designated as a holiday by the Chase Manhattan Bank of New York (or such other bank as AT&T shall specify) will be deemed received the next business day. If either Party fails to receive billing data and information within the time period specified above, the payment due date will be extended by the number of days the bill is late.

- 1.8.2 BellSouth and AT&T shall issue all CABS bills or bills in CBOS format containing such billing data and information in accordance with the most current version of CBOS, or if development time is required, within two (2) versions of the current CBOS standard. To the extent that there are no CBOS or MECAB standards governing the formatting of certain data, such data shall be issued in the format as mutually agreed upon by the parties.
- 1.8.3 Within thirty (30) days of finalizing the chosen billing media, each Party will provide the other Party written notice of which bills are to be deemed the official bills to assist the Parties in resolving any conflicts that may arise between the official bills and other bills received via a different media which purportedly contain the same charges as are on the official bill. If either Party requests an additional copy(ies) of a bill, such Party shall pay the other Party a reasonable fee per additional bill copy, unless such copy was requested due to errors, omissions, or corrections or the failure of the transmission to comply with the specifications set forth in this Agreement.
- 1.8.4 When sending bills via electronic transmission, to avoid transmission failures or the receipt of billing information that cannot be processed, the Parties shall provide each other with their respective process specifications. Each Party shall comply with the mutually acceptable billing processing specifications of the other. AT&T and BellSouth shall provide each other reasonable notice if a billing transmission is received that does not meet such Party's specifications or that such Party cannot process. Such transmission shall be corrected and resubmitted to the other Party, at the resubmitting Party's sole expense, in a form that can be processed. The payment due date for such resubmitted transmissions will be twenty (20) days from the date that the transmission is received in a form that can be processed and that meets the specifications set forth in this Attachment 6.

1.9 Electronic Transmissions

- 1.9.1 BellSouth and AT&T agree that each Party will transmit billing information and data in the appropriate CABS format electronically via CONNECT:Direct to the other Party at the location specified by such

Party. The Parties agree that a T1.5 or 56kb circuit to Gateway for CONNECT:Direct is required. AT&T data centers will be responsible for originating the calls for data transmission via switched 56kb or T1.5 lines. If BellSouth has an established CONNECT:Direct link with AT&T, that link can be used for data transmission if the location and applications are the same for the existing link. Otherwise, a new link for data transmission must be established. BellSouth must provide AT&T/Alpharetta its CONNECT:Direct Node ID and corresponding VTAM APPL ID before the first transmission of data via CONNECT:Direct. AT&T's CONNECT:Direct Node ID is "NDMATTA4" and VTAM APPL ID is "NDMATTA4" and must be included in BellSouth's CONNECT:Direct software. AT&T will supply to BellSouth its RACF ID and password before the first transmission of data via CONNECT:Direct. Any changes to either Party's CONNECT:Direct Node ID must be sent to the other Party no later than twenty-one (21) calendar days before the changes take effect.

- 1.9.2 The following dataset format shall be used as applicable for those charges transmitted via CONNECT:Direct in CABS format:

Production Dataset

AF25.AXXXXYYY.AZZZ.DDDEE	Production Dataset Name
AF25 =	Job Naming Convention
AXXXX =	Numeric Company Code
YYY =	LEC Remote
AZZZ =	RAO (Revenue Accounting Office)
DDD =	BDT (Billing Data Tape with or without CSR), MEGA, JBILL, TCGXX (XX=Bill Period), or CSR (Customer Service Record)
EE =	01 thru 31 (Bill Period) (optional) or GA (US Postal-State Code)

Test Dataset

AF25.ATEST.AXXXX.DDD	Test Dataset Name
AF25.ATEST =	Job Naming Convention
AXXXX =	Numeric Company Code
DDD =	BDT (Billing Data Tape with or without CSR) or CSR (Customer Service Record)

1.10 Tape or Paper Transmissions

- 1.10.1 In the event either Party does not temporarily have the ability to send or receive data via CONNECT:Direct, that Party will transmit billing information to the other party via magnetic tape or paper, as agreed to by AT&T and BellSouth. Billing information and data contained on magnetic tapes or paper for payment shall be sent to the Parties at the following locations. The Parties acknowledge that all tapes transmitted to the other Party via U.S. Mail or Overnight Delivery and which contain billing data will not be returned to the sending Party.

TO AT&T:

Tape Transmissions via U.S. Mail:	AT&T Attention: Bill Access Coordinator 300 North Point Parkway FLOC 144C09 Alpharetta, Georgia 30005
Tape Transmissions via Overnight Delivery:	AT&T Attention: Bill Access Coordinator 500 North Point Parkway FLOC 144C09 Alpharetta, Georgia 30005

Paper Transmissions via U.S. Mail:	AT&T Attention: Bill Access Coordinator Caller Service 6908 Alpharetta, Georgia 30009
Paper Transmissions via Overnight Delivery:	AT&T Attention: Bill Access Coordinator 500 North Point Parkway FLOC B1404 Alpharetta, Georgia 30005

TO BellSouth:

Tape Transmissions:	BellSouth 600 N. 19th Street 7th Floor Birmingham, Alabama 35203 Attn: Interconnection Purchasing Center
Paper Transmissions:	BellSouth 600 N. 19th Street 7th Floor Birmingham, Alabama 35203 Attn: Interconnection Purchasing Center

- 1.10.2 Each Party will adhere to the tape packaging requirements set forth in this subsection. Where magnetic tape shipping containers are transported in freight compartments, adequate magnetic field protection shall be provided by keeping a typical 6-inch distance from any magnetic field generating device (except a magnetron-tape device). The Parties agree that they will only use those shipping containers that contain internal insulation to prevent damage. Each Party will clearly mark on the outside of each shipping container its name, contact and return address. Each Party further agrees that it will not ship any billing tapes in tape canisters.
- 1.10.3 All billing data transmitted via tape must be provided on a cartridge (cassette) tape and must be of high quality, conform to the Parties' record and label standards, 9-track, odd parity, 6250 BPI, group coded recording mode and extended binary-coded decimal interchange code ("EBCDIC"). Each reel of tape must be 100% tested at 20% or better "clipping" level with full width certification and permanent error free at final inspection. AT&T reserves the right to destroy a tape that has been determined to have unrecoverable errors. AT&T also reserves the right to replace a tape with one of equal or better quality.
- 1.10.4 Billing data tapes shall follow CBOS standards.
- 1.10.5 A single 6-digit serial number must appear on the external (flat) surface of the tape for visual identification. This number shall also appear in the "dataset serial number field" of the first header record of the IBM standard tape label. This serial number shall consist of the character "V" followed by the reporting location's four digit Originating Company Code and a numeric character chosen by the sending company. The external and internal label shall be the same. The dataset name shall appear on the flat side of the reel and also in the "data set name field" on the first header record of the IBM standard tape label. BellSouth's name, address, and contact shall appear on the flat side of the cartridge or reel.
- 1.10.6 Tape labels shall conform to IBM OS/VS Operating System Standards contained in the IBM Standard Labels Manual (GC26-3795-3). IBM standard labels are 80-character records recorded in EBCDIC, odd parity. The first four characters identify the labels:

Volume 1	Volume label
HDR1 and HDR2	Data set header labels
EOV1 and EOV2	Data set trailer labels (end-of-volume for multi-reel files)
EOF1 and EOF2	Data set trailer labels (end-of-data-set)

The HDR1, EOVI, and EOF1 labels use the same format and the HDR2, EOVI, and EOF2 labels use the same format.

1.10.7 The Standard Volume Label Format (Vol. 1) is described below:

FIELD NAME	CONTENTS
Label Identifier (3 bytes)	The characters "VOL" identify this label as a volume label.
Label Number (1 byte)	The relative position of this label within a set of labels of the same type; it is always a 1 for the IBM standard volume label.
Volume Serial Number (6 bytes)	A unique identification code, normally numeric characters (000001-999999), but may be alpha-numeric; if fewer than 6 characters, must be left-justified. This same code should also appear on the external (flat) surface of the volume for visual identification.
Reserved (1 byte)	Reserved for future use - should be recorded as blanks.
VTOC Pointer (10 bytes)	Direct-access volumes only. This field is not used for tape volumes and should be recorded as blanks.
Reserved (10 bytes)	Reserved for future use - should be recorded as blanks.
Owner Name and Address Code (10 bytes)	Indicates a specific customer, person, installation, department, etc., to which the volume belongs. Any code or name is acceptable.
Reserved (29 bytes)	Reserved for future use - should be recorded as blanks.

1.10.8 The IBM Standard Dataset Label 1 Format (HDR1, EOVI, EOF1) is described below:

FIELD NAME	CONTENTS
Label Identifier (3 bytes)	Three characters that identify the label are: HDR Header label (at the beginning of a dataset) EOV Trailer label (at the end of a tape volume, when the dataset continues on another volume) EOF Trailer label (at the end of a dataset).
Label Number (1 byte)	The relative position of this label within a set of labels of the same type; it is always a 1 for dataset label 1.
Dataset Identifier (17 bytes)	The rightmost 17 bytes of the dataset name (includes GnnnnVnn if the dataset is part of a generation data group). If the dataset name is less than 17 bytes, it is left-justified and the remainder of this field is padded with blanks.

FIELD NAME	CONTENTS
Dataset Serial Number (6 bytes)	The volume serial number of the tape volume containing the dataset. For multi-volume datasets, this field contains the serial number of the first volume of the aggregate created at the same time. The serial number can be any 6 alphanumeric characters, normally numeric (000001-999999). If the number of characters is fewer than 6 characters, the code must be left-justified and followed by blanks.
Volume Sequence Number (4 bytes)	A number (0001-9999) that indicates the order of volume within the multi-volume group created at the same time. This number is always 0001 for a single volume dataset.
Dataset Sequence Number (4 bytes)	A number (0001-9999) that indicates the relative position of the dataset within a multi-dataset group. This number is always 0001 for a single dataset organization.
Generation Number (4 bytes)	If the dataset is part of a generation data group, this field contains a number from 0001 to 9999 indicating the absolute generation number (the first generation is recorded as 0001). If the dataset is not part of a generation data group, this field contains blanks.
Version Number Of Generation (2 bytes)	If the dataset is part of a generation data group, this field a number from 00 to 99 indicating the version number of the generation (the first version is recorded as 00). If the dataset is not part of a generation data group, this field contains blanks.
Creation Date (6 bytes)	Year and day of the year when the dataset was created. The date is shown in the format byydd where: b = blank yy = year(00-99) ddd = day(001-366)
Expiration Date (6 bytes)	Year and day of the year when the dataset may be scratched or overwritten. The data is shown in the format byydd where: b = blank yy = year (00-99) ddd = day (001-366)
Dataset Security (1 byte)	A code number indicating the security status of the dataset is as follows: 0 No password protection 1 Password protection Additional identification of the dataset is required before it can be read, written, or deleted (ignored if volume is RACF-defined) 3 Password protection Additional identification of the dataset is required before it can be read, written, or deleted (ignored if volume is RACF-defined).

FIELD NAME	CONTENTS
Block Count (6 bytes)	This field in the trailer label shows the number of data blocks in the dataset on the current volume. This field in the header label is always zeros (000000).
System Code (13 bytes)	Unique code that identifies the system.
Reserved (7 bytes)	Reserved for future use - should be recorded as blanks.

1.10.9 The IBM Standard Dataset Label 2 Format (HDR2, EOVS2, EOF2) always follows dataset label 1 and contains additional information about the associated dataset as described below:

Label Identifier (3 bytes)	Three characters that identify the label are as follows: HDR Header label (at the beginning of a dataset) EOV Trailer label (at the end of a tape volume, when the dataset continues on another volume) EOF Trailer label (at the end of a dataset).
Label Number (1 byte)	The relative position of this label within a set of labels of the same type; it is always a 2 for dataset label 2.
Record Format (1 byte)	An alphabetic character that indicates the format of records in the associated dataset as follows: F Fixed length V Variable length U Undefined length.
Block Length (5 bytes)	A number up to 32760 that indicates the block length, in bytes. Interpretation of the number depends on the following associated record format in Field 3: Format F - Block length (must be a multiple of the logical record length in Field 5) Format V - Maximum block length (including the 4 byte length indicator in the block) Format U - Maximum block length.
Record Length (5 bytes)	A number that indicates the record length, in bytes. Interpretation of the number depends on the following associated record format in Field 3: Format F - Logical record length Format V - Maximum logical record length (including the 4 byte length indicator in the records) Format U - Zeros.

Tape Density (1 byte)	A code indicating the record density of the tape, as follows: Recording Density DEN Value 9-Track Tape 3 1600 (PE) 4 6250 (GCR) PE - is for phase encoded mode GCR - is for group coded recording mode.
Dataset Position (1 byte)	A code, indicating a volume switch, is as follows: 0 - No volume switch has occurred 1 - A volume switch previously occurred.
Job/Job Step (17 bytes)	Identification of the job and job step that created the dataset. The first 8 bytes contain the name of the job, the ninth byte is a slash (/), and the final 8 bytes contain the name of the job step.
Tape Recording Technique (2 bytes)	A code or blanks indicating the tape recording technique used. This field is recorded as blanks for 9-track tape. The only technique available for 9-track tape is odd parity and no translation.
Control Characters (1 byte)	A code indicating whether a control character set was used to create the dataset and the type of control characters used: A Contains ASCII control characters M Contains machine control characters b Contains no control characters.
Reserved (1 byte)	Reserved for future use - should be recorded as blanks.
Block Attribute (1 byte)	A code indicating the block attribute used to create the dataset: B Blocked records S Spanned records R Blocked and spanned records b No blocked and no spanned records.
Reserved (8 bytes)	Bytes 40-42 - reserved for future use -should be blanks. Bytes 43-47 - (3420 tape units only) serial number of creating tape unit. Blank for other units.
Checkpoint Dataset (1 byte)	In VS2-Release 2, this byte contains the identifier character C if the dataset is a checkpoint dataset; the byte is blank if the dataset is not a check point dataset or in other releases of the VS systems.
Reserved (32 bytes)	Reserved for future use - should be recorded as blanks.

1.11 Testing Requirements

- 1.11.1 At least thirty (30) calendar days prior to any BellSouth software releases that affect the mechanized bill format, BellSouth shall send to AT&T bill data in the appropriate mechanized format for testing to ensure that the bills can be processed and that the bills comply with CBOS standards. After receipt of the test data from BellSouth, AT&T

will notify BellSouth at least ten (10) days prior to the software release implementation date of any processing problems as a result of the software changes. If the transmission fails to meet CBOS standards, BellSouth shall make the necessary corrections prior to implementation to meet such CBOS standards.

1.11.2 BellSouth shall provide to AT&T's Company Manager, located at 500 North Point Parkway, FLOC B1104B, Alpharetta, Georgia 30005, BellSouth's originating or state level company code so that it may be added to AT&T's internal tables at least thirty (30) calendar days prior to testing or prior to a change in BellSouth's originating or state level company code.

1.11.3 Test tapes containing the transmitted AT&T billing data and information will be sent during the testing period, per request, to the following location:

Test Tapes:	AT&T Attention: Bill Access Testing Coordinator 500 North Point Parkway FLOC B1104B Alpharetta, Georgia 30005
-------------	--

1.12 Additional Requirements

1.12.1 BellSouth agrees that if it transmits data to AT&T in a mechanized format, BellSouth will also comply with the following specifications which are not contained in CABS guidelines but which are necessary for AT&T to process billing information and data:

1.12.1.1 The BAN shall not contain embedded spaces or low values.

1.12.1.2 The Bill Date shall not contain spaces or non-numeric values.

1.12.1.3 Each bill must contain at least one detail record.

1.12.1.4 Any "From" Date should be less than the associated "Thru" Date and neither date can contain spaces.

1.12.1.5 The Invoice Number must not have embedded spaces or low values.

1.13 Bill Accuracy Certification

1.13.1 The Parties agree that in order to ensure the proper performance and integrity of the entire billing process, BellSouth will be responsible and

accountable for transmitting to AT&T an accurate and current bill. BellSouth agrees to implement control mechanisms and procedures to render a bill that accurately reflects the Billed Services ordered and used by AT&T. Accordingly, at AT&T's option on a connectivity by connectivity basis, AT&T and BellSouth agree to model, for the purposes of this Agreement, the process and methodology for access certification set forth in the Access Billing Supplier Quality Certification Operating Agreement dated August 13, 1993, executed by AT&T and BellSouth which governs certification of access bills for interLATA and intraLATA calls. At the point AT&T and BellSouth mutually agree that pre-certification is complete, all billing disputes will be handled pursuant to a billing supplier quality certification operating agreement to be executed by the Parties.

1.14 Payment Of Charges

1.14.1 Subject to the terms of this Agreement, AT&T and BellSouth will pay each other within thirty (30) calendar days from the Bill Date, or twenty (20) calendar days from the receipt of the bill, whichever is later. If the payment due date is a Sunday or is a Monday that has been designated a bank holiday by the Chase Manhattan Bank of New York (or such other bank as AT&T specifies), payment will be made the next business day. If the payment due date is a Saturday or is on a Tuesday, Wednesday, Thursday or Friday that has been designated a bank holiday by the Chase Manhattan Bank of New York (or such other bank as AT&T specifies), payment will be made on the preceding business day.

1.14.2 Payments shall be made in U.S. Dollars via electronic funds transfer ("EFT") to the other Party's bank account. At least thirty (30) days prior to the first transmission of billing data and information for payment, BellSouth and AT&T shall provide each other the name and address of its bank, its account and routing number and to whom billing payments should be made payable. If such banking information changes, each Party shall provide the other Party at least sixty (60) days written notice of the change and such notice shall include the new banking information. The Parties will render payment via EFT. AT&T will provide BellSouth with one address to which such payments shall be rendered and BellSouth will provide AT&T with one address to which such payments shall be rendered. In the event AT&T receives multiple bills from BellSouth which are payable on the same date, AT&T may remit one payment for the sum of all bills payable to BellSouth's bank account specified in this subsection if AT&T provides payment advice to BellSouth. Each Party shall provide the other Party with a contact person for the handling of billing payment questions or problems.

1.15 Billing Disputes

- 1.15.1 On a connectivity by connectivity basis and until such time as a precertification process is in place, each party agrees to notify the other party in writing upon the discovery of a billing dispute. The disputing party agrees to provide the billing party sufficient documentation to investigate the dispute and may withhold any disputed amounts supported by such documentation. Until documentation is provided all outstanding billed amounts will be considered past due. In the event of a billing dispute, the parties will endeavor to resolve the dispute within sixty (60) calendar days of the dispute notification date. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute.
- 1.15.2 If the issues are not resolved within the allotted time frame, each of the parties shall appoint a designated representative who has authority to settle the dispute and who is at a higher level of management than the persons with direct responsibility for administration of this Agreement. The designated representatives shall meet as often as they reasonably deem necessary in order to discuss the dispute and negotiate in good faith in an effort to resolve such dispute. The specific format for such discussions will be left to the discretion of the designated representatives, however all reasonable requests for relevant information made by one Party to the other Party shall be honored.
- 1.15.3 If the Parties are unable to resolve issues related to the disputed amounts within forty-five (45) days after the parties' appointment of designated representatives, the dispute will be resolved in accordance with the dispute resolution procedure set forth in Section 16 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 1.15.4 If a party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in Section 1.16 of this Attachment 6. If a party disputes charges and the dispute is resolved in favor of such party, the other party shall credit the bill of the disputing party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a party disputes charges and the dispute is resolved in favor of the other party, the disputing party shall pay the other party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute.

1.16 Late Payment Charges

1.16.1 If either Party fails to remit payment for any charges described in this Attachment 6 by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by BellSouth for payment by AT&T, the late payment charge shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs, based upon the service for which payment was not received: for general subscriber services, Section A2 of the General Subscriber Services Tariff; for private line service, Section B2 of the Private Line Service Tariff; and for access service, Section E2 of the Access Service Tariff. For bills rendered by AT&T for payment by BellSouth the late payment charge shall be calculated based on the portion of the payment not received by the payment date times the lesser of (i) .one and one-half percent (1 ½%) per month or (ii) the highest interest rate (in decimal value) which may be charged by law for commercial transactions, compounded daily for the number of days from the payment date to and including the date that payment is actual made. In no event, however, shall interest be assessed by AT&T on any previously assessed late payment charges. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has the authority pursuant to its tariffs. Bill disputes shall not be submitted by either party for any charge on or after one (1) year following the bill date of the bill on which the charge first appears.

1.17 Discontinuance of Service

1.17.1 The procedures for discontinuing service to an end user are as follows:

1.17.1.1 Where possible, BellSouth will deny service to AT&T's end user on behalf of, and at the request of, AT&T. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of AT&T.

1.17.1.2 At the request of AT&T, BellSouth will disconnect an AT&T end user.

1.17.1.3 All requests by AT&T for denial or disconnection of an end user for nonpayment must be in writing.

1.17.1.4 AT&T will be made solely responsible for notifying the end user of the proposed disconnection of the service.

1.17.1.5 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new

service or transfer of service from an end user or an end user's CLEC at the same address served by the denied facility.

- 1.17.2 The procedures for discontinuing service to AT&T are as follows:
 - 1.17.2.1 BellSouth reserves the right to suspend or terminate service for nonpayment of undisputed amounts or in the event of prohibited, unlawful or improper use of the facilities or service, or abuse of the facilities by AT&T.
 - 1.17.2.2 If payment of undisputed amounts is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to AT&T, that additional applications for service will be refused and that any pending orders for service will not be completed if payment of undisputed amounts is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by AT&T to receive notices of noncompliance, and discontinue the provision of existing services to AT&T at any time thereafter.
 - 1.17.2.3 In the case of such discontinuance, all billed undisputed charges, as well as applicable termination charges, shall become due.
 - 1.17.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty (30) days' notice and AT&T's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to AT&T without further notice.
 - 1.17.2.5 If payment of undisputed charges is not received or arrangements made for payment by the date given in the written notification, AT&T's services will be discontinued. Upon discontinuance of service on AT&T's account, service to AT&T's end users will be denied. BellSouth will also reestablish service at the request of the end user or AT&T upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. AT&T is solely responsible for notifying the end user of the proposed disconnection of the service.
- 17.2.6 If within fifteen days after an end user's service has been denied, AT&T has not contacted BellSouth in reference to restoring service, the end user's service will be disconnected.

1.18 Adjustments

- 1.18.1 Subject to the terms of this Attachment 6, BellSouth will adjust incorrect billing charges to AT&T. Such adjustments shall be set forth in the appropriate section of the bill pursuant to CBOS or CLUB/EDI standards.

1.19 Revenue Protection

- 1.19.1 Where BellSouth services are being resold and where AT&T is using a BellSouth port, AT&T will have the use of all present and future fraud prevention or revenue protection features, including prevention, detection, or control functionality embedded within any of the network elements available to BellSouth. These features include, but are not limited to, screening codes, call blocking of international, 800, 900, and 976 numbers.
- 1.19.2 The Party causing a provisioning, maintenance or signal network routing error that results in uncollectible or unbillable revenues to the other Party shall be liable for the amount of the revenues lost by the Party unable to bill or collect the revenues less costs that would have been incurred from gaining such revenues.
- 1.19.3 Uncollectible or unbillable revenues resulting from the accidental or malicious alteration of software underlying Network Elements or their subtending operational support systems by unauthorized third parties shall be the responsibility of the Party having administrative control of access to said Network Element or operational support system software to the extent such unbillable or uncollectible revenue results from the gross negligence or willful act or omission of the Party having such administrative control.
- 1.19.4 BellSouth shall be responsible for any uncollectible or unbillable revenues resulting from the unauthorized physical attachment to loop facilities from the Main Distribution Frame up to and including the Network Interface Device, including clip-on fraud to the extent such unbillable or uncollectible revenue results from the gross negligence or willful act or omission of BellSouth. BellSouth shall provide soft dial tone to allow only the completion of calls to final termination points required by law.

2. PROVISION OF CUSTOMER USAGE DATA

2.1 Introduction

- 2.1.1 This Section sets forth the terms and conditions for BellSouth's provision of Recorded Usage Data to AT&T.
- 2.1.2 Line Information Database ("LIDB") is a database system designed to provide for validation of calling card and other billing information. LIDB provides screening validation on operator assisted calls on billing number records and is offered under a separate agreement. The Parties' agreement relating to LIDB Storage is included as Exhibit A to this Attachment 6, incorporated herein by this reference.

- 2.1.3 RAO Hosting is the process by which a telecommunications company agrees to "host" another company solely for the purpose of message exchange over the Centralized Message Distribution System ("CMDS"). RAO Hosting includes the following: RAO Code Assignment, Message Exchange via the CMDS system, and Inter-Company Settlements. The Parties' RAO Hosting Agreement is included as Exhibit B to this Attachment 6, incorporated herein by this reference.
- 2.1.4 Optional Daily Usage File ("ODUF") contains billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to the AT&T account. The Parties' ODUF agreement is included as Exhibit C to this Attachment 6, incorporated herein by this reference.
- 2.1.5 Enhanced Optional Daily Usage File ("EODUF") provides usage data for local calls originating from resold Flat Rate Business and Residential Lines. The Parties' EODUF agreement is included as Exhibit D to this Attachment 6, incorporated herein by this reference.
- 2.1.6 The rates for the services provided pursuant to Exhibits A, B, C and D shall be set forth in Exhibit E to this Attachment 6, incorporated herein by this reference.

3. LOCAL ACCOUNT MAINTENANCE

- 3.1 When BellSouth provides local switching to AT&T (e.g., where AT&T is reselling BellSouth's services or is employing loop port combination to provide local service) BellSouth shall provide local account maintenance information and service as described herein.
- 3.2 When notified by a CLEC (or from the end user to change to BellSouth service) that an AT&T end user has switched its local service to the other CLEC's service (or to BellSouth), BellSouth shall send AT&T a loss notification message to inform AT&T that its end user has switched to another CLEC (or to BellSouth). The Parties agree to utilize LSOG4 or the most current industry ordering guideline standard established by the OBF that contains the loss notification message.
- 3.3 BellSouth shall send loss notification messages to AT&T six (6) days a week using the applicable release of EDI as the electronic medium for transmitting the loss notification message.
- 3.4 BellSouth shall accept and process intraLATA and interLATA PIC changes sent by AT&T. When an AT&T local end user switches its IXC, AT&T will enter the PIC change into the current local order system, and will generate an intraLATA or interLATA PIC Service

Change Order that will be sent to BellSouth for provisioning over the existing ordering gateway.

- 3.5 When AT&T is notified by an intraLATA or interLATA carrier using a Transaction Code ("TC") "01" PIC order record than an AT&T local end user has changed its intraLATA or interLATA PIC, BellSouth shall reject the order and notify the intraLATA or interLATA carrier that a CARE PIC record should be sent to AT&T. BellSouth shall notify the intraLATA or interLATA carrier by creating a '3148' (for resale or UNE-P) or a '3150' (for ported numbers) reject transaction record, and shall populate the AT&T provided AT&T Operating Company Code on the reject record. The intraLATA and interLATA carrier should redirect the TC01 order to AT&T for processing the PIC.

Exhibit A, Page 1 of 5

LINE INFORMATION DATA BASE ("LIDB")
STORAGE AGREEMENT

I. SCOPE

- 1.1 This Exhibit sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of AT&T and pursuant to which BellSouth, its LIDB customers and AT&T shall have access to such information. AT&T understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Exhibit, shall be available to those telecommunications service providers.
- 1.2 Definitions
 - 1.2.1 Billing number - a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
 - 1.2.2 Line number - a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
 - 1.2.3 Special billing number - a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
 - 1.2.4 Calling Card number - a billing number plus PIN number assigned by BellSouth.
 - 1.2.5 PIN number - a four digit security code assigned by BellSouth which is added to a billing number to compose a fourteen digit calling card number.
 - 1.2.6 Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

Exhibit A, Page 2 of 5

- 1.2.7 Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- 1.2.8 Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- 1.2.9 Billing number information - information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by the Local Exchange Company.
- 1.3 LIDB is accessed for the following purposes:
 - Billed Number Screening
 - Calling Card Validation
 - Fraud Control
- 1.4.1 BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify AT&T within 2 hours of fraud alerts so that AT&T may take action it deems appropriate. At AT&T's request, BellSouth shall block and restrict calling card, third party billing and collect call, and validation in its LIDB within two (2) hours of receiving AT&T's request. Local Exchange Company understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Exhibit, in the same manner as BellSouth's data for BellSouth's end users. BellSouth shall not be responsible to AT&T for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- 1.4.2 AT&T understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. AT&T further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, AT&T understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in

Exhibit A, Page 3 of 5

the LIDB and such data which it includes in the LIDB on AT&T's behalf pursuant to this Exhibit. Therefore, until such time as BellSouth can and does implement in its LIDB and its supporting systems the means to differentiate AT&T's data from BellSouth's data and the Parties execute appropriate amendments hereto, the following terms and conditions shall apply:

- 1.4.2.1 AT&T agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for AT&T's end user accounts which are resident in LIDB pursuant to this Exhibit. AT&T's authorizes BellSouth to place such charges on AT&T's bill from BellSouth and agrees that it shall pay all such charges. Charges for which AT&T hereby takes responsibility include, but are not limited to, collect and third number calls.
- 1.4.2.2 Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- 1.4.2.3 AT&T shall have the responsibility to render a billing statement to its end users for these charges, but AT&T's obligation to pay BellSouth for the charges billed shall be independent of whether AT&T is able or not to collect from AT&T's end users.
- 1.4.2.4 BellSouth shall not become involved in any disputes between AT&T and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to AT&T. It shall be the responsibility of AT&T and the other entity to negotiate and arrange for any appropriate adjustments.

2. FEES FOR SERVICE AND TAXES

- 2.1 AT&T will not be charged a fee for storage services provided by BellSouth to AT&T, as described in Section I of this Exhibit.

3. MISCELLANEOUS

- 3.1 It is understood and agreed to by the parties that BellSouth may provide similar services to other companies.
- 3.2 All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state

Exhibit A, Page 4 of 5

or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either party to violate any such legal or regulatory requirement and either party's obligation to perform shall be subject to all such requirements.

- 3.3 This Exhibit constitutes the entire agreement between AT&T and BellSouth which supersedes all prior agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

4. RESALE

- 4.1 This Section sets forth the terms and conditions for AT&T's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by AT&T, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section 1.3 of this Exhibit A.

4.2 Responsibilities of Parties

- 4.2.1 BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. AT&T will request any toll billing exceptions via the Local Service Request ("LSR") form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.

- 4.2.2 Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of AT&T. BellSouth will not issue line-based calling cards in the name of AT&T's individual end users. In the event

Exhibit A, Page 5 of 5

that AT&T wants to include calling card numbers assigned by AT&T in the BellSouth LIDB, a separate agreement is required.

- 4.2.3 BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- 4.2.4 BellSouth is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:
 - 4.2.4.1 Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.
 - 4.2.4.2 Determine whether AT&T has identified the billing number as one which should not be billed for collect or third number calls, or both.

Exhibit B, Page 1 of 5

RAO HOSTING

- 1 RAO Hosting, Calling Card and Third Number Settlement System ("CATS") and Non-Intercompany Settlement System ("NICS") services provided to AT&T by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth. BellSouth shall provide AT&T with notice of such revisions sixty (60) days prior to implementation.
- 2 AT&T shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3 Applicable compensation amounts will be billed by BellSouth to AT&T on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4 AT&T must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System ("CMDS") interfacing host, require written notification from AT&T to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia, on behalf of AT&T and will coordinate all associated conversion activities.
- 5 BellSouth will receive messages from AT&T that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from AT&T.
- 7 All data received from AT&T that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to

Exhibit B, Page 2 of 5

that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.

- 8 All data received from AT&T that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor [currently Telcordia].
- 9 BellSouth will receive messages from the CMDS network that are destined to be processed by AT&T and will forward them to AT&T on a daily basis.
- 10 Transmission of message data between BellSouth and AT&T will be via CONNECT: Direct.
- 11 All messages and related data exchanged between BellSouth and AT&T will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 12 AT&T will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 13 Should it become necessary for AT&T to send data to BellSouth more than sixty (60) days past the message date(s), AT&T will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and AT&T to notify all affected Parties.
- 14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or AT&T) identified and agreed to, the company responsible for creating the data (BellSouth or AT&T) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could

Exhibit B, Page 3 of 5

not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

- 15 Should an error be detected by the EMI format edits performed by BellSouth on data received from AT&T, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify AT&T of the error condition. AT&T will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, AT&T will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 16 In association with message distribution service, BellSouth will provide AT&T with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
- 18 RAO Compensation
- 18.1 Rates for message distribution service provided by BellSouth for AT&T are as set forth in Exhibit F to this Attachment 6, incorporated herein by this reference.
- 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit F to this Attachment 6, incorporated herein by this reference.
- 18.3 Data circuits (private line or dial-up) will be required between BellSouth and AT&T for the purpose of data transmission. Where a dedicated line is required, AT&T will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. AT&T will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is

Exhibit B, Page 4 of 5

required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to AT&T. Additionally, all message toll charges associated with the use of the dial circuit by AT&T will be the responsibility of AT&T. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.

- 18.4 All equipment, including modems and software, that is required on AT&T's end for the purpose of data transmission will be the responsibility of AT&T.
- 19 Intercompany Settlements Messages
- 19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by AT&T as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between AT&T and the involved company(ies), unless that company is participating in NICS.
- 19.2 Both traffic that originates outside the BellSouth region by AT&T and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by AT&T, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by AT&T, involves a company other than AT&T, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 19.3 Once AT&T is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia's, its successor or assign, NICS system.
- 19.4 BellSouth will receive the monthly NICS reports from Telcordia, its successor or assign, on behalf of AT&T. BellSouth will distribute copies of these reports to AT&T on a monthly basis.
- 19.5 BellSouth will receive the monthly CATS reports from Telcordia, its successor or assign, on behalf of AT&T.

Exhibit B, Page 5 of 5

BellSouth will distribute copies of these reports to AT&T on a monthly basis.

- 19.6 BellSouth will collect the revenue earned by AT&T from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of AT&T. BellSouth will remit the revenue billed by AT&T to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf of AT&T. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to AT&T via a monthly Carrier Access Billing System ("CABS") miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by AT&T within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of AT&T. BellSouth will remit the revenue billed by AT&T within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to AT&T via a monthly CABS miscellaneous bill.
- 19.8 BellSouth and AT&T agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

Exhibit C, Page 1 of 4

OPTIONAL DAILY USAGE FILE

1 Upon written request from AT&T, BellSouth will provide the Optional Daily Usage File ("ODUF") service to AT&T pursuant to the terms and conditions set forth in this section.

2 AT&T shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.

3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to an AT&T end user.

Charges for delivery of the Optional Daily Usage File will appear on the AT&Ts' monthly bills. The charges are as set forth in Exhibit A to this Attachment 6, incorporated herein by this reference.

4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions ("ATIS") EMI record format.

5 Messages that error in the billing system of AT&T will be the responsibility of AT&T. If, however, AT&T should encounter significant volumes of errored messages that prevent processing by AT&T within its systems, BellSouth will work with AT&T to determine the source of the errors and the appropriate resolution.

6 The following specifications shall apply to the Optional Daily Usage Feed.

6.1 Usage To Be Transmitted

6.1.1 The following messages recorded by BellSouth will be transmitted to AT&T:

- message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
- measured billable Local
- Directory Assistance messages
- intraLATA Toll
- WATS & 800 Service

Exhibit C, Page 2 of 4

-N11

- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service

- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to AT&T.
- 6.1.4 In the event that AT&T detects a duplicate on Optional Daily Usage File they receive from BellSouth, AT&T will drop the duplicate message (AT&T will not return the duplicate to BellSouth).
- 6.2 Physical File Characteristics
- 6.2.1 The Optional Daily Usage File will be distributed to AT&T via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and AT&T for the purpose of data transmission. Where a dedicated line is required, AT&T will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. AT&T will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by

Exhibit C, Page 3 of 4

BellSouth and the associated charges assessed to AT&T. Additionally, all message toll charges associated with the use of the dial circuit by AT&T will be the responsibility of AT&T. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on AT&T end for the purpose of data transmission will be the responsibility of AT&T.

6.3 Packing Specifications

6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to AT&T which BellSouth RAO that is sending the message. BellSouth and AT&T will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by AT&T and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 AT&T will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. AT&T will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to AT&T by BellSouth.

6.5 Control Data

AT&T will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate AT&T received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for

Exhibit C, Page 4 of 4

packs that were rejected by AT&T for reasons stated in the above section.

6.6 Testing

- 6.6.1 Upon request from AT&T, BellSouth shall send test files to AT&T for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that AT&T set up a production (LIVE) file. The live test may consist of AT&T's employees making test calls for the types of services AT&T requests on the Optional Daily Usage File. These test calls are logged by AT&T, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

ENHANCED OPTIONAL DAILY USAGE FILE

1 Upon written request from AT&T, BellSouth will provide the Enhanced
Optional Daily Usage File ("EODUF") service to AT&T pursuant to the
terms and conditions set forth in this section. EODUF will only be sent
to existing ODUF subscribers who request the EODUF option.

2 AT&T shall furnish all relevant information required by BellSouth for the
provision of the Enhanced Optional Daily Usage File.

3 The EODUF will provide usage data for local calls originating from
resold Flat Rate Business and Residential Lines.

4 Charges for delivery of the Enhanced Optional Daily Usage File will
appear on AT&Ts' monthly bills. The charges are as set forth in
Exhibit A to this Attachment 6, incorporated herein by this reference.

5 All messages will be in the standard Alliance for Telecommunications
Industry Solutions ("ATIS") EMI record format.

6 Messages that error in the billing system of AT&T will be the
responsibility of AT&T. If, however, AT&T should encounter significant
volumes of errored messages that prevent processing by AT&T within
its systems, BellSouth will work with AT&T to determine the source of
the errors and the appropriate resolution.

7 The following specifications shall apply to the Optional Daily Usage
Feed.

7.1 Usage To Be Transmitted

7.1.1 The following messages recorded by BellSouth will be transmitted to
AT&T:

Customer usage data for flat rated local call originating from CLEC end
user lines (1FB or 1FR). The EODUF record for flat rate messages will
include:

Date of Call
From Number
To Number
Connect Time
Conversation Time

Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to AT&T.

7.1.3 In the event that AT&T detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, AT&T will drop the duplicate message (AT&T will not return the duplicate to BellSouth).

7.2 Physical File Characteristics

7.2.1 The Enhanced Optional Daily Usage Feed will be distributed to AT&T over their existing ODUF feed. The EODUF messages will be intermingled among AT&T's ODUF messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and AT&T for the purpose of data transmission. Where a dedicated line is required, AT&T will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. AT&T will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to AT&T. Additionally, all message toll charges associated with the use of the dial circuit by AT&T will be the responsibility of AT&T. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on the AT&T end for the purpose of data transmission will be the responsibility of AT&T.

7.3 Packing Specifications

7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.3.2 The Operating Company Number ("OCN"), From Revenue Accounting Office ("RAO"), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to AT&T which BellSouth RAO that is sending the message. BellSouth and AT&T will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by AT&T and resend the data as appropriate.

7.3.3 THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

ATTACHMENT 7

**INTERFACE REQUIREMENTS FOR ORDERING AND PROVISIONING,
MAINTENANCE AND REPAIR AND PRE-ORDERING**

TABLE OF CONTENTS

1.	General Conditions	3
2	Pre-ordering.....	5
3	Ordering and Provisioning.....	6
4	Maintenance	15
5	Operational Readiness Test (“ORT”)	17
6	Joint Implementation Agreement Development	Error! Bookmark not defined.
7.	Performance Measurements	12

EXHIBIT A Change Control Process

**INTERFACE REQUIREMENTS FOR ORDERING AND PROVISIONING,
MAINTENANCE AND REPAIR AND PRE-ORDERING**

1. General Conditions

1.1 This Attachment 7 sets forth the terms and conditions under which BellSouth will provide AT&T access to the following BellSouth Operations Support Systems ("OSS") functions. Access to these functions shall be via various interfaces and personnel and may be used by AT&T for pre-ordering, ordering, provisioning, maintenance and repair, and billing functions, which are supported by BellSouth databases, information, and personnel.

1.2 AT&T PROPOSAL

1.2.1 **In addition to the electronic interfaces, BellSouth shall provide to AT&T any manual processes available to other CLECS for preordering, ordering, provisioning, and billing functions via BellSouth's Local Service Center, and for repair and maintenance functions through BellSouth's Local Operations Center. AT&T shall use its best efforts to utilize BellSouth's electronic interfaces. However, should AT&T use manual processes, AT&T shall pay BellSouth the additional charges associated with these manual processes, as set forth in this Agreement.**

Interfaces	Function
EDI, TAG, LENS, LENS99	Ordering
TAG, LENS, LENS99	Pre-order
EDI, TAG, LENS, LENS99, ROBO TAG CSOTS	Provisioning
EBI (ECTA), TAFI	Maintenance and Repair
CABS, CRIS, BIBS	Billing and Recording

1.3 BellSouth will provide AT&T with access to the interfaces twenty-four (24) hours a day, seven (7) days a week, except for scheduled maintenance. BellSouth shall provide AT&T a minimum of fifteen (15) calendar days advance notice of any scheduled maintenance.

- 1.4 Downtime shall be scheduled when systems experience minimum usage.
- 1.5 Single Point of Contact ("SPOC")
 - 1.5.1 BellSouth will provide a SPOC to provide technical support for the interfaces described herein. AT&T will also provide a SPOC for technical issues related to said interfaces.
 - 1.5.2 BellSouth will provide a SPOC for all ordering and provisioning contacts and order flow involved in the purchase and provisioning of BellSouth's Services and Elements.
 - 1.5.3 BellSouth and AT&T will provide one another with toll-free contact numbers for their respective SPOCs.
- 1.6 The Parties agree that the Change Control Process attached hereto as Exhibit A, and incorporated herein by this reference, will be used to manage changes to existing interfaces, introduction of new interfaces and retirements of interfaces. AT&T and BellSouth agree to comply with the provisions of the Change Control Process.
- 1.7 Throughout the term of this Agreement, the quality of the technology, equipment, facilities, processes, and techniques (including, without limitation, such new architecture, equipment, facilities, and interfaces as BellSouth may deploy) that BellSouth provides to AT&T under this Agreement must be at least equal in quality to that provided by BellSouth to itself and its affiliates. The service standards, measurements and performance incentives applicable to the interfaces are set forth in Attachment 9 (Performance Measurements) of this Agreement, incorporated herein by this reference.
- 1.8 AT&T and BellSouth will utilize standard industry formats and data elements developed by the Alliance for Telecommunications Industry Solutions ("ATIS"), including without limitation to the Ordering and Billing Forum ("OBF") ("ATIS and its associated committees"). Where standard industry formats and data elements are not developed by ATIS and its associated committees, AT&T and BellSouth will use the Change Control Process to address the specific format or data element requirements. When an ATIS and its associated committees standard or format is subsequently adopted, the Parties will utilize the Change Control Process to determine whether to continue to utilize the non-ATIS and its associated committees standard or format and when

to implement the ATIS and its associated committees standard or format.

- 1.9 Subscription Functions. In cases where BellSouth performs subscription functions for an inter-exchange carrier [i.e., PIC, and LPIC changes via Customer Account Record Exchange ("CARE")], BellSouth will provide the affected inter-exchange carriers with the Operating Company Number ("OCN") of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

2. Pre-ordering

- 2.1 BellSouth shall provide access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, dispatch and available installation appointments, PIC options for intraLATA and interLATA toll, loop qualification information and end user record information.
- 2.2 BellSouth shall provide AT&T with non-discriminatory access to the Loop qualification information that is available to BellSouth, so that AT&T can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment that AT&T intends to install. Loop qualification information is defined as information, such as the composition of the Loop material, including but not limited to: fiber optics or copper; the existence, location and type of any electronic or other equipment on the Loop, including but not limited to, digital Loop carrier or other remote concentration devices, feeder/distribution interfaces, bridge taps, load coils, pair-gain devices, disturbers in the same or adjacent binder groups; the Loop length, including the length and location of each type of transmission media; the wire gauge(s) of the Loop; and the electrical parameters of the Loop, which may determine the suitability of the Loop for various technologies.
- 2.3 BellSouth and AT&T will provide access to customer service record information where the Parties have the appropriate written authorization from the end user. Neither Party shall be required to present prior written authorization from each end user to the other Party before being allowed access to customer record information. Each Party will issue the other a blanket letter of authorization that states that AT&T and BellSouth will obtain the end user's permission before accessing end user records. Each Party shall retain the letters of authorization from its end users. If BellSouth desires to request a

Customer Service Record ("CSR") for an AT&T end user, BellSouth is required to complete a Customer Service Information Query ("CSIQ") form and send via facsimile to AT&T. AT&T will accept CSR requests from BellSouth as acting agent for the end user (BellSouth should retain Letter of Authorization ("LOA") on file). AT&T will provide the CSR and return via facsimile both the CSIQ form and the CSR within 48 hours or 2 business days, if the first of the two days falls on a Friday or a holiday. The provisioning of local service for the territory served by BellSouth is handled by AT&T's work center located in Atlanta, Georgia. The work center's facsimile telephone number is (404) 329-2169. Voice inquiries on the CSIQ should be directed to (404) 982-6611.

3. Ordering and Provisioning

- 3.1 BellSouth will recognize AT&T as the customer of record for services ordered by AT&T pursuant to this Agreement and will send all notices, invoices and pertinent information directly to AT&T. Except as otherwise specifically provided in this Agreement, AT&T shall be the single and sole point of contact for all AT&T end users.
- 3.2 Each Party shall refer all questions regarding the other Party's services or products directly to the other Party at a telephone number specified by the other Party. Each Party shall ensure that all their representatives who receive inquiries regarding the other Party's services or products: (i) provide such numbers to callers who inquire about the other Party's services or products; and (ii) do not in any way disparage or discriminate against the other Party, or its products or services.
- 3.3 BellSouth will provide access to ordering and provisioning functions via the interfaces as set forth in Section 1.1 of this Attachment 7. To order the services, AT&T will format the service request pursuant to the requirements of the interface utilized.
- 3.4 AT&T may submit, and BellSouth will accept, orders for Services and Elements on a single service request per end user account.
- 3.5 Currently all telecommunications services for resale; unbundled network elements, and interconnection are requested via BellSouth's Local Service Request ("LSR"). The exception to this is an industry wide exception dealing with ordering interconnection local trunking which is ordered on an Access Service Request ("ASR"). Ordering procedures are as outlined in the ordering guide posted on the web.

Changes or additions to ordering procedures resulting from new Services and Elements shall be provided to AT&T through its account team and BellSouth's Internet Website and shall comply with Exhibit A, attached hereto and incorporated herein by this reference.

- 3.6 BellSouth shall provide all ordering and provisioning services to AT&T during the same business hours of operation that BellSouth provisions service to its affiliates or end users. Ordering and provisioning support required by AT&T outside of these hours will be considered outside of normal business hours and will be subject to overtime billing.
- 3.7 If AT&T requests that BellSouth perform provisioning services at times or on days other than as required in the preceding sentence, BellSouth shall provide AT&T a quote for such services consistent with the provisions set forth in Exhibit A of Attachment 2 of this Agreement, incorporated herein by this reference.
- 3.8 To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by AT&T will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if AT&T wishes to reinstate an order, AT&T may be required to submit a new service order.
- 3.9 Upon request from AT&T, and consistent with the provisions set forth in _ of Attachment 2 of this Agreement, incorporated herein by reference, BellSouth will provide an intercept referral message for any order for Services and Elements which include any new AT&T telephone number.
- 3.10 BellSouth will provide AT&T with a Firm Order Confirmation ("FOC") in compliance with the provisions of Attachment 9 of this Agreement, incorporated herein by this reference. The FOC will provide AT&T with the BellSouth order number, the negotiated service due date, telephone/circuit numbers (as applicable to the service). Additional specific data may also be provided, if appropriate.
- 3.11 AT&T will specify on each order its Desired Due Date ("DDD") for completion of that particular order. BellSouth shall not complete the order prior to DDD unless early turn-up is needed for testing purposes. BellSouth will notify AT&T if the DDD cannot be met. BellSouth will make best effort to meet the DDD for service requests.
- 3.12 If, during the provisioning visit to the AT&T end user premise, the AT&T end user requests additional work, BellSouth will contact AT&T

for authorization to perform said work; will provide an estimate of time and materials required; will quote time and charges at the completion of the visit; and will notify AT&T if a subsequent visit is required.

- 3.13 Expedite and Escalation Procedures:
- 3.14 Requests for due dates that are earlier than the BellSouth offered date will be treated as an expedite request. In order to request an expedited due date, AT&T must request the expedite through the appropriate BellSouth service center on the appropriate service request form. The BellSouth service center will coordinate the request internally with the appropriate groups within BellSouth in order to establish the date BellSouth will target as the offered date. The BellSouth service center will advise AT&T of this date on the FOC. If the date on the FOC does not meet AT&T's expedited request, AT&T may escalate to the appropriate center. BellSouth may bill expedite charges for an expedited due date and will advise AT&T of any charges at the time the offered date is provided. BellSouth will provide an escalation list to AT&T containing the names and numbers of the appropriate personnel to which escalations are to be referred.
- 3.15 When AT&T orders Services and Elements pursuant to this Agreement, BellSouth shall provide notification electronically of any instances when (1) BellSouth's Committed Due Dates are in jeopardy of not being met by BellSouth on any service, (2) an order contains Rejections/Errors in any of the data element(s) fields, or (3) completion notice. When AT&T orders Services and Elements pursuant to this Agreement manually, BellSouth shall provide notification in the same manner in which it was sent of any instances when an order contains Rejections/Errors in any of the data element(s) fields. Any other notification or request for manual orders shall be available through BellSouth's Internet web site. Such notice will be made as soon as the jeopardy or reject is identified.
- 3.16 BellSouth and AT&T will perform co-operative testing (including trouble shooting to isolate problems) to test any Services and Elements purchased by AT&T pursuant to this Agreement in order to identify any performance problems identified at turn-up of the Services and Elements.
- 3.17 Where BellSouth provides installation on behalf of AT&T, BellSouth shall advise the AT&T end user to notify AT&T immediately if the AT&T end user requests a service change at the time of installation.

- 3.18 Upon AT&T's request through a Suspend/Restore Order, BellSouth shall suspend or restore the functionality of any Services and Elements provided pursuant to this Agreement.
- 3.19 Unless otherwise ordered by AT&T, when AT&T orders Services and Elements pursuant to this Agreement, all pre-assigned trunk or telephone numbers currently associated with those Services and Elements shall be retained without loss of switched based features where such features exist. AT&T shall be responsible for ensuring that associated functions (e.g., entries to databases and 911/E911 capability) are properly ordered or retained on the service request.

3.20 **AT&T PROPOSAL**

Procedures for Selective Carrier Routing Footprint Implementation.

General

- 3.20.1 In order for BellSouth to provide branded or unbranded Operator Services and/or Directory Assistance ("OS/DA"), any of three technologies may be elected by AT&T; (1) Selective Carrier Routing using the BellSouth Advanced Intelligence Network (AIN) platform; (2) Selective Carrier Routing using a Line Class Code (LCC) platform; or (3) Originating Line Number Screening (OLNS). Custom Branding for Directory Assistance is not available for certain classes of service, such as: Hotel/Motel, WATS, cellular type 1, and certain PBX services. AT&T may also elect to have BellSouth provision Alternative Operator Services Routing (AOSR) to AT&T using AIN or LCC technologies. The parties anticipate that Line Class Codes unique to AT&T will be required when AT&T purchases local switching using UNE ports for all three technologies (AIN, LCC, and OLNS), and may be requested when AT&T purchases local switching as a reseller.
- 3.20.2 LCCs and the trunking arrangements required to implement AT&T's chosen technology and OS/DA routing options shall be ordered through the BellSouth Account Team dedicated to AT&T ("Account Team"). BellSouth shall provide AT&T with all of the appropriate ordering forms and written methods and procedures required to identify to BellSouth, in a single submission, the entirety of AT&T's request for its choices of technology and

routing options. Such forms and written methods and procedures include, but are not limited to, the Selective Routing Ordering Document, the Selective Routing End Office Detail Form, the CLEC Branding Questionnaire, the Network Design Request, Trunk Order Forms, etc., and are attached as Exhibit [X] to this Attachment.

3.20.3 For each request for a selective carrier routing footprint, AT&T shall provide a single submission, using the forms identified in Section 3.20.2. AT&T shall identify the BellSouth end offices where it would like to offer end user service; describe each set of end user call blocking restrictions, each set of call routing instructions, and each class of service to be offered by AT&T; and provide a forecast of call volumes for each end office. BellSouth shall verify the Line Class Code capacity for the end offices identified by the AT&T. Within two weeks of receiving the request from AT&T, the BellSouth Account Team shall notify AT&T in writing whether the Line Class Code and Selective Carrier Routing request can be satisfied and shall commit to a due date for completion of the project.

3.20.4 In the event that BellSouth finds that Line Class Code capacity does not exist for a given end office, BellSouth shall provide without charge one of the following options in that end office according to the following preferred order:

OLNS - AT&T Branded;

OLNS – Unbranded;

AIN – AT&T Branded;

AIN – Unbranded; or

BellSouth Branded.

This “fallback” option shall be provided without charge until the end office LCC capacity problem is relieved.

3.20.5 BellSouth shall program the LCCs to meet AT&T’s request in the end offices identified by AT&T. At the same time, BellSouth shall update all databases, including any look-up tables, necessary to accept and process AT&T-submitted LSRs as described in Section 3.30 of this Attachment.

- 3.20.6** The rates for Line Class Codes are set forth in Exhibit C of this Attachment. These charges include non-recurring charges to build and program the Line Class Codes in each end office for each serving TOPS Tandem.
- AT&T-branded BellSouth OS/DA**
- 3.20.7** Where BellSouth is providing local switching to AT&T, and where BellSouth is providing AT&T-branded OS/DA through selective carrier routing using Line Class Code technology, AT&T's end user traffic is routed to a dedicated trunk group uniquely identified by LCC instructions.
- 3.20.8** If Line Class Code capacity exists within the end offices identified by the AT&T, and AT&T has requested AT&T-branded OS/DA, AT&T will order the required dedicated trunks from the desired BellSouth end office to the BellSouth TOPS Tandem. Separate trunk groups are required for Operator Services and for Directory Assistance. AT&T shall prepare and submit the Selective Routing Ordering Document, Selective Routing Detail forms, CLEC Branding Questionnaire, Network Design Request and Trunk Order forms to the BellSouth Account Team, which shall review such documents and request any further information that may be necessary within 3 business days of receipt. AT&T shall verify and provide any information requested by BellSouth. No later than one day after the determination made in 3.20.3 above, the BellSouth Account Team will submit the Selective Routing Ordering Document and the Selective Routing End Office Detail forms to the Line Class Code Administrator; the CLEC Branding Questionnaire to BellSouth Operator Services Organization; and the Network Design Request and Trunk Order forms to the Interconnection Trunking Center.
- 3.20.9** The intervals from the determination made in 3.20.3 above to provide up to 20 LCCs per end office using this process are as follows: 30 days for up to 100 end offices, 60 days for 101-200 end offices, and 90 days for over 200 end offices. If AT&T requests more than 20 LCCs for each end office, the parties shall negotiate the appropriate intervals. The interval to provide dedicated trunking is 30 calendar days for all trunks per end office. BellSouth shall simultaneously build LCCs and install trunks for a given end office and BellSouth translations shall point the codes to the appropriate trunk groups for testing at the end of the applicable LCC build interval. If LCCs have been requested for

more than one end office in a single order, AT&T may specify the order in which BellSouth shall implement the end offices. BellSouth may assign a Project Manager to ensure timely and accurate implementation.

Unbranded OS/DA

- 3.20.10** Where BellSouth is providing local switching to AT&T, and where BellSouth is providing unbranded OS/DA through selective carrier routing using LCC technology, AT&T's end user traffic is routed to a trunk group(s) installed by BellSouth.
- 3.20.11** If LCC capacity exists within the end offices identified by AT&T, BellSouth shall order the trunk groups necessary to carry the unbranded Operator Services traffic to each TOPs tandem. The interval for the installation of the trunk groups and associated LCCs shall be 30 calendar days from the determination made in 3.20.3 above, for each TOPS tandem. The number of trunk groups required shall be based upon the forecast of traffic volume received from AT&T and may affect the provisioning interval. If so, BellSouth shall promptly notify AT&T. A separate trunk group is required for Operator Assistance and for Directory Assistance. AT&T shall prepare and submit the Selective Routing Ordering Document, Selective Routing Detail forms, CLEC Branding Questionnaire, and Network Design Request forms to the BellSouth Account Team, which shall review such documents and request any further information that may be necessary within 3 business days of receipt. AT&T shall provide and verify any information requested by BellSouth. No later than one day after the determination made in 3.20.3 above, the BellSouth Account Team will submit the Selective Routing Ordering Document and the Selective Routing End Office Detail forms to the Line Class Code Administrator; the CLEC Branding Questionnaire to BellSouth Operator Services Organization; and the Network Design Request and Trunk Order forms to the Interconnection Trunking Center.
- 3.20.12** The intervals from the determination made in 3.20.3 above to provide up to 20 LCCs per end office using this process are as follows: 30 days for up to 100 end offices, 60 days for 101-200 end offices, and 90 days for over 200 end offices. If AT&T requests more than 20 LCCs for each end office, the parties shall negotiate the appropriate intervals. The interval to provide BellSouth trunking is 30 calendar days for all trunks per end office.

BellSouth shall simultaneously build LCCs and install trunks for a given end office and BellSouth translations shall point the codes to the appropriate trunk groups for testing at the end of the applicable LCC build interval. If LCCs have been requested for more than one end office in a single order, AT&T may specify the order in which BellSouth shall implement the end offices. BellSouth may assign a Project Manager to ensure timely and accurate implementation.

Alternative Operator Services Routing

- 3.20.13** Where BellSouth is providing the local switching to AT&T, and where AT&T is utilizing an Alternative Operator Services Provider through selective carrier routing using LCC technology, AT&T's end user traffic will be routed to a dedicated trunk group, which shall be provisioned in accordance with BellSouth's and the Alternate Operator Service Provider's requirements, from the desired BellSouth End Offices to the Alternative Operator Services Point of Interface. Such dedicated trunking may also utilize BellSouth tandem switching as a means of aggregating end office traffic to an efficient tandem trunk group. Should BellSouth implement tandem trunking in its own OS/DA network, and it is technically feasible to do so, AT&T may elect to have its tandem routed OS/DA traffic carried over these same BellSouth trunks from the end office to the tandem.
- 3.20.14** If Line Class Code capacity exists within the end offices identified by AT&T, and AT&T has requested an Alternate Operator Services Routing, AT&T shall order the required dedicated Trunks from the desired BellSouth end offices to the Alternative Operator Services Provider Point of Interface. AT&T shall prepare and submit the Selective Routing Ordering Document, Selective Routing Detail forms, Network Design Request and Trunk Order forms to the BellSouth Account Team, which shall review such documents and request any further information that may be necessary within 3 business days of receipt. AT&T shall verify and provide any information requested by BellSouth. No later than one day after the determination made in 3.20.3 above, the BellSouth Account Team will submit the Selective Routing Ordering Document and the Selective Routing End Office Detail forms to the Line Class Code Administrator; and the Network Design Request and Trunk Order forms to the Interconnection Trunking Center.

3.10.15 The intervals from the determination made in 3.20.3 above to provide up to 20 LCCs per end office using this process are as follows: 30 days for up to 100 end offices, 60 days for 101-200 end offices, and 90 days for over 200 end offices. If AT&T requests more than 20 LCCs for each end office, the parties shall negotiate the appropriate intervals. The interval to provide dedicated trunking is 30 calendar days for all trunks per end office. BellSouth shall simultaneously build LCCs and install trunks for a given end office and BellSouth translations shall point the codes to the appropriate trunk groups for testing at the end of the applicable LCC build interval. If LCCs have been requested for more than one end office in a single order, AT&T may specify the order in which BellSouth shall implement the end offices. BellSouth may assign a Project Manager to ensure timely and accurate implementation.

3.20.16 Where AT&T is using an Alternative Operator Services Provider, AT&T, may at its option, order dedicated trunks between its Alternative Operator Services Provider's Point of Interface and the BellSouth Operator Services Platform. If AT&T elects to install said dedicated trunks, AT&T's Operators may provide verify busy line or line interruption services on numbers located in the BellSouth Switch at the rates set forth in Exhibit C.

Procedures for Selective Carrier Routing Customer-Specific Electronic LSR Ordering

3.30.1 All AT&T OS/DA calls originated from a customer in an end office where BellSouth is providing the local switching to AT&T and where AT&T has requested only a single customized OS/DA routing option, shall be routed to that option by BellSouth following the submission of AT&T's LSR without the need for AT&T to provide any indication of the routing on the LSR. BellSouth shall accept LSRs electronically and shall not subject them to any human intervention associated with implementation of customized OS/DA routing, regardless of which routing option is in use from that end office. Until such time as BellSouth is able to accept and process an electronic LSR as described in this section, AT&T may submit such orders manually, without additional charge, and BellSouth shall expedite such orders, without additional charge, to meet the due date offered for BellSouth branded OS/DA. Likewise should BellSouth implement a process that will accept an electronic LSR, but then subject that LSR to designed manual fallout, BellSouth shall expedite such

orders, without additional charge, to meet the due date offered for BellSouth branded OS/DA.

3.30.2 Where BellSouth is providing local switching to AT&T, and where AT&T has requested more than one customized OS/DA routing in the end office serving AT&T's customer, AT&T's customer-specific LSR will provide an indicator identifying to BellSouth which routing to assign to the customer's port. This indicator will appear in the "Feature" field of the LSR and shall be the same for the selected option across all end offices in BellSouth's nine-state region. (For example, the single indicator "UB/BLS" could identify the Unbranded at BellSouth option, the single indicator "CB/BLS" could identify the CLEC Branded at BellSouth option, and the single indicator "C/AOSR" could identify the Alternative Operator Services Routing option.)

3.30.3 Where BellSouth is providing local switching to AT&T, and where AT&T has requested more than one customized OS/DA routing option in the end office serving AT&T's customer, BellSouth shall accept AT&T's LSRs providing the indication of which option to apply to a specific customer electronically and shall not subject the LSR to any human intervention associated with the implementation of customized OS/DA routing. This shall be true regardless of the option indicated. Until such time as BellSouth is able to accept and process an electronic LSR as described in this section, AT&T may submit such orders manually, without additional charge, and BellSouth shall expedite such orders, without additional charge, to meet the due date offered for BellSouth branded OS/DA. Likewise should BellSouth implement a process that will accept an electronic LSR, but then subject that LSR to designed manual fallout, BellSouth shall expedite such orders, without additional charge, to meet the due date offered for BellSouth branded OS/DA.

4. Maintenance

4.1 BellSouth shall perform maintenance functions for all Services and Elements provided pursuant to this Agreement in accordance with the terms and conditions of this Attachment 7 and as set forth in the Operational Understanding between BellSouth and AT&T Maintenance Centers ("Operational Understanding"), incorporated herein by this reference.

4.2 AT&T PROPOSAL

- 4.2.1** BellSouth shall provide AT&T with access to maintenance and repair functions through its TAFI and ECTA interfaces. The functionality provided through the ECTA interface shall be the same as that provided through the TAFI interface. The TAFI interface shall allow AT&T personnel and customer service representatives to perform the following functions for AT&T end users: (i) enter a new end user trouble ticket into the BellSouth maintenance system for an AT&T end user; (ii) retrieve and track current status on all AT&T end user repair tickets; (iii) receive "estimated time to repair" ("ETTR") on a real-time basis; (iv) receive timely notification in the event a repair person is unable to be present for, or anticipates missing, a scheduled repair opportunity; (v) retrieve all applicable time and material charges at the time of ticket closure (itemized by time spent, price of materials used, procedures employed, amounts incurred in each subcategory, and total by end user, per event); (vi) perform an electronic test at the time of ticket entry and provide test results to AT&T; (vii) display products and services that are programmed on a line or port; (viii) view pending orders associated with a line, port or circuit; (ix) view the LMOS trouble report; (x) query and view the current central office translations associated with a line or port; (xi) view both abbreviated and extended trouble histories for a line, port or circuit; (xii) view customer line record in LMOS; and (xiii) add or delete features to a central office line or port.
- 4.3 BellSouth service technicians shall provide to AT&T end users repair service that is at least equal in quality to that provided to BellSouth end users and trouble calls from AT&T shall receive response time priority that is at least equal to that of BellSouth end users and shall be handled on a "first-come first-served" basis regardless of whether the end user is an AT&T end user or a BellSouth end user.
- 4.4 For services provided through resale, BellSouth agrees to provide AT&T with scheduled maintenance for residence and small business end users consistent with the Operational Understanding. BellSouth agrees to provide AT&T written notification of Central Office conversions and such conversions consistent with the Operational Understanding.
- 4.5 Maintenance charges for premises visits by BellSouth technicians shall be billed by AT&T to its end user, and not by BellSouth. The BellSouth technician shall, (i) contact AT&T for authorization, (ii) provide an estimate of time and materials required, (iii) quote time and charges at the completion of the repair visit, (iv) notify AT&T if a subsequent visit

is required. BellSouth will bill maintenance charges for premise visits to AT&T.

- 4.6 When maintenance charges are incurred during premises visits, the BellSouth technician shall present the end user with a form that is consistent with Section 19 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, detailing the time spent, the materials used, and an indication that the trouble has either been resolved, or that additional work will be necessary, in which case, the BellSouth technician shall make an additional appointment with the end user. The BellSouth technician shall obtain the end user's signature upon said form, and then use the signed form to input maintenance charges into BellSouth's billing database.

5. Operational Readiness Test ("ORT")

- 5.1 Prior to initial live access to interface functionality and subject to mutual agreement, the Parties shall conduct Operational Readiness Testing ("ORT") which will allow for the testing of the systems, interfaces, and processes for the OSS functions.
- 5.2 Prior to live system usage, AT&T will complete user education classes for BellSouth-provided interfaces that affect the BellSouth network. For each OSS training class offered by BellSouth, AT&T shall receive at no cost, one seat per class per year. Job aids for updates to such OSS training information are available to AT&T on the BellSouth Website

DISAGREE



CHANGE CONTROL PROCESS

CCP2_16.DOC

VERSION 2.1A

FEBRUARY 16, 2001

Issued: 2/16/01

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.

BellSouth Telecommunications reserves the right to revise this document for any reason, with concurrence of the CLEC/BellSouth Review Board, including but not limited to, conformity with standards promulgated by various government or regulatory agencies, utilization of advance in the state of the technical arts, or the reflection of changes in the design of any equipment, techniques, or procedures described or referred to herein. LIABILITY TO ANYONE ARISING OUT OF USE OR RELIANCE UPON ANY INFORMATION SET FORTH HEREIN IS EXPRESSLY DISCLAIMED, AND NO REPRESENTATIONS OR WARRANTIES, EXPRESSED OR IMPLIED, ARE MADE WITH RESPECT TO THE ACCURACY OR UTILITY OF ANY INFORMATION SET FORTH HEREIN.

This document is not to be construed as a suggestion to any manufacturer to modify or change any of its products, nor does this document represent any commitment by BellSouth Telecommunications to purchase any product whether or not it provides the described characteristics.

This document is not to be construed as a contract. It does not create an obligation on the part of BellSouth Telecommunications or the Competitive Local Exchange Carriers to perform any modification, change or enhancement of any product or service.

Nothing contained herein shall be construed as conferring by implication, estoppel or otherwise, any license or right under any patent, whether or not the use of any information herein necessarily employs an invention of any existing or later issued patent.

Issued: 02/16/01

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.

VERSION CHANGE HISTORY

This section list changes made to the baseline Electronic Interface Change Control Process document since the last issue. New versions of this document may be obtained via BellSouth's Web site.

Version	Issue Date	Section Revised	Reason for Revision
1.0	04/14/98		Initial issue.
1.2	2/28/00	All	<p>The EICCP Documentation has been modified to incorporate:</p> <ul style="list-style-type: none"> - Multiple Change Request Types (CLEC Initiated, BST Initiated, Industry Standards, Regulatory and System Outages) - Incorporated manual process - Defined cycle times for process intervals and notifications - Defect Notification process - Escalation Process - Modified Change Control forms to support process changes - Changed EICCP to CCP
1.3	3/14/00	All	<p>The CCP Documentation has been modified to incorporate:</p> <ul style="list-style-type: none"> - Type 6 Change Request, CLEC Impacting Defect - Increased number of participants at Change Review meetings - Changed cycle time for Types 2-5 Step 3 from 20 days to 15 days - Defined Step 4 of the Defect Notification process to include communicating the workaround to the CLEC community - Web Site address for Change Control Process - Notification regarding the Retirement and

			<p>Introduction of new interfaces</p> <ul style="list-style-type: none"> - New status codes for Defect Change Requests - New status codes: 'S' for Scheduled Change Requests and 'I' for Implemented Change Requests (types 2-5 Change Requests) - Removed reference to EDI Helpdesk. Electronic Communications Support (ECS) will be the first point of contact for Type 1 System Outages. - Word changes to provide clarification throughout the document.
1.4	4/12/00	All	<p>The CCP Documentation has been modified to incorporate:</p> <ul style="list-style-type: none"> - Type 1 and 6 Notifications will be communicated to CLECs via e-mail and web posting - Step 3 Cycle Time (Types 2-5) changed from 15 business days to 20 business days - Verbiage to Step 10 (Types 2-5) regarding BellSouth presenting baseline requirements - Introduction and Retirement of New Interfaces Section - Dispute Resolution Process - Testing Environment Section - Word changes to provide clarification throughout the document - Monthly Status Meeting Agenda Template - RF1870 Change Request Form changes
1.5	4/26/00	Section 1 Section 8 Section 11	<ul style="list-style-type: none"> - Updated CCP web site address - Updated Escalation Contacts for Types 2-6 - Added definitions for Account Team and Electronic Communications Support (ECS)
1.6	7/20/00	Section 1 Section 2	<ul style="list-style-type: none"> - Added "testing" under process changes - Clarification provided in "Change Review Participants" description

			Participants" description.
		Section 4	- Added statement regarding submittal of Change Requests
		Part 2	- Clarification provided for documentation changes for business rules
			- Step 2-Added email notification
			- Step 3-Removed "Cancellation by BellSouth"
			- Step 3-Clarification on reject reasons
		Section 5	- Step 3-Clarification on internal validation activities
			- Step 4-Changed cycle time from 5 to 4 bus days for develop workaround
			- Added defect implementation range
		Section 6	- Changed prioritization from "by interface" to "by category"
			- Changed timeframe for receiving a Change Request prior to a Change Review Meeting from 33 to 30 business days
			- Modified the prioritization voting rules
		Section 7	- Updates to the Introduction and Retirement of Interfaces
			- Added Type 6 escalation turnaround time
		Section 8	- Changed 3 rd Level Escalation contacts for Types 2-6
		Section 11	- Removed "Cancellation by BellSouth" and "Defect Cancelled" definitions
		Appendix A	- Removed "Cancellation by BellSouth" from Change Request Form and Checklist
			- Added Letter of Intent Form
		Appendix C	- Changes to the following forms: Preliminary Priority List, CCP User Registration Form. Added the following forms: Defect Notification Sample, CR Log Legend.
		Appendix D	- Added BellSouth Versioning Policy

		All	Word changes to provide clarification throughout the document.
2.0	08/23/00	Cover Section 3 Section 5 Section 10 Section 11-Terms & Definitions Appendix A All	<ul style="list-style-type: none"> - Removed "Interim" from cover. - Updated Type 6 definition to incorporate new defect and expedited feature definitions. - Replaced Section 5, Defect Notification Process with a "Draft" Defect/Expedite Notification Process. - Reduced the implementation interval for validated defects (High Impact) from 4 - 30 business days to 4 - 25 business days, best effort. - Added Internet Web sites for EDI and TAG Testing Guidelines - Updated definition for Defect. Added definitions for Expedited Feature, High, Medium and Low Impacts. - Modified Change Request Forms (RF1870 and RF1872) to include email address for Change Control. Also added High, Medium and Low Assessment of Impact Levels. - Referenced the handling of expedites and expedite notification where appropriate.
2.1	02/09/01	Section 1 – Introduction Section 3 – Introduction Section 4 – Part 1 Type 1 Detail Process Flow	<ul style="list-style-type: none"> - Added new language to the 8th bulleted item – "including User Guides that support OSS systems currently within the scope of CCP" - Added two new bulleted items dealing with the coordination of test agreements, and questions regarding existing documentation. - Added "language" for Types 2, 3, 4 & 5 – "Type xx changes may be managed using the Expedited Feature Process as discussed in Section 4, Part 3." - Type 6 – CLEC Impacting Defects – Added new defect definition. - Added #4 to the Activities – Step 1

			<ul style="list-style-type: none"> - Added additional sentence to Activity #1 – Step 2
		Section 4 – Part 2 – Types 2-5 Process Flow	<ul style="list-style-type: none"> - Added Activity #5 – Step 4
		Section 4 – Part 3 – Expedited Feature Process	<ul style="list-style-type: none"> - Added new Expedited Feature Process definition and flow
		Section 5 – Part 3 – Defect Process	<ul style="list-style-type: none"> - New Defect title page and definition. - Table 5-1 – Step 1 – Activity - #4 – Attach related requirements and specifications documents. These attachments must include the following, if appropriate. - Table 5-1 – Step 2 – Cycle Time – Replaced old cycle times with: 4 hrs for High Impact, 1 Bus Day for Medium and Low Impact. - Table 5-1 – Step 3 – Cycle Time – Replaced old cycle times with: 2 Bus Day for High Impact, and 3 Bus Days for Medium and Low Impact - Table 5-1 – Step 3 – Outputs – Added new bullet – “Status provided for High Impact Defects to originator via email with 24 hours” - Table 5-1 – Step 4 – Activity – Added language to Activity #3 - ...and to the CLEC community via email and web posting. - Table 5-1 – Step 4 – Cycle Time – Replaced old cycle times with: 2 Bus Days for High Impact and 4 Bus Days for Medium and Low Impact. - Table 5-1 – Step 5 – Activity – Added language to #1 - ...to the CLECs and BellSouth. Added language to Activity #2 - ...defect is implemented. - Table 5-1 – Step 5 – Cycle Time – Replaced old cycle times to reflect: Validated High Impact Defects will be implemented within a 4-25 business day range best effort Medium

		<p>Part 1 -- Change Review-Prioritization -- Release Package Development and Approval</p> <p>Section 7 -- Introduction and Retirement of Interfaces</p> <p>Section 8 -- Escalation Process</p> <p>Section 8 -- Dispute Resolution Process</p> <p>Appendix A</p> <p>Appendix C</p>	<p>4-25 business day range, best effort. Medium Impact will be implemented within 90 bus day, best effort. Low Impact will be implemented best effort.</p> <ul style="list-style-type: none"> - Part 1 -- Change Review Meeting -- 4th paragraph NOTE: Added language to address meetings would occur in March, June, September and December - Part 2 -- Change Review Meeting -- 4th bullet -- Added new bullet - ...BellSouth's estimate of the size and scope of each Change Request. - Part 4 -- Developing and Approving Release Packages -- 1st bulleted item: New language - Retirement of Interfaces -- 1st paragraph sentence: New language - Retirement of Versions -- New Language - Retirement of Versions -- Appeal Language - New Language for Type 6 High Impact Issues and Medium and Low Impact issues. - Types 2-6 Changes -- 1st paragraph -- new language. - Types 2-6 Changes -- Contact List for High, Medium and Low Impact escalations. - New definition language - Updated CR form & checklist - Updated RF1874 User Registration Form
2.1A	02/15/01	All	<ul style="list-style-type: none"> - Updated various sections of the document to change "language" from defect/expedite to defect and/or expedited features. - Changed reference from Section 9.0 to Section 11.0 -- Terms and Definitions where

		Section 8	appropriate. <ul style="list-style-type: none">- Minor "cosmetic" changes throughout document.- New 2nd Level Escalation Contacts for Types 2-6
--	--	-----------	--

TABLE OF CONTENTS

1.0	INTRODUCTION.....	10
2.0	CHANGE CONTROL ORGANIZATION	12
3.0	CHANGE CONTROL DECISION PROCESS	13
4.0	CHANGE CONTROL PROCESS FLOW.....	16
	PART 1 - TYPE 1 PROCESS FLOW.....	17
	PART 2 – TYPES 2-5 PROCESS FLOW.....	22
	PART 3 – EXPEDITED FEATURE PROCESS	29
5.0	DEFECT PROCESS.....	34
6.0	CHANGE REVIEW	41
	PART 1 – CHANGE REVIEW MEETING.....	41
	PART 2 – CHANGE REVIEW PACKAGE	41
	PART 3 – PRIORITIZING CHANGE REQUESTS.....	42
7.0	INTRODUCTION AND RETIREMENT OF INTERFACES	44
8.0	ESCALATION PROCESS.....	45
	DISPUTE RESOLUTION PROCESS	49
9.0	CHANGES TO THIS PROCESS	50
10.0	TESTING ENVIRONMENT	51
11.0	TERMS AND DEFINITIONS	52
	APPENDIX A – CHANGE CONTROL FORMS	61
	SEE ATTACHED FORMS	61
	APPENDIX B – RELEASE MANAGEMENT.....	62
	SEE ATTACHED FORMS	62
	APPENDIX C –ADDITIONAL DOCUMENTS.....	63
	SEE ATTACHED DOCUMENTS	63
	APPENDIX D –BST VERSIONING POLICY FOR INDUSTRY STANDARD ORDERING INTERFACES	64

THIS PAGE INTENTIONALLY LEFT BLANK

1.0 INTRODUCTION

This document establishes the process by which BellSouth Telecommunications (BST) and Competitive Local Exchange Carriers (CLECs) will manage requested changes to the BellSouth Local Interfaces, the introduction of new interfaces, and provide for the identification and resolution of issues related to Change Requests. This process will cover Change Requests that affect external users of BellSouth's Electronic Interface Applications, associated manual process improvements, performance or ability to provide service including defect/expedite notification. This process shall be referred to as the Change Control Process.

All parties should recognize that deviations from this process might be warranted where unanticipated circumstances arise such that strict application of these guidelines may not result in their intended purpose. Furthermore, deviations may be required due to specific regulatory and business requirements. Parties shall provide appropriate web notification to the CLEC/BST Change Control Team participants prior to deviating from the processes established within this document. All parties will comply with all legal and regulatory requirements.

The Change Control Process will cover change requests for the following interfaces and associated manual processes that have the potential to impact the interfaces connected to BellSouth:

- Local Exchange Navigation System (LENS)
- Electronic Data Interchange (EDI)
- Telecommunications Access Gateway (TAG)
- Trouble Administration Facilitation Interface (TAFI)
- Electronic Communications Trouble Administration (EC-TA) Local
- CLEC Service Order Tracking System (CSOTS)

The types of changes that will be handled by this process are as follows:

- Software
- Hardware
- Industry Standards
- Product and Services (i.e., new services available via the in-scope interfaces)
- New or Revised Edits
- Process (i.e., electronic interfaces and manual processes relative to order, pre-order, maintenance and testing)
- Regulatory
- Documentation (i.e., business rules for electronic and manual processes relative to order, pre-order, maintenance, including User Guides that support OSS systems currently within the scope of CCP)
- Defects

The scope of the Change Control Process **does not** include the following which are handled through existing BellSouth processes:

- BonaFide Requests (BFR)
- Production Support (i.e. adding new users to existing interfaces, existing users requesting first time use of existing BST functionality)
- Contractual Agreements
- Collocation
- Coordination of test agreements will continue to be supported by the Account Team
- Questions regarding existing documentation should be handled by the Account Team. However, if documentation needs to be changed for clarification purposes, a defect change request should be submitted through Change Control

OBJECTIVES OF THE CHANGE CONTROL PROCESS:

- Support the Industry guidelines that impact Electronic Interfaces and manual processes relative to order, pre-order, maintenance, and billing as appropriate
- Ensure continuity of business processes and systems operations
- Establish process for communicating and managing changes
- Allow for mutual impact assessment and resource planning to manage and schedule changes
- Capability to prioritize requested changes

The minimum requirements for participation in the Change Control Process electronically are:

- Word 6.0 or greater
- Excel 5.0 or greater
- Internet E-mail address
- Web access

The web site address for the Change Control Process is as follows:

<http://www.interconnection.bellsouth.com/>
Select "Local Exchange Carriers"
Select "Change Control Process"

2.0 CHANGE CONTROL ORGANIZATION

The Change Control organizational structure supports the Change Control Process. Each position within the organization has defined roles and responsibilities as outlined in the Change Control Process Flow - Section 4 of this document. Identified positions, along with associated roles and responsibilities are as follows:

Change Review Participants. Representatives from Competitive Local Exchange Carriers (CLECs) and BellSouth. This team meets to review, prioritize, and make recommendations for Candidate Change Requests. The Candidate Change Requests are used as input to the Internal Change Management Processes (refer to process step 7 for Types 2-5 changes).

CLECs and BellSouth will define points of contact in each of their companies for communicating and coordinating change notification. All change requests are made in writing (e-mail is preferred). Notifications will be provided via e-mail and posted to the BellSouth web site.

Each company may bring the number of participants necessary to represent their position. If the number of participants grows to be unmanageable, CLECs and BellSouth will revisit the issue of representation to apply some restrictions.

BellSouth Change Control Manager (BCCM). The BCCM is responsible for managing the Change Control Process and is the main point of contact for Types 2 – 6 changes. This individual maintains the integrity of the Change Requests, prepares for and facilitates the Change Review Meetings, presents the Pending Change Requests to the BST Internal Change Management Process, and ensures that all Notifications are communicated to the appropriate parties.

CLEC Change Control Manager (CCCM). The CCCM is the CLEC point of contact for Change Requests. This individual is responsible for presenting and prioritizing Change Requests at the Change Review Meetings.

Release Management Project Team. A team of CLEC and BellSouth Project Managers who manage the implementation of scheduled changes and releases.

3.0 CHANGE CONTROL DECISION PROCESS

Change requests will be classified by Type. There are six Types:

Type 1 – System Outage

A Type 1 change is a BellSouth System Outage. A System Outage is where the system is totally unusable or there is degradation in an existing feature or functionality within the interface. If the System Outage is not resolved within 20 minutes, a notification will be provided via e-mail and posted to the web within one hour. Either BellSouth or a CLEC may initiate the change request. Type 1 system outages will be processed on an expedited basis. All Type 1 System Outages will be reported to the Electronic Communications Support (ECS) Help Desk. A Type 1 System Outage is a condition where the CLEC Pre-Orders/Orders/Queries/Maintenance Requests cannot be submitted or will not be accepted by BellSouth.

Type 2 – Regulatory Change.

Any non-Type 1 change to the interfaces between the CLEC's and BellSouth's operational support systems mandated by regulatory or legal entities, such as the Federal Communications Commission (FCC), a state commission/authority, or state and federal courts are Type 2 changes. Regulatory changes are not voluntary but are requisite to comply with newly passed legislation, regulatory requirements, or court rulings. While timely compliance is required, the systems requirements and methodology to achieve compliance are usually discretionary and within the scope of change management. Either BellSouth or a CLEC may initiate the change request. Type 2 changes may be managed using the Expedited Feature Process, as discussed in Section 4, Part 3.

Type 3 – Industry Standard Change.

Any non-Type 1 change to the interfaces between the CLEC's and BellSouth's operational support systems required to bring these interfaces in line with newly agreed upon telecommunications industry guidelines are Type 3 changes. Either BellSouth or a CLEC may initiate the change request. Type 3 changes may be managed using the Expedited Feature Process, as discussed in Section 4, Part 3.

Type 4 – BellSouth Initiated Change.

Any non-Type 1 change affecting the interfaces between the CLEC's and BellSouth's operational support systems which BellSouth desires to implement on its own accord. These changes might involve system enhancements, manual and/or business processes. These type changes might also include issues for Pre-Orders, Orders, Queries, and Maintenance Requests that can be submitted and accepted, but may require clarification. This classification does not include changes imposed upon these interfaces by third parties such as regulatory bodies (which are Type 2 Changes) or

standards organizations (which are Type 3 Changes). Type 4 changes may be managed using the Expedited Feature Process, as discussed in Section 4, Part 3.

Type 5 – CLEC Initiated Change.

Any non-Type 1 change affecting interfaces between the CLEC's and BellSouth's operational support systems which the CLEC requests BellSouth to implement is a Type 5 change. These changes might involve system enhancements, manual and/or business processes. These type changes might also include issues for Pre-Orders, Orders, Queries, and Maintenance Requests that can be submitted and accepted, but may require clarification. This classification does not include changes imposed upon these interfaces by third parties such as regulatory bodies (which are Type 2 Changes) or standards organizations (which are Type 3 Changes). Type 5 changes may be managed using the Expedited Feature Process, as discussed in Section 4, Part 3.

Type 6- CLEC Impacting Defects

A Type 6 defect request is any non-type 1 change that corrects problems discovered in production versions of an application interface. These problems are where the interface is not working in accordance to the BellSouth baseline business requirements or the business rules that BellSouth has published or otherwise provided to the CLECs. In addition, if functional requirements agreed upon by BellSouth and the CLECs, results in inoperable functionality, even though software business requirements and business rules match; this will be addressed as a defect.

These problems typically affect the CLEC's ability to exchange transactions with BellSouth and may include documentation that is in error, has missing information or is unclear in nature.

Type 6 validated defects may not be managed using the Expedited Feature Process as discussed in Section 4, Part 3.

Defect Change Requests will have three (3) Impact Levels:

- High Impact – The failure causes impairment of critical system functions and no electronic workaround solution exists.
- Medium Impact – The failure causes impairment of critical system functions, though a workaround solution does exist.
- Low Impact – The failure causes inconvenience or annoyance.

The CLEC and/or BellSouth may initiate these types of changes affecting interfaces between the CLEC's and BellSouth's operational support systems. These type changes might also include issues for Pre-Orders, Orders, Queries, and Maintenance Requests that can be submitted and accepted, but may require workarounds or clarification.

Figure 3-1 shows the top-level process that will be used to evaluate Change Requests. The BellSouth Account Team(s) will handle BFR requests and production support issues. Enhancements and defects/expedites will be handled through the Change Control Process.




Figure 3-1. Change Control Decision Process

4.0 CHANGE CONTROL PROCESS FLOW

The following three sub-sections describe the process flows for typical Type 1 through Type 5 changes, including expedited features. Each sub-section will describe the cycle times for an activity and document accountability, sub-process activities, inputs and outputs for each step in the process. Section 5 of this document describes the process flow for Type 6 changes. Based on the categorization of the request, the following diagram will help guide a CLEC or BellSouth representative to the appropriate process flow based on Change Control Request Type:




Figure 4-1. Change Control Process Flow

Part 1 - Type 1 Process Flow

Figure 4-2 provides the process flow for resolving a typical Type 1 - System Outage. The Electronic Communications Support (ECS) Group will work with the CLEC community to resolve and communicate information about system outages in a timely manner - actual cycle times are documented in table 4-1 and the sub-process steps. The ECS Helpdesk number is 888-462-8030.




Figure: 4-2. Type 1 Process Flow

Table 4-1 describes the cycle times for each process step that is outlined in the Type 1 - System Outage Process Flow. These cycle times represent typical timeframes for completing the documented step and producing the desired output for the step. In sub-process step 2 "Initial Notification" timeframe for completing this step does not begin until after the outage has been reported. The sub-process steps 3 "Status Notification" and 4 "Resolution Notification" are iterative steps. Iterative steps will be performed one or more times until the exit criteria for that process are met. If resolution is not reached within 20 minutes, BellSouth will provide the initial notification to the CLEC community via e-mail and post outage information on the web.

Table 4-1. Type 1 Cycle Times

Process Description	1 Identify Issue	2 Initial Notification	3 Status Notification	4 Resolution Notification	5 Final Resolution Notification	6 Escalation
Cycle Time	N/A	1 hour E-mail & BST Website will be posted if outage exceeds 20 minutes	2 - 4 hours (Iterative)	24 hours (Iterative)	< 3 days	> 3 days System Outage Escalation Process

Note: The Escalation Process may be used at any time within Steps 3-6 if cycle times are not met and/or responses are not acceptable.

The table below details the steps, accountable individuals, tasks, the inputs/outputs and the cycle time of each sub-process in the Type 1 Process Flow. This process will be used to capture and communicate system outage information, status notification(s), resolution and notification(s), and final resolution to the CLEC community. Steps shown in the table are sequential unless otherwise indicated.

Table 4-2. Type 1 Detail Process Flow

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
1	CCCM ECS	<p><u>IDENTIFY ISSUE:</u></p> <ol style="list-style-type: none"> 1. Internally determine if outage exists with BellSouth Electronic Interface. (The CLEC should perform internal outage resolution activities to determine if the potential problem involves the BellSouth Electronic Interface). 2. Call the BST Electronic Communications Support (ECS) help desk at 888-462-8030. 3. ECS and individual CLEC will determine if the problem is likely to have no impact on the industry. If there is no impact, the outage will be worked on a bilateral basis. 4. ECS will provide the CLEC with a trouble ticket number, if requested, to record and track the outage. 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • Issue Characteristics • Call to ECS Helpdesk <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> • Recorded Outage 	N/A
2	ECS	<p><u>INITIAL NOTIFICATION:</u></p> <ol style="list-style-type: none"> 1. ECS will post to the Web an Initial Industry Notification that a BellSouth Electronic Interface outage has been identified. An e-mail to the CLECs participating in Change Control will also be distributed. The system ticket number of the outage will be included in the web posting and the email notification. 2. The CLEC initiating the Type 1 System Outage will need to be available for communications on an as needed basis. 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • Recorded Outage <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> • Industry Notification posted on Web • E-mail to CLECs participating in Change Control 	1 Hour If System Outage is not resolved within 20 minutes, a notification will be sent to CLECs via e-mail and posted to the

Step	Accountability	<u>Sub-processes</u> Activities	Inputs and Outputs	Cycle Time
		3. ECS will continue to work towards the resolution of the problem 4. If outage is resolved, this notice is the first and final notification. The process for the item has ended. Outage Information will be reported in the monthly status meeting by the BCCM.		web.
3	ECS	<u>STATUS NOTIFICATION: (ITERATIVE)</u> 1. If the outage is not resolved, ECS will continue to work towards the resolution on the problem. 2. ECS may communicate with the industry / affected parties. The following information may be discussed: <ul style="list-style-type: none"> • Clarification of outage • Current status of resolution • Agreement of resolution 3. If a resolution has not been identified continue giving status notifications to the industry and continue repeating Step 3 "Status Notification" via the web. 4. Proceed to Step 4 "Resolution Notification" when a resolution has been identified.	<u>INPUTS:</u> <ul style="list-style-type: none"> • Industry Notification posted on Web <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Status Notification posted on Web • Resolution information 	2-4 hour intervals
4	ECS CCCM	<u>RESOLUTION NOTIFICATION: (ITERATIVE)</u> 1. The resolution notification is posted to the Web. 2. If the item is determined to be a defect, the CLEC that initiated the call will submit a "Change Request Form" checking the Type 6 box. 3. If the resolution is not the final resolution the process will loop back to Step 3 "Status Notification". BellSouth will continue to work towards the final resolution. 4. When the final resolution has been created, proceed to Step 5 "Final Resolution Notification".	<u>INPUTS:</u> <ul style="list-style-type: none"> • Status Notification posted on Web • Resolution information <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Resolution Information posted on Web • Final Resolution Information 	24 hours after reporting outage

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
5	ECS	<u>FINAL RESOLUTION NOTIFICATION:</u> 1. The final resolution notification is posted on the Web.	<u>INPUTS:</u> <ul style="list-style-type: none"> • Final Resolution Information <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Final Resolution Notification 	< 3 days
6	CCCM ECS	<u>ESCALATION</u> 1. Escalation is appropriate anytime the interval exceeds the recommended guidelines for notification. 2. Refer to the Type 1 - Escalation Process documented in Section 8.	<u>INPUTS:</u> <ul style="list-style-type: none"> • Information or concern relating to a Type 1 - Systems Outage <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Documented Escalation • Escalation Response 	> 3 days (The Escalation Process may be used at any time within Steps 3-6 if cycle times are not met and/or responses are not acceptable.)

Part 2 – Types 2-5 Process Flow

Figure 4-3 provides the process flow for reviewing, scheduling and implementing a typical Type 2-5 Change Request. The process diagram applies to Change Requests submitted via the Change Control Process. Change Requests should be submitted to the BellSouth Change Control Manager using the standard Change Request form template. This template can be acquired on the Change Control web page. Change Requests may be submitted for interfaces that are currently being utilized, in the testing phase, or if a Letter of Intent is on file with the BCCM.




Figure 4-3. Change Control Process Flow

Based on the process flow outlined above:

- Software Release Notifications will be provided 30 days or more in advance of the implementation date.
- Documentation changes for business rules will be provided 30 days or more in advance of implementation date.
- CLEC notification of documentation updates (non-system changes) will be posted 5 (five) business days in advance of documentation posting date.

The table below details the steps, accountable individuals, tasks, inputs/outputs and cycle times of each sub-process in the Change Control process. This process will be used to develop Candidate Change Requests that will be used as input to the Internal Change Management Process. Steps shown in the table are sequential unless otherwise indicated.

Table 4-3. Types 2-5 Detail Process Flow

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
1	CCCM BCCM	<p>IDENTIFY NEED</p> <ol style="list-style-type: none"> 1. Internally determine need for change request. These change requests might involve system enhancements, manual and/or business process changes. 2. Originator and CCCM or BCCM should complete the standardized Change Request Form according to Checklist. 3. Attach related requirements and specification documents. (See Attachment A-1A, Item 22) 4. Appropriate CCCM/BCCM submits Change Request Form and related information via e-mail to BellSouth. 	<p>INPUTS:</p> <ul style="list-style-type: none"> • Change Request Form (Attachment A-1) • Change Request Form Checklist (Attachment A-1A) <p>OUTPUTS:</p> <ul style="list-style-type: none"> • Completed Change Request Form with related documentation 	N/A
2	BCCM	<p>OPEN CHANGE REQUEST/VALIDATE CHANGE REQUEST FOR COMPLETENESS</p> <ol style="list-style-type: none"> 1. Log Request in Change Request Log. 2. Send Acknowledgement Notification (Attachment A-3) via e-mail to originator. 3. Establish request status ('N' for New Request) 	<p>INPUTS:</p> <ul style="list-style-type: none"> • Completed Change Request Form with related documentation • Change Request Form Checklist • Change Request Clarification Response 	2-3 Bus Days Clarification times would be in addition to cycle time.

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
		<p>4. Review change request for mandatory fields using the Change Request Form Checklist.</p> <p>5. Verify Change Request specifications and related information exists.</p> <p>6. Send Clarification Notification via email to the originator (Attachment A-4) if needed.</p> <p>7. Update Change Request Status to "PC" for Pending Clarification if clarification is needed.</p> <p>CLEC or BellSouth Originator If clarification is needed, make necessary corrections per Clarification Notification and submit Change Request Clarification Response (Attachment A-2).</p>	<p>OUTPUTS:</p> <ul style="list-style-type: none"> • New Change Request • Acknowledgment Notification • Validated Change Request • Clarification Notification • Industry Notification via e-mail and web posting 	
3	BCCM	<p>REVIEW CHANGE REQUEST FOR ACCEPTANCE</p> <p>1. Review Change Request and related information for content.</p> <p>2. Change Request reviewed for impacted areas (i.e., system, manual process, documentation) and adverse impacts.</p> <p>3. Determine status of request:</p> <ul style="list-style-type: none"> • If change already exists or training issue forward Cancellation Notification (Attachment A-3) to CCCM or BCCM and update status to 'C' for Request Canceled or 'CT' for Training. If Training issue, refer to CSM or Account Team. • If Change Request Clarification Notification not received, validate with CLEC that change request is no longer needed. • If request is accepted, update Change Request status to "P" for Pending in Change Request Log. <p>NOTE: See Section 11.0 Terms and Definitions – Change Request Status for valid status codes and descriptions.</p> <p>BST may reject the change request based on</p>	<p>INPUTS:</p> <ul style="list-style-type: none"> • New Change Request • Validated Change Request • Clarification Notification (if required) <p>OUTPUTS:</p> <ul style="list-style-type: none"> • Pending Change Request • Clarification Notification (if required) • Cancellation Notification (if required) • CR status updated on web 	20 Bus Days

Step	Accountability	<u>Sub-processes</u> Activities	Inputs and Outputs	Cycle Time
		<p>the following reasons: cost, industry direction or technically not feasible to implement and will provide notification to the originating party.</p> <p>Prior to rejecting a request, all options for accommodating the request will be exhausted. The rejection reason will be shared with the CLECs for input.</p> <p>NOTE: If requested, appropriate SME will participate in the Monthly Status Meeting to address the reason for rejection and discuss alternatives with CLEC community. SME must be provided a minimum of two-week advance notice to participate in upcoming Monthly Status Meeting.</p>		
4	BCCM CCCM	<p><u>PREPARE FOR CHANGE REVIEW MEETING</u></p> <p>NOTE: These activities take place to prepare for Change review meetings when prioritizations take place.</p> <p><u>BCCM</u></p> <ol style="list-style-type: none"> 1. Prepare an agenda. 2. Make meeting preparations. 3. Update Change Request Log with current status for new and existing Change Requests. 4. Prepare and post Change Request Log to web. 5. Provide size and scope information on each pending change request to CLECs. <p><u>CCCM</u></p> <ol style="list-style-type: none"> 1. Analyze Pending Change Requests. 2. Determine priorities for change requests and establish "Desired/Want" dates. 3. Create draft Priority List to prepare for Change Review meeting. 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • Pending Change Request Notifications • Project Release Status (Step 10) • Change Request Log <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> • Change Request Log • CLEC Draft Priority List • Size and scope on each Pending change request 	5-7 Bus Days
5	BCCM	<p><u>CONDUCT CHANGE REVIEW MEETING</u></p>	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • Change Request Log 	1 Bus Day (or as needed)

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
	CCCM	<p><u>Monthly Status Meetings</u></p> <ol style="list-style-type: none"> 1. Communicate regulatory mandates. 2. Review status of pending/approved Change Requests (including defects/expedites) at monthly status meeting. 3. Review current Release Management statuses. <p><u>Prioritization Meetings (held quarterly in March, June, September and December)</u></p> <ol style="list-style-type: none"> 1. Follow Steps 1-3 from Monthly Status Meetings. 2. Initiators present Change Requests. 3. Discuss Impacts. 4. Prioritize Change Requests. 5. Develop final Candidate Requests list of Pending Change Requests by category, 'Need by Dates' and prioritized Change Requests. 6. Update Change Request Log to 'CRC' for Change Review Complete, 'RC' for Candidate Request List, as appropriate. 7. Review issues and action items and assign owners. 	<ul style="list-style-type: none"> • CLEC Draft Priority List • Desired/Want Dates • Impact analysis <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> • Meeting minutes • Updated Change Request Log • Candidate Change Request List • Issues and Actions Items (if required) 	<p>(or as needed based on volume)</p> <p>Meeting Day</p>
6	BCCM	<p><u>DOCUMENT CHANGE REVIEW MEETING RESULTS</u></p> <ol style="list-style-type: none"> 1. Prepare and distribute outputs from Step 5. 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • Change Request Log • Final Candidate Request List <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> • Updated Change Request Log • Web posting of meeting output 	2 Bus Days
7	BCCM CCCM	<p><u>INTERNAL CHANGE MANAGEMENT PROCESS</u></p> <ol style="list-style-type: none"> 1. Both BellSouth and CLECs will perform analysis, impact, sizing and estimating activities only to the Candidate Change Requests that meet 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • Candidate Change Request List with agreed upon 'Need by Dates' • Change Request Log 	30 Bus Days

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
		the criteria established by the Internal Change Management Process. This ensures that participating parties are reviewing capacity and impacts to schedules before assigning resources to activities.	OUTPUTS: <ul style="list-style-type: none"> • BellSouth's Proposed Release Package 	
8	BCCM CCCM	<u>CONDUCT RELEASE PACKAGE MEETING</u> <ol style="list-style-type: none"> 1. Prepare agenda. 2. Make meeting preparations. 3. Evaluate proposed release schedule. 4. Non-scheduled Change Requests returned to Step 4 as Input for the "Prepare for Change Review Meeting" process. 5. Based on BST/CLEC consensus create Approved Release Package. 6. Identify Release Management Project Manager, if possible. 7. Establish date for initial Release Management Project Meeting. 8. All Change Requests that are in the approved scheduled release will be changed to "S" status for "Scheduled". 	INPUTS: <ul style="list-style-type: none"> • BellSouth's Proposed Release Package • BellSouth's Release Schedule • Change Request Log OUTPUTS: <ul style="list-style-type: none"> • Approved Release Package • Updated Change Request Log • Meeting Minutes • Scheduled Change Requests • Non-Scheduled Change Requests (Return to Step 4) • Date for initial Release Management Project Meeting 	1 Bus Day
9	BCCM	<u>CREATE RELEASE PACKAGE NOTIFICATION</u> <ol style="list-style-type: none"> 1. Develop and distribute Release Notification Package via web. 	INPUTS: <ul style="list-style-type: none"> • Approved Release Package OUTPUTS: <ul style="list-style-type: none"> • Release Package Notification 	2 Bus Days after Release Package Mtg.
10	BCCM (Project Managers from each participating company)	<u>RELEASE MANAGEMENT AND IMPLEMENTATION</u> <ol style="list-style-type: none"> 1. Provide Project Management and Implementation of Release (See Release Management @ Appendix B). 2. Lead Project Manager communicates Release Management Project status to BCCM for inclusion in Monthly Status Meetings. 3. BellSouth User Requirements will be presented to CLECs. If needed, changes will be incorporated and requirements re-baselined. 4. Once a Change Request is implemented in a release, the status 	INPUTS: <ul style="list-style-type: none"> • Approved Release Package Notification OUTPUTS: <ul style="list-style-type: none"> • Project Release Status • Implementation Date • Project Plan, Work Breakdown Schedule, Risk Assessment, Executive Summary, etc • Implemented Change Request 	Ongoing

Step	Accountability	<u>Sub-processes</u> Activities	Inputs and Outputs	Cycle Time
		will be changed to "I" for Change Implemented.		

Part 3 – Expedited Feature Process

An Expedited Feature is the inability for a CLEC to process certain types of LSR's based on the existing functionality to BellSouth's Operational Support Systems (OSS's) that are in the scope of CCP. The change request for an expedite must provide details of the business impact and will fall into one of two categories:

- A defect that has been re-classified as a feature where the CLEC/BellSouth has determined should be expedited due to impact
- An enhancement to an existing product or service where the CLEC/BellSouth has determined should be expedited due to impact

Re-classified Defects

When a defect is re-classified as a feature, the CLEC/BellSouth will be notified by Change Control in the defect validation. The CLEC will have the ability to ask BellSouth to expedite the reclassified feature by updating the Change request, marking it as an expedite and sending back to Change Control. The change request will then follow through the Types 2-5 Expedited Feature process using agreed upon intervals.

Enhancement to an existing product or service

A CLEC/BellSouth will also have the ability to submit a Type 2-5 change request as an expedited feature request for an enhancement to an existing product or service where the functionality does not currently exist in BellSouth's offered products and services.

For both re-classified defects and enhancements to an existing product or service, the rules surrounding the expedited feature request will be:

- Must be an enhancement to an existing product or service
- Will follow the Expedited Feature Process flow described below which is based on the current Types 2-5 process flow using agreed upon intervals with the exception of Steps 4-6 which are eliminated.
- The CLEC/BellSouth will be required to give impacts and the consequences for not implementing the feature in the current, next, or point release, best effort.

Figure 4.4 provides the process flow for the expedited feature process.




Figure 4.4 – Process Flow for Types 2-5 Expedited Feature Process

The table below details the steps, accountable individuals, tasks, inputs/outputs and cycle times of each sub-process in the Expedited Feature process. Steps shown in the table are sequential unless otherwise indicated.

Table 4-3. Types 2-5 Expedited Feature Detail Process Flow

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
1	CCCM BCCM	<p>IDENTIFY NEED</p> <ol style="list-style-type: none"> Internally determine need for change request. These change requests might involve system enhancements, manual and/or business process changes. Originator and CCCM or BCCM should complete the standardized Change Request Form according to Checklist. Attach related requirements and Attachment A-1A, Item 22. Appropriate CCCM/BCCM submits Change Request Form and related information via e-mail to BellSouth. 	<p>INPUTS:</p> <ul style="list-style-type: none"> Change Request Form (Attachment A-1) Change Request Form Checklist (Attachment A-1A) <p>OUTPUTS:</p> <ul style="list-style-type: none"> Completed Change Request Form with related documentation 	N/A
2	BCCM	<p>OPEN CHANGE REQUEST/VALIDATE CHANGE REQUEST FOR COMPLETENESS</p> <ol style="list-style-type: none"> Log Request in Change Request Log. Send Acknowledgement Notification (Attachment A-3) via e-mail to originator. Establish request status ('N' for New Request) Review change request for mandatory fields using the Change Request Form Checklist. Verify Change Request specifications and related information exists. Send Clarification Notification via email to the originator (Attachment A-4) if needed. Update Change Request Status to "PC" for Pending Clarification if clarification is needed. <p>CLEC or BellSouth Originator If clarification is needed, make necessary corrections per Clarification Notification and submit Change Request Clarification Response (Attachment A-2).</p>	<p>INPUTS:</p> <ul style="list-style-type: none"> Completed Change Request Form with related documentation Change Request Form Checklist Change Request Clarification Response <p>OUTPUTS:</p> <ul style="list-style-type: none"> New Change Request Acknowledgment Notification Validated Change Request Clarification Notification Industry Notification via e-mail and web posting 	<p>1 Bus Day</p> <p>Clarification times would be in addition to cycle time.</p>

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
3	BCCM	<p><u>REVIEW CHANGE REQUEST FOR ACCEPTANCE</u></p> <ol style="list-style-type: none"> 1. Review Change Request and related information for content. 2. Change Request reviewed for impacted area (i.e., system, manual process, documentation) and adverse impacts. 3. Determine status of request: <ul style="list-style-type: none"> • If change already exists or CLEC training issue, forward Cancellation Notification (Attachment A-3) to CCCM or BCCM and update status to 'C' for Request Canceled or 'CT' for Training. If Training issue, refer to CSM or Account Team. • If Change Request Clarification Notification not received, validate with CLEC that change request is no longer needed. • If request is accepted, update Change Request status to "P" for Pending in Change Request Log. • If request does not meet the expedited feature criteria, it will exit this process and enter the standard Types 2-5 flow, Step 4. <p>NOTE: See Section 11.0 Terms and Definitions – Change Request Status for valid status codes and descriptions.</p> <p>If BellSouth determines that a CLEC initiated expedited change request should not be accepted because of cost, industry direction or because it is considered not technically feasible to implement, BellSouth will open an agenda item on the next monthly status meeting/call, and will provide a SME on that call to present its case. BellSouth shall consider all possible options for accommodating the request.</p> <p>NOTE: If requested, appropriate SME will participate in the Monthly Status Meeting to address the reason for rejection and discuss alternatives with CLEC community SME</p>	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> • New Change Request • Validated Change Request • Clarification Notification (if required) <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> • Validated Expedited Change Request • Clarification Notification (if required) • Cancellation Notification (if required) • CR status updated on web 	20 Bus Days

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
		must be provided a minimum of two-week advance notice to participate in upcoming Monthly Status Meeting.		
4	BCCM CCCM	<u>INTERNAL CHANGE MANAGEMENT PROCESS</u> 1. Both BellSouth and CLECs will perform analysis, impact, sizing and estimating activities to the Expedited Feature Change Request. This ensures that participating parties are reviewing capacity and impacts to schedules before assigning resources to activities.	<u>INPUTS:</u> <ul style="list-style-type: none"> • Change Request Log <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Release Date for Expedited Feature 	30 days
5	BCCM (Project Managers from each participating company)	<u>RELEASE MANAGEMENT AND IMPLEMENTATION</u> 1. Provide Project Management and Implementation of Release (See Release Management @ Appendix B). 2. Lead Project Manager communicates Release Management Project status to BCCM for inclusion in Monthly Status Meetings. 3. BellSouth User Requirements for software changes will be presented to CLECs, if applicable. If needed, changes will be incorporated and requirements re-baselined. 4. BellSouth Documentation changes, including business rules changes will be provided. 5. Once a Change Request is implemented in a release, the status will be changed to "I" for Change Implemented.	<u>INPUTS:</u> <ul style="list-style-type: none"> • Approved Release Package Notification <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Project Release Status • Implementation Date • Documentation Changes 	Ongoing

5.0 DEFECT PROCESS

A CLEC/BST identified defect will enter this process through the Change Management Team as a Type 6 Change Request. If the defect is validated internally, it will route through this process, and notification provided to the CLEC community via e-mail and web posting.

A Type 6 defect request is any non-type 1 change that corrects problems discovered in production versions of an application interface. These problems are where the interface is not working in accordance to the BellSouth baseline business requirements or the business rules that BellSouth has published or otherwise provided to the CLECs.

In addition, if functional requirements agreed upon by BellSouth and the CLECs, results in inoperable functionality, even though software business requirements and business rules match; this will be addressed as a defect.

These problems typically affect the CLEC's ability to exchange transactions with BellSouth and may include documentation that is in error, has missing information or is unclear in nature. Type 6 validated defects may not be managed using the Expedited Feature Process discussed in Section 4, Part 3.

Defect Change Requests will have three (3) Impact Levels:

- **High Impact**

The failure causes impairment of critical system functions and no electronic workaround solution exists.


- **Medium Impact**

The failure causes impairment of critical system functions, though a workaround solution does exist.

- **Low Impact**

The failure causes inconvenience or annoyance.

Figure 5-1 provides the process flow for the validation and resolution of a Type 6 Change – CLEC Impacting Defect.



NOTE: The intervals in the boxes above match the intervals in the tables below for High, Medium, and Low Impact defect change requests.

Figure 5-1. Type 6 Process Flow

The table below details the steps, accountable individuals, tasks, inputs/outputs and cycle times of each sub-process in the Type 6 Process Flow. This process will be used to validate defects, provide status notification(s), workarounds and final resolution to the CLEC community. Steps shown in the table are sequential unless otherwise indicated.

Table 5-1. Type 6 Detail Process Flow

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
1	CCCM BCCM	<u>IDENTIFY NEED</u> 1. Identify Defect. 2. Originator and CCCM or BCCM should complete the standardized Change Request Form indicating that it is a Type 6. 3. Include description of business need and details of business impact. 4. Attach related requirements and specification documents. These attachments must include the following, if appropriate: <ul style="list-style-type: none"> • PON • OCN • Specific Scenario • Interface(s) affected • Error message (if applicable) • Release or API version (if applicable) 5. Appropriate CCCM/BCCM submits Change Request Form and related information via e-mail to BellSouth Change Management Team.	<u>INPUTS:</u> <ul style="list-style-type: none"> • Type 6 Change Request <u>OUTPUTS:</u> <ul style="list-style-type: none"> • Completed Change Request Form (with related documentation if necessary) 	N/A
2	BCCM	<u>OPEN & VALIDATE DEFECT FORM FOR COMPLETENESS</u> 1. Log Defect in Change Request Log. 2. Send Acknowledgment Notification via email to initiating CLEC. 3. Establish CR status ('N' for New Defect). 4. BCCM reviews change request for mandatory fields using the Change Request Form Checklist	<u>INPUTS:</u> <ul style="list-style-type: none"> • Completed Change Request Form (with related documentation if necessary) <u>OUTPUTS:</u> <ul style="list-style-type: none"> • New Defect • Acknowledgment Notification • Clarification Notification (if applicable) 	4 Hours – High Impact 1 Bus Day – Medium & Low Impact (Time to be calculated from time of

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
		<p>Request Form Checklist.</p> <ol style="list-style-type: none"> 5. Verify specifications and related information exists. 6. Send Clarification Notification via email to the originator if needed. 7. Update CR Status to ' PC' for Pending Clarification if clarification is needed. <p>If clarification is needed, CLEC or BST originator makes necessary corrections per Clarification Notification and submits via email Change Request Clarification Response.</p>	<p>required)</p>	<p>receipt with a cutoff time of 4:00 PM Eastern Time)</p>
3	BCCM	<p>INTERNAL VALIDATION</p> <ol style="list-style-type: none"> 1. Validate that it is a defect. 2. Perform internal defect analysis. 3. <u>Determine status of request:</u> <ul style="list-style-type: none"> • If change already exists or CLEC training issue forward Cancellation Notification to CCCM or BCCM and update status to 'C' for Request Cancelled or 'CT' for Training. If Training issue, refer to CSM or Account Team. <ul style="list-style-type: none"> • Send Clarification Notification via email if needed and update status to 'PC' for Pending Clarification. • If Change Request Clarification Notification not received, validate with CLEC that change request is no longer needed. • If request is valid, update Change Request status to 'V' for Validated Defect and indicate appropriate Impact Level. • If the process is operating as specified in the baselined requirements and published business rules, the BCCM will communicate the results via e-mail to the originator to discuss/determine the next step(s). • If issue is re-classified as a feature change, provide supporting information via email to the originator for review 	<p>INPUTS:</p> <ul style="list-style-type: none"> • New Defect <p>OUTPUTS:</p> <ul style="list-style-type: none"> • Validated Defect • Defect notification to CLEC community via e-mail and web posting • Clarification Notification (if required) • Cancellation Notification (if required) • Status provided for High Impact Defects to originator via email within 24 hours. 	<p>2 Bus Days – High Impact</p> <p>3 Bus Days – Medium & Low Impact</p>

Step	Accountability	<u>Sub-processes</u> Activities	Inputs and Outputs	Cycle Time
		<p>and feedback. The Change Request will exit the defect process flow and enter Types 2-5 process flow (enter at Step 3).</p> <p>NOTE: See Section 11.0 Terms and Definitions – Defect Status for valid status codes and descriptions.</p> <p>Defect notification will be provided to CLEC community via e-mail and web posting.</p>		
4	BCCM	<p><u>DEVELOP AND VALIDATE WORKAROUND (IF APPLICABLE)</u></p> <ol style="list-style-type: none"> Defect workaround identified. Change Request status changed to “W” for workaround identified. Workaround is communicated via e-mail to originating CLEC and to the CLEC community via email and web posting. If appropriate, communication to the CLEC community regarding workaround will be discussed via conference call. <p>If it is determined that additional time is needed to develop workaround due to the complexity of the defect, notification will be provided to CLEC community via e-mail and web posting.</p>	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> Validated Defect Clarification Notification (if required) <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> Workaround (if applicable) Clarification Notification (if required) Cancellation Notification (if required) E-mail and web posting of workaround 	<p>2 Bus Days – High Impact</p> <p>4 Bus Days – Medium & Low Impact</p>
5	BCCM	<p><u>INTERNAL RESOLUTION PROCESS</u></p> <ol style="list-style-type: none"> Schedule and evaluate Defects based on capacity and business impacts to the CLECs and BellSouth. Provide status updates to the CLEC community via email as the status changes until the defect is implemented. 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> CLEC/ BST input <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> Defect Release Schedule 	<p>Validated High Impact Defects will be implemented within a 4-25 business day range, best effort.</p> <p>Medium Impact Defects will be implemented</p>

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
				within 90 bus days, best effort. Low Impact Defects will be implemented best effort.
6	BCCM	<p><u>UPDATE RELEASE PACKAGE NOTIFICATION</u></p> <ol style="list-style-type: none"> Update and distribute release notification package via web. All Change Requests that are in the approved scheduled release will be changed to "S" status for "Scheduled". <p>Note: The release notification will be published in a timely manner, based on the release constraints associated with the defect.</p>	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> Defect Information <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> Updated Release Package Notification Scheduled Change Request 	Based on release constraints for defects (may be less than 30 days).
7	BCCM	<p><u>MONTHLY STATUS MEETING</u></p> <ol style="list-style-type: none"> Provide status of Defect. Solicit CLEC/ BST input. Update Defect information as needed. 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> Defects Received Change Request Log Defect Analysis Workaround (if applicable) <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> Updated status Updated Change Request Log Meeting minutes 	Monthly or when status changes, whichever occurs first.
8	BCCM	<p><u>RELEASE MANAGEMENT AND IMPLEMENTATION</u></p> <p>The following release management activities will pertain to Type 6 changes:</p> <ol style="list-style-type: none"> Lead project manager communicates release management project status to 	<p><u>INPUTS:</u></p> <ul style="list-style-type: none"> Approved Release Package Notification <p><u>OUTPUTS:</u></p> <ul style="list-style-type: none"> Project Release Status Implementation Date 	Ongoing

Step	Accountability	Sub-processes Activities	Inputs and Outputs	Cycle Time
		BCCM for inclusion in Monthly status meetings. 2. Once a defect is implemented in a release, the status will be changed to "I" for Change Implemented.	<ul style="list-style-type: none"> • Implemented Change Request 	

6.0 CHANGE REVIEW

Part 1 – Change Review Meeting

The Change Review meeting provides the forum for reviewing and prioritizing Pending Change Requests, generating Candidate Change Requests, submitting Candidate Change Requests for sizing, and reviewing the status of all release projects underway. Status update meetings will be held monthly and are open to all CLEC's. Meetings will be structured according to category (pre-order, order, and maintenance, etc.). Prioritization meetings will be held quarterly. For non-system impacting changes, there will be a 5 (five)-business day notice for documentation updates. The prioritization meeting dates will be communicated when the release schedule is published.

During the Change Review Meeting each originator of a Change Request will be allowed 5 (five) minutes to present their Change Request. A question and answer session not to exceed 15 minutes will follow this presentation. After all presentations for a particular category are complete, the prioritization process will begin.

The Change Request Log will be distributed 5 - 7 (five to seven) business days prior to the Change Review meeting. A valid and complete Change Request must be received 30 business days prior to the Change Review Meeting. Change Requests must be accepted and in "Pending" status to be placed on the agenda for the next scheduled meeting.

Note: Status Meetings will occur monthly. Prioritization meetings will be scheduled to occur in March, June, September and December and will include the monthly status meeting agenda items.

Part 2 – Change Review Package

The Change Review Package will be distributed to all participants 5 – 7 (five to seven) business days prior to the Change Review meeting. The package will include the following:

- Meeting Notice
- Agenda
- Change Request Log (List of Change Requests to be reviewed)
- BellSouth's estimate of the size and scope of each Change Request
- Reference to Change Control Process on the BST website (for CLECs not familiar with the process, new CLECs or CLECs that choose to participate after the initial rollout)
- Status Reports from each of the active Release Management Project Teams

Part 3 – Prioritizing Change Requests

Prior to the Change Review Meeting, each participating CLEC should determine priorities for change requests and establish “desired/want” dates. The CLEC should use the Preliminary Priority List form as provided via the web.

Final prioritization will be determined at the Change Review meeting after presentation of the Change Requests for each category.

Prioritization Voting Rules

- CLEC must either be using an interface within a category (i.e. ordering), in the testing phase or have a letter of intent on file with the BellSouth Change Control Management Team to participate in the voting process
- One vote per CLEC, per category
- No proxy voting
- Each company may bring the number of participants necessary to represent their position. If the number of participants grow to be unmanageable, CLECs and BellSouth will revisit the issue of representation to apply some restrictions.
- Forced Ranking (1 to N, with N being the highest) will be used
- Votes will be tallied to determine order of ranking
- Changes will be ranked by category
- Manual processes and documentation will be prioritized separately; however they will need to be synchronized with the electronic interface changes
- In case of a tie, the affected Changes will be re-ranked and prioritized based on the re-ranking

Example: The top 2 Changes from high to low are E5 and E2, with E1 and E4 tied for 3rd. E1 and E4 would be re-ranked and prioritized according to the re-ranking.

Pre-Order-LENS	CLEC 1	CLEC 2	CLEC 3	Total
E1	3	6	1	10
E2	4	2	6	12
E3	6	1	2	9
E4	2	4	4	10
E5	5	5	3	13
E6	1	3	5	9

7.0 INTRODUCTION AND RETIREMENT OF INTERFACES

Introduction of New Interfaces

BellSouth will introduce new interfaces to the CLEC Community as part of the Change Control Process. A description of the proposed interface will be submitted to the BCCM. The BCCM will add an agenda item to discuss the new interface at the monthly status meeting. BellSouth will be given 30 – 45 minutes to present information on the proposed interface. If BellSouth requests additional time for the presentation, a separate meeting will be scheduled to review the proposed interface, so that, the information can be presented in its entirety. The objective will be to identify interest in the new interface and obtain input from the CLEC community. BellSouth will provide specifications on the interface being developed to the CLEC Community. As new interfaces are deployed, they will be added to the scope of this document as appropriate, based on the use by the CLEC community and requested changes will be managed by this process.

Retirement of Interfaces

As active interfaces are retired, BellSouth will notify the CLECs through the Change Control Process and post a CLEC Notification Letter to the web six (6) months prior to the retirement of the interface. BellSouth will have the discretion to provide shorter notifications (30-60 days) on interfaces that are not actively used and/or have low volumes. BellSouth will consider a CLEC's ability to transition from an interface before it is scheduled for retirement. BellSouth will ensure that its transition to another interface does not negatively impact a CLEC's business.

BellSouth will only retire interfaces if an interface is not being used, or if BellSouth has a replacement for an interface that provides equal or better functionality for the CLEC than the existing interface.

Retirement of Versions

When software versions are retired, BellSouth will give the CLECs a 120 day notification.

A CLEC may respond to Change Control with its desire to extend a retirement date. The CLEC must explain why the scheduled retirement date is not acceptable by providing the impact to it business.

8.0 ESCALATION PROCESS

Guidelines

- The ability to escalate is left to the discretion of the CLEC based on the severity of the missed or unaccepted response/resolution.
- Escalations can involve issues related to the Change Control process itself.
- For change requests, the expectation is that escalation should occur only after normal Change Control procedures (e.g. communication timelines) have occurred per the Change Control agreement.
- Three levels of escalation will be used.
- For Type 1 issues, the escalation process is agreed to allow BellSouth a one-day turnaround for each cycle of escalation.(Excludes Expedites)
- For Types 2-5 issues, the escalation process is agreed to allow BellSouth a five-day turnaround for each cycle of escalation.
- For Type 6 High Impact Issues, the escalation process is agreed to allow BellSouth a two (2) day turnaround to provide a status for each cycle of escalation.
- For Type 6 Medium and Low Impact issues, the escalation process is agreed to allow BellSouth a five (5) day turnaround to provide a status for each cycle of escalation. For Types 2-5 Expedite Process issues, the escalation process is agreed to allow BellSouth a three (3) day turnaround to provide a status for each cycle of escalation.
- Each level will go through the same Cycle, which is described below.
- All escalation communications may be optionally distributed by the CLEC to the industry and BellSouth Change Control e-mail unless there is a proprietary issue.

Cycle for Type 1 System Outages

Contact List for Escalation - ECS Group - Type I Changes

If the originator does not receive a call back from the EC Support Group according to the times specified in this document, they may escalate according to the following list:

Escalation Level	Name and Title	Office Number	Pager Number	Email Address
1st Level	Don Tighe Manager - EC Support Group Interconnection Operations	404-532-2233	1-800-946-4646 PIN 1436470	Don.Tighe@bridge.bellsouth.com
2nd Level	Bruce Smith Operations Director - EC Support Group Interconnection Operations	205-988-7211	1-800-542-3260	Bruce.Smith@bridge.bellsouth.com
3rd Level	Bill Reid Operations Assistant Vice President Interconnection Operations	205-988-1447	1-800-946-4646 PIN 1179523	Bill.C.Reid@bridge.bellsouth.com

NOTE: If a call is escalated without first attempting to contact the ECS Helpdesk, the caller will be referred back to the ECS Helpdesk.

Escalation Cycle for Types 2-6 Change Requests

- Item must be formally escalated as an e-mail sent to the appropriate escalation level within BellSouth with a copy to the industry and BellSouth Change Control e-mail.
- Subject of e-mail must be CLEC (CLEC Name) ESCALATION-CR#, if applicable, Level of Escalation, unless it is proprietary.
- Content of e-mail must include:
 - Definition and escalation of item.
 - History of item.
 - Reason for escalation.
 - Desired outcome of CLEC.
- Impact to CLEC of not meeting the desired outcome or item remaining on current course of action as previously discussed at the Change Control Meeting for enhancements.
- Contact information for appropriate Level including Name, Title, Phone Number, and E-mail ID.
- For escalation Level 2, forward original e-mail and include any additional information including the reason that the matter could not be resolved at Level 1.
- For escalation Level 3, forward original e-mail and include any additional information including the reason that the matter could not be resolved at Levels 1 and 2.
- BellSouth will reply to escalation request with acknowledgement of receipt within 4 hrs and begin the escalation process through Level of escalation.
- The escalating CLEC should respond to BellSouth within 5 days as to whether escalation will continue or the BellSouth response has been accepted as closure to the item.
- If the BellSouth position suggests a change in the current disposition of the item (i.e., what has already been communicated to the industry), a conference call will be held within 1 business day of the BellSouth decision in order to provide industry notification with the appropriate executives.

- BellSouth will publish the outcome of the conference call to the industry via web.
- If unsatisfied with an outcome, either party can seek appropriate relief.

Contact List for Escalation - Type 2 - 6 Changes

Types 2-5 Changes: Within 5 business days of receipt (4 from acknowledgement), BellSouth Change Control appropriate executives will reply through BellSouth Change Control with BellSouth’s position and explanation for that position.

Type 6, High Impact Changes: Within two (2) business days of receipt, BellSouth Change Control appropriate executives will reply through BellSouth Change Control with BellSouth’s position and explanation for that position.

Type 6 Medium and Low Impact Changes: Within five (5) business days of receipt, BellSouth Change Control appropriate executives will reply through BellSouth Change Control with BellSouth’s position and explanation for that position.

Escalations should be made according to the following list.

Escalation Level	Name and Title	Office Number	Email Address
1st Level	Valerie Cottingham Director Change Control Process	205-321-2168	Valerie.cottingham@bridge.bellsouth.com
2nd Level	Terrie Hudson Director (Test Bed, User Requirements, CCP)	404-927-4535	Terrie.Hudson@bridge.bellsouth.com
	Joy Lofton Director (for Business Rules/Operations Issues)	404-927-7828	Joy.A.Lofton@bridge.bellsouth.com
	Suzie Lavett Director (TAG/LENS)	205-977-2876	Suzie.H.Lavett@bridge.bellsouth.com
	Audrey Thomas Director (EDI)	404-927-7886	Audrey.Thomas@bridge.bellsouth.com

3rd Level	Doug McDougal Senior Director (for Systems Issues) Dee Freeman-Butler Senior Director (for Business Rules/Operations Issues)	404-927-7505 404-927-3545	<u>Doug.Mcdougal@bridge.bellsouth.com</u> <u>Dee.Freeman2@bridge.bellsouth.com</u>
------------------	---	--	--

Dispute Resolution Process

In the event that an issue is not resolved through the Escalation Process as described herein, including (1) escalation within each company to the person with ultimate authority for Change Control operations, and (2) the services of a joint investigative team, when appropriate, comprised of representatives from BellSouth and the affected CLECs. Resolution of the dispute shall be accomplished as set forth below:

- Either BellSouth or any CLEC affected by the dispute may request mediation through the State Public Service Commission, if available. If mediation is requested, parties shall participate in good faith. If the mediation results in the resolution of the dispute, that resolution shall apply to all CLECs affected by the dispute.
- Without necessity for prior mediation, either BellSouth or any CLEC affected by the dispute may file a formal complaint with the appropriate state regulatory agency, requesting resolution of the issue.

9.0 CHANGES TO THIS PROCESS

The current, approved version of this process document will be stored under the component name "Ccp.doc" (the date of the latest CCP document will be included in the file name). The BellSouth Change Control Manager BCCM (and alternate) will be the only persons authorized to update the document version.

Requests for changes to the Change Control Process may be submitted to the BellSouth Change Control Manager (BCCM) using the Change Request form located in the Appendix A. Cosmetic changes may be made and published by the BCCM (or alternate) without further review. Other changes will be reviewed at the monthly Change Review status meetings. All changes will be submitted as a change request and reviewed.

10.0 TESTING ENVIRONMENT

BellSouth offers Carrier Testing to CLECs in an open proven test environment for Telecommunications Access Gateway (TAG) and Electronic Data Interchange (EDI) interfaces. The testing opportunities offered are BETA and New Carrier Testing.

BETA testing is offered to those CLECs that express an interest in assisting BellSouth validate a Telecommunications Industry Forum (TCIF) change for the affected interfaces. The opportunity for testing is submitted via the BellSouth Account Team and is negotiated with the Carrier Testing group. BellSouth opens the test environment for BETA testing after "major releases". CLECs are selected on a "first come, first served basis".

New Carrier Testing is offered to those CLECs who are transitioning from a manual to an electronic environment or from one TCIF issue to another. New Carrier Testing is available to all CLECs and is scheduled with the BellSouth Account Team and Carrier Testing group.

For additional details on the testing environment, regulations and guidelines, refer to the following BellSouth public Internet sites:

EDI

www.interconnection.bellsouth.com/markets/lec.html

Select "Customer Guides"

Select "Local Exchange Ordering Guides"

Select "BellSouth EDI Specifications – TCIF 9"

Select "Section 7 – EDI Testing Guidelines for CLECS"

TAG

www.interconnection.bellsouth.com/markets/lec.html

Select "OSS Information Center"

Select "TAG Documentation"

This site is password protected. You should obtain the password from your Account Team representative.

11.0 TERMS AND DEFINITIONS

A

Account Team. The Account Teams represent the CLECs and all CLEC interests within BellSouth, that is, the Account Team is the CLECs' advocate within BellSouth. Some of the Account Team functions are listed below:

- Contract Negotiations
- Enhanced Billing Options Negotiations
- Customer Education
- Technical Assistance
- General Problem Resolution
- Tariff Interpretation
- BonaFide Requests (BFR)
- Production Support
- Collocation
- Testing Support
- Project/Order Coordination
- Rate Quotations

Accountability. Individual(s) having responsibility for completing and producing the outputs of each sub-process as defined in the Detailed Process Flow.

Acknowledgement Notification. Notification returned to originator by BCCM indicating receipt of Change Request.

Approved Release Package. Calendar of Candidate Change Requests with consensus target implementation dates as determined at the Release Package Meeting.

B

BellSouth Change Control Manager (BCCM). BellSouth Point of Contact for processing all Change Requests.

BFR (Bonafide Request). Process used for providing custom products and/or services. Bonafide Requests are outside the scope of the Change Control Process and should be referred to the appropriate BellSouth Account Team.

Business Day. A business day is considered any Monday-Friday workday that does not fall on an official BellSouth holiday.

Business Rules. The logical business requirements associated with the Interfaces referenced in this document. Business rules determine the when and the how to populate data for an Interface. Examples of data defined by Business Rules are:

- The five primary transactions sets: 850, 855, 860, 865, and 997
- Data Element Abbreviation and Definition
- Activity Types at the appropriate level (account, line, feature) and the associated Usage Type (optional, conditional, required, not applicable, prohibited)
- Conditions/rules associated with each Activity and Usage Type
 - ◊ Dependencies relative to other data elements
 - ◊ Conditions which will be edited within BellSouth's OSSs
- Valid Value Set
- Data Characteristics

C

Cancellation Notification. Notification returned to originator by the BCCM indicating a Change Request has been canceled for one of the following reasons: Originator cancellation, duplicate request, training issue, or failure to respond to clarification.

Candidate Request List. List of prioritized Change Requests with associated "Need by Dates" as determined at an Change Review Meeting. These requests will be submitted for sizing and sequencing.

Candidate Change Request. Change Requests that have been prioritized at an Change Review Meeting and are eligible for independent sizing and sequencing by BellSouth and each CLEC.

Change Request. A formal request submitted on a Change Request Form, to add new functions, defects or expedited features or Enhancements to existing Interfaces (as identified in the scope) in a production environment.

- Type 1 – BellSouth System Outage. A System Outage is where the system is totally unusable or there is degradation in an existing feature or functionality within the interface.
- Type 2 – Regulatory Change. Any non-Type 1 changes to the interfaces between the CLEC's and BellSouth's operational support systems mandated by regulatory or legal entities, such as the Federal Communications Commission (FCC), a state commission/authority or state and federal courts.

- **Type 2-5 – Expedited Feature Change.** The inability for a CLEC to process certain types of LSR's based on the existing functionality to BellSouth's Operational Support Systems (OSS's) that are in the scope of CCP. The change request for an expedite must provide details of the business impact and will fall into one of two categories: 1) A defect that has been re-classified as a feature where the CLEC/BellSouth has determined should be expedited due to impact and 2) an enhancement to an existing product or service where the CLEC/BellSouth has determined should be expedited due to impact.
- **Type 3 – Industry Standard Change.** Any non-Type 1 changes to the interfaces between the CLEC's and BellSouth's operational support systems required to bring these interfaces in line with newly agreed upon telecommunications industry guidelines.
- **Type 4 – BellSouth Initiated Change.** Any non-Type 1 changes affecting the interfaces between the CLEC's and BellSouth's operational support systems which BellSouth desires to implement on its own accord.
- **Type 5 – CLEC Initiated Change.** Any non-Type 1 changes affecting the interfaces between the CLEC's and BellSouth's operational support systems, which the CLEC requests BellSouth to implement.

Type 6 – CLEC Impacting Defect. Any non-type 1 change that corrects problems discovered in production versions of an application interface. These problems are where the interface is not working in accordance to the BellSouth baseline business requirements or the business rules that BellSouth has published or otherwise provided to the CLECs. In addition, if functional requirements agreed upon by BellSouth and the CLECs, results in inoperable functionality, even though software business requirements and business rules match; this will be addressed as a defect. These problems typically affect the CLEC's ability to exchange transactions with BellSouth and may include documentation that is in error, has missing information or is unclear in nature. Type 6 validated defects may not be managed using the Expedited Feature Process as discussed in Section 4, Part 3. The CLEC and/or BellSouth may initiate these types of changes affecting interfaces between the CLEC's and BellSouth's operational support systems. These type changes might also include issues for Pre-Orders, Orders, Queries, and Maintenance Requests that can be submitted and accepted, but may require workarounds or clarification.

Change Request Status. The status of a Change Request as it flows through the Change Control process as described in the Detailed Process Flow.

- **A = Appeal.** Indicates a cancelled Change Request is being appealed by the originator (Step 3).
- **C = Request Cancelled.** Indicates a Change Request has been canceled due to one of the following reasons (Step 3):
 - **CC = Clarification.** Requested clarification not received in allotted time (7 days).
 - **CD = Duplicate Request.** A request for this change already exists.

-
- **CT = Training.** Requested change already exists, additional training may be required.
 - **CRC = Change Review Complete.** Indicates a Change Request has been reviewed at a Change Review Meeting, but did not reach the Candidate Request List (Step 5).
 - **D = Request Purge.** Indicates the cancellation of a Change Request that has been pending for 12 months and has failed to reach the Candidate Request List (Step 3).
 - **I = Change Implemented.** Indicates a Change Request has been implemented in a release (Step 10).
 - **N = New Change Request.** Indicates a Change Request has been received by the BCCM, but has not been validated (Step 2).
 - **P = Pending.** Indicates a Change Request has been accepted by the BCCM and scheduled for Change Review (Step 3 moving to Step 4).
 - **PC = Pending Clarification.** Indicates a Clarification Notification has been sent to the originator, BCCM awaiting response (Step 2 or 3).
 - **PN = Pending N times.** Indicates a Change Request reached the Candidate Request List, was sized but not scheduled for a release and has cycled through the process N number of times. Example: P1 = 2nd time through process, P2 = 3rd time through process, etc (Step 8).
 - **RC = Candidate Request.** Indicates a Change Request has completed the Change Review process and been assigned to the Candidate Request List for sizing and sequencing (Step 5).
 - **S – Request Scheduled.** Indicates a Change Request has been scheduled for a release (Step 8).

Change Review Meeting. Meeting held by the Change Review participants to review and prioritize pending Change Requests, generate Candidate Change Requests, and submit Candidate Change Requests for sizing and sequencing.

Change Review Package. Package distributed by the BCCM 5 – 7 business days prior to the Change Review Meeting. The package includes the Meeting Notice, Agenda, Release Management Status Report, Change Request Log, etc.

Clarification Notification. Notification returned to the originator by the BCCM indicating required information has been omitted from the Change Request and must be provided prior to acceptance of the Change Request. The Change Request will be cancelled if clarification is not received by the date indicated on the Clarification Notification.

CLEC Affecting Change. Any change that requires the CLEC to modify the way they operate or to rewrite system code.

CLEC Change Control Manager (CCCM). CLEC Point of Contact for processing Change Requests.

CSM. Customer Support Manager which supports resale and facility based CLECs.

Cycle Time. The time allotted to complete each step in the Change Control Process prior to moving to the next step in the process.

D

Defect. Any non-type 1 change that corrects problems discovered in production versions of an application interface. These problems are where the interface is not working in accordance to the BellSouth baseline business requirements or the business rules that BellSouth has published or otherwise provided to the CLECs. In addition, if functional requirements agreed upon by BellSouth and the CLECs, results in inoperable functionality, even though software business requirements and business rules match; this will be addressed as a defect.

These problems typically affect the CLEC's ability to exchange transactions with BellSouth and may include documentation that is in error, has missing information or is unclear in nature.

Type 6 validated defects may not be managed using the Expedited Feature Process as discussed in Section 4, Part 3.

The CLEC and/or BellSouth may initiate these types of changes affecting interfaces between the CLEC's and BellSouth's operational support systems. These type changes might also include issues for Pre-Orders, Orders, Queries, and Maintenance Requests that can be submitted and accepted, but may require workarounds or clarification.

Defect Status. The status of a CLEC Impacting Defect Change Request as it flows through the Change Control process as described in the Detailed Process Flow.

- **A = Appeal.** Indicates a cancelled Change Request is being appealed by the originator (Step 3).
- **C = Cancelled.** Indicates a Change Request has been canceled due to one of the following reasons (Step 3):

-
- **CC = Clarification.** Requested clarification not received in allotted time (2 days).
 - **CD = Duplicate Request.** A request for this change already exists.
 - **CT = Training.** Requested change already exists, or CLEC training issue.
 - **I = Implemented.** Indicates a Defect Change Request has been implemented in a release (Step 6).
 - **N = New Defect Change Request.** Indicates a Defect Change Request has been received by the BCCM and the change request form validated for completeness (Step 2).
 - **PC = Pending Clarification.** Indicates a Clarification Notification has been sent to the originator, BCCM awaiting response (Step 2 or 3).
 - **S = Scheduled for Release.** Indicates a Defect Change Request has been scheduled for a release (Step 6).
 - **V = Validated Defect.** Indicates internal analysis has been conducted and it is determined that it is a validated defect/expedite (Step 3).
 - **W = Workaround Identified.** Indicates a workaround has been developed and communicated to impacted CLEC community (Step 4).

E

Electronic Communications Systems (ECS). ECS is the help desk for reporting system outages or degradation in an existing feature/functionality within an interface. The ECS group works with the CLEC community to resolve system outages/degradation in a timely manner. The telephone number for the ECS group is 1-888-462-8030.

Enhancement. Functions which have never been introduced into the system; improving or expanding existing functions; required functional changes to system interfaces (user and other systems), data, or business rules (processing algorithms – how a process must be performed); any change in the User Requirements in a production system.

Expedited Feature. An expedited feature is the inability for a CLEC to process certain types of LSR's based on the existing functionality to BellSouth's operations support systems (OSS's) that are in the scope of Change Control. The change request for an expedite must provide details of the business impact and will fall into one of two categories: 1) a defect that has been re-classified as a feature where the CLEC/BellSouth has determined should be expedited due to impact and 2) an enhancement to an existing product or service where the CLEC/BellSouth has determined

should be expedited due to impact. For both re-classified defects and enhancements to an existing product or service, the rules surrounding the expedited feature request will be:

- Must be an enhancement to an existing product or service
- Will follow the Expedited Feature process flow described below which is based on the current Types 2-5 process flow using agreed upon intervals with the exception of Steps 4-6 that are eliminated.
- The CLEC/BellSouth will be required to give impacts and the consequences for not implementing the feature in the current, next, or point release, best effort.

H

High Impact. The failure causes impairment of critical system functions and no electronic workaround solution exists.

I

Internal Change Management Process. Internal process unique to BellSouth and each participating CLEC for managing and controlling Change Requests.

L

Low Impact. The failure causes inconvenience or annoyance.

M

Medium Impact. The failure causes impairment of critical system functions, though a workaround solution does exist.

N

Need-by-Date. Date used to determine implementation of a Change Request. This date is derived at the Change Review Meeting through team consensus. Example: 1Q99 or Release XX.

P

Points of Contact (POC). An individual that functions as the unique entry point for change requests on this process.

Priority. The level of urgency assigned for resource allocation to implement a change. Priority may be initially entered by the originator of the Change Request, but may be changed by the BCCM with concurrence from the originator or the Review Meeting participants. In addition, level of priority is not an indication of the timeframe in which the Change Request will be worked. It is the originator's label to determine the priority of the request submitted.

One of four priorities may be assigned:

1-Urgent. Should be implemented as soon as possible. Resources may be pulled from scheduled release efforts to expedite this item. A need-by date will be established during the Change Review Meeting. A special release may be required if the next scheduled release does not meet the agreed upon need-by date.

2-High. Implement in the next possible scheduled major release, as determined during the Release Package Meeting.

3-Medium. Implement in a future scheduled major release. A scheduled release will be established during the Release Package Meeting.

4-Low. Implement in a future scheduled major release only after all other priorities. A scheduled release will be established during the Release Package Meeting.

Project Plan. Document which defines the strategy for Release Management and Implementation, including Scope Statement, Communication Plan, Work Breakdown Structure, etc. See Release Management Project Plan template, Attachment B-1.

Proposed Release Package: Proposed set of change requests slated for a release that the BCCM presents to the CLEC community during the Release Package Meeting

R

Release – Major. Implementation of scheduled Change(s) which may or may not impact all CLECs; may or may not require CLECs to make changes to their interface and may or may not prohibit the use of an interface upon implementation of the Change(s). Application-to-Application and Machine-to-Human.

Release – Minor. Implementation of scheduled Change(s) which do not require coordination with the entire CLEC industry, do not require CLECs to make changes to their interface or do not prohibit the use of an interface upon implementation of the Change(s). Machine-to-Human.

Release Package. Package distributed by the BCCM listing the Candidate Change Requests that have been targeted for a scheduled release.

Release Package Notification. Package distributed by the BCCM and used to conduct an initial Release Management and Implementation meeting. The package includes the list of participants, meeting date, time, Approved Release Package, Defect and/or Expedite Notification, etc.

Release Schedule: Schedule that contains the intended dates for implementation of software enhancements. This release schedule is created annually.

S

Specifications. Detailed, exact document(s) describing enhancement and/or defects, business processes and documentation changes requested and included with the Change Request as additional information.

System Outage. A System Outage is where the system is totally unusable or there is degradation in an existing feature or functionality within the interface.

V

Version (Document). Indicates variation of an earlier Change Control process document. Users can identify the latest version by the version control number.

APPENDIX A – CHANGE CONTROL FORMS

See Attached Forms

This section identifies the forms to be used during the initial phases of the Change Control process accompanied by a brief explanation of their use. Attachments A1 – A-4A contains sample Change Control forms and line by line Checklists.

Change Request Form. Used when submitting a request for a change (Attachment A-1).

Change Request Form Checklist. Provides line-by-line instructions for completing the Change Request form (Attachment A-1A).

Change Request Clarification Response. Used when responding to request for clarification or Clarification Notification (Attachment A-2).

Change Request Clarification Checklist. Provides line-by-line instructions for completing the Change Request Clarification Response (Attachment A-2A).

Acknowledgement Notification. Advises originator of receipt of Change Request by BCCM (Attachment A-3).

Acknowledgement Notification Checklist. Provides line-by-lines instructions for completing the Acknowledgement Notification. (Attachment A-3A).

Cancellation Notification. Advises the originator of cancellation of a Change Request (Attachment A-3).

Cancellation Notification Checklist. Provides line-by-line instructions for completing the Cancellation Notification. (Attachment A-3B).

Clarification Notification. Advises originator that a Change Request is being held pending receipt of additional information (Attachment A-4).

Clarification Notification Checklist. Provides line-by-line instructions for completing the Clarification Notification. (Attachment A-4A).

Letter of Intent. CLEC provides notice of intent to implement a TCIF compliant interface within a specified timeframe. (Attachment A-5).

APPENDIX B – RELEASE MANAGEMENT

See Attached Forms

Release Management and Project Implementation is described in Step 10 of the Change Control Process. Project Managers are responsible for confirming the release date, developing project plans and requirements, providing the WBS, Gantt chart and Executive Summary to the BCCM for input to the Change Review Package and ensuring the successful implementation of the release.

The BST Change Control Manager (BCCM) will distribute the Release Notification Information via web. The Notification should contain the following information:

- List of participants (Project Managers from each stakeholder)
- Date(s) for the next Project Manage Release meeting(s)
- Times
- Logistics
- Meeting facilitator and minutes originator (rotated between stakeholders)
- Current Approved Release Package (email attachment)
- Current Maintenance/Defect Notification Information (web posting)
- Draft Release Project Plan - WBS (email attachment created by the Lead Project Manager (s) assigned in step 8 of the Change Control Process)
- Lead Project Manager (s) assigned to the Release with reach numbers (s)

Attachments B1 – B12 contain templates designed to assist the Project Manager(s) in conducting project management responsibilities as needed for Release Management and Implementation.

APPENDIX C –ADDITIONAL DOCUMENTS

See Attached Documents

APPENDIX D –BST VERSIONING POLICY FOR INDUSTRY STANDARD ORDERING INTERFACES

Since August 1998, BellSouth's policy, which is stated in its Statement of Generally Accepted Terms (SGAT) and standard interconnection agreement, has been to support two industry standard versions of the applicable electronic interfaces at all times. Currently, the EDI and TAG electronic interfaces are maintained this way, because they are the interfaces that require the CLEC to "build" its side of the interface to use the new standard. The two industry standard versions of an interface are maintained when BellSouth is implementing an entirely new version of an interface based on new industry standards, not when BellSouth is simply enhancing an existing interface. Periodically, the standards organizations for an interface will issue a new set of standards. After submitting the new standards to the CCP to determine how and when they will be implemented, BellSouth will introduce a new version of that interface based on the new standards. BellSouth will keep the "old" version of the interface based on the old industry standards "up" for those CLECs that have not had enough time to build their side of the interface to the new industry standards. BellSouth gives CLECs six (6) months advance notice of the implementation of electronic interfaces based on new industry standards.

When a new industry standard for the interface is issued, the most recent prior industry standard version of the interface will be frozen - no changes will be made to the old version of the interface. BellSouth will support both the new industry standard version and the old industry standard version until the next set of industry standards is issued. Then, BellSouth will support the two most recent industry standard versions of the interface. If, for example, version A were based on the current industry standards, then following the implementation of version B based on the new industry standards, BellSouth would freeze version A until the implementation of version C. Upon the implementation of the version C of the interface based on the newest industry standards, BellSouth would no longer support version A, would freeze version B, and would support both version C and the frozen version B until the implementation of next set of the industry standards.

For example, in March 1998, BellSouth released a new industry standard version of EDI based on TCIF version 7.0. Between March 1998 and January 2000, BellSouth implemented a series of major releases (4.0 and 5.0) and a series of "point releases" (4.1, 4.2, etc. and 5.1, 5.2, etc.). The final "point release" of EDI was Release 5.8. In January 2000, BellSouth implemented Release 6.0 of EDI based on TCIF 9.0. When this occurred, BellSouth began maintaining Release 5.8 alongside of Release 6.0 of EDI.

NOTE: Because LENS is not an industry standard, machine-to-machine interface, LENS is not covered under the policy described above.

Release Management Project Plan Template

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	---------------------	-----------	---------------

Scope Statement

The project scope defines the boundaries by which the project will operate. The scope statement will be used to obtain agreement and approval from the customers and stakeholders for the project funding.

See Scope Statement Template

Communication Plan

The project team will determine the type and frequency of communications that must take place during the project life cycle to enable the project's success. The table below outlines the agreed to communication vehicles.

Status Communiqué	Distribution	Frequency	Owner
Project Release Status Report	<ul style="list-style-type: none">• Team Members• Enhancement Review Team	<ul style="list-style-type: none">• Weekly• Monthly	Project Manager
Team Member To Do List	<ul style="list-style-type: none">• Team Member	<ul style="list-style-type: none">• Weekly	Project Manager
Executive Summary	<ul style="list-style-type: none">• Project Sponsor	<ul style="list-style-type: none">• Monthly	Project Manager
Status Meeting/Minutes	<ul style="list-style-type: none">• Team Members	<ul style="list-style-type: none">• Weekly	Project Manager

All escalations will be communicated by the project manager to the project sponsor.

See Project Release Status Report

See CCP To Do List/Resource (part of Microsoft Project file - Custom Report)

See CCP To Do List/Dates (part of Microsoft Project file - Custom Report)

Project Tracking Plan

Project tracking and control is the process whereby the project manager determines the degree to which the project plan is being met. The focus is on the schedule, budget and resource allocations.

The project manager will hold regularly scheduled team meetings for the purpose of updating the Work Breakdown Schedule (WBS) with accurate information. During these meetings, all new issues will be raised and assigned to an owner for resolution. All existing issues will be reviewed for current status and/or closure.

Other documents to be updated during the team meetings are as follows:

- Change Control Plans
- Risk Management Plans
- Communication Plans
- Scope Statements
- Team Roster and Responsibilities

Project status will be created and distributed as defined in the Communications Plan.

Attachment B-1

Jointly Developed by the Change Control Sub-team comprised of BellSouth and CLEC Representatives.

Work Breakdown Structure

The project manager will develop a Work Breakdown Structure (WBS) in the appropriate project management software application, including tasks, durations, start/end dates, dependencies, personnel resources, and related costs. A draft version of the WBS will be created by the project manager and reviewed with the project team in an effort to effectively utilize the team's time. The WBS will be revised and agreed to by the entire team to facilitate activity ownership and commitment.

While creating the WBS, the team should consider all resource, time, budget and performance constraints associated with the project.

See WBS Template (part of Microsoft Project file - Gantt View)

Roles and Responsibilities

Project roles will be defined to clearly identify expectations among project participants. Update the table below with the correct project roles and responsibilities.

<u>ROLES</u>	<u>RESPONSIBILITIES</u>
Project Manager	Identify Preliminary Resources Hold Kick-off Meeting Develop Project Plan Documents Track Project Status Time Cost Manage Change Control Manage Issues Communicate Project Status
Project Sponsor	Understand Current Project Status Single Point of Contact for Escalations Communicate Project Status Define/Approve Milestone Exit Criteria
Stakeholder	Provide Team Members / External Project Support Understand Current Project Status Define Milestone Exit Criteria
External Project Support	Perform Agreed to Activities as Defined Provide Project Manager Status
Team Members	Attend Project Team Meetings Perform Agreed to Activities as Defined Provide Project Manager Status

Project Team Roster

A list of all parties associated with or impacted by the project should be documented and distributed to the team.

See Project Team Roster

Risk Management Plan

In an effort to mitigate possible negative impacts to the project, a high-level risk assessment should be performed during the initial phase of the project. For each high-level risk, the team should develop a mitigation strategy or position. As potential risks are identified during the project life cycle, the team should again develop a mitigation strategy or position.

Attachment B-1

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.

See High-Level Risk Assessment
See Risk Event Assessment and Planning

Change Control Plan

Throughout the project life cycle, changes will be introduced which will impact the project scope statement. These changes could be due to a new customer need/requirement or a miss communication of an existing requirement. Each change must be evaluated to effectively understand the possible impact to resources, time and/or cost.

See Scope Change Request and Evaluation
See Scope Change Request Log

Project Issues

Day to day issues will be entered on a project issues log as an interim solution until further discussion can take place among the team. Each issue could result in the addition of a new activity to the WBS, a risk to be evaluated in the Risk Management Plan, or a change to be managed through the Change Control Plan.

See Project Issue Log

Scope Statement Template

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	---------------------	-----------	---------------

Project Definitions

PROJECT TITLE	
PROJECT MANAGER	
PROJECT TEAM MEMBERS	
GOALS/OBJECTIVES	
SCOPE STATEMENT	
ASSUMPTIONS	
MAJOR RISKS	
DELIVERABLES	
ACCEPTANCE CRITERIA	
PHASES	
KEY MILESTONES	
KEY RESOURCE REQUIREMENTS	
EXTERNAL CONSTRAINTS	
RELATED PROJECTS	

Project Release Status Report

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	---------------------	-----------	---------------

General Information

PROJECT MANAGER	CURRENT PROJECT PHASE	SUPPORTING DOCUMENTATION ATTACHED? <input type="checkbox"/> Yes <input type="checkbox"/> No	WEEK ENDING DATE
-----------------	-----------------------	--	------------------

Report Information

Status Changes from Last Report	<input checked="" type="checkbox"/>	Explain
Assumptions	<input type="checkbox"/>	
Scope	<input type="checkbox"/>	

Schedule Information

High-Level Phase Deliverable	Original Complete Date	New Est. Complete Date	Actual Complete Date	Explanation

Budget Information

Project Tracking Element	YTD Budget	YTD Actual	YTD Diff.	% Diff.	Explanation

Deliverable Information

COMPLETED DELIVERABLES
DELIVERABLES DUE NEXT PERIOD

Attachment B-3

Jointly Developed by the Change Control Sub-team comprised of BellSouth and CLEC Representatives.

Work Breakdown Structure Template

Project Management WBS Template						
ID	Task Name	Duration	Start	Finish	Pred	Resource
1	Obtain Executive Commitment	1d	1/9/98	1/9/98		All
2	Define Requirements	3d	1/9/98	1/13/98		
3	Gather/Analyze Existing Documentation	1d	1/9/98	1/9/98		All
4	Meet to Baseline Requirements (several meetings)	1d	1/12/98	1/12/98	3	All
5	Produce Baseline Requirements Document	1d	1/13/98	1/13/98	4	All
6	Perform Analysis	4d	1/14/98	1/19/98		
7	Analyze Requirements Document	1d	1/14/98	1/14/98	5	BST
8	Produce/Distribute Updated Requirements Document	1d	1/15/98	1/15/98	7	BST
9	Meet to Understand Updated Requirements Document	1d	1/16/98	1/16/98	8	All
10	Analyze/Finalize Updated Requirements Document	1d	1/19/98	1/19/98	9	All
11	Perform Coding/Construction (design, code, unit test)	1d	1/20/98	1/20/98	10	All
12	Perform Testing	5d	1/20/98	1/26/98		
13	Create Test Plans	1d	1/20/98	1/20/98	10	All
14	Perform Internal Testing (systems, integration)	1d	1/21/98	1/21/98	13, 11	All
15	Perform External Testing	3d	1/22/98	1/26/98		
16	Perform Network Validation Testing (NVT)	1d	1/22/98	1/22/98	14	All
17	Perform End to End Testing	1d	1/23/98	1/23/98	16	All
18	Perform Stress/Volume	1d	1/26/98	1/26/98	17	All
19	Make Go/No Go Decision	1d	1/27/98	1/27/98	18	All
20	Deploy Release/Cut Over	11d	1/15/98	1/29/98		
21	Develop Recovery Plan (Back-Out)	1d	1/15/98	1/15/98	23FS-10d	All
22	Develop Migration Plan Old to New (60-90 days) (Freeze Old Code)	1d	1/28/98	1/28/98	19	All
23	Perform Cut-Over	1d	1/28/98	1/28/98	19	All
24	Develop Post Implementation Audit Report	1d	1/29/98	1/29/98	23	All
25	Perform Training	8d	1/20/98	1/29/98		
26	Develop Training Plan	1d	1/20/98	1/20/98	10	All
27	Develop Training Package	1d	1/21/98	1/21/98	26	All
28	Train Users	1d	1/29/98	1/29/98	23	All

To Do List by Resource as of 2/10/98

ID	Task Name	Duration	Start	Finish	Predecessors	Resources
Week of Jan 4						
1	Obtain Executive Commitment	1d	1/9/98	1/9/98		All
3	Gather/Analyze Existing Documentation	1d	1/9/98	1/9/98		All
Week of Jan 11						
4	Meet to Baseline Requirements (several mtgs)	1d	1/12/98	1/12/98	3	All
5	Produce Baseline Requirements Document	1d	1/13/98	1/13/98	4	All
21	Develop Recovery Plan (Back-Out)	1d	1/15/98	1/15/98	23FS-10d	All
9	Meet to Understand Updated Requirements Document	1d	1/16/98	1/16/98	8	All
Week of Jan 18						
10	Analyze/Finalize Updated Requirements Doc	1d	1/19/98	1/19/98	9	All
11	Perform Coding/Construction (design, code)	1d	1/20/98	1/20/98	10	All
13	Create Test Plans	1d	1/20/98	1/20/98	10	All
26	Develop Training Plan	1d	1/20/98	1/20/98	10	All
14	Perform Internal Tests (systems, integration)	1d	1/21/98	1/21/98	13, 11	All
27	Develop Training Package	1d	1/21/98	1/21/98	26	All
16	Perform Network Validation Testing (NVT)	1d	1/22/98	1/22/98	14	All
17	Perform End to End Testing	1d	1/23/98	1/23/98	16	All
Week of Jan 25						
18	Perform Stress/Volume	1d	1/26/98	1/26/98	17	All
19	Make Go/No Go Decision	1d	1/27/98	1/27/98	18	All
22	Develop Migration Plan Old to New	1d	1/28/98	1/28/98	19	All
23	Perform Cut-Over	1d	1/28/98	1/28/98	19	All
24	Develop Post Implementation Audit Report	1d	1/29/98	1/29/98	23	All
28	Train Users	1d	1/29/98	1/29/98	23	All

To Do List by Dates as of 2/10/98

ID	Task Name	Duration	Start	Finish	Predecessors	Resources
1	Obtain Executive Commitment	1d	1/9/98	1/9/98		All
3	Gather/Analyze Existing Documentation	1d	1/9/98	1/9/98		All
4	Meet to Baseline Requirements (several mtgs)	1d	1/12/98	1/12/98	3	All
5	Produce Baseline Requirements Document	1d	1/13/98	1/13/98	4	All
7	Analyze Requirements Document	1d	1/14/98	1/14/98	5	BST
8	Distribute Updated Requirements Document	1d	1/15/98	1/15/98	7	BST
21	Develop Recovery Plan (Back-Out)	1d	1/15/98	1/15/98	23FS-10d	All
9	Meet to Understand Updated Requirements Document	1d	1/16/98	1/16/98	8	All
10	Analyze/Finalize Updated Requirements Doc	1d	1/19/98	1/19/98	9	All
11	Perform Coding/Construction (design, code)	1d	1/20/98	1/20/98	10	All
13	Create Test Plans	1d	1/20/98	1/20/98	10	All
26	Develop Training Plan	1d	1/20/98	1/20/98	10	All

Project Team Roster

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED	
-------------------------------	---------------------	-----------	---------------	--

Guideline: Use this roster format as guidance, expanding or condensing as necessary.

Project Management

PROJECT MANAGER	EMAIL	PHONE	PAGER	FAX
-----------------	-------	-------	-------	-----

Sponsor/Stakeholder

PROJECT SPONSOR	EMAIL	PHONE	PAGER	FAX
STAKEHOLDER(S)	EMAIL	PHONE	PAGER	FAX

External Project Support

NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX

Project Team

NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX
NAME	EMAIL	PHONE	PAGER	FAX

High-Level Risk Assessment

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	EVALUATOR (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	-------------------	-----------	---------------

Instructions: Put a check in the column that provides the best answer. Use the attached sheets for an explanation of each item. After all items have been evaluated, provide an overall risk assessment based on the individual responses.

High-Level Risk Assessment

Risk Category	Level of Risk			
	Not Applicable	Low Risk	Moderate Risk	High Risk
Strategic importance				
Management support				
Budget availability				
Resource availability				
Project manager availability				
Time frame				
Clarity of and agreement on project objectives				
Participation in project definition				
Customer interest and involvement				
User involvement				
Technical complexity				
Technology maturity				
Relevant experience				
Supplier/contractor involvement				
Major obstacles				
OVERALL RISK				

Attachment B-8

Jointly Developed by the Change Control Sub-team comprised of BellSouth and CLEC Representatives.

Guidelines

<p>Strategic Importance</p>	<p>Assess the strategic importance of the project. How essential is it to the planned corporate objectives or to the maintenance of current operations? The less essential the project, the greater the risk that it will not receive sufficient support and attention.</p> <p><i>Low Risk:</i> The project has substantial strategic importance; it has either been mentioned directly as a major initiative or directly supports a major initiative.</p> <p><i>Moderate Risk:</i> Failure to complete the project would jeopardize the achievement of major initiatives. Project sponsors would designate the project as "necessary."</p> <p><i>High Risk:</i> The project does not directly relate to any major strategic initiatives. Project sponsors would designate the project as "nice to have."</p>
<p>Management Support</p>	<p>Determine the extent to which management throughout the company actively supports the project. Management support is essential if the project is to be effectively carried out. Management provides the resources by which the project is accomplished.</p> <p><i>Low Risk:</i> Management in all organizations that will participate in the project actively supports the project initiative and willingly commits resources to the effort.</p> <p><i>Moderate Risk:</i> Project sponsor provides strong support and establishes momentum among other managers who control resources.</p> <p><i>High Risk:</i> Project sponsor is not strongly interested; no significant management attention or interest from any side.</p>
<p>Budget Availability</p>	<p>Evaluate the availability of funding to support the project. Determine whether funding will be available in the time frame necessary to carry out the work. Ensure funding is available for all resources – people, suppliers, material, computer time, and so on.</p> <p><i>Low Risk:</i> Funding has been identified for the project, matching the time frame in which funds are required.</p> <p><i>Moderate Risk:</i> Funding has not been identified specifically for the project; however, funding is available within established budgets and management has approved its use.</p> <p><i>High Risk:</i> Funding has not been identified for the project, and funds are tight or unavailable within existing budgets.</p>
<p>Resource Availability</p>	<p>People are the most critical resource for the project. Evaluate the availability of human resources, assessing not only whether the required number of people are available but whether the right types of skills and experience levels are also available.</p> <p><i>Low Risk:</i> A project team has already been identified with the requisite skills; team members have been committed to the effort.</p> <p><i>Moderate Risk:</i> Project team members have not been identified specifically. Most skills are thought to be readily available within the company.</p> <p><i>High Risk:</i> Project team members have not been identified. Resources are scarce, and obtaining the necessary skills will be difficult in the required time frame.</p>
<p>Project Manager Availability</p>	<p>The availability of a qualified project manager will increase the chances of project success. Assess whether a project manager is available and will be assigned to the project.</p> <p><i>Low Risk:</i> A project manager has already been identified for the project and is available in the required time frame.</p> <p><i>Moderate Risk:</i> A project manager has not been specifically identified, but qualified project managers are available.</p> <p><i>High Risk:</i> No qualified project manager is available to assume responsibility for the project.</p>

Time Frame	<p>Assess the time frame in which the project is required. Tighter time frames increase overall project risk. There should be sufficient time to plan the project thoroughly and to accomplish all project tasks.</p> <p>Low Risk: There is sufficient time available for project planning and project execution, including provision for a reasonable amount of slack time to accommodate unforeseen delays.</p> <p>Moderate Risk: There is sufficient time for project planning and project execution, assuming an optimized schedule with an aggressive critical path.</p> <p>High Risk: Even with the most aggressive scheduling, the project time frame is unrealistic. Deadlines will possibly result in cutting corners to meet the schedule.</p>
Clarity of and Agreement on Project Objectives	<p>Assess the degree to which project objectives have been defined clearly. If the objectives are not clear, it is unlikely that the project will be carried out successfully. Also important is the extent to which the project objectives have been communicated and bought into by the company's organizational elements that will contribute to or support the project.</p> <p>Low Risk: Project objectives are clearly defined, have been communicated throughout relevant organizations, and have been agreed to.</p> <p>Moderate Risk: Project objectives have been generally defined, and there is general agreement with them. There is no detailed description of the objectives, however.</p> <p>High Risk: Project objectives have not been defined, or there is substantial disagreement with them among the organizations.</p>
Participation in Project Definition	<p>Determine whether the project has already been defined or if the project manager and project team will be allowed to participate in the project definition. Projects that are defined and handed to the project team are generally more difficult to complete than projects in which the project team participates in the project definition process.</p> <p>Low Risk: There is no current project definition; the project team will be a key player in the project definition process.</p> <p>Moderate Risk: There is a current project definition; however, the project team will have an opportunity to review and revise that definition during the planning process.</p> <p>High Risk: The project definition is already established; the project team will have no opportunity to revise it.</p>
Customer Interest and Involvement	<p>Evaluate the level of interest in the project on the part of the project's ultimate customer. Will the customer materially participate in the project's implementation? Customer interest and involvement is an important element in ensuring the project is completed as planned.</p> <p>Low Risk: The customer is actively interested in the project, has assigned a point of contact, and intends to participate in key project activities.</p> <p>Moderate Risk: The customer is interested in the project and intends to participate in some project activities.</p> <p>High Risk: The customer expresses little or no interest in the project and has no interest in participating in project activities.</p>

User Involvement	<p>Determine the extent to which users will be involved in the project. User participation can enhance the design and development processes and can streamline the project validation process.</p> <p><i>Low Risk:</i> Users will definitely be involved with the project. A user team has been identified, and provisions have been made to provide adequate user participation.</p> <p><i>Moderate Risk:</i> Users will likely be involved with the project; however, no specific plans have been made for their participation.</p> <p><i>High Risk:</i> Users are unavailable to participate in the project.</p>
Technical Complexity	<p>The level of technical complexity is a direct contributor to overall project risk. Assess the complexity of the project with regard to the project's size, the type of system to be developed, the number of organizations that will participate, and the difficulty of the task.</p> <p><i>Low Risk:</i> The project is technically straightforward. The system is limited to a specific application with little crossover or interface with other systems and applications.</p> <p><i>Moderate Risk:</i> The project presents a technical challenge. The requirement is difficult to solve, or the system will perform multiple functions in concert with other systems.</p> <p><i>High Risk:</i> The project is extremely difficult technically. There are substantial integration requirements with other systems.</p>
Technology Maturity	<p>Mature technology is easier to work with than emerging technology. Assess the level of maturity of the technology to be used in the system. Does the technology currently exist? Has it been proven in other applications? Will the technology be developed during the course of the project?</p> <p><i>Low Risk:</i> Virtually all the technology to be used on the project has been used in other, proven applications.</p> <p><i>Moderate Risk:</i> Most technology has been used in other applications. There will be some technology development during the project but that will be limited to specific functions and areas.</p> <p><i>High Risk:</i> Most project technology will be developed during the project and must be proven during the validation and testing process.</p>
Relevant Experience	<p>Organizations that have experience with similar projects can complete projects with less risk than organizations doing a project for the first time. Determine whether the company has experience with projects that relate to or are similar to the contemplated project.</p> <p><i>Low Risk:</i> The company has substantial experience with related or similar projects and can apply that experience to the current project.</p> <p><i>Moderate Risk:</i> The company has some experience with related projects.</p> <p><i>High Risk:</i> This is the first project of this type that the company has undertaken.</p>
Supplier/ Contractor Involvement	<p>Involving suppliers or contractors in the project can increase the risk, especially if the company has not worked with those organizations before. Determine the extent and anticipated difficulty of supplier involvement.</p> <p><i>Low Risk:</i> Either few or no suppliers will be involved, or all suppliers have worked with BST on previous projects.</p> <p><i>Moderate Risk:</i> Some suppliers will be involved; most will have worked with the company on previous projects.</p> <p><i>High Risk:</i> Many suppliers will be involved. A significant number will not have worked with the company on previous projects.</p>

Major Obstacles	<p>Assess any other major obstacles that may exist. Identify the obstacles and whether it appears that they may be overcome.</p> <p><i>Low Risk:</i> Few major obstacles exist; for those that exist, there are clear solutions.</p> <p><i>Moderate Risk:</i> Some major obstacles exist; there are clear solutions for most of them.</p> <p><i>High Risk:</i> A significant number of major obstacles exist for which there are no clear solutions.</p>
------------------------	--

Risk Event Assessment and Planning

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	---------------------	-----------	---------------

General Information

RISK EVALLIATOR	WBS REFERENCE	OTHER REFERENCE
-----------------	---------------	-----------------

Risk Event Title

ENTER ONE LINE DESCRIPTION OF RISK EVENT
--

Description

PROVIDE DETAILED DESCRIPTION OF RISK EVENT
--

Probability

DESCRIBE THE PROBABILITY OF THE RISK EVENT OCCURRING. USE QUANTITATIVE METHODS IF APPLICABLE.

Impact

DESCRIBE THE IMPACT OF THE RISK EVENT. USE QUANTITATIVE METHODS IF APPLICABLE.
--

Exposure

PROVIDE AN ASSESSMENT OF THE OVERALL RISK. USE QUANTITATIVE TECHNIQUES IF POSSIBLE; OTHERWISE, USE CATEGORIZATION OF SERIOUS, THREATENING, OR MANAGABLE.
--

Attachment B-9

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.

Risk Mitigation Strategies

Strategy Description	Strategy Type (Check One)			
	Avoid	Assume	Control	Transfer
ENTER A DESCRIPTION OF THE PREVENTATIVE STRATEGIES AND CONTINGENCY PLANS FOR THE RISK.				

Scope Change Request and Evaluation

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	---------------------	-----------	---------------

(The following information must be filled in by the project manager)

Scope Change Request Information

CHANGE REQUEST NUMBER	DATE CHANGE REQUEST INITIATED	RESULTING CHANGE ORDER NUMBER	PROJECT LIBRARY FILE NUMBER
PRIORITY			
<input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low			

General Information

SUPPLIER	CUSTOMER	CHANGE NAME (DESCRIPTION)		
REFERENCES				
SUBMITTED BY	DATE	INVESTIGATED BY	DATE STARTED	DATE COMPLETED

Impact Analysis

ALL PARTIES AFFECTED	INITIALS/DATE
	/
SCHEDULE IMPACT	INITIALS/DATE
	/
COST IMPACT	INITIALS/DATE
	/
QUALITY IMPACT	INITIALS/DATE
	/
PROJECT MANAGER'S RECOMMENDATION	INITIALS/DATE
	/

Scope Change Information

CHANGE APPROVED/REJECTED	DEFERRED TO	DATE
<input type="checkbox"/> Approved <input type="checkbox"/> Rejected		

Approved By

CUSTOMER	DATE	BST IT	DATE

Attachment B-10

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.

Scope Change Request Log

Document Preparation Information

PROJECT NAME - RELEASE NUMBER	PREPARED BY (PRINT)	SIGNATURE	DATE PREPARED
-------------------------------	---------------------	-----------	---------------

General Information

CUSTOMER	PROJECT LIBRARY FILE NUMBER
----------	-----------------------------

Log Information

Change Request Number	Priority			Change Name (Description)	Assigned To	Date Opened	Date Approved	Date Closed	Cost Impact	Schedule Impact
	H	M	L							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							

BELLSOUTH DEFECT NOTIFICATION (SAMPLE)

PREPARED BY: _____ DATE PREPARED:

CHANGE REQUEST ID:

DATE IDENTIFIED:

DEFECT TYPE: DOCUMENTATION ELECTRONIC INTERFACE MANUAL

INTERFACES IMPACTED:

PRE-ORDERING: LENS TAG CSOTS

ORDERING: EDI LENS TAG LNP

MAINTENANCE: TAFI EC-TA LOCAL

DOCUMENTATION IMPACTED: YES NO

EXPLANATION OF DEFECT:

WORKAROUND:

RESOLUTION:

Preliminary Priority List

Company Name: _____

CCCM: _____

Date Submitted: _____

Change Review Meeting Date: _____

Check Interfaces Used:

LENS

TAG

EC-TA

Manual

EDI

TAFI

CSOTS

If you do not use an interface, do not rate the request.

Rate request on a scale of 1 to N, with N being the greatest. Rate by Category for each interface your company uses.

Pending Change Requests to be Prioritized			
Category	Rating	Interface	Change Request Log #
<i>Pre-Ordering</i>			
<i>Ordering</i>			
<i>Maintenance</i>			
<i>Manual</i>			

Attachment C-3

Jointly Developed by the Change Control Sub-team comprised of BellSouth and CLEC Representatives.

Monthly Status Meeting Agenda Template

Opening.....	5 Minutes
<i>Facilitator/BellSouth opens meeting.</i>	
Regulatory Issues.....	10 Minutes
<i>Review any issues that could impact Change Request(s) prioritization. This may include FCC rulings, PSC rulings or Industry Changes.</i>	
Change Request Status:	40 Minutes
New	
Pending	
Scheduled	
Implemented	
Canceled	
Defects	
<i>Review status of all change requests</i>	
Release Management & Implementation Status.....	15 Minutes
<i>Review status of scheduled Releases.</i>	
Issues/Action Items.....	15 Minutes
<i>Re-cap any issues and action items surfaced during the meeting. Each item is assigned an owner and a follow-up date.</i>	
Adjourn.....	5 Minutes
<i>Facilitator/BellSouth reviews next steps.</i>	

Change Review Meeting Agenda Template

Opening.....	10 Minutes
<i>Facilitator/BellSouth opens meeting.</i>	
Change Request Log Status.....	30 Minutes
<i>Change Requests to be reviewed will have a status of "P" for Pending and will follow the process flow as outlined in Part 2 – Detailed Process Flow.</i>	
Regulatory Issues.....	30 Minutes
<i>Review any issues that could impact Change Request(s) prioritization. This may include FCC rulings, PSC rulings or Industry Changes.</i>	
Release Management & Implementation Status.....	30 Minutes
<i>Review status of scheduled Releases.</i>	
Recycled Change Request(s).....	30 Minutes
<i>Determine priority disposition of Change Request(s) that are on the Candidate Request List, but have not been scheduled for a target release.</i>	
Presentation of Change Requests.....	20 Minutes/Request
<i>The presentation of each Change Request is limited to 20 minutes. The initiator of the request is allowed a maximum of five minutes of presentation time followed by a question and answer session not to exceed 15 minutes. Change Requests will be presented and prioritized by Interface.</i>	
Develop Candidate Change Request List.....	60 Minutes
<i>Participating companies will vote on the final prioritization of the Change Requests as indicated in the Change Review Section of the Change Control Process Document. Change Requests to be submitted for sizing and sequencing will be placed on the Candidate Change Request List along with the "Need-by-Date".</i>	
Present Outputs.....	10 Minutes
<i>Re-cap of final prioritization and Change Requests submitted to the Candidate Change Request List.</i>	
Issues/Action Items.....	15 Minutes
<i>Re-cap any issues and action items surfaced during the meeting. Each item is assigned an owner and a follow-up date.</i>	
Adjourn.....	5 Minutes
<i>Facilitator/BellSouth reviews next steps.</i>	



Change Control Process User Registration Form

RETURN TO:

BCCM
FAX 205-321-5160

OR

Valerie Cottingham
8th Floor
600 No. 19th Street
Birmingham, AL 35203

Attachment C-6

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.



Change Control Process CR LOG Legend

CR LOG #	Log number assigned to each change request.
Status	Status of change request: N=New (being reviewed for acceptance), P=Pending (accepted-to be prioritized), PC=Pending Clarification, S=Scheduled for a Release, I=Implemented in a Release, C=Canceled Request, V=Validated Defect, W=Workaround Identified, CRC=Change Review Complete, RC=Candidate Request for a Release
Type	Type of CR: Type 2=Regulatory, Type 3=Industry Standard, 4=BST Initiated, 5=CLEC Initiated, 6=CLEC Impacting Defect
Title	Title of Change Request
Step 1 Date Sent/Date Received	Date CR was sent/received by Change Control
Step 2 Open & Validate CR (Target Date)	Target date for the Change Control Team to open CR and validate for completeness. Interval is 2-3 business days from date received (for Types 2-5). Interval is 1 business day for Type 6 (defects). During this step, a CR Log # is assigned, acknowledgment notification is sent to originator, CR is reviewed for mandatory fields and completeness.
<ul style="list-style-type: none"> • Types 2-5 (target is 3 bus days) • Type 6 (target is 1 bus day) 	
Clarification Date Sent (if needed)	Date clarification was sent to originator of CR. Clarification times would be in addition to cycle time.
Clarification Response Rec'd Date	Date clarification response was received from originator.
Open & Validate CR (Actual Date)	Actual date CR was opened and validated by Change Control Team.
Step 3 Review CR for Acceptance (Target Date)	For Types 2-5, target date to review CR and determine status (20 bus day interval). CR reviewed for impacted areas. Status codes include: Pending, Pending Clarification or Canceled.
<ul style="list-style-type: none"> • Types 2-5 (target is 20 bus days) • Type 6 (target is 3 bus days for internal validation, an additional 4 bus days to develop workaround if, applicable) 	For Type 6- status codes include: Pending, Pending Clarification, Validated Defect, Workaround Identified or Canceled.
Clarification Sent Date (if needed)	Date clarification notification was sent to originator of CR. Clarification times would be in addition to cycle time.
Clarification Response Rec'd Date	Date clarification response was received from originator.
	Actual date CR was accepted or results provided to originator for review/discussion.
	Date CR was canceled and notification provided to

Attachment C-7

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.



Change Control Process CR LOG Legend

Review CR for Acceptance (Actual Date)	originator/CLEC community. NOTE: the originator at any step in the process can cancel a CR.
Cancel CR Notify Date	
Step 4 Prepare for CRM (Target Date) <ul style="list-style-type: none"> 5-7 business days prior to CRM date 	Target date for the Change Control Team to prepare for the Change Review Meeting (prioritization meeting). Target date is to provide CLEC community with updated Change Request Log and meeting details 5-7 business days prior to CRM meeting. Actual date CRM details were provided to CLEC community.
Prepare for CRM (Actual Date)	
Step 5 CR Meeting Date (Actual)	Actual date of Change Review Meeting.
Step 6 Doc Chg Rev Mtg Results (Target) <ul style="list-style-type: none"> 2 business days 	Target date for Change Control Team to provide the meeting minutes from the Change Review Meeting to CLEC community (2 bus day interval).
Doc Chg Rev Mtg Results (Actual)	Actual date meeting minutes were distributed to CLEC community from Change Review Meeting.
Step 7 Internal Change Mgmt Process (Target Date) <ul style="list-style-type: none"> 30 business days 	Target date for CLECs/BST to perform analysis, impact, sizing and estimating activities for the Candidate Change Requests that were prioritized in the Change Review meeting. Target interval is 30 business days.
Internal Change Mgmt Process (Actual Date)	Actual date that CLECs/BST complete the Internal Change Management Process of analysis, impact, sizing and estimating activities for Candidate Change Requests.
Step 8 RPM (Actual Date)	Actual date of Release Package Meeting where Change Control Team presents the proposed scope for the next major release.
Step 9 Rel Pkg Notify (Target Date) <ul style="list-style-type: none"> 2 business days 	Target date for Change Control to develop and distribute Release Package Notification via web (target of 2 bus days).
Rel Pkg Notify (Actual Date)	Actual date release package notification was posted to web.
Step 10 Rel Imp (Actual Date)	Actual date of the Release associated with the CR.
Soft Rel Notif (Target Date) <ul style="list-style-type: none"> 30 calendar days prior to release 	Target Date for BST posting Release Notification (target is 30 calendar days in advance of release implementation).

Attachment C-7

Jointly Developed by the Change Control Sub-team comprised of BellSouth and CLEC Representatives.



Change Control Process CR LOG Legend

<p>Soft Rel Notif (Actual Date)</p> <p>Doc Changes Notif (Target Date)</p> <ul style="list-style-type: none"> • 30 calendar days prior to release <p>Doc Changes Notif (Actual Date)</p>	<p>Actual date release notification letter is posted to web.</p> <p>Target Date for BST posting documentation changes (business rules) associated with a release (target is 30 days in advance of release implementation).</p> <p>Actual Date documentation notification is posted to web.</p>
<p>Doc Updates Only Notif (Target Date)</p> <ul style="list-style-type: none"> • 5 business days prior to documentation posting date <p>Doc Updates Only Notif (Actual Date)</p>	<p>Target date for BST posting notification letter for documentation updates (non-system) changes only. Target is 5 business days prior to documentation posting date.</p> <p>Actual date CLEC notification letter is posted to the web announcing the documentation only changes to be posted.</p>
<p>Notes</p>	<p>Area to document additional status information for each CR (i.e., date workaround notification is provided, escalations, etc.).</p>

Attachment C-7

Jointly Developed by the Change Control Sub-team comprised
of BellSouth and CLEC Representatives.

ATTACHMENT 8

RIGHTS OF WAY (ROW), CONDUITS, AND POLE ATTACHMENTS

Between

BELLSOUTH TELECOMMUNICATIONS, INC.
(Licensor)

And

AT&T COMMUNICATIONS OF THE SOUTHERN STATES, INC.
(Licensee)

CONTENTS

SECTION	PAGE	
1	Definitions	1
2	Scope of Agreement	5
3	Requirements and Specifications	9
4	Additional Legal Requirements	16
5	Facilities and Licenses	17
6	Make-Ready Work	18
7	Application Forms and Fees	19
8	Processing of Applications	22
9	Issuance of Licenses	23
10	Construction of Licensee's Facilities	24
11	Use and Routine Maintenance of Licensee's Facilities	26
12	Modification and Replacement of Licensee's Facilities	28
13	Rearrangement of Facilities at request of Another	28
14	Emergency Repairs and Pole Replacements	30
15	Inspection by BellSouth of Licensee's Facilities	30
16	Notice of Noncompliance	31
17	Unauthorized Occupancy or Utilization of BellSouth's Facilities	32
18	Removal of Licensee's Facilities	33
19	Fees, Charges, and Billing	33
20	Advance Payment and Imputation	34
21	Assurance of Payment	34
22	Insurance	35
23	Authorization Not Exclusive	35
24	Assignment of Rights	36
25	Failure to Enforce	36
26	Dispute Resolution	36
27	Supersedure of Agreement(s)	37
EXHIBITS		
A	Schedule of Fees, Charges, and Attachment Transfer Rate Schedule	
B	Records Maintenance Centers	

RIGHTS OF WAY (ROW), CONDUITS AND POLE ATTACHMENTS

This Attachment 8 sets forth the terms and conditions under which BellSouth shall afford to Licensee access to BellSouth's poles, ducts, conduits and rights-of-way, pursuant to the Act.

1. DEFINITIONS

Definitions in General. Except as the context otherwise requires, the terms defined in this Section shall, as used herein, have the meanings set forth in 1.1 through 1.29.

- 1.1 Anchor. The term "anchor" refers to a device, structure, or assembly which stabilizes a pole and holds it in place. An anchor assembly may consist of a rod and fixed object or plate, typically embedded in the ground, which is attached to a guy strand or guy wire, which, in turn, is attached to the pole. The term "anchor" does not include the guy strand which connects the anchor to the pole and includes only those anchors which are owned by BellSouth, as distinguished from anchors which are owned and controlled by other persons or entities.
- 1.2 Anchor/guy strand. The term "anchor/guy strand" refers to supporting wires, typically stranded together, or other devices attached to a pole and connecting that pole to an anchor or to another pole for the purpose of increasing pole stability. The term "anchor/guy strand" includes, but is not limited to, strands sometimes referred to as "anchor strands," "down guys," "guy strands," and "pole-to-pole guys."
- 1.3 Communications Act of 1934. The terms "Communications Act of 1934" and "Communications Act" refer to the Communications Act of June 19, 1934, 48 Stat. 1064, as amended, including the provisions codified as 47 U.S.C. Sections 151 et seq. The Communications Act includes the Pole Attachment Act of 1978, as defined in 1.23 following.
- 1.4 Assigned. The term "assigned", when used with respect to conduit or duct space or pole attachment space, refers to any space in such conduit or duct or on such pole that is occupied by a telecommunications service provider or a municipal or other governmental authority. To ensure the judicious use of poles and conduits, space "assigned" to a telecommunications service provider must be physically occupied by the service provider, be it BellSouth or a new entrant, within twelve (12) months of the space being "assigned".
- 1.5 Available. The term "available", when used with respect to conduit or duct space or pole attachment space, refers to any usable space in such

conduit or duct or on such pole not assigned to a specific provider at the applicable time.

- 1.6 Conduit occupancy. The terms "conduit occupancy" and "occupancy" refer to the presence of wire, cable, optical conductors, or other facilities within any portion of BellSouth's conduit system.
- 1.7 Conduit system. The term "conduit system" refers to any combination of ducts, conduits, manholes, and handholes joined to form an integrated whole. In this Attachment 8, the term refers to conduit systems owned or controlled by BellSouth.
- 1.8 Cost. The term "cost" as used herein refers to charges made by BellSouth to Licensee for specific work performed, and shall be (a) the actual charges made by subcontractors to BellSouth for work and/or, (b) if the work was performed by BellSouth employees, the rates set forth in the Price Schedule of the General Terms and Conditions of BellSouth.
- 1.9 Duct. The term "duct" refers to a single enclosed tube, pipe, or channel for enclosing and carrying cables, wires, and other facilities. As used in this Attachment 8, the term "duct" includes "inner ducts" created by subdividing a duct into smaller channels.
- 1.10 Facilities. The terms "facility" and "facilities" refer to any property or equipment utilized in the provision of telecommunication services.
- 1.11 The acronym "FCC" refers to the Federal Communications Commission.
- 1.12 Inner-Duct. The term "inner-duct" refers to a pathway created by subdividing a duct into smaller channels.
- 1.13 Joint User. The term "joint user" refers to a utility which has entered into an agreement with BellSouth providing reciprocal rights of attachment of facilities owned by each party to the poles, ducts, conduits and rights-of-way owned by the other party.
- 1.14 Licensee. The term "licensee" refers to a person or entity which has entered or may enter into an agreement or arrangement with BellSouth permitting such person or entity to place its facilities in BellSouth's conduit system or attach its facilities to BellSouth's poles or anchors.
- 1.15 Lashing. The term "lashing" refers to the attachment of a licensee's sheath or inner-duct to a supporting strand.
- 1.16 License. The term "license" refers to any license issued pursuant to this Attachment 8 and may, if the context requires, refer to conduit occupancy or pole attachment licenses issued by BellSouth prior to the date of this Attachment 8.

- 1.17 Make-Ready work. The term "make-ready work" refers to all work performed or to be performed to prepare BellSouth's conduit systems, poles or anchors and related facilities for the requested occupancy or attachment of Licensee's facilities. "Make-Ready work" includes, but is not limited to, clearing obstructions (e.g., by "rodding" ducts to ensure clear passage), the rearrangement, transfer, replacement, and removal of existing facilities on a pole or in a conduit system where such work is required solely to accommodate Licensee's facilities and not to meet BellSouth's business needs or convenience. "Make-Ready work" may require "dig-ups" of existing facilities and may include the repair, enlargement or modification of BellSouth's facilities (including, but not limited to, conduits, ducts, handholes and manholes) or the performance of other work required to make a pole, anchor, conduit or duct usable for the initial placement of Licensee's facilities.
- 1.18 Manhole. The term "manhole" refers to an enclosure, usually below ground level and entered through a hole on the surface covered with a cast iron or concrete manhole cover, which personnel may enter and use for the purpose of installing, operating, and maintaining facilities in a conduit.
- 1.19 Occupancy. The term "occupancy" shall refer to the physical presence of telecommunication facilities in a duct, on a pole, or within a Right-of-way.
- 1.20 Person acting on Licensee's behalf. The terms "person acting on Licensee's behalf," "personnel performing work on Licensee's behalf," and similar terms include both natural persons and firms and ventures of every type, including, but not limited to, corporations, partnerships, limited liability companies, sole proprietorships, and joint ventures. The terms "person acting on Licensee's behalf," "personnel performing work on Licensee's behalf," and similar terms specifically include, but are not limited to, Licensee, its officers, directors, employees, agents, representatives, attorneys, contractors, subcontractors, and other persons or entities performing services at the request of or as directed by Licensee and their respective officers, directors, employees, agents, and representatives.
- 1.21 Person acting on BellSouth's behalf. The terms "person acting on BellSouth's behalf," "personnel performing work on BellSouth's behalf," and similar terms include both natural persons and firms and ventures of every type, including but not limited to corporations, partnerships, limited liability companies, sole proprietorships, and joint ventures. The terms "person acting on BellSouth's behalf," "personnel performing work on BellSouth's behalf," and similar terms specifically include, but are not limited to, BellSouth, its officers, directors, employees, agents,

representatives, attorneys, contractors, subcontractors, and other persons or entities performing services at the request or on behalf of BellSouth and their respective officers, directors, employees, agents, and representatives.

- 1.22 Pole. The term "pole" refers to both utility poles and anchors but only to those utility poles and anchors owned or controlled by BellSouth, and does not include utility poles or anchors with respect to which BellSouth has no legal authority to permit attachments by other persons or entities.
- 1.23 Pole Attachment Act. The terms "Pole Attachment Act" and "Pole Attachment Act of 1978" refer to those provisions of the Communications Act of 1934, as amended, now codified as 47 U.S.C. § 224.
- 1.24 Prelicense survey. The term "prelicense survey" refers to all work and activities performed or to be performed to determine whether there is adequate capacity on a pole or in a conduit or conduit system (including manholes and handholes) to accommodate Licensee's facilities and to determine what make-ready work, if any, is required to prepare the pole, conduit or conduit system to accommodate Licensee's facilities.
- 1.25 Right of Way (ROW). The term "right of way" refers to the right to use the land or other property of another party to place poles, conduits, cables, other structures and equipment, or to provide passage to access such structures and equipment. A Right of Way may run under, on, or above public or private property (including air space above public or private property) and may include the right to use discrete space in buildings, building complexes, or other locations.
- 1.26 Sheath. The term "sheath" refers to a single outer covering containing communications wires, fibers, or other communications media.
- 1.27 Spare Capacity. The term "spare capacity" refers to any pole attachment space, conduit, duct or inner-duct not currently assigned or subject to a pending application for attachment/occupancy. Spare capacity does not include an inner-duct (not to exceed one inner-duct per party) reserved by BellSouth, Licensee, or a third party for maintenance, repair, or emergency restoration.
- 1.28 State. When capitalized, the term "State" (as used in terms such as "this State") refers to the State in which the access to BellSouth poles, ducts, conduits or rights-of-way, granted pursuant to this Attachment 8, occurs or attachment is located.
- 1.29 Third Party. The terms "third party" and "third parties" refer to persons and entities other than Licensee and BellSouth. Use of the term "third

party" does not signify that any such person or entity is a party to this Attachment 8 or has any contractual rights hereunder.

2. SCOPE OF AGREEMENT

- 2.1 Undertaking of BellSouth. BellSouth shall provide Licensee with equal and nondiscriminatory access to pole space, conduits, ducts, and rights-of-way on terms and conditions equal to those provided by BellSouth to itself, subsidiaries or affiliates, or to any other telecommunications service provider. Further, BellSouth shall not withhold or delay assignment of such facilities to Licensee because of the potential or forecasted needs of itself or other parties.
- 2.2 Attachments and Occupancies Authorized by this Attachment 8. BellSouth shall issue one or more licenses to Licensee authorizing Licensee to attach facilities to BellSouth's owned or controlled poles and to place facilities within BellSouth's owned or controlled conduits, ducts or rights-of-way under the terms and conditions set forth in this Section and the Telecommunications Act of 1996.
- 2.2.1 Unless otherwise provided herein, authority to attach facilities to BellSouth's owned or controlled poles, to place facilities within BellSouth's owned or controlled conduits, ducts or rights-of-way shall be granted only in individual licenses granted under this Attachment 8 and the placement or use of such facilities shall be determined in accordance with such licenses and procedures established in this Attachment 8.
- 2.2.2 Licensee agrees that its attachment of facilities to BellSouth's owned or controlled poles, occupancy of BellSouth's owned or controlled conduits, ducts or rights-of-way shall take place pursuant to the licensing procedures set forth herein, and BellSouth agrees that it shall not unreasonably withhold or delay issuance of such licenses.
- 2.3 Licenses. Subject to the terms and conditions set forth in this Attachment 8, BellSouth shall issue to Licensee one or more licenses authorizing Licensee to place or attach facilities in or to specified poles, conduits, ducts or rights-of-way owned or controlled by BellSouth located within this state on a first come, first served basis. BellSouth may deny a license application if BellSouth determines that the pole, conduit or duct space specifically requested by Licensee is necessary to meet BellSouth's present needs, or is licensed by BellSouth to another licensee, or is otherwise unavailable based on reasonable engineering concerns. BellSouth shall provide written notice to Licensee within Forty-five (45) days of the request as per ¶ 1224 of the FCC Docket 96-98 specifying in detail the reasons for denying Licensee's request. BellSouth shall have the right to designate the particular duct(s) to be occupied, the location

and manner in which Licensee's facilities will enter and exit BellSouth's conduit system and the specific location and manner of installation for any associated equipment which is permitted by BellSouth to occupy the conduit system.

- 2.4 Access and Use of Rights-of-Way. BellSouth acknowledges that it is required by the Telecommunications Act of 1996 to afford Licensee access to and use of all associated rights-of-way to any sites where BellSouth's owned or controlled poles, manholes, conduits, ducts or other parts of BellSouth's owned or controlled conduit systems are located.
- 2.4.1 BellSouth shall provide Licensee with access to and use of such rights-of-way to the same extent and for the same purposes that BellSouth may access or use such rights-of-way, including but not limited to access for ingress, egress or other access and to construct, utilize, maintain, modify, and remove facilities for which pole attachment, conduit occupancy, or ROW use licenses have been issued, provided that any agreement with a third party under which BellSouth holds such rights expressly or impliedly grants BellSouth the right to provide such rights to others.
- 2.4.2 Where BellSouth notifies Licensee that BellSouth's agreement with a third party does not expressly or impliedly grant BellSouth the ability to provide such access and use rights to others, upon Licensee's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Licensee. Licensee agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Licensee.
- 2.4.3 In cases where a third party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated in 2.4.1 and BellSouth, despite its best efforts, is unable to secure such access and use rights for Licensee in accordance with 2.4.2, or, in the case where Licensee elects not to invoke its rights under 2.4.1 or 2.4.2, Licensee shall be responsible for obtaining such permission to access and use such rights-of-way. BellSouth shall cooperate with Licensee in obtaining such permission and shall not prevent or delay any third party assignment of ROW's to Licensee.
- 2.4.4 Where BellSouth has any ownership or rights-of-way to buildings or building complexes, or within buildings or building complexes, BellSouth shall offer to Licensee through a license or other attachment:
- 2.4.4.1 The right to use any available space owned or controlled by BellSouth in the building or building complex to install Licensee equipment and facilities; and

- 2.4.4.2 Ingress and egress to such space.
- 2.4.5 Except to the extent necessary to meet the requirements of the Telecommunications Act of 1996, neither this Attachment 8 nor any license granted hereunder shall constitute a conveyance or assignment of any of either party's rights to use any public or private rights-of-way, and nothing contained in this Attachment 8 or in any license granted hereunder shall be construed as conferring on one party any right to interfere with the other party's access to any such public or private rights-of-way.
- 2.5 No Effect on BellSouth's Right to Convey Property. Nothing contained in this Attachment 8 or in any license issued hereunder shall in any way affect the right of BellSouth to convey to any other person or entity any interest in real or personal property, including any poles, conduit or ducts to or in which Licensee has attached or placed facilities pursuant to licenses issued under this Attachment 8 provided however that BellSouth shall give Licensee reasonable advance written notice of such intent to convey.
- 2.6 No Effect on BellSouth's Rights to Manage its Own Facilities. This Attachment 8 shall not be construed as limiting or interfering with BellSouth's rights set forth below, except to the extent expressly provided by the provisions of this Attachment 8 or licenses issued hereunder or by the Telecommunications Act of 1996 or other applicable laws, rules or regulations:
- 2.6.1 To locate, relocate, move, replace, modify, maintain, and operate BellSouth's own facilities within BellSouth's conduits, ducts or rights-of way or any of BellSouth's facilities attached to BellSouth's poles at any time and in any reasonable manner which BellSouth deems appropriate to serve its customers, avail itself of new business opportunities, or otherwise meet its business needs; or
- 2.6.2 To enter into new agreements or arrangements with other persons or entities permitting them to attach or place their facilities to or in BellSouth's poles, conduits or ducts; provided, however, that such relocations, moves, replacements, modifications, maintenance and operations or new agreements or arrangements shall not substantially interfere with Licensee's pole attachment, conduit occupancy or ROW use, rights provided by licenses Issued pursuant to this Attachment 8.
- 2.7 No Effect on Licensee's Rights to Manage its Own Facilities. This Attachment 8 shall not be construed as limiting or interfering with Licensee's rights set forth below, except to the extent expressly provided by the provisions of this Attachment 8 or licenses issued hereunder or by

the Telecommunications Act of 1996 or other applicable laws, rules or regulations:

- 2.7.1 To locate, relocate, move, replace, modify, maintain, and operate its own facilities within BellSouth's conduits, ducts or rights-of-way or its facilities attached to BellSouth's poles at any time and in any reasonable manner which Licensee deems appropriate to serve its customers, avail itself of new business opportunities, or otherwise meet its business needs; or
- 2.7.2 To enter into new agreements or arrangements with other persons or entities permitting Licensee to attach or place its facilities to or in such other persons' or entities' poles, conduits or ducts, or rights-of-way; provided, however, that such relocations, moves, replacements, modifications, maintenance and operations or new agreements or arrangements shall not conflict with Licensee's obligations under licenses issued pursuant to this Attachment 8.
- 2.8 No Right to Interfere with Facilities of Others. The provisions of this Attachment 8 or any license issued hereunder shall not be construed as authorizing either party to this Attachment 8 to rearrange or interfere in any way with any of the other party's facilities, with the facilities of other persons or entities, or with the use of or access to such facilities by such other party or such other persons or entities, except to the extent expressly provided by the provisions of this Attachment 8 or any license issued hereunder or by the Telecommunications Act of 1996 or other applicable laws, rules or regulations.
- 2.8.1 Licensee acknowledges that the facilities of persons or entities other than BellSouth and Licensee may be attached to or occupy BellSouth's poles, conduits, ducts and rights-of-way.
- 2.8.2 BellSouth shall not attach, or give permission to any third parties to attach facilities to, existing Licensee facilities without Licensee's prior written consent. If BellSouth becomes aware of any such unauthorized attachment to Licensee facilities, BellSouth shall use its best efforts to rectify the situation as soon as practicable.
- 2.8.3 With respect to facilities occupied by Licensee or the subject of an application for attachment by Licensee, BellSouth will give to Licensee 60 days' written notice for conduit extensions or reinforcements, 60 days' written notice for pole line extensions, 60 days' written notice for pole replacements, and 60 days' written notice of BellSouth's intention to construct, reconstruct, expand or place such facilities or of BellSouth's intention not to maintain or use any existing facility and, in the case of an existing facility which BellSouth elects not to maintain or use, BellSouth will grant to Licensee a right to maintain and use such facility. If an

emergency or provisions of an applicable joint use agreement require BellSouth to construct, reconstruct, expand or replace poles, conduits or ducts occupied by Licensee or the subject of an application for attachment by Licensee, BellSouth will notify Licensee as soon as reasonably practicable of such proposed construction, reconstruction, expansion or replacement to enable Licensee, if it so desires, to request that a pole, conduit or duct of greater height or capacity be utilized to accommodate an anticipated facility need of Licensee.

2.8.4 At Licensee's expense, BellSouth shall remove any retired cable from conduit systems to allow for the efficient use of conduit space within a reasonable period of time.

2.9 Assignment of Space. Assignment of space on poles, in conduits or ducts and within ROW's will be made pursuant to licenses granted by BellSouth on an equal basis to BellSouth, Licensee and other telecommunication service providers.

3. **REQUIREMENTS AND SPECIFICATIONS**

3.1 Published Standards Incorporated in this Section by Reference. Licensee agrees that its facilities shall be placed, constructed, maintained, repaired, and removed in accordance with current (as of the date when such work is performed) editions of the following publications, each of which is incorporated by reference as part of this Section :

3.1.1 The Blue Book Manual of Construction Procedures, Special Report SR-TAP-001421, published by Bell Communications Research, Inc. ("BellCore"), and sometimes referred to as the "Blue Book";

3.1.2 The National Electrical Code (NEC); and

3.1.3 The National Electrical Safety Code (NESC).

3.2 Changes in Published Standards. Licensee agrees to rearrange its facilities in accordance with changes in the standards published in the publications specified in Article 3.1 of this Attachment 8 if required by law to do so or upon the mutual agreement of the parties.

3.3 Additional Electrical Design Specifications. Licensee agrees that, in addition to specifications and requirements referred to in Article 3.1 above, Licensee's facilities placed in BellSouth's conduit system shall meet all of the following electrical design specifications:

3.3.1 No facility shall be placed in BellSouth's conduit system in violation of FCC regulations.

- 3.3.2 Licensee's facilities placed in BellSouth's conduit system shall not be designed to use the earth as the sole conductor for any part of Licensee's circuits.
- 3.3.3 Licensee's facilities carrying more than 50 volts AC (rms) to ground or 135 volts DC to ground shall be enclosed in an effectively grounded sheath or shield.
- 3.3.4 No coaxial cable of Licensee shall occupy a conduit system containing BellSouth's cable unless such cable of Licensee meets the voltage limitations of Article 820 of the National Electrical Code.
- 3.3.5 Licensee's coaxial cable may carry continuous DC voltages up to 1800 volts to ground where the conductor current will not exceed one-half amperes and where such cable has two separate grounded metal sheaths or shields and a suitable insulating jacket over the outer sheath or shield. The power supply shall be so designed and maintained that the total current carried over the outer sheath shall not exceed 200 micro amperes under normal conditions. Conditions which would increase the current over this level shall be cleared promptly.
- 3.3.6 Neither party shall circumvent the other party's corrosion mitigation measures. Each party's new facilities shall be compatible with the other party's facilities so as not to damage any facilities of the other party by corrosion or other chemical reaction.
- 3.4 Additional Physical Design Specifications. Licensee's facilities placed in BellSouth's conduit system must meet all of the following physical design specifications:
 - 3.4.1 Cables bound or wrapped with cloth or having any kind of fibrous coverings or impregnated with an adhesive material shall not be placed in BellSouth's conduit or ducts.
 - 3.4.2 The integrity of BellSouth's conduit system and overall safety of BellSouth's personnel and other personnel working in BellSouth's conduit system requires that "dielectric cable" be required when Licensee's cable facility utilizes an alternative duct or route that is shared in the same trench by any current carrying facility of a power utility.
 - 3.4.3 New construction splices in Licensee's fiber optic and twisted pair cables shall be located in manholes, pull boxes or handholes.
- 3.5 Additional Specifications Applicable to Connections. The following specifications apply to connections of Licensee's conduit to BellSouth's conduit system:

- 3.5.1 Licensee will be permitted to connect its conduit or duct only at the point of a BellSouth manhole. No attachment will be made by entering or breaking into conduit between manholes. All necessary work to install Licensee facilities will be performed by Licensee or its contractor at Licensee's expense. In no event shall Licensee or its contractor "core bore" or make any other modification to BellSouth manhole(s) without the prior written approval of BellSouth, which approval will not be unreasonably delayed or withheld.
- 3.5.2 BellSouth may monitor, at Licensee's expense, the entrance and exit of Licensee's facilities into BellSouth's manholes and the placement of Licensee's facilities in BellSouth's manholes.
- 3.5.3 If Licensee constructs or utilizes a duct connected to BellSouth's manhole, the duct and all connections between that duct and BellSouth's manhole shall be sealed, to the extent practicable, to prevent the entry of gases or liquids into BellSouth's conduit system. If Licensee's duct enters a building, it shall also be sealed where it enters the building and at all other locations necessary to prevent the entry of gases and liquids from the building into BellSouth's conduit system.
- 3.6 Requirements Relating to Personnel, Equipment, Material, and Construction Procedures Generally. Duct clearing, rodding or modifications required to grant Licensee access to BellSouth's conduit systems may be performed by BellSouth at Licensee's expense at charges which represent BellSouth's actual costs. Alternatively (at Licensee's option) such work may be performed by a contractor who demonstrates compliance with BellSouth certification requirements, which certification requirements shall be consistent with FCC rules. The parties acknowledge that Licensee, its contractors, and other persons acting on Licensee's behalf will perform work for Licensee (e.g., splicing Licensee's facilities) within BellSouth's conduit system. Licensee represents and warrants that neither Licensee nor any person acting on Licensee's behalf shall permit any person to climb or work on or in any of BellSouth's poles or to enter BellSouth's manholes or work within BellSouth's conduit system unless such person has the training, skill, and experience required to recognize potentially dangerous conditions relating to pole or the conduit systems and to perform the work safely.
- 3.6.1 Licensee's facilities within BellSouth's conduit system shall be constructed, placed, rearranged, modified, and removed upon receipt of license specified in 5.1. However, no such license will be required for the inspection, maintenance, repair or non-physical modifications of Licensee's facilities.

- 3.6.2 "Rodding" or clearing of ducts in BellSouth's conduit system shall be done only when specific authorization for such work has been obtained in advance from BellSouth, which authorization shall not be unreasonably delayed or withheld by BellSouth. The parties agree that such rodding or clearing shall be performed according to existing industry standards and practices. Licensee may contract with BellSouth for performance of such work or (at Licensee's option) with a contractor who demonstrates compliance with BellSouth certification requirements.
- 3.6.3 Personnel performing work on BellSouth's or Licensee's behalf in BellSouth's conduit system shall not climb on, step on, or otherwise disturb the other party's or any third party's cables, air pipes, equipment, or other facilities located in any manhole or other part of BellSouth's conduit system.
- 3.6.4 Personnel performing work on BellSouth's or Licensee's behalf within BellSouth's conduit system (including any manhole) shall, upon completing their work, make reasonable efforts to remove all tools, unused materials, wire clippings, cable sheathing and other materials brought by them to the work site.
- 3.6.5 All of Licensee's facilities shall be firmly secured and supported in accordance with BellCore and industry standards.
- 3.6.6 Licensee's facilities shall be plainly identified with Licensee's name in each manhole with a firmly affixed permanent tag that meets standards set by BellSouth for its own facilities.
- 3.6.7 Manhole pumping and purging required in order to allow Licensee's work operations to proceed shall be performed by a vendor approved by BellSouth in compliance with BellSouth Practice Sec. 620-145-011BT, "Manhole Contaminants, Water, Sediment or Debris Removal and Reporting Procedures," and any amendments, revisions or supplements thereto and in compliance with all regulations and standards established by the United States Environmental Protection Agency and by any applicable state or local environmental regulators.
- 3.6.8 Planks or other types of platforms shall not be installed using cables, pipes or other equipment as a means of support. Platforms shall be supported only by cable racks.
- 3.6.9 Any leak detection liquid or device used by Licensee or personnel performing work on Licensee's facilities within BellSouth's conduit system shall be of a type approved by BellSouth or BellCore.
- 3.6.10 When Licensee or personnel performing work on Licensee's behalf are working within or in the vicinity of any part of BellSouth's poles or conduit

system which is located within, under, over, or adjacent to streets, highways, alleys or other traveled rights-of-way, Licensee and all personnel performing work on Licensee's behalf shall follow procedures which Licensee deems appropriate for the protection of persons and property. Licensee shall be responsible, at all times, for determining and implementing the specific steps required to protect persons and property at the site. Licensee will provide all traffic control and warning devices required to protect pedestrian and vehicular traffic, workers and property from danger. Licensee has sole responsibility for the safety of all personnel performing work on Licensee's behalf, for the safety of bystanders, and for insuring that all operations conform to current OSHA regulations and all other governmental rules, ordinances or statutes. BellSouth reserves the right to suspend Licensee's activities on, in or in the vicinity of BellSouth's poles or conduit system if, in BellSouth's reasonable judgment, any hazardous condition arises due to the activity (including both acts and omissions) of Licensee or any personnel performing work on Licensee's behalf, which suspension shall cease when the condition has been rectified.

- 3.6.11 Except for protective screens, no temporary cover shall be placed by Licensee or personnel performing work on Licensee's behalf over an open manhole unless it is at least four feet above the surface level of the manhole opening.
- 3.6.12 Smoking or the use of any open flame is prohibited in BellSouth's manholes, in any other portion of BellSouth's conduit system, or within 10 feet of any open manhole entrance; provided that this provision will not prohibit the use of spark producing tools such as electric drills, fusion splicers, etc.
- 3.6.13 Artificial lighting, when required, will be provided by Licensee. Only explosion-proof lighting fixtures shall be used.
- 3.6.14 Neither Licensee nor personnel performing work on Licensee's behalf shall allow any combustible gas, vapor, liquid, or material to accumulate in BellSouth's conduit system (including any manhole) during work operations performed within or in the vicinity of BellSouth's conduit system.
- 3.6.15 Licensee will abide by any laws, regulations or ordinances regarding the use of spark producing tools, equipment or devices in BellSouth's manholes, in any other portions of BellSouth's conduit system, or within 10 feet of any open manhole opening. This includes, but is not limited to, such tools as electric drills and hammers, meggers, breakdown sets, induction sets, and the like.

- 3.7 Opening of Manholes. The following requirements apply to the opening of BellSouth's manholes and the authority of BellSouth personnel present when work on Licensee's behalf is being performed within or in the vicinity of BellSouth's conduit system.
- 3.7.1 BellSouth's manholes shall be opened only as permitted by BellSouth's authorized employees or agents, which permission shall not be unreasonably denied or delayed.
- 3.7.2 Licensee shall notify BellSouth forty-eight (48) hours in advance of any routine work operation requiring entry into any of BellSouth's manholes.
- 3.7.3 Licensee shall be responsible for obtaining any necessary authorization from appropriate authorities to open manholes for conduit work operations therein.
- 3.7.4 BellSouth's authorized employee or agent shall not direct or control the conduct of Licensee's work at the work site. The presence of BellSouth's authorized employee or agent at the work site shall not relieve Licensee or personnel performing work on Licensee's behalf of their responsibility to conduct all work operations within BellSouth's conduit system in a safe and workmanlike manner.
- 3.7.5 Although BellSouth's authorized employee or agent shall not direct or control the conduct of Licensee's work at the work site, BellSouth's employee or agent shall have the authority to suspend Licensee's work operations within BellSouth's conduit system if, in the reasonable discretion of such BellSouth employee or agent, it appears that any hazardous conditions arise or any unsafe practices are being followed by Licensee or personnel performing work on Licensee's behalf.
- 3.7.6 When an emergency situation arises which necessitates Carrier access to a manhole, Carrier should call BellSouth's Access Customer Advocate Center (ACAC) or the Unbundled Network Element (UNE) Center. BellSouth will then contact the Maintenance Supervisor who will return the Carrier's call and will arrange for access with on-call maintenance field personnel during the emergency condition on an emergency basis. (A list of contact telephone numbers is available to each CLEC for this purpose.)
- 3.8 OSHA Compliance: Notice to BellSouth of Unsafe Conditions. Licensee agrees that:
- 3.8.1 Its facilities shall be constructed, placed, maintained, repaired, and removed in accordance with the Occupational Safety and Health Act (OSHA) and all rules and regulations promulgated thereunder;

- 3.8.2 All persons acting on Licensee's behalf, including but not limited to Licensee's employees, agents, contractors, and subcontractors shall, when working on or within BellSouth's poles or conduit system, comply with OSHA and all rules and regulations thereunder;
- 3.8.3 Licensee shall establish appropriate procedures and controls to assure compliance with all requirements of this section; and
- 3.8.4 Licensee (and any person acting on Licensee's behalf) may report unsafe conditions on, in or in the vicinity of BellSouth's poles or conduit system to BellSouth.
- 3.9 Compliance with Environmental Laws and Regulations. Licensee acknowledges that, from time to time, environmental contaminants may enter BellSouth's conduit system and accumulate in manholes or other conduit facilities and that certain conduits (transite) are constructed with asbestos-containing materials. If BellSouth has knowledge of the presence of such contaminants in a conduit for which Licensee has applied for or holds a license, BellSouth will promptly notify Licensee of such fact.

Notwithstanding any of BellSouth's notification requirements in this Attachment, Licensee acknowledges that some of BellSouth's conduit is fabricated from asbestos-containing materials. Such conduit is generally marked with a designation of "C Fiber Cement Conduit," "Transite," or "Johns-Manville." Until proven otherwise, Licensee will presume that all conduit not fabricated of plastic, tile, or wood is asbestos-containing and will handle it pursuant to all applicable regulations relating to worker safety and protection of the environment. BellSouth makes no representations to Licensee or personnel performing work on Licensee's behalf that BellSouth's conduit system or any specific portions thereof will be free from environmental contaminants at any particular time. The acknowledgments and representations set forth in the two preceding sentences are not intended to relieve BellSouth of any liability which it would otherwise have under applicable law for the presence of environmental contaminants in its conduit facilities. Licensee agrees to comply with the following provisions relating to compliance with environmental laws and regulations:

- 3.9.1 AT&T may, at its expense, perform such inspections and tests at the site of any pole, duct, conduit, or right-of-way occupied by or assigned to AT&T as AT&T may deem necessary to determine the presence at such sites of environmental contaminants. BellSouth will assist AT&T, at AT&T's request and expense, in the performance of such inspections and tests.

- 3.9.2 Licensee's facilities shall be constructed, placed, maintained, repaired, and removed in accordance with all applicable federal, state, and local environmental statutes, ordinances, rules, regulations, and other laws, including but not limited to the Resource Conservation and Recovery Act (42 U.S.C. §§ 9601 et. seq.), the Toxic Substance Control Act (15 U.S.C. §§ 2601-2629), the Clean Water Act (33 U.S.C. §§ 1251 et. seq.), and the Safe Drinking Water Act (42 U.S.C. §§ 300f-300j).
- 3.9.3 All persons acting on Licensee's behalf, including but not limited to Licensee's employees, agents, contractors, and subcontractors, shall, when working on, within or in the vicinity of BellSouth's poles or conduit system, comply with all applicable federal, state, and local environmental laws, including but not limited to all environmental statutes, ordinances, rules, and regulations.
- 3.9.4 Licensee shall establish appropriate procedures and controls to assure compliance with all requirements of this section. BellSouth will be afforded a reasonable opportunity to review such procedures and controls and provide comments that will be reasonably considered in advance of their implementation. Review and comment by BellSouth pursuant to this section will be provided in a timely manner.
- 3.9.5 Licensee and all personnel performing work on Licensee's behalf shall comply with such standards and practices as BellSouth and Licensee may from time to time mutually agree to adopt to comply with environmental laws and regulations including, without limitation, BellSouth Practice Sec. 620-145-011BT, "Manhole Contaminants, Water, Sediment or Debris Removal and Reporting Procedures". Pursuant to this practice, neither Licensee nor BellSouth nor personnel performing work on either party's behalf shall discharge water or any other substance from any BellSouth manhole or other conduit facility onto public or private property, including any storm water drainage system, without first testing such water or substance for contaminants in accordance with mutually agreed standards and practices and determining that such discharge would not violate any environmental law, create any environmental risk or hazard, or damage the property of any person. No such waste material shall be deposited on BellSouth premises for storage or disposal.
- 3.10 Compliance with Other Governmental Requirements. Licensee agrees that its facilities attached to BellSouth's facilities shall be constructed, placed, maintained, and removed in accordance with the ordinances, rules, and regulations of any governing body having jurisdiction of the subject matter. Licensee shall comply with all statutes, ordinances, rules, regulations and other laws requiring the marking and lighting of aerial wires, cables and other structures to ensure that such wires, cables and

structures are not a hazard to aeronautical navigation. Licensee shall establish appropriate procedures and controls to assure such compliance by all persons acting on Licensee's behalf, including but not limited to, Licensee's employees, agents, contractors, and subcontractors.

- 3.11 Differences in Standards or Specifications. To the extent that there may be differences in any applicable standards or specifications referred to in this Article 3, the most stringent standard or specification shall apply.
- 3.12 Licensee Solely Responsible for the Condition of Its Facilities. Licensee shall be responsible at all times for the condition of its facilities and its compliance with the requirements, specifications, rules, regulations, ordinances, and laws specified above. In this regard, BellSouth shall have no duty to Licensee to inspect or monitor the condition of Licensee's facilities (including but not limited to splices and other facilities connections) located within BellSouth's conduit and ducts or any attachment of Licensee's facilities to BellSouth's poles, anchors, anchor/guy strands or other pole facilities. BellSouth may, however, conduct such inspections and audits of its poles and conduit system as BellSouth determines reasonable or necessary. Such inspection and audits shall be conducted at BellSouth's expense with the exception of (1) follow-up inspection to confirm remedial action after an observed Licensee violation of the requirements of this Attachment 8; and (2) inspection of Licensee facilities in compliance with a specific mandate of appropriate governmental authority for which inspections the cost shall be borne by Licensee. Either party may audit the other party's compliance with the terms of this Section. Observed safety hazards or imminent facility failure conditions of another party shall be reported to the affected party where such party can be readily identified.
- 3.13 Efficient use of Conduit. BellSouth will install inner-ducts to increase duct space in existing conduit as facilities permit. The full complement of inner-ducts will be installed which can be accommodated under sound engineering principles. The number of inner-ducts which can reasonably be determined will be determined by BellSouth.

4. ADDITIONAL LEGAL REQUIREMENTS

- 4.1 Third Party Property Owners. Licenses granted under this Section authorize Licensee to place facilities in, or attach facilities to, poles, conduits and ducts owned or controlled by BellSouth but do not affect the rights of landowners to control terms and conditions of access to their property.
- 4.1.1 Licensee agrees that neither Licensee nor any persons acting on Licensee's behalf, including but not limited to Licensee's employees,

agents, contractors, and subcontractors, shall engage in any conduct which damages public or private property in the vicinity of BellSouth's poles or conduit system, interferes in any way with the use or enjoyment of public or private property except as expressly permitted by the owner of such property, or creates a hazard or nuisance on such property (including, but not limited to, a hazard or nuisance resulting from any abandonment or failure to remove Licensee's facilities or any construction debris from the property, failure to erect warning signs or barricades as may be necessary to give notice to others of unsafe conditions on the premises while work performed on Licensee's behalf is in progress, or failure to restore the property to a safe condition after such work has been completed).

4.2 Required Permits, Certificates and Licenses. Licensee shall be responsible for obtaining any building permits or certificates from governmental authorities necessary to construct, operate, maintain and remove its facilities on public or private property.

4.2.1 Licensee shall not attach or place its facilities to or in BellSouth's poles, conduit or duct located on any property for which it or BellSouth has not first obtained all required authorizations.

4.2.2 BellSouth shall have the right to request evidence that all appropriate authorizations have been obtained. However, such request shall not delay BellSouth's prelicense survey work.

4.2.3 Lawful Purposes. All facilities placed by Licensee in BellSouth's conduit and ducts or on BellSouth's poles, anchors or anchor/guy strands must serve a lawful purpose and the uses made of Licensee's facilities must comply with all applicable federal, state, and local laws and with all federal, state, and local regulatory rules, regulations, and requirements. In this regard, Licensee shall not utilize any facilities occupying or attached to BellSouth's conduits, ducts or poles for the purpose of providing any services which it is not authorized by law to provide or for the purpose of enabling any other person or entity to provide any such services.

5. **FACILITIES AND LICENSES**

5.1 Licenses Required. Before placing any facilities in BellSouth's conduits or ducts or attaching any facilities to BellSouth's poles, anchors or anchor/guy strands, Licensee must first apply for and receive a written license from BellSouth. BellSouth shall not unreasonably deny or delay issuance of any license.

- 5.2 Provision of Records and Information to Licensee. In order to obtain information regarding facilities, Licensee shall make a written request to BellSouth, identifying with reasonable specificity the geographic area for which facilities are required, the types and quantities of the required facilities and the required in-service date. In response to such request, BellSouth shall provide Licensee with information regarding the types, quantity and location (which may be provided by provision of route maps) and availability of BellSouth poles, conduit and right-of-way located within the geographic area specified by Licensee. Provision of information under the terms of this section shall include the right of Licensee employees or agents to inspect and copy engineering records or drawings which pertain to those facilities within the geographic area identified in Licensee's request. Such inspection and copying shall be done at a time and place mutually agreed upon by the parties. See Exhibit B, attached hereto and incorporated herein by this reference, for records location centers.
- 5.3 No Warranty of Record Information. Licensee acknowledges that records and information provided by BellSouth pursuant to paragraph 5.2 may not reflect field conditions and that physical inspection is necessary to verify presence and condition of outside plant facilities and right of way. In providing such records and information, BellSouth assumes no liability to Licensee or any third party for errors/omissions contained therein.
- 5.4 Determination of Availability. BellSouth shall provide pole, conduit and right-of-way availability information in response to a request from Licensee which identifies with reasonable specificity the facilities for which such information is desired. Licensee may elect to be present at any field based survey of facilities identified pursuant to this paragraph and BellSouth shall provide Licensee at least forty-eight (48) hours notice prior to initiating such field survey. Licensee employees or agents shall be permitted to enter BellSouth manholes and inspect such structures to confirm usability and/or evaluate condition of the structure(s) with at least forty-eight (48) hours notice to BellSouth, with a BellSouth representative present and at Licensee's expense.
- 6. MAKE-READY WORK**
- 6.1 Work Performed by BellSouth. If performed by BellSouth, make-ready work to accommodate Licensee's facilities shall be included in the normal work load schedule of BellSouth with construction responsibilities in the geographic areas where the relevant poles or conduit systems are located and shall not be subjugated to BellSouth work, nor entitled to priority,

advancement, or preference over other work to be performed by BellSouth in the ordinary course of BellSouth's business.

- 6.1.1 If Licensee desires make-ready work to be performed on an expedited basis and BellSouth agrees to perform the work on such a basis, BellSouth shall recalculate the estimated make-ready charges. If Licensee accepts BellSouth's offer, Licensee shall pay such additional charges.
- 6.2 All charges for make-ready work performed by BellSouth are payable in advance, with the amount of any such advance payment to be due within sixty (60) days after receipt of an invoice from BellSouth.
- 6.3 Work Performed by Certified Contractor. In lieu of obtaining performance of make-ready work by BellSouth, Licensee at its option may arrange for the performance of such work by a contractor certified by BellSouth to work on or in its facilities. Certification shall be granted based upon reasonable and customary criteria employed by BellSouth in the selection of its own contract labor. Notwithstanding any other provisions of this Section, Licensee may not employ a contractor to accomplish make-ready work if BellSouth is likewise precluded from contractor selection under the terms of an applicable joint use agreement or collective bargaining agreement. In accordance with section 3.6.7, all manhole pumping and purging shall be performed by a vendor approved by BellSouth.
- 6.4 Completion of Make-Ready Work. BellSouth will issue a license to Licensee at the time all make-ready work necessary to Licensee's attachment or occupancy has been completed.

7. APPLICATION FORM AND FEES

- 7.1 Application Process. To apply for a license under this Section, Licensee shall submit to BellSouth two signed copies of an Application and Conduit Occupancy License form or an Application and Pole Attachment License form. BellSouth will process license applications in the order in which they are received; provided, however, that when Licensee has multiple applications on file with BellSouth, Licensee may designate its desired priority of completion of preclosure surveys and make-ready work with respect to all such applications.
- 7.1.1 Each application for a license under this Section shall specify the proposed route of Licensee's facilities and identify the conduits and ducts or poles and pole facilities along the proposed route in which Licensee desires to place or attach its facilities, and describe the physical size, weight and jacket material of the cable which Licensee desires to place in each conduit or duct or the number and type of cables, apparatus

enclosures and other facilities which Licensee desires to attach to each pole.

7.1.2 Each application for a license under this Section shall be accompanied by a proposed (or estimated) construction schedule containing the information specified below in Section 10.1 of this Attachment 8, and an indication of whether Licensee will, at its option, perform its own make-ready work.

7.2 Multiple Cables, Multiple Services, Lashing or Placing Additional Cables, and Replacement of Facilities. Licensee may include multiple cables in a single license application and multiple services (e.g., CATV and non-CATV services) may be provided by Licensee in the same cable sheath. Licensee's lashing additional cable to existing facilities and placing additional cables in conduits or ducts already occupied by Licensee's facilities shall be permitted, and no additional fees will be applied; provided, however, that if Licensee desires to lash additional cable to existing facilities of a third party Licensee shall provide BellSouth with reasonable notice, and shall obtain written permission from the owner of the existing facilities. If BellSouth determines that the requested lashing would violate safety or engineering requirements, BellSouth shall provide written notice to Licensee within a reasonable time specifying in detail BellSouth's findings. If Licensee desires to place additional cables in conduits or ducts which are already occupied, or to replace existing facilities with new facilities substantially different from those described in licenses in effect, Licensee must apply for and acquire a new license specifically describing the physical size, weight and jacket material of the cable to be placed in BellSouth's conduits and ducts or the physical size, weight, and jacket type of cables and the size and weight of apparatus enclosures and other facilities to be attached to BellSouth poles.

7.3 Each party hereby designates the employees named below as their single point of contact for any and all purposes of this Section, including, but not limited to, processing licenses and applications and providing records and information. Each party may at any time designate a new point of contact by giving written notice of such change.

Notices		Billing Address
<i>To Licensee as follows: [OPEN-AT&T to provide]</i>		
Contact		
Title		
Company		
Address		
Address		
City, State, and Zip Code		
Telephone		
Facsimile		
with a copy to:		
<i>and to Licensor as follows:</i>		
Contact	John T. Chaucer	
Title	Manager	
Company	BellSouth Telecommunications, Inc.	
Address	North W3D2	
Address	3535 Colonnade Parkway	
City, State, and Zip Code	Birmingham, AL 35243	
Telephone	(205) 977-2631	
Facsimile	(205) 977-7997	

8. PROCESSING OF APPLICATIONS (INCLUDING PRELICENSE SURVEYS AND FIELD INSPECTIONS)

8.1 Licensee's Priorities. When Licensee has multiple applications on file with BellSouth, Licensee shall designate its desired priority of completion of precense surveys and make-ready work with respect to all such applications.

- 8.2 Prelicense Survey. After Licensee has submitted its written application for a license, a prelicense survey (including a field inspection) will be performed by either party, in the company of a representative of the other party as mutually agreed, to determine whether BellSouth's poles, anchors and anchor/guy strands, or conduit system, in their present condition, can accommodate Licensee's facilities, without substantially interfering with the ability of BellSouth or any other authorized person or entity to use or access the pole, anchor or anchor/guy strand or any portion of BellSouth's conduit system or facilities attached to BellSouth's pole or placed within or connected to BellSouth's conduit system. If Licensee gives its prior written consent in writing, the determination of duct availability may include the "rodding" of ducts at Licensee's expense.
- 8.2.1 The purpose of the prelicense survey is to determine whether Licensee's proposed attachments to BellSouth's poles or occupancy of BellSouth's conduit and ducts will substantially interfere with use of BellSouth's facilities by BellSouth and others with facilities occupying, connected or attached to BellSouth's pole or conduit system; and to provide information to Licensee for its determination of whether the pole, anchor, anchor/guy strand, conduit, duct, or right-of-way is suitable for its use.
- 8.2.2 Based on information provided by BellSouth and the survey, Licensee shall determine whether BellSouth's pole, anchor, anchor/guy strand, conduit and duct facilities are suitable to meet Licensee's needs.
- 8.2.3 BellSouth may not unreasonably refuse to continue to process an application based on BellSouth's determination that Licensee's proposed use of BellSouth's facilities will not be in compliance with applicable requirements, specifications, rules, regulations, ordinances, and laws. Licensee shall be responsible for making its own, independent determination that its use of such facilities will be in compliance with such requirements, specifications, rules, regulations, ordinances and laws. Licensee acknowledges that BellSouth is not explicitly or implicitly warranting to Licensee that Licensee's proposed use of BellSouth's facilities will be in compliance with applicable requirements, specifications, rules, regulations, ordinances, and laws.
- 8.3 Administrative Processing. The administrative processing portion of the prelicense survey (which includes without limitation processing the application, preparing make-ready work orders, notifying joint users and other persons and entities of work requirements and schedules, coordinating the relocation/rearrangement of BellSouth and/or other licensed facilities) will be performed by BellSouth at Licensee's expense. Anything to the contrary herein notwithstanding, BellSouth shall bear no

responsibility for the relocation, rearrangement or removal of facilities used for the transmission or distribution of electric power.

9. ISSUANCE OF LICENSES

- 9.1 Obligation to Issue Licenses. BellSouth shall issue a license to Licensee pursuant to this Article 9. BellSouth and Licensee acknowledge that each application for a license shall be evaluated on an individual basis. Nothing contained in this section shall be construed as abridging any independent pole attachment rights or conduit or duct access rights which Licensee may have under the provisions of any applicable federal or state laws or regulations governing access to BellSouth's poles, conduits and ducts, to the extent the same are not inconsistent with the Telecommunications Act of 1996. Each license issued hereunder shall be for an indefinite term, subject to Licensee's compliance with the provisions applicable to such license and further subject to Licensee's right to terminate such license at any time for any reason upon at least thirty (30) days' prior written notice.
- 9.2 Multiple Applications. Licensee acknowledges that multiple parties including BellSouth may seek to place their facilities in BellSouth's conduit and ducts at or about the same time, that the make-ready work required to prepare BellSouth's facilities to accommodate multiple applicants may differ from the make-ready work required to accommodate a single applicant, that issues relating to the proper apportionment of costs arise in multi-applicant situations that do not arise in single-applicant situations, and that cooperation and negotiations between all applicants and BellSouth may be necessary to resolve disputes involving multiple applications for permission to place facilities in/on the same pole, conduit, duct, or right-of-way.
- 9.2.1 All applications will be processed on a first-come, first-served basis.
- 9.3 Agreement to Pay for All Make-Ready Work Completed. Licensee's submission of written authorization for make-ready work shall also constitute Licensee's agreement to pay additional cost-based charges, if any, for completed make-ready work.
- 9.4 Payments to Others for Expenses Incurred in Transferring or Arranging Their Facilities. Licensee shall make arrangements with the owners of other facilities located in or connected to BellSouth's conduit system or attached to BellSouth's poles, anchors or anchor/guy strands regarding reimbursement for any expenses incurred by them in transferring or rearranging their facilities to accommodate the placement or attachment of Licensee's facilities in or to BellSouth's structures.

- 9.5 Make-Ready Work on an Expedited Basis. If Licensee is willing to authorize BellSouth to perform make-ready work on an expedited basis, and if BellSouth agrees to perform the work on such a basis, BellSouth shall recalculate the estimated make-ready charges. If Licensee accepts BellSouth's offer, Licensee shall pay such additional charges, if any.
- 9.6 License. When Licensee's application for a pole attachment or conduit occupancy license is approved, and all required make-ready work completed, BellSouth will execute and return a signed authorization to Licensee, as appropriate, authorizing Licensee to attach or place the specified facilities on BellSouth's poles or in BellSouth's conduit or ducts.
- 9.6.1 Each license issued under this Section shall authorize Licensee to attach to BellSouth's poles or place or maintain in BellSouth's conduit or ducts only those facilities specifically described in the license, and no others.
- 9.6.2 Except as expressly stated to the contrary in individual licenses issued hereunder, each license issued pursuant to this Section shall incorporate all terms and conditions of this Section whether or not such terms or conditions are expressly incorporated by reference on the face of the license itself.

10. CONSTRUCTION OF LICENSEE'S FACILITIES

- 10.1 Construction Schedule. Licensee shall submit with Licensee's license application a proposed or estimated construction schedule. Promptly after the issuance of a license permitting Licensee to attach facilities to BellSouth's poles or place facilities in BellSouth's conduit or ducts, Licensee shall provide BellSouth with an updated construction schedule and shall thereafter keep BellSouth informed of significant anticipated changes in the construction schedule. Construction schedules required by this Section shall include, at a minimum, the following information:
- 10.1.1 The name, title, business address, and business telephone number of the manager responsible for construction of the facilities;
- 10.1.2 The names of each contractor and subcontractor which will be involved in the construction activities;
- 10.1.3 The estimated dates when construction will begin and end; and
- 10.1.4 The approximate dates when Licensee or persons acting on Licensee's behalf will be performing construction work in connection with the placement of Licensee's facilities in BellSouth's conduit or ducts.
- 10.2 Additional Pre-construction Procedures for Facilities Placed in Conduit System. The following procedures shall apply before Licensee places facilities in BellSouth's conduit system:

- 10.2.1 Licensee shall give written notice of the type of facilities which are to be placed; and
- 10.2.2 BellSouth shall designate the particular duct or ducts or inner ducts (if available) to be occupied by Licensee's facilities, the location and manner in which Licensee's facilities will enter and exit BellSouth's conduit system, and the specific location and manner of installation of any associated equipment which is permitted by BellSouth to occupy the conduit system. Licensee may not occupy a duct other than the specified duct without the express written consent of BellSouth. BellSouth shall provide to Licensee space in manholes for racking and storage of up to fifty (50) feet of cable, provided space is available.
- 10.3 BellSouth Not Responsible for Constructing or Placing Facilities. BellSouth shall have no obligation to construct any facilities for Licensee or to attach Licensee's facilities to, or place Licensee's facilities in, BellSouth's poles or conduit system, except as may be necessary to facilitate the interconnection of unbundled network elements or except to the extent expressly provided in this Section, any license issued hereunder, or by the Telecommunications Act of 1996 or any other applicable law.
- 10.4 Licensee Responsible for Constructing, Attaching and Placing Facilities. Except where otherwise mutually agreed by Licensee and BellSouth, Licensee shall be responsible for constructing its own facilities and attaching those facilities to, or placing them in BellSouth's poles, conduit or ducts at Licensee's sole cost and expense. Licensee shall be solely responsible for paying all persons and entities who provide materials, labor, access to real or personal property, or other goods or services in connection with the construction and placement of Licensee's facilities and for directing the activities of all persons acting on Licensee's behalf while they are physically present on BellSouth's pole, in any part of BellSouth's conduit system or in the vicinity of BellSouth's poles or conduit system.
- 10.5 Compliance with Applicable Standards, Health and Safety Requirements, and Other Legal Requirements. Licensee shall construct its facilities in accordance with the provisions of this Section and all licenses issued hereunder.
- 10.5.1 Licensee shall construct, attach and place its facilities in compliance with all Requirements and Specifications set forth above in this Attachment 8.
- 10.5.2 Licensee shall satisfy all Legal Requirements set forth above in this Attachment 8.

- 10.5.3 Licensee shall not permit any person acting on Licensee's behalf to perform any work on BellSouth's poles or within BellSouth's conduit system without first verifying, to the extent practicable, on each date when such work is to be performed, that the condition of the pole or conduit system is suitable for the work to be performed. If Licensee or any person working on Licensee's behalf determines that the condition of the pole or conduit system is not suitable for the work to be performed, Licensee shall notify BellSouth of the condition of the pole or conduit system in question and shall not proceed with construction activities until Licensee is satisfied that the work can be safely performed.
- 10.6 Construction Notices. If requested to do so, Licensee shall provide BellSouth with information to reasonably assure BellSouth that construction has been performed in accordance with all applicable standards and requirements.
- 10.7 Points for Attachment. BellSouth shall specify, using the same selection criteria it uses for its own operating company, the point of attachment of each pole or anchor to be occupied by Licensee's facilities. When the facilities of more than one applicant are involved, BellSouth will attempt, to the extent practicable, to designate the same relative position on each pole or anchor for each applicant's facilities.
- 10.8 Manhole and Conduit Break-Outs. Licensee shall be permitted to add conduit ports to BellSouth manholes when existing conduits do not provide the pathway connectivity needed by Licensee; provided the structural integrity of the manhole is maintained, and sound engineering judgment is employed.
- 11. USE AND ROUTINE MAINTENANCE OF LICENSEE'S FACILITIES**
- 11.1 Use of Licensee's Facilities. Each license granted under this Section authorizes Licensee to have access to Licensee's facilities on or in BellSouth's poles, conduits and ducts as needed for the purpose of serving Licensee's customers, including, but not limited to, powering electronics, monitoring facilities, or transporting signaling.
- 11.2 Routine Maintenance of Licensee's Facilities. Each license granted under this Section authorizes Licensee to engage in routine maintenance of Licensee's facilities located on or in BellSouth's poles, conduits, ducts and ROW pursuant to such license. Licensee shall give reasonable notice to the affected public authority or private landowner as appropriate before commencing the construction or installation of its attachments or making any material alterations thereto. Licensee shall give reasonable notice to BellSouth before performing any work, whether or not of a routine nature, in BellSouth's conduit system.

- 11.3 Licensee Responsible for Maintenance of Licensee's Facilities. Licensee shall maintain its facilities in accordance with the provisions of this Section (including but not limited to all requirements set forth above in this Attachment 8) and all licenses issued hereunder. Licensee shall be solely responsible for paying all persons and entities who provide materials, labor, access to real or personal property, or other goods or services in connection with the maintenance of Licensee's facilities and for directing the activities of all persons acting on Licensee's behalf while they are physically present on BellSouth's poles, within BellSouth's conduit system or in the immediate vicinity of such poles or conduit system.
- 11.4 BellSouth Not Responsible for Maintaining Licensee's Facilities. BellSouth shall have no obligation to maintain any facilities which Licensee has attached or connected to, or placed in, BellSouth's poles, conduits, ducts or any portion of BellSouth's conduit system, except to the extent expressly provided by the provisions of this Section or any license issued hereunder, or by the Telecommunications Act of 1996 or other applicable laws, rules or regulations.
- 11.5 Information Concerning the Maintenance of Licensee's Facilities. Promptly after the issuance of a license permitting Licensee to attach facilities to, or place facilities in BellSouth's poles, conduits or ducts, Licensee shall provide BellSouth with the name, title, business address, and business telephone number of the manager responsible for routine maintenance of Licensee's facilities, and shall thereafter notify BellSouth of changes to such information. The manager responsible for routine maintenance of Licensee's facilities shall, on BellSouth's request, identify any contractor, subcontractor, or other person performing maintenance activities on Licensee's behalf at a specified site and shall, on BellSouth's request, provide such additional documentation relating to the maintenance of Licensee's facilities as reasonably necessary to demonstrate that Licensee and all persons acting on Licensee's behalf are complying with the requirements of this Section and licenses issued hereunder.
- 11.6 Identification of Personnel Authorized to Have Access to Licensee's Facilities. All personnel authorized to have access to Licensee's facilities shall, while working on BellSouth's poles, in its conduit system or ducts or in the vicinity of such poles, ducts or conduit systems, carry with them suitable identification and shall, upon the request of any BellSouth employee, produce such identification.
12. **MODIFICATION AND REPLACEMENT OF LICENSEE'S FACILITIES**

- 12.1 Notification of Planned Modification or Replacement of Facilities. Licensee shall, when practicable, notify BellSouth in writing at least 60 days before adding to, relocating, replacing or otherwise modifying its facilities attached to a BellSouth pole, anchor or anchor/guy strand or located in any BellSouth conduit or duct. The notice shall contain sufficient information to enable BellSouth to determine whether the proposed addition, relocation, replacement, or modification is permitted under Licensee's present license or requires a new or amended license.
- 12.2 New or Amended License Required. A new or amended license will be required if the proposed addition, relocation, replacement, or modification:
- 12.2.1 Requires that Licensee use additional space on BellSouth's poles or in its conduits or ducts (including but not limited to any additional ducts, inner ducts, or substantial space in any handhole or manhole) on either a temporary or permanent basis; or
- 12.2.2 Results in the size or location of Licensee's facilities on BellSouth's poles or in its conduit or ducts being appreciably different from those described and authorized in Licensee's present license (e.g. different duct or size increase causing a need to re-calculate storm loadings, guying, or pole class).
- 13. REARRANGEMENT OF FACILITIES AT THE REQUEST OF ANOTHER**
- 13.1 Make-Ready Work at the Request of Licensee. If, prior to the issuance of a license, Licensee determines that any pole, anchor, anchor/guy strand, conduit or duct is inadequate to accommodate Licensee's proposed pole attachment or conduit occupancy or that it will be necessary or desirable for BellSouth or any other person or entity to rearrange existing facilities or structures to accommodate Licensee, Licensee shall promptly advise BellSouth of the make-ready work it believes necessary to enable the accommodation of Licensee's facilities.
- 13.1.1 BellSouth shall determine, in the exercise of sound engineering judgment, whether or what make-ready work is necessary or possible. In determining whether make-ready work is necessary or what make-ready work is necessary, BellSouth shall endeavor to minimize its costs to Licensee. If it is determined that such make-ready work is required, BellSouth shall provide Licensee with the estimated costs for make-ready work and a Make Ready Due Date.
- 13.1.2 Licensee shall be solely responsible for negotiating with persons or entities other than BellSouth for the rearrangement of such persons' or entities' facilities or structures and, except where such rearrangement is for the benefit of BellSouth and/or other licensees as well as Licensee,

shall be solely responsible for paying all charges attributable to the rearrangement of such facilities; provided, however, that if facilities rearrangements require new licenses from BellSouth, BellSouth shall issue such licenses in conjunction with the issuance of the applied-for license to Licensee.

- 13.2 Rearrangement of Licensee's Facilities at BellSouth's Request. Licensee acknowledges that, from time to time, it may be necessary or desirable for BellSouth to change out poles, relocate, reconstruct, or modify portions of its conduit system or rearrange facilities contained therein or connected thereto and that such changes may be necessitated by BellSouth's business needs or authorized application of another entity seeking access to BellSouth's poles or conduit systems. Licensee agrees that Licensee will, upon BellSouth's request, and at BellSouth's expense, but at no cost to Licensee, participate with BellSouth (and other licensees) in the relocation, reconstruction, or modification of BellSouth's conduit system or facilities rearrangement. Licensee acknowledges that, from time to time, it may be necessary or desirable for BellSouth to change out poles, relocate, reconstruct, or modify portions of its conduit system or rearrange facilities contained therein or connected thereto as a result of an order by a municipality or other governmental authority. Licensee shall, upon BellSouth's request, participate with BellSouth (and other licensees) in the relocation, reconstruction, or modification of BellSouth's conduit system or facilities rearrangement and pay its proportionate share of any costs of such relocation, reconstruction, or modification that are not reimbursed by such municipality or governmental authority.
- 13.2.1 Licensee shall make all rearrangements of its facilities within such period of time as is jointly deemed reasonable by the parties based on the amount of rearrangements necessary and a desire to minimize chances for service interruption or facility-based service denial to a Licensee customer.
- 13.2.2 If Licensee fails to make the required rearrangements within the time prescribed or within such extended periods of time as may be granted by BellSouth in writing, BellSouth may perform such rearrangements with written notice to Licensee, and Licensee shall reimburse BellSouth for actual costs and expenses incurred by BellSouth in connection with the rearrangement of Licensee's facilities; provided, however, that nothing contained in this Section or any license issued hereunder shall be construed as requiring Licensee to bear any expenses which, under the Telecommunications Act of 1996 or other applicable federal or state laws or regulations, are to be allocated to persons or entities other than Licensee; and provided further, however, that Licensee shall have no

responsibility for rearrangement costs and expenses relating to rearrangements performed for the purpose of meeting BellSouth's business needs.

14. EMERGENCY REPAIRS AND POLE REPLACEMENTS

14.1 Licensee Responsible for Emergency Repairs to its Own Facilities. In general, Licensee shall be responsible for making emergency repairs to its own facilities and for formulating appropriate plans and practices which will enable it to make such emergency repairs. BellSouth shall be under no obligation to perform any repair or service restoration work of any kind with respect to Licensee's facilities.

15. INSPECTION BY BELL SOUTH OF LICENSEE'S FACILITIES

15.1 BellSouth's Right to Make Periodic or Spot Inspections. BellSouth shall have the right to make periodic or spot inspections at any time of any part of Licensee's facilities attached to BellSouth's poles, anchors or anchor/guy strands or occupying any BellSouth conduit or duct for the limited purpose of determining whether Licensee's facilities are in compliance with the terms of this Section and licenses hereunder; provided that such inspections must be non-invasive (e.g., no splice cases may be opened).

15.1.1 BellSouth will give Licensee advance written notice of such inspections, and Licensee shall have the right to have a representative attend such inspections, except in those instances where safety considerations justify the need for such inspection without the delay of waiting until written notice has been forwarded to Licensee.

15.1.2 Such inspections shall be conducted at BellSouth's expense; provided, however, that Licensee shall bear the cost of inspections as delineated in 3.12.

15.2 No Duty to Licensee. Neither the act of inspection by BellSouth of Licensee's facilities nor any failure to inspect such facilities shall operate to impose on BellSouth any liability of any kind whatsoever or to relieve Licensee of any responsibility, obligations or liability under this Section or otherwise existing.

16. NOTICE OF NONCOMPLIANCE

16.1 Notice of Noncompliance. If, at any time, BellSouth determines that Licensee's facilities or any part thereof have not been placed or maintained or are not being used in accordance with the requirements of this Attachment 8, BellSouth may send written notice to Licensee specifying the alleged noncompliance. Licensee agrees to acknowledge

receipt of the notice as soon as practicable. If Licensee does not dispute BellSouth's assertion that such facilities are not in compliance, Licensee agrees to provide BellSouth with a schedule for bringing such facilities into compliance, to bring the facilities into compliance within a reasonable time, and to notify BellSouth in writing when the facilities have been brought into compliance.

- 16.2 Disputes over Alleged Noncompliance. If Licensee disputes BellSouth's assertion that Licensee's facilities are not in compliance, Licensee shall notify BellSouth in writing of the basis for Licensee's assertion that its facilities are in compliance.
- 16.3 Failure to Bring Facilities into Compliance. If Licensee has not brought the facilities into compliance within a reasonable time or provided BellSouth with proof sufficient to persuade BellSouth that BellSouth erred in asserting that the facilities were not in compliance, and if BellSouth determines in good faith that the alleged noncompliance causes or is likely to cause material damage to BellSouth's facilities or those of other users, BellSouth may, at its option and Licensee's expense, take such non-service affecting steps as may be required to bring Licensee's facilities into compliance, including but not limited to correcting any conditions which do not meet the specifications of this Attachment 8.
- 16.4 Correction of Conditions by BellSouth. If BellSouth elects to bring Licensee's facilities into compliance, the provisions of this Section shall apply.
- 16.4.1 BellSouth will, whenever practicable, notify Licensee in writing before performing such work. The written notice shall describe the nature of the work to be performed and BellSouth's schedule for performing the work.
- 16.4.2 If Licensee's facilities have become detached or partially detached from supporting racks or wall supports located within a BellSouth manhole, BellSouth may, at Licensee's expense, reattach them but shall not be obligated to do so. If BellSouth does not reattach Licensee's facilities, BellSouth shall endeavor to arrange with Licensee for the reattachment of any facilities affected.
- 16.4.3 BellSouth shall, as soon as practicable after performing the work, advise Licensee in writing of the work performed or action taken. Upon receiving such notice, Licensee shall inspect the facilities and take such steps as Licensee may deem necessary to insure that the facilities meet Licensee's performance requirements.
- 16.5 Licensee to Bear Expenses. Licensee shall bear all expenses arising out of or in connection with any work performed to bring Licensee's facilities

into compliance with this Section; provided, however that nothing contained in this Section or any license issued hereunder shall be construed as requiring Licensee to bear any expenses which, under applicable federal or state laws or regulations, must be borne by persons or entities other than Licensee.

17. UNAUTHORIZED OCCUPANCY OR UTILIZATION OF BELLSOUTH'S FACILITIES

17.1 Licensing or Removal of Unauthorized Attachments. If any of Licensee's attachments shall be found attached to pole(s) or occupying conduit systems for which no license is outstanding, BellSouth, without prejudice to its other rights or remedies under this Attachment 8, including termination of licenses, may impose a charge and require Licensee to submit in writing, within thirty (30) days after receipt of written notification from BellSouth of the unauthorized attachment or conduit occupancy, a pole attachment or conduit occupancy license application. If such application is not received by BellSouth within the specified time period, Licensee may be required at BellSouth's option to remove its unauthorized attachment or occupancy within sixty (60) days of the final date for submitting the required application, or BellSouth may at BellSouth's option remove Licensee's facilities without liability, and the expense of such removal shall be borne by Licensee. Charges for any such unauthorized occupancy shall be equal to the applicable license fees and charges which would have been payable from and after the date such facilities were first placed on BellSouth's poles or in BellSouth's conduit system, if Licensee provides reasonable documentation of such placement. If Licensee is unable to provide such reasonable documentation, then Licensee will pay two years worth of the applicable charges.

17.1.1 Nothing contained in the Attachment 8 or any license issued hereunder shall be construed as requiring Licensee to bear any expenses which, under applicable federal or state laws or regulations, must be borne by persons or entities other than Licensee.

17.2 Prompt Payment of Applicable Fees and Charges. Fees and charges for pole attachments and conduit system occupancies, as specified herein and as modified from time to time, shall be due and payable immediately whether or not Licensee is permitted to continue the pole attachment or conduit occupancy. See Exhibit A, attached hereto and incorporated herein by this reference, for applicable annual rental fees.

17.3 No Implied Waiver or Ratification of Unauthorized Use. No act or failure to act by BellSouth with regard to said unlicensed use shall be deemed as

a ratification of the unlicensed use; and if any license should be subsequently issued, said license shall not operate retroactively or constitute a waiver by BellSouth of any of its rights or privileges under this Attachment 8 or otherwise; provided, however, that Licensee shall be subject to all liabilities, obligations and responsibilities of this Attachment 8 in regard to said unauthorized use from its inception.

18. REMOVAL OF LICENSEE'S FACILITIES

18.1 Pole Attachments. Licensee, at its expense, will remove its attachments from any of BellSouth's poles within thirty (30) days after termination of the license covering such attachments. If Licensee fails to remove its attachments within such thirty (30) day period, BellSouth shall have the right to remove such attachments at Licensee's expense and without any liability on the part of BellSouth for damage or injury to Licensee's attachments unless caused by the negligence or intentional misconduct of BellSouth.

18.2 Conduit Occupancy. Licensee, at its expense, will remove its communications facilities from a conduit system within sixty (60) days after:

18.2.1 Termination of the license covering such conduit occupancy; or

18.2.2 The date Licensee replaces its existing facilities in one duct with substitute facilities in another duct.

18.2.3 If Licensee fails to remove its facilities within the specified period, BellSouth shall have the right to remove such facilities at Licensee's expense and without any liability on the part of BellSouth for damage or injury to such facilities unless caused by the negligence or intentional misconduct of BellSouth.

18.3 Continuing Responsibility for Fees and Charges. Licensee shall remain liable for and pay to BellSouth all fees and charges pursuant to provisions of this Attachment 8 until all of Licensee's facilities are physically removed from BellSouth's poles or conduit system.

19. FEES, CHARGES, AND BILLING

19.1 License Charges. License charges commence on the first day of the calendar month following the date a license is issued. Such charges cease as of the final day of the calendar month preceding the month in which the attachment or occupancy is physically removed or the utilization is discontinued. A one-month minimum charge is applicable to all licenses.

19.2 Notice of Rate and Computation of Charges. On or about November 1 of each year, BellSouth will notify Licensee by certified mail, return receipt requested, of the rental rate and pole transfer rate to be applied in the subsequent calendar year. The letter of notification shall be incorporated in, and governed by, the terms and conditions of this Attachment 8. Attachment and occupancy rates shall be applied to the number of pole(s) and duct feet of conduit for which licenses have been issued before December 1 of each calendar year. Charges for attachment(s) and occupancy which commenced during the preceding twelve (12) month period will be prorated accordingly.

20. ADVANCE PAYMENT AND IMPUTATION

20.1 Attachment and Occupancy Fees. Fees for pole attachment and conduit occupancy shall be based on the facilities for which licenses have been issued as of the date of billing by BellSouth, shall be computed as set forth herein.

20.1.1 Charges associated with newly licensed attachments or occupancies and other attachments or occupancies of less than the entire annual billing period shall be prorated.

20.1.2 Charges shall be prorated retroactively in the event of the removal of Licensee's facilities.

20.1.3 The amount of any advance payment required shall be due within sixty (60) days after receipt of an invoice from BellSouth.

20.2 Imputation. BellSouth shall impute to its costs of providing telecommunications services (and charge any affiliate, subsidiary, or associate company engaged in the provision of such services) an equal amount to the charges set forth in this Section for all of the conduits, ducts, and poles it occupies and uses.

21. ASSURANCE OF PAYMENT

21.1 Necessity and Level of Security. In the event Licensee fails to demonstrate credit worthiness, Licensee may be required to furnish a bond, letter of credit or other evidence of financial security having a minimum face amount of \$10,000.00 per state or \$50,000.00 per region. Such bond, letter of credit or other security shall be in a form satisfactory to BellSouth and may be increased from time to time as reasonably required by BellSouth to guarantee the performance of all obligations of Licensee hereunder. The amount of the bond, letter of credit or other security shall not operate as a limitation upon the obligations of Licensee hereunder.

22. INSURANCE

- 22.1 Licensee shall obtain and maintain insurance (or provide written evidence of being self-insured), including endorsements insuring the contractual liability and indemnification provisions of this Attachment 8, issued by an insurance carrier reasonably satisfactory to Licensor to protect the Licensor, other authorized Licensees, and Joint User(s) from and against all claims demands, causes of action, judgments, costs, including reasonable attorneys' fees, expenses and liabilities of every kind and nature which may arise or result, directly or indirectly from or by reason of such loss, injury or damage as covered in this Attachment 8 including Article XIV preceding.
- 22.2 Licensee shall maintain the following amounts of insurance in compliance with Section 22.1 above:
 - 22.2.1 Commercial General Liability Insurance with limits of not less than \$1,000,000 per occurrence and \$1,000,000 annual aggregate.
 - 22.2.2 Umbrella or Excess Liability Insurance with limits of not less than \$10,000,000 per occurrence and in the aggregate.
- 22.3 Licensee shall submit to Licensor certificates by each company insuring Licensee with respect to any insurance required hereunder, such certificate(s) to specify the coverage provided and that such company will not cancel or change any such policy of insurance issued to Licensee except after sixty (60) days written notice to Licensor.
- 22.4 Licensee shall also carry such insurance as will protect it from all claims under any Worker's Compensation Law in effect that may be applicable to it as a result of work performed pursuant to this Attachment 8.
- 22.5 All insurance required in accordance with Sections 22.2 and 22.3 preceding must be effective before Licensor will authorize attachment to a Pole and/or Anchor, or occupancy of a Conduit System and shall remain in force until such Licensee's facilities have been removed from all such Pole(s), Anchor(s), Conduit System, or Right of Way. In the event that the Licensee shall fail to maintain the required insurance coverage, Licensor may pay any premium thereon falling due, and the Licensee shall forthwith reimburse the Licensor for any such premium paid.
- 22.6 Licensee may self-insure any or all of the insurance coverages required in this Attachment 8.

23. AUTHORIZATION NOT EXCLUSIVE

- 23.1 Nothing herein contained shall be construed as a grant of any exclusive authorization, right or privilege to Licensee. BellSouth shall have the right

to grant, renew and extend rights and privileges to others not parties to this Attachment 8, by contract or otherwise, to use any Pole, Anchor, or Conduit System covered by this Attachment 8 and Licensee's rights hereunder.

24. ASSIGNMENT OF RIGHTS

24.1 Any assignment by either party of any right, obligation, or duty, in whole or part, or of any interest, without the written consent of the other party (such consent not to be unreasonably withheld) shall be void. Notwithstanding the above, either party, upon written notice to the other party, may assign this agreement and any of its rights and privileges under this Attachment 8, in whole or in part, to: (1) its parent, partners or their respective subsidiaries, affiliates or successors; (2) any entity which controls, is under the control of, or is under common control with the assigning party; or 3) any entity that purchases all or substantially all of the assets of the assigning party by way of merger, acquisition, or consolidation.

24.2 In the event such consent or consents are granted by BellSouth, then the provisions of this Attachment 8 shall apply to and bind the successors and assigns of the Licensee. Form NT-13 shall be used for this purpose.

25. FAILURE TO ENFORCE

25.1 Failure of BellSouth to enforce or insist upon compliance with any of the terms or conditions of this Attachment 8 or to give notice or declare this Attachment 8 or any authorization granted hereunder terminated shall not constitute a general waiver or relinquishment of any term or condition of this Attachment 8, but the same shall be and remain at all times in full force and effect.

26. DISPUTE RESOLUTION

26.1 When a dispute arises under this Attachment, either Party may avail itself of the complaint procedures set forth in 47 C.F.R. Ch. I, Subpart J--Pole Attachment Complaint Procedures, ¶¶ 1.1401-1.1416.

26.2 Termination of this Attachment 8 or any licenses issued hereunder shall not affect Licensee's liabilities and obligations incurred hereunder prior to the effective date of such termination.

27. SUPERSEURE OF PREVIOUS AGREEMENT(S)

27.1 This Attachment 8 supersedes all previous agreements, whether written or oral, between BellSouth and Licensee for attachment and maintenance of Licensee's Communications Facilities on Pole(s), Anchor(s), and in Conduit Systems within the geographical area covered by this Attachment 8; and there are no other provisions, terms or conditions to this

Attachment 8 except as expressed herein. All currently effective licenses heretofore granted pursuant to such previous agreements shall be subject to the terms and conditions of this Attachment 8.

2000 FCC Formula Supported Fees
for attachments and/or occupancy effective 1/1/2000
(Re-calculated annually)

Licenses shall pay to Licensor the following fees:

State	Poles	Anchors	Conduit	
	(ea. / yr.)	(ea. / yr.)		(\$ / ft. / yr.)
Alabama	\$ 3.35	\$ 4.89		\$ 0.23
Kentucky ①				0.70
2-user	9.45	\$ 12.90		
3-user	5.35	8.60		
Louisiana	6.90 ②			0.44
Mississippi	4.30			2.50 ③
Tennessee ④	4.57			0.30
Florida	3.74			0.36
		Miami River crossing		17.13
Georgia ⑤	4.69			0.35
North Carolina	3.55			0.35
South Carolina	2.93			0.30

- ① All rates in Kentucky are by tariff
- ② March 12, 1999 order placed a freeze on existing, approved rate until December 31, 2002. Therefore, \$6.90 rate remains in effect.
- ③ Tariff rate in Mississippi
- ④ Tennessee rates are negotiated with CATV Association; conduit rates were established in 1998 and fixed indefinitely
- ⑤ FCC formula calculated rates; differs from Docket 7061-U

Conduit rates have been developed using the one-half (1/2) duct convention for 2000. This rate will apply to each passageway (innerduct).

- i) For the purpose of determining the Duct feet chargeable, the Duct considered occupied shall be measured from the center to center of adjacent Manhole(s), or from the center of a Manhole to the end of a Duct not terminated in a Manhole.
- ii) The above rates are not applicable for crossings of any navigable waterway. Rates for navigable waterway crossings will be calculated on an individual case basis.

Pole Attachment Transfer Rate
Per pole (throughout BellSouth region)

\$41.00

Records Maintenance Centers

For **Alabama** plant and right of way records:

Records Maintenance Center
S04
1876 Data Drive
Birmingham, AL 35244

For **Kentucky** plant and right of way records:

Records Maintenance Center
Room 2-SW
601 W. Chestnut Street
Louisville, KY 40203

For **Louisiana** plant and right of way records:

Records Maintenance Center
2nd Floor North
6767 Bundy Road
New Orleans, LA 70140

For **Mississippi** plant and right of way records:

Records Maintenance Center
5723 Highway, 18 S
Jackson, MS 39209

For **Tennessee** plant and right of way records:

Records Maintenance Center
Room 9 B 15
333 Commerce Street
Nashville, TN 37201

For **Georgia, Florida, North Carolina, and South Carolina:**

Plant Records

Records Maintenance Center
5228 Central Avenue
Charlotte, NC 28212

Right of Way Records

Regional Landbase Admin. Center
Attn.: Right of Way Records
16 GG 1 BST
301 W. Bay Street
Jacksonville, FL 32201

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENT

- 1. PURPOSE**
- 2. DEFINITIONS**
- 3. REPORTING AND DATA RETENTION**
- 4. COMPARISON OF RESULTS**
- 5. VERIFICATION AND AUDITING**
- 6. MODIFICATION OF PERFORMANCE MEASURES**
- 7. COMPLIANCE AND REMEDIES**

APPENDIX A SERVICE QUALITY MEASUREMENTS

APPENDIX B STATISTICAL METHODOLOGY

**APPENDIX C SERVICE QUALITY MEASUREMENTS:
REPORTING EXPECTATIONS AND REPORT FORMAT**

**APPENDIX D NON-EXCLUSIVE CONSEQUENCES FOR NON-
COMPLIANT PERFORMANCE**

1. PURPOSE

- 1.1 This Attachment 9 and its associated appendices provide Performance Measurements, as defined below, and procedures applicable to monitoring the quality, timeliness and accuracy of resale of BellSouth retail services, unbundled network elements, unbundled network element combinations, physical interconnection and operational support systems that BellSouth provides to AT&T. This Support, as defined below, must comply with minimum performance expectations. Where Performance Measurement Results, as defined below, are evaluated in comparison to a retail analog, performance levels provided to AT&T must be at least equal in quality to that provided by BellSouth to itself, its subsidiaries and affiliates and to any other party to which BellSouth provides the same or similar services. Where Performance Measurement Results are evaluated in comparison to a benchmark, performance levels provided to

AT&T must at least meet the level reflected by the benchmark. Results that do not achieve the Performance Standard, as defined below, will be considered a performance failure.

- 1.2 The parties agree that this Attachment 9, and related appendices, shall govern:
 - 1.2.1 Monitoring of service quality measurements for performance determination relating to Support provided to AT&T by BellSouth as compared to itself, its subsidiaries, its affiliates and others;
 - 1.2.2 Reporting of performance and comparison to established retail analogs and benchmarks;
 - 1.2.3 The definitions, computational methodology and business rules applicable to all measurements;
 - 1.2.4 Self-enforcing non-exclusive remedies (or incentives), in the nature of liquidated damages, in the event that BellSouth fails to meet its performance obligations.

2. DEFINITIONS

- 2.1 For the purpose of this Attachment 9, "Performance Measurement" shall be defined as the methodology for characterizing the quality, timeliness and accuracy of Support delivered by BellSouth to AT&T. The methodology for each Performance Measurement is specified in Appendix A - Service Quality Measurements.
- 2.2 For the purpose of this Attachment 9, "Performance Measurement Results" shall be defined as the numerical value (mean, proportion, or rate) produced through application of the appropriate methodology to the monthly data BellSouth captures.
- 2.3 For the purpose of this Attachment 9, "Performance Standard" is defined as the minimal performance criteria by which a process, service or operational support system Performance Measurement Results are judged as good (pass) or bad (fail).
- 2.4 For the purpose of this Attachment 9, "Support" is defined as the functions that BellSouth provides to competing carriers such as, computer systems, databases and personnel.
- 2.5 For the purpose of this Attachment 9, "Benchmark" is defined as a preset and minimally acceptable absolute value for a Performance Measurement. Benchmarks shall be established for all Performance

Measurements for which there is no retail analog. The parties may, by mutual agreement, employ a benchmark standard even when a retail analog exists for comparison.

- 2.6 For the purpose of this Attachment 9, "Mini Audit" is defined as an audit for which an individual Performance Measurement is evaluated.

3. REPORTING AND DATA RETENTION

- 3.1 BellSouth shall capture and retain all the necessary data and perform all calculations in a manner consistent with the business rules specified in Appendix A and provide AT&T with:

- 3.1.1 data on a monthly basis for each state and region totals;
3.1.2 the disaggregated Performance Measurement Results specific to AT&T for each Performance Measurement at the level of detail specified for each Performance Measurement as specified in Appendix A; and

- 3.1.3 the disaggregated Performance Measurement Results specific to BellSouth for each Performance Measurement specified in Appendix A. Specifically, BellSouth must report on its performance for:

- 3.1.3.1 all of its retail customers;
3.1.3.2 any of its subsidiaries and affiliates that provide local service or intraLATA toll traffic;
3.1.3.3 competing carriers (CLECs) in aggregate.

- 3.2 The reports which must include at least all data and be as detailed as those provided as of October 31, 1999, will include each Performance Measurement specified in Appendix A. Such reports and data files will be provided to AT&T no later than ten (10) calendar days following the end of the previous month. Appendix C - Service Quality Measurements: Reporting Expectations And Report Format reflects the reporting format and data file content and structure for such reports.

- 3.2.1 Reports regarding BellSouth's performance to AT&T shall be considered "Confidential Information" of AT&T. Absent written permission from AT&T, BellSouth shall not disclose any Performance Measurement Results developed under this Agreement to any third party other than as provided in Section ___ (General Terms and Conditions). BellSouth shall not use any individually identifiable carrier information relating to AT&T for any

purpose other than providing and reporting on its provision of Support to AT&T or an appropriate state or federal regulatory agency that provides appropriate levels of proprietary protection.

3.2.2 Reports of BellSouth performance to itself and its subsidiaries and affiliates shall be considered "Confidential Information" of BellSouth. Absent written permission from BellSouth, except as provided below, AT&T shall not use or disclose to any third party any Performance Measurement Results relating to BellSouth's performance to itself, its subsidiaries and its affiliates developed by BellSouth under this Agreement other than provided for in Section ___ (General Terms and Conditions).

3.2.2.1 AT&T shall not be precluded from disclosing to relevant regulators, the courts, or appointed representatives of either party, performance data that BellSouth would otherwise consider proprietary if the disclosure is for the purpose of seeking a remedy for non-compliant performance.

4. COMPARISON OF RESULTS

4.1 Each month BellSouth shall compare the results for each Performance Measurement to the Performance Standard, all of which are specified in Appendix A. For each Performance Measurement, BellSouth shall indicate if the Performance Measurement Results specific to AT&T; (a) meets or exceeds or (b) does not meet the specified Performance Standard and by how much.

4.2 The statistical methodology for making this comparison for Performance Measurements is defined in Appendix B - Statistical Methodology.

4.3 The methodology for determining self-enforcing non-exclusive remedies, as referenced in 1.2.4, for failing to meet the specified Performance Standard is set forth in Appendix D - Non-Exclusive Consequences For Non-Compliant Performance.

5. VERIFICATION AND AUDITING

5.1 BellSouth shall fully document, implement and test its capability to generate all the Performance Measurement Results, perform comparisons and generate reports and data files in a manner that conforms to the terms of this Agreement as soon as feasible and in all events no later than thirty (30) calendar days after Commission approval of the Agreement. For the purposes of this section, the date of implementation shall be called the "Implementation Date." On the Implementation Date, and

thereafter for a period of six (6) months, BellSouth will allow AT&T to participate in the necessary validation of the Performance Measurement system, including but not limited to, data collection, Performance Measurement Result computation, report production and data retention. Such activities by AT&T do not constitute an audit under the terms of this Agreement, and by participating in these initial verification activities, AT&T in no way waives its rights to perform audits as provided in the Agreement.

- 5.2 At any time after the Implementation Date and at least once annually thereafter with the implementation date being the first day of that year, AT&T may initiate an audit of the Performance Measurement system including, but not limited to, documentation, data, software and processes, that BellSouth uses to collect, calculate, compare, store, retrieve and retain Performance Measurement Results under this Agreement. Such audit shall be performed by an independent certified public accountant selected and paid for by AT&T.
- 5.3 Any annual audits shall evaluate whether the Performance Measurement system conforms to the definitions, exclusions and disaggregations set forth in Appendix A; that the data collection is timely, accurate and complete; that the calculation of Performance Measurement Results conforms to the methods set forth in this Agreement; and that the data reflected in the reports and the data stored is complete, accurate, timely and readily accessible to AT&T. BellSouth shall not oppose AT&T coordinating with other CLECs for the purposes of conducting a joint audit.
- 5.4 The Parties agree that the Change Control Process will be used to manage changes to existing data collection, systems, software and processes that BellSouth uses to develop, compare and report Performance Measurement Results.
- 5.5 AT&T may request an audit of the individual measure (hereafter referred to as a "Mini-Audit"). Such requests will be limited to no more than five (5) requests in each calendar year. The cost of Mini-Audits shall be paid for by AT&T unless the audit determines that BellSouth is not in compliance with the terms of the Agreement, in which case the cost shall be borne by BellSouth.
- 5.6 A mutually agreeable electronic format shall be used by BellSouth to retain all data necessary to calculate each AT&T monthly Performance Measurement Result, to establish the Performance Standard for each measurement and to compare the results pursuant to this Attachment 9.

6. MODIFICATION OF PERFORMANCE MEASURES

- 6.1 Performance Measurements may only be modified or deleted by mutual agreement of the parties. Reporting on modified Performance Measurements shall begin within thirty (30) calendar days of the agreement to modify such measure. Performance Measurements may be added by either party, as necessary, upon thirty (30) calendar days written notice to the other.
- 6.2 Disputes regarding the addition, modification or deletion of a Performance Measurement shall be resolved pursuant to the Alternative Dispute Resolution procedures set forth in Section 16 (General Terms and Conditions) of this Agreement.

7. COMPLIANCE AND REMEDIES

- 7.1 Appendix D contains procedures for determining if individual Performance Measurement Results for AT&T fail to meet the minimum level of performance specified in this Agreement. Appendix D also identifies the remedies that are applicable when one or more Performance Standards are not met or when other terms of this Attachment 9 are not satisfied.

APPENDIX A

TABLE OF CONTENTS

Pre-Ordering - OSS 3

Ordering 8

Provisioning..... 25

Maintenance & Repair 41

Billing..... 55

Operator Services And Directory Assistance 61

E911 65

Trunk Group Performance..... 68

Collocation..... 71

Appendix A: Reporting Scope* 111

Appendix B: Glossary Of Acronyms And Terms 119

Appendix C: Bellsouth's Audit Policy 124

PRE-ORDERING - OSS

Report/Measurement :	
Average OSS Response Time and Response Interval	
Definition:	
<p>As an initial step of establishing service, the customer service agent must determine such basic facts as availability of desired features, service delivery intervals, telephone numbers to be assigned, the customer's current products and features, qualification of the customer's loop for advanced digital services, and/or the validity of the street address. This type of information is gathered from supporting OSS while the customer (or potential customer) is on the telephone with the customer service agent. Because pre-ordering activities are the first tangible contact a customer may have with a CLEC, it is critical that the CLEC be perceived as equally competent, knowledgeable and fast as an ILEC customer service agent. This measure is designed to monitor the time required for CLECs to obtain the pre-ordering information necessary to establish and modify service. Comparisons to ILEC results indicate whether a CLEC has an equal opportunity to deliver a comparable customer experience when a retail customer calls the CLEC with a service inquiry.</p>	
Exclusions:	
None	
Business Rules:	
For CLEC Results:	
<p>Average Response Interval: The response interval for each query is determined by computing the elapsed time from the ILEC receipt of a query from the CLEC, whether or not syntactically correct, to the time the ILEC returns the requested data (or reject notification) to the CLEC. Elapsed time is accumulated for each major query or transaction type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by the ILEC during the reporting period.</p>	
For ILEC Results:	
The ILEC computation is identical to that for the CLEC with the clarifications noted below:	
Other Clarifications and Qualification:	
<ul style="list-style-type: none"> • The elapsed time for an ILEC query is measured from the point in time when the ILEC customer service agent submits the request for identical or similar information into the ILEC OSS until the time when the ILEC OSS returns the requested information to the ILEC customer service agent. • As additional pre-ordering functionality is established by the industry, for example with respect to unbundled network elements, the reporting dimensions may be expanded. • Elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second. • Elapsed time is to be measured through automated rather than manual monitoring and logging. • The ILEC service agent entry of a request for pre-ordering information (to the ILEC OSS) is considered to be the equivalent of the ILEC receipt of a query from the CLEC. • The ILEC OSS return of information to the ILEC customer service agent, whether in hard copy or by display on a terminal, is considered equivalent to the return of requested information to the CLEC. 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Calculation:	
$\text{Average Response Interval} = \frac{\sum (\text{Query Response Date \& Time}) - (\text{Query Submission Date \& Time})}{(\text{Number of Queries Submitted in Reporting Period})}$	
Report Structure:	
CLEC Specific CLEC Aggregate Not product/service specific Regional Level	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:

Report Month Interface Type (specific to pre-ordering) Query Identifier (e.g., unique tracking number) Query Receipt Date by ILEC Query Receipt Time by ILEC Query Type (per reporting dimension) Response Return Date Response Return Time Legacy Contract (per reporting dimension) Response Interval Regional Scope	Report Month Interface Type Query Type (per reporting dimension) Query Count Standard Error of the mean response interval Legacy Contract (per reporting dimension) Response Interval Regional Scope
Retail Analog/Benchmark	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

LEGACY SYSTEM ACCESS TIMES FOR RNS

System	Contract	Data	< 2.3 sec	> 6 sec	Avg. Sec	# of Calls
RSAG	RSAG-TEN	Address	x	x	x	x
RSAG	RSAG-ADDR	Address	x	x	x	x
ATLAS	ATLAS-TN	TN	x	x	x	x
DSAP	DSAPDDI	Schedule	x	x	x	x
CRIS	CRSACCTS	CSR	x	x	x	x
OASIS	OASISBSN	Feature/Service	x	x	x	x
OASIS	OASISCAR	Feature/Service	x	x	x	x
OASIS	OASISLPC	Feature/Service	x	x	x	x
OASIS	OASISMTN	Feature/Service	x	x	x	x
OASIS	OASISBIG	Feature/Service	x	x	x	x

LEGACY SYSTEM ACCESS TIMES FOR LENS

System	Contract	Data	< 2.3 sec	> 6 sec	Avg. Sec	# of Calls
RSAG	RSAG-TN	Address	x	x	x	x
RSAG	RSAG-ADDR	Address	x	x	x	x
ATLAS	ATLAS-TN	TN	x	x	x	x
DSAP	DSAPDDI	Schedule	x	x	x	x
HAL	HAL/CRIS	CSR	x	x	x	x
COFFI	COFFI/USOC	Feature/Service	x	x	x	x
P/SIMS	PSIMS/ORB	Feature/Service	x	x	x	x

LEGACY SYSTEM ACCESS TIMES FOR TAG

System	Contract	Data	< 2.3 sec	> 6 sec	Avg. Sec	# of Calls
RSAG	RSAG-TN	Address	x	x	x	x
RSAG	RSAG-ADDR	Address	x	x	x	x
ATLAS	ATLASTN	TN	x	x	x	x
DSAP	DSAPDDI	Schedule	x	x	x	x
HAL	HAL/CRIS	CSR	x	x	x	x
CRIS	CRSEINIT	CSR	x	x	x	x
CRIS	CRSECSR	CSR	x	x	x	x

PRE-ORDERING - OSS

Report/Measurement:
OSS Interface Availability
Definition:
Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface systems and for all Legacy systems accessed by them are captured
Exclusions:
None
Business Rules:
This measurement captures the availability percentages for the BST systems, which are used by CLECs during Pre-Ordering functions. Comparison to BST results allow conclusions as to whether an equal opportunity exists for the CLEC to deliver a comparable customer experience.
For CLEC Results:
<u>Percent System Availability:</u> The total “number of hours functionality was scheduled to be available” is the cumulative number of hours (by date and time on a 24-hour clock) over which the ILEC planned to offer and support CLEC access to ILEC OSS functionality during the reporting period. The ILEC must provide a minimum advance notice of one reporting period regarding availability plans and such plans must be interface-specific. If scheduled availability is not provided with at least one report period’s advance notice, then the default availability for the subsequent reporting period will be seven days per week, 24 hours per day.
“Hours Functionality is Available” is the actual number of hours, during scheduled available time, that the ILEC gateway or interface is capable of accepting CLEC transactions or data files for processing in the gateway / interface and supporting OSS.
The actual time available is divided by the scheduled time available and then multiplied by 100 to produce the “Percent system availability” measure. The “Percent system availability” measure is required for each unique interface type offered by the ILEC.
For ILEC Results:
Each OSS of the ILEC that is employed in the support of CLEC operations must first be identified by supported functional area (e.g., pre-ordering, ordering and provisioning, repair and maintenance and billing) with such mapping disclosed to the CLECs. The “available time” and “scheduled available time” is gathered for each of the identified ILEC OSS during the report period. The OSS function availability is computed based upon the weighted average availability of the subtending support OSS. That is, the available time for each OSS supporting a functional area is accumulated over the report period and then divided by the summation of the scheduled available time for those same supporting OSS.
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • The ILEC analogs for this performance measure are the internal measures of system downtime (or up time) typically established between the ILEC Systems Management Organization and the client organizations. • OSS scheduled and available time may be utilized in the computation of more than one functional area. • Parity exists if the CLEC “Percent system availability” \geq ILEC function availability for the functionality accessed by the CLEC. • “Capable of accepting” must have a meaning consistent with the ILEC definition down time, whether planned or unplanned, for internal ILEC systems having a comparable potential for customer impact. • Time is measured in hours and tenths of hours rounded to the nearest tenth of an hour.
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks
Calculation:
$(\text{Number of Hours Functionality is Available to CLECs During Report Period}) / (\text{Number of Hours Functionality was Scheduled to be Available During the Report Period}) \times 100$
Report Structure:

CLEC Specific CLEC Aggregate Not product/service specific Regional Level	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month Legacy contract type (per reporting dimension) Regional Scope Interface Type (Identifies each unique interface available to CLECs) Business Period Scheduled Hour Available Actual Hours Available	Report Month Legacy contract type (per reporting dimension) Regional Scope Functionality Identification Business Period Percent Availability of Functionality
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

OSS Interface Availability

OSS Interface	% Availability
LENS	x
LEO Mainframe	x
LEO UNIX	x
LESOG	x
EDI	x
HAL	x
BOCRIS	x
ATLAS/COFFI	x
RSAG/DSAP	x
SOCS	x
TAG	x

ORDERING

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:
Percent Flow Through Service Requests (Summary)
Definition:
The percentage of Local Service Requests (LSR) submitted electronically via the CLEC mechanized ordering process that flow through to SOCS without manual intervention
Exclusions:
Fatal Rejects Auto Clarification CLEC System Fallout Supplements (subsequent versions) to cancel LSRs that are not LESOG eligible (Under development)
Business Rules:
The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), and flow through to SOCS without manual intervention. These LSRs can be divided into two classes of service; Business and Residence, and three types of service; Resale and Unbundled Network Elements (UNE), and specials. The CLEC mechanized ordering process does not include LSRs, which are, submitted manually (e.g., fax, and courier).
Definitions:
Fatal Rejects: Errors that prevent an LSR, submitted by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO will reject the LSR and the CLEC will receive a Fatal Reject.
Auto-Clarification: errors that occur due to invalid data within the LSR. LESOG will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, the CLEC will receive an Auto-Clarification.
* Attached is a list of services, including complex services, that can currently flow through.

ORDERING – (Percent Flow Through Service Requests (Summary) – Continued)

Calculation:	
Percent Flow Through Service Requests = $\Sigma[(\text{Total number of valid service requests that flow-through to SOCS}) / (\text{Total number of valid service requests delivered Electronically}) \times 100]$	
Description: Percent Flow Through = $(\text{The total number of LSRs that flow through LESOG to the SOCS}) / (\text{the number of LSRs passed from LEO to LESOG}) - \Sigma[(\text{the number of LSRs that are returned to the CLEC for clarification}) + (\text{the number of LSRs that contain errors made by CLECs})] \times 100.$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Aggregate <ul style="list-style-type: none"> ➢ Region 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report month • Total number of LSRs received, by interface, by CLEC: <ul style="list-style-type: none"> ➢ TAG ➢ EDI ➢ LENS • Total number of errors by type, by CLEC: <ul style="list-style-type: none"> ➢ Fatal rejects ➢ Auto clarification ➢ CLEC caused system fallout • Total number of errors by error code • Count of Orders Completed Without Manual Intervention • Count of Firm Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type • Volume Category • Manual Fallout (for Mechanized Orders Only) 	<ul style="list-style-type: none"> • Report month • Total number of errors by type: <ul style="list-style-type: none"> ➢ BST system error • Count of Orders Completed Without Manual Intervention • Count of Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Order Activity • Service Type • Volume Category
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

ORDERING

Report/Measurement:
Percent Flow Through Service Requests (Detail)
Definition:
A detailed list by CLEC of the percentage of Local Service Requests (LSR) submitted electronically via the CLEC mechanized ordering process that flow through to SOCS without manual or human intervention.
Exclusions:
<ul style="list-style-type: none">• Fatal Rejects• Auto Clarification•• CLEC System Fallout• Supplements (subsequent versions) to cancel LSRs that are not LESOG eligible (Under development)
Business Rules:
The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), and flow through to SOCS without manual intervention. These LSRs can be divided into two classes of service; Business and Residence, and two types of service; Resale and Unbundled Network Elements (UNE) and specials. The CLEC mechanized ordering process does not include LSRs, which are, submitted manually (e.g., fax, and courier).
Definitions:
Fatal Rejects: Errors that prevent an LSR, submitted by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO will reject the LSR and the CLEC will receive a Fatal Reject.
Auto-Clarification: errors that occur due to invalid data within the LSR. LESOG will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, the CLEC will receive an Auto-Clarification.
<p>*Attached is a list of services, including complex services that can currently flow through.</p>

ORDERING – (Percent Flow Through Service Requests (Detail) – Continued)

<p>Calculation: Percent Flow Through Service Requests = (Total number of valid service requests that flow-through to SOCS) / (Total number of valid service requests delivered Electronically) X 100</p>	
<p>Description: Percent Flow Through = The total number of LSRs that flow through LESOG to SOCS / (the number of LSRs passed from LEO to LESOG) – Σ[(the number of LSRs that are returned to the CLEC for clarification + the number of LSRs that contain errors made by CLECs)] X 100.</p>	
<p>Report Structure:</p> <ul style="list-style-type: none"> • Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following: <ul style="list-style-type: none"> ➢ CLEC (by alias designation) ➢ Number of fatal rejects ➢ Mechanized interface used ➢ Total mechanized LSRs ➢ ➢ Number of auto clarifications returned to CLEC ➢ Number of validated LSRs ➢ Number of BST caused fallout ➢ Number of CLEC caused fallout ➢ Number of Service Orders Issued ➢ Base calculation ➢ CLEC error excluded calculation 	
<p>Level of Disaggregation:</p>	
<p>See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	
<p><u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u></p> <ul style="list-style-type: none"> • Report month • Total number of LSRs received, by interface, by CLEC <ul style="list-style-type: none"> ➢ TAG ➢ EDI ➢ LENS • Total number of errors by type, by CLEC <ul style="list-style-type: none"> ➢ Fatal rejects ➢ ➢ Auto clarification ➢ CLEC errors • Total number of errors by error code • Count of Orders Completed Without Manual Intervention • Count of Firm Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type • Volume Category • Manual Fallout (for Mechanized Orders Only) 	<p><u>DATA RETAINED RELATING TO BST EXPERIENCE</u></p> <ul style="list-style-type: none"> • Report month • Total number of errors by type: <ul style="list-style-type: none"> ➢ BST system error • Count of Orders Completed Without Manual Intervention • Count of Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Order Activity • Service Type • Volume Category

Retail Analog/Benchmark:

See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

ORDERING

Report/Measurement:	
Flow Through Error Analysis	
Definition:	
An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through to SOCS.	
Exclusions:	
Each Error Analysis is error code specific; therefore exclusions are not applicable.	
Business Rules:	
The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), and flow through to provisioning SOCS without manual intervention. These LSRs can be divided into two classes of service; Business and Residence, and two types of service; Resale and Unbundled Network Elements (UNE). This measurement captures the total number of errors by type. The CLEC mechanized ordering process does not include LSRs, which are, submitted manually (e.g., fax, and courier).	
Calculation:	
Σ Of errors by type.	
Report Structure:	
<ul style="list-style-type: none"> • Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following: <ul style="list-style-type: none"> ➢ Error Type (by error code) ➢ Count of each error type ➢ Percent of each error type ➢ Cumulative percent ➢ Error Description ➢ CLEC Caused Count of each error code ➢ Percent of aggregate by CLEC caused count ➢ Percent of CLEC by CLEC caused count ➢ BST Caused Count of each error code ➢ Percent of aggregate by BST caused count ➢ Percent of BST by BST caused count 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report month • Total number of LSRs received • Total number of errors by type (by error code) <ul style="list-style-type: none"> ➢ CLEC caused error 	<ul style="list-style-type: none"> • Report month • Total number of errors by type (by error code) <ul style="list-style-type: none"> ➢ BST system error
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Attachment
BellSouth Flow-through Analysis
For CLECs LSRs placed via EDI or TAG

	BellSouth Service Offered to CLEC via resale or UNE	Flow-through if no BST or CLEC Errors (Yes/No)	Complex Service (Yes/No)	Complex Order (Yes/No)	Design Service (Yes/No)	Can ordering this service cause fall out for a reason other than errors or complex? If so, what reason?
1	Flat Rate/Residence	Yes	No	No	no	
2	Flat Rate/Business	Yes	No	No	no	
3	Pay Phone Provider	No	No	No	no	
4	Measured Rate/Res.	Yes	No	No	no	
5	Measured Rate/Bus.	Yes	No	No	no	
6	Area Plus	Yes	No	No	no	
7	Package/Complete Choice and area plus	Yes	No	No	no	
8	Optional Calling Plan	Yes	No	No	no	
9	Ga. Community Calling	Yes	No	No	no	
10	Call Waiting Deluxe	Yes	No	No	no	
11	Call Waiting	Yes	No	No	no	
12	Caller ID	Yes	No	No	no	
13	Speed Calling	Yes	No	No	no	
14	3 Way Calling	Yes	No	No	no	
15	Call Forwarding-Variable	Yes	No	No	no	
16	Remote Access to CF	Yes	No	No	no	
17	Enhanced Caller ID	Yes	No	No	no	
18	Memory Call	Yes	No	No	no	
19	Memory Call Ans. Svc.	Yes	No	No	no	
20	MTS	Yes	No	No	no	
21	RCF	Yes	No	No	no	
22	Ringmaster	Yes	No	No	no	
23	Call Tracing	Yes	No	No	no	
24	Call Block	Yes	No	No	no	
25	Repeat Dialing	Yes	No	No	no	
26	Call Selector	Yes	No	No	no	
27	Call Return	Yes	No	No	no	
28	Preferred Call Forward	Yes	No	No	no	
29	Touchtone	Yes	No	No	no	
30	Visual Director	Yes	No	No	no	
31	INP (all types?)	Yes	UNE	No	no	
32	Unbundled Loop-Analog 2W, SL1, SL2	Yes	UNE	No	Yes-designed, no-non-designed	
33	2 wire analog port	Yes	UNE	No	no	
34	Local Number Portability (always?)	Yes	UNE	No	no	
35	Accupulse	No	Yes	Yes	yes yes	See note at bottom of matrix.
36	Basic Rate ISDN	No	Yes	Yes	yes yes	LSR electronically submitted; no flow through

	BellSouth Service Offered to CLEC via resale or UNE	Flow-through if no BST or CLEC Errors (Yes/No)	Complex Service (Yes/No)	Complex Order (Yes/No)	Design Service (Yes/No)	Can ordering this service cause fall out for a reason other than errors or complex? If so, what reason?
37	DID	No*	Yes	Yes	Yes	* yes with OSS'99
38	Frame Relay	No	Yes	Yes	yes	
39	Megalink	No	Yes	Yes	yes	
40	Megalink-T1	No	Yes	Yes	yes	
41	Native Mode LAN Interconnection (NMLI)	No	Yes	Yes	yes	
42	Pathlink Primary Rate ISDN	No	Yes	Yes	yes	
43	Synchronet	No	Yes	Yes	yes	LSR electronically submitted; no flow through
44	PBX Trunks	No	Yes	Yes	Yes	LSR electronically submitted; no flow through
45	LightGate	No	Yes	Yes	yes	
46	Smartpath	No	Yes	Yes	yes	
47	Hunting	No	Yes	no	no	LSR electronically submitted; no flow through
48	CENTREX	No	Yes	Yes	no	
49	FLEXSERV	No	Yes	Yes	yes	
50	Multiserv	No	Yes	Yes	yes	
51	Off-Prem Stations	No	Yes	Yes	yes	
52	SmartRING	No	Yes	Yes	yes	
53	FX	No	Yes	Yes	yes	
54	Tie Lines	No	Yes	Yes	Yes	
55	WATS	No	Yes	Yes	yes	
56	4 wire analog voice grade loop	No	UNE	Yes	yes-designed, no-non-designed	
57	4 wire DS1 & PRI digital loop	No	UNE	Yes	yes	
58	2 wire ISDN digital loop	No	UNE	Yes	yes	
59	4 wire DS1 & PRI digital loop	No	UNE	Yes	yes	
60	ADSL	No*	UNE	Yes	yes	* yes as of OSS'99?
61	HDSL	No	UNE	Yes	yes	
62	2 wire analog DID trunk port	No	UNE	Yes	Yes	
63	2 wire ISDN digital line side port	No	UNE	Yes	yes	
64	4 wire ISDN DSI digital trunk ports	No	UNE	Yes	yes	
65	UNE Combinations	y-loop+port	UNE	Yes	yes	
66	Directory Listings (simple)	No*	UNE	Yes	no	* yes as of OSS'99

	BellSouth Service Offered to CLEC via resale or UNE	Flow-through if no BST or CLEC Errors (Yes/No)	Complex Service (Yes/No)	Complex Order (Yes/No)	Design Service (Yes/No)	Can ordering this service cause fall out for a reason other than errors or complex? If so, what reason?
67	Directory Listings (complex)	No*	UNE	yes	no	* yes as of OSS'99, captions and indentions
68	ESSX	No	Yes	Yes	no	

Note for last column: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, for denials – restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through), class of service invalid in certain states with some TOS – e.g. gov't, or cannot be changed when changing main TN on C activity, low volume – e.g. activity type T=move, pending order review required, more than 25 business lines, restore or suspend for UNE combos, transfer of calls option for CLEC end user – fixed with release 6.0, new TN not yet posted to BOCRIS. All but the last one are unique to the CLEC environment.

ORDERING

Report/Measurement:
Percent Rejected Service Requests
Definition:
Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LEO edit checks to insure the data received is correctly formatted and complete.
Exclusions:
Service Requests canceled by the CLEC prior to being rejected/clarified.
Business Rules:
<p>Fully Mechanized: An LSR is considered “rejected” when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, TAG, LEO, LESOG) and is returned to the CLEC. There are two types of “Rejects” in the Mechanized category:</p> <ul style="list-style-type: none"> • A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC before it is considered an LSR. • An Auto Clarification is a valid LSR, which is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy. <p>Partially Mechanized: A valid LSR, which is electronically submitted (via EDI or TAG), but cannot be processed electronically and “falls out” for manual handling. It is then put into “clarification” and (rejected) sent back to the CLEC.</p> <p>Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs.</p> <p>Non Mechanized: An LSR which is faxed or mailed to the LCSC for processing and is “clarified” (rejected) back to the CLEC by the BST service representative.</p> <p>LNP: Under Development</p>
For CLEC Results:
Percent Orders Rejected: The percentage of orders rejected is the count of (1) order submissions where the ILEC returns a Fatal Reject notice to the CLEC and (2) order submissions where the ILEC returns an Auto Clarification to the CLEC. The resulting combined count of rejections is divided by the count of orders submitted (For EDI interfaces, the orders submitted would be the combined count of positive and negative 997 messages issued upon receipt of the CLEC order.)
For ILEC Results:
Same computation as for the CLEC.
Calculation
Percent Rejected Service Requests = (Total Number of Rejected Service Requests) / (Total Number of Service Requests Received) X 100 during the month.
Report Structure:
<ul style="list-style-type: none"> • Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized • State and Region • CLEC Specific • CLEC Aggregate
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Rejects • Total Number of Errors • State and Region • Count of Orders Completed Without Manual Intervention • Count of Firm Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Interface Type • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type • Volume Category • Manual Fallout (for Mechanized Orders Only) 	<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Errors • Adjusted Error Volume • State and Region • Count Orders Completed Without Manual Intervention • Count of Order Commitments • Count of Syntax Rejects • Count of Legacy System Reject • Count of Orders Submitted • Interface Type • Order Activity • Service Type • Volume Category
RETAIL ANALOG/BENCHMARK:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

ORDERING

Report/Measurement:
Reject Interval
Definition:
Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LEO edit checks to insure the data received is correctly formatted and complete.
Exclusions:
Service Requests canceled by CLEC prior to being rejected/clarified
Business Rules:
<ul style="list-style-type: none"> • Fully Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp in EDI, TAG) until the LSR is rejected (date and time stamp of reject in EDI, TAG). Fatal Rejects and Auto Clarifications are considered in the Fully Mechanized category. • Partially Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp in EDI, TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI, TAG. • Total Mechanized Combination of Fully Mechanized and Partially Mechanized LSRs. • Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp from FAX Server) until notice of the reject is returned to the CLEC via FAX Server. • LNP: Under development.
<p><u>Reject Interval:</u> Reject Interval (<i>syntax</i>) is the elapsed time between the ILEC receipt of an order from the CLEC to the ILEC return of a notice of a syntax rejection to the CLEC. The time measurement starts when the ILEC receives the order from the CLEC. The time measurement stops when the ILEC returns a rejection notice to the CLEC. The elapsed time is accumulated by order type with the resulting accumulated time then divided by the count of rejected orders associated with the particular order type.</p> <p><u>Reject Interval:</u> Reject Interval (<i>legacy system</i>) is the elapsed time between the ILEC's acknowledgement /acceptance of an order from the CLEC to the ILEC's return of a rejection notice to the CLEC. The time measurement starts when the ILEC accepts or acknowledges the order from the CLEC as syntactically correct. The time measurement stops when the ILEC returns a rejection notice to the CLEC. The elapsed time is accumulated by order type with the resulting accumulated time then divided by the count of rejected orders associated with the particular service and order type.</p>
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., ASR and EDI) then the preceding measurement must be computed for each interface arrangement. • All intervals are measured in hours and hundredths of hours rounded to the nearest hundredth. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. • "Syntactically correct" means all fields required to process an order are populated and reflect the correct format as agreed and documented in the current interface specifications. • The ILEC service agent's attempt to submit an order for processing by the ILEC OSS is considered equivalent to the ILEC acknowledgment of the CLEC's order. • The ILEC OSS return of any indication to the service agent that an order cannot be processed as submitted is considered equivalent to the ILEC return of a rejection notice to the CLEC. • Return of any information (e.g., order recapitulation) to the ILEC customer service agent that indicates no errors are evident or that an order can be processed, is the equivalent of the ILEC return of a FOC to the CLEC. • Logging of information in the ILEC OSS, whether manual or automatic, that indicates an order may not be completed by the existing due date, is equivalent of the return of a jeopardy notice to the CLEC regardless of whether or not the ILEC takes action based upon such information. • Automatic logging of work completion and manual logging of work completion, whether input directly to the ILEC OSS or into an intermediate storage device, is considered the equivalent of the return of a completion notice to the CLEC.
Calculation:

Reject Interval = $\Sigma[(\text{Date and Time of Service Request Rejection}) - (\text{Date and Time of Service Request Receipt})] /$ (Number of Service Requests Rejected in Reporting Period)	
Report Structure: <ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized, Trunks 	
Level of Disaggregation: See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE:</u> <ul style="list-style-type: none"> • Report Month • Reject Interval • Total Number of LSRs • Total number of Errors • State and Region • Number of Orders Reflected in Result • Interface Type • Average Status Interval • Order Submission Date • Order Submission Time • Standard Order Activity • Status Type • Status Notice Date • Status Notice Time • Number of Statuses Provided 	<u>DATA RETAINED RELATING TO BST PERFORMANCE:</u> <ul style="list-style-type: none"> • Report Month • Reject Interval • Total number of LSRs • Total number of Errors • State and Region • Number of Orders Reflected in Result • Interface Type • Average Status Interval • Standard Error of Status Interval • Standard Order Activity • Status Type • Status Notice Date • Status Notice Time • Number Of Statuses Provided
Retail Analog/Benchmark: See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

ORDERING

Report/Measurement:
Firm Order Commitment Timeliness
Definition:
Interval for Return of a Firm Order Commitment (FOC Interval) is the average response time from receipt of valid LSR to distribution of a firm order commitment.
Exclusions:
<ul style="list-style-type: none"> • • None.
Business Rules:
<ul style="list-style-type: none"> • Mechanized - The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in LENS, EDI, TAG) until the LSR is processed, including mechanized facilities validation in LFACS and any other appropriate data bases to ensure available facilities, and appropriate service orders are generated in SOCS and the FOC is sent to the CLEC from LENS, EDI, TAG. • Partially Mechanized – The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in LENS, EDI, TAG) which falls out for manual handling by the LCSC personnel until appropriate service orders are issued by a BST service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and the FOC is sent to the CLEC from LENS, EDI, TAG. A mechanized facilities validation in LFACS and any other appropriate data bases is conducted to ensure available facilities prior to the return of the FOC. • Total Mechanized - Combination of Fully Mechanized and Partially Mechanized LSRs • Non-Mechanized - The elapsed time from receipt of a valid LSR (FAX Server receive date and time stamp) until appropriate service orders are issued by BST service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and the FOC is sent to the CLEC from the FAX Server. • LNP – Under development. <p>Firm Order Commitment (FOC) Interval: Interval for Return of a Firm Order Commitment is the elapsed time between the ILEC acceptance of a syntactically correct order and the return of a commitment to the CLEC that the order will be worked as submitted or worked with the modifications specified on the commitment. A database query in LFACS is conducted to ensure availability of facilities. The time measurement starts when the ILEC accepts (acknowledges) the order from the CLEC. The time measurement stops when the ILEC returns a valid firm order commitment to the CLEC. The elapsed time is accumulated by order type with the resulting accumulated time then divided by the count of orders associated with the particular order type.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., ASR and EDI) then the preceding measurement must be computed for each interface arrangement. • All intervals are measured in hours and hundredths of hours rounded to the nearest hundredth. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. • “Syntactically correct” means all fields required to process an order are populated and reflect the correct format as agreed and documented in the current interface specifications. • The ILEC service agent’s attempt to submit an order for processing by the ILEC OSS is considered equivalent to the ILEC acknowledgment of the CLEC’s order. • The ILEC OSS return of any indication to the service agent that an order cannot be processed as submitted is considered equivalent to the ILEC return of a rejection notice to the CLEC. • Return of any information (e.g., order recapitulation) to the ILEC customer service agent that indicates no errors are evident or that an order can be processed, is the equivalent of the ILEC return of a FOC to the CLEC. • Logging of information in the ILEC OSS, whether manual or automatic, that indicates an order may not be completed by the existing due date, is equivalent of the return of a jeopardy notice to the CLEC regardless of whether or not the ILEC takes action based upon such information. <p>Automatic logging of work completion and manual logging of work completion, whether input directly to the ILEC OSS or into an intermediate storage devise, is considered the equivalent of the return of a completion notice</p>

to the CLEC.	
Calculation:	
Firm Order Commitment Timeliness = $\Sigma[(\text{Date and Time of Firm Order Commitment}) - (\text{Date and Time of Service Request Receipt})] / (\text{Number of Service Requests Committed in Reporting Period})$	
Report Structure:	
<ul style="list-style-type: none"> Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized CLEC Specific CLEC Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE:</u>	<u>DATA RETAINED RELATING TO BST PERFORMANCE:</u>
<ul style="list-style-type: none"> Report Month Interval for FOC Total number of LSRs State and Region Number of Orders Reflected in Result Interface Type Average Status Interval Order Submission Date Order Submission Time Standard Order Activity Status Type Status Notice Date Status Notice Time Number of Statuses Provided 	<ul style="list-style-type: none"> Report Month Interval for FOC Total Number of LSRs State and Region Number of Orders Reflected in Result Interface Type Average Status Interval Standard Error of Status Interval Standard Order Activity Status Type Status Notice Date Status Notice Time Number Of Statuses Provided
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

ORDERING

Report/Measurement:
Speed of Answer in Ordering Center
Definition:
Measures the average time a customer is in queue.
Exclusions:
None
Business Rules:
For CLEC Results:
Mean Time to Answer Calls: Speed of Answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the ILEC call management system until the CLEC call is transferred to the ILEC personnel assigned to handling CLEC calls for assistance. The elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second. The accumulated elapsed time is divided by the count of calls transferred to ILEC agents for accuracy.
For ILEC Results:
Mean Time to Answer Calls: Speed of Answer, as it relates to the ILEC, will be measured in an identical manner as described for the CLEC. The results for the ILEC business office operations and its repair bureau operations should be separately accumulated, computed and retained. If further distinctions are made or more discrete tracking is performed within the ILEC call receipt centers (e.g., by business and residence), then results should be reported at the lowest possible level of detail. Where call receipt for such operations are commingled and inseparable, then only a single result for each measure will be generated and serve as the comparative result for both the CLEC repair support and the CLEC provisioning support results.
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • Speed of Answer minimum service standards, established in many states for business office, maintenance center, and/or operator services represent a similar ILEC measure and are derived from identical data (although the result displayed may be in comparison to a pre-established standard performance minimum). • For ILEC and CLEC calls, an ILEC Agent answering and placing the caller on hold does not stop timing for purposes of the speed of answer interval. • An interactive voice response (IVR) unit does not stop the timing for purposes of the speed of answer interval. For a call to be considered answered, the live ILEC Agent must handle the CLEC request. • Results may be reported for the CLEC industry in aggregate to the extent that separate carrier-specific support centers are not provided. If separate centers are provided (either for an individual CLEC or a group of CLECs) then results should be gathered and supplied for each center and reported to the CLEC(s) based upon the center providing the specific CLEC's support. • If the ILEC call management technology cannot measure speed of answer on a call-specific basis, then an alternate methodology that simulates speed of answer based upon the average time for component parts of the call (e.g., queue to IVR + IVR to queue + queue to agent answer) can be utilized by mutual consent of the ILEC and CLECs.
Calculation:
Mean Time to Answer Calls = $\Sigma [(Date and Time of Call Answer) - (Date and Time of Call Receipt)] / (\text{Total Calls Answered by Center})$
Report Structure:
<ul style="list-style-type: none"> • BST Aggregate (Combination of Residence Service Center and Business Service Center data under development.)
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> • Mechanized tracking through LCSC Automatic Call Distributor • Month • Center Identifier • Center Type • Mean Speed of Answer • Standard Error for Mean Speed of Answer 	<ul style="list-style-type: none"> • Mechanized tracking through BST Retail center support systems • Month • Center Identifier • Center Type • Mean Speed of Answer • Standard Error for Mean Speed of Answer
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

PROVISIONING

Report/Measurement:	
Mean Held Order Interval & Distribution Intervals	
Definition:	
When delays occur in completing CLEC orders, the average period that CLEC orders are held for BST reasons, pending a delayed completion, should be no worse for the CLEC when compared to BST delayed orders.	
Exclusions:	
<ul style="list-style-type: none"> • Order Activities of BST associated with internal or administrative use of local services. 	
Business Rules:	
For CLEC Results:	
<p>Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the committed due date and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval.</p> <p>CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.</p> <p>Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days. (orders counted in >90 days are also included in >15 days).</p>	
For ILEC Results:	
Same computation as for the CLEC with the clarifications provided below.	
Other Clarifications and Qualification:	
<ul style="list-style-type: none"> • The "held order" measure established by some state commissions as part of minimum service standards is analogous to this proposed measure but, because it is typically limited to monitoring only those orders held because of facility shortages, needs to be expanded to include all reasons that an order is pending and past due. • Order Supplements - If the CLEC initiates a supplement to the originally submitted order for the purpose of reflecting changes in customer requirements, then the due date returned on the FOC will be the basis for the preceding calculations. No other supplemental order activities will result in an update to the committed due date. • See "Order Status" measurement definitions for discussion of the ILEC analog for a completion notice. • The held order interval is measured in calendar rather than business days. 	
Calculation:	
<p>Mean Held Order Interval: $\frac{\Sigma (\text{Reporting Period Close Date} - \text{Committed Order Due Date})}{(\text{Number of Orders Pending and Past The Committed Due Date})}$ </p> <p>Held Order Distribution Interval: $\frac{(\# \text{ of Orders Held for } \geq 90 \text{ days})}{(\text{Total } \# \text{ of Orders Pending But Not Completed})} \times 100$ $\frac{(\# \text{ of Orders Held for } \geq 15 \text{ days})}{(\text{Total } \# \text{ of Orders Pending But Not Completed})} \times 100$ </p>	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO CLEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • CLEC Order Number and PON 	<ul style="list-style-type: none"> • Report Month • BST Order Number

<ul style="list-style-type: none">• Order Submission Date• Committed Due Date• Service Type• Hold Reason• Total line/circuit count (under development)• Geographic Scope <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none">• Order Submission Date• Committed Due Date• Service Type• Hold Reason• Geographic Scope• Average Held Order• Standard Error for Average Held Order Interval• Number of Orders Rejected
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

PROVISIONING

Report/M Measurement:
Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notice
Definition:
When BST can determine in advance that a committed due date is in jeopardy, it will provide advance notice to the CLEC.
Exclusions:
<ul style="list-style-type: none"> • • Orders held for CLEC end user reasons •
Business Rules:
<p>When BST can determine in advance that a committed due date is in jeopardy it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period.</p> <p>For CLEC Results: Jeopardy Interval: Jeopardy Interval is the remaining time between the pre-existing committed order completion date and time (communicated via the FOC) and the date and time the ILEC issues a notice to the CLEC indicating an order is in jeopardy of missing the due date. The scheduled order completion time will be assumed to be 5:00 p.m. local time unless other information is communicated in the FOC. The date and time of the jeopardy notice delivered by the ILEC is subtracted from the scheduled completion date to establish the jeopardy interval for any order placed in jeopardy before its scheduled due date. The jeopardy interval is accumulated by standard order activity with the resulting accumulated time then divided by the count of orders placed in jeopardy before the due date for each order activity.</p> <p>Percent Jeopardies: Percent Jeopardies is the percentage of total orders processed for which the ILEC notifies the CLEC that the work will not be completed as committed on the original FOC. The measurement result is derived by dividing the count of jeopardy notices the ILEC issues to the CLEC by the count of FOCs returned by the ILEC during the identical period. Both the "Number of Orders Jeopardized in Reporting Period" and "Number of Orders Committed in Reporting Period" are utilized in other status measurement computations and have identical meaning and derivation for this measurement.</p> <p>For ILEC Results: Same computation as the CLEC with the clarifications outlined below:</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., ASR and EDI) then the preceding measurement must be computed for each interface arrangement. • All intervals are measured in hours and hundredths of hours rounded to the nearest hundredth. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. • "Syntactically correct" means all fields required to process an order are populated and reflect the correct format as agreed and documented in the current interface specifications. • The ILEC service agent's attempt to submit an order for processing by the ILEC OSS is considered equivalent to the ILEC acknowledgment of the CLEC's order. • The ILEC OSS return of any indication to the service agent that an order cannot be processed as submitted is considered equivalent to the ILEC return of a rejection notice to the CLEC. • Return of any information (e.g., order recapitulation) to the ILEC customer service agent that indicates no errors are evident or that an order can be processed, is the equivalent of the ILEC return of a FOC to the CLEC. • Logging of information in the ILEC OSS, whether manual or automatic, that indicates an order may not be completed by the existing due date, is equivalent of the return of a jeopardy notice to the CLEC regardless of whether or not the ILEC takes action based upon such information. <p>Automatic logging of work completion and manual logging of work completion, whether input directly to the ILEC OSS or into an intermediate storage device, is considered the equivalent of the return of a completion notice to the CLEC.</p>

Calculation:	
<p>Average Jeopardy Interval = Σ [(Date and Time of Scheduled Due Date on Service Order) - (Date and Time of Jeopardy Notice)]/[Number of Orders Notified of Jeopardy in Reporting Period]. For all orders jeopardized on or before the scheduled due date.</p> <p>Percent of Orders Given Jeopardy Notice = Σ [(Number of Orders Given Jeopardy Notices in Reporting Period) / (Number of Orders Committed(due) in Reporting Period)]</p>	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific and CLEC Aggregate • BST Aggregate (under development with estimated release date of 8/15/99 for June reporting) 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<p><u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u></p> <ul style="list-style-type: none"> • Report Month • CLEC Order Number and PON • Date and Time Jeopardy Notice sent • Committed Due Date • Standard Service Groupings • Number of Orders Reflected in Result • Interface Type • Average Status Interval • Order Submission Date • Order Submission Time • Standard Service Order Activity • Status Type • Status Notice Date • Status Notice Time • Number of Statuses Provided <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<p><u>DATA RETAINED RELATING TO BST EXPERIENCE</u></p> <ul style="list-style-type: none"> • Report Month • ILEC Order Number • Date and Time Jeopardy Notice sent • Due Date • Standard Service Groupings • Number of Orders Reflected in Result • Interface Type • Average Status Interval • Standard Error of Status Interval • Standard Service Order Activity • Status Type • Status Notice Date • Status Notice Time • Number Of Statuses Provided <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

PROVISIONING

Report/Measurement:
Percent Orders Completed On Time
Definition:
The "orders completed on time" measure monitors the reliability of ILEC commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customers. In addition, when monitored over time, the "average completion interval" and "percent completed on time" may prove useful in detecting developing capacity issues.
Exclusions:
<ul style="list-style-type: none"> • Canceled Service Orders • Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) • • ILEC Orders associated with internal or administrative use of local services • Orders where CLEC has selected a longer due date than requested.
Business Rules:
<p>For CLEC Results: <u>Percent Orders Completed On Time:</u> The percentage of orders completed on time is determined by first counting, for each specified reporting dimension, both the total numbers of orders completed within the reporting interval and the number of orders completed by the committed due date (as specified on the initial FOC returned to the CLEC). For each reporting dimension, the resulting count of orders completed no later than the committed due date is divided by the total number of orders completed with the resulting fraction expressed as a percentage.</p> <p>For ILEC Results: Same as for CLEC with the clarifications noted below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • The elapsed time for an ILEC order is measured from the point in time when the ILEC customer service agent enters the order into the ILEC order processing system until the date and time that the ILEC personnel log actual completion of all work necessary to permit service initiation, whether or not the ILEC initiates customer billing at that point in time. • Results for the CLECs are captured and retained at the order level (e.g., unique PON). • The Completion Date and Time is the date upon which the ILEC issues the Order Completion Notice to the CLEC. • If the CLEC initiates a supplement to the originally submitted order and the supplement reflects changes in customer requirements (rather than responding to ILEC initiated changes), then the order submission date and time will be the date and time of the ILEC receipt of a syntactically correct order supplement. • No other supplemental order activities will result in an update to the order submission date and time used for the purposes of computing the order completion interval. • See "Order Status" measurement detail for a discussion of ILEC analogs, receipt of a syntactically correct order and return of a valid completion notice. • Elapsed time is measured in hours and hundredths of hours rounded to the nearest hundredth of an hour. • The accumulation of elapsed time continues through off-schedule, weekends and holidays.
Calculation:
Percent Orders Completed on Time = (Count of Orders Completed within ILEC Committed Due Date) / (Count of Orders Completed in Reporting Period) x 100
Report Structure:
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate

Report explanation: The difference between End User MA and Total MA is the result of BST caused misses. Here, Total MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the percentage of orders missed by the end user.

Level of Disaggregation:

See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Order Number and PON • Order Submission Date • Order Submission Time • Committed Due Date • Completion Date • Order Completion Time • Status Type • Status Notice Date • Standard Order Activity (See Appendix 1) • Geographic Scope • Average Order Completion Interval • Service Type (See Appendix 1) 	<ul style="list-style-type: none"> • Report Month • BST Order Number • Committed Due Date • Completion Date • Status Type • Status Notice Date • Standard Order Activity (See Appendix 1) • Geographic Scope • Average Order Completion Interval • Standard Error for the Order Completion Interval • Count of Orders Completed • Count of Orders Completed by the Due Date • Service Type (See Appendix 1) • Volume Category
<p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	
<p>Retail Analog/Benchmark:</p>	
<p>See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

PROVISIONING

Report/Measurement :
Average Completion Interval (OCI) & Order Completion Interval Distribution & Average Offered Interval
Definition:
The "average completion interval" measure monitors the interval of time it takes BST to provide service for the CLEC or its' own customers. The "Order Completion Interval Distribution" provides the percentage of orders completed within certain time periods. The "average offered interval" indicates whether both ILEC and CLEC have the same scheduling opportunities for service delivery.
Exclusions:
<ul style="list-style-type: none"> • Canceled Service Orders • Order Activities of BST or the CLEC associated with internal or administrative use of local services • (Record Orders, Test Orders, etc.) • "L" Appointment coded orders (where the customer has requested a later than offered interval)
Business Rules:
<p>For CLEC Results:</p> <ul style="list-style-type: none"> • The actual completion interval is determined for each order processed during the reporting period. The Completion interval is the elapsed time from when the order is electronically entered into SOCS after the FOC on a CLEC order, or the date time stamp receipt into SOCS by BST on retail orders to the order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS, whether or not the ILEC initiates customer billing at that point in time.. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed <p><u>Average Offered Interval:</u> The offered interval is the due date that an ILEC provides the CLEC on a firm order commitment (i.e. the earliest date on which the CLEC's customer can obtain service without paying for an escalation).</p> <p>For ILEC Results: Same as for CLEC with the clarifications noted below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • Results for the CLECs are captured and retained at the order level (e.g., unique PON). • The Completion Date and Time is the date upon which the ILEC issues the Order Completion Notice to the CLEC. • If the CLEC initiates a supplement to the originally submitted order and the supplement reflects changes in customer requirements (rather than responding to ILEC initiated changes), then the order submission date and time will be the date and time of the ILEC receipt of a syntactically correct order supplement. • No other supplemental order activities will result in an update to the order submission date and time used for the purposes of computing the order completion interval. • See "Order Status" measurement detail for a discussion of ILEC analogs, receipt of a syntactically correct order and return of a valid completion notice. • Elapsed time is measured in hours and hundredths of hours rounded to the nearest hundredth of an hour. • The accumulation of elapsed time continues through off-schedule, weekends and holidays.
Calculation :
<p>Average Completion Interval: $\Sigma [(Completion Date \& Time) - (Order Issue Date \& Time)] / \Sigma (Count of Orders Completed in Reporting Period)$</p> <p>Order Completion Interval Distribution: $\Sigma (Service Orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) \times 100$</p> <p>Average Offered Interval: $= [(Date \& Time Due Date) - (Date \& Time of Receipt of Service Request)] / (Number of Committed Due Dates)$</p>
Report Structure:
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate

- BST Aggregate

Level of Disaggregation:

See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Company Name • Order Number • Submission Date & Time • Completion Date & Time • Service Type • Geographic Scope • Activity Type <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none"> • Report Month • CLEC Order Number • Order Submission Date & Time • Order Completion Date & Time • Service Type • Geographic Scope • Average Order Completion Interval • Standard Error for the Order Completion Interval • Count of Orders Completed • Count of Orders Completed by the Due Date • Average Offered Interval • Activity Type • Volume Category
<u>RETAIL ANALOG/BENCHMARK</u>	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

PROVISIONING

Report/Measurement:
Average Completion Notice Interval
Definition:
The Completion Notice Interval is the elapsed time between the BST reported completion of work and the issuance of a valid completion notice to the CLEC.
Exclusions:
<ul style="list-style-type: none"> • • Cancelled Service Orders • Order Activities of BST associated with internal or administrative use of local services •
Business Rules:
<p>For CLEC Results: Completion Notice Interval is the elapsed time between the ILEC technician's reported completion of physical work and the issuance of a valid completion notice to the CLEC. Where physical work is not required, such as in the case of software-only changes, the elapsed time will be measured beginning at 5:00 p.m. local time of the date for the committed completion and will end when the ILEC returns a valid completion notice to the CLEC. If a valid completion notice is returned before 5:00 p.m. on the committed completion date and no physical work is involved, then the elapsed time will be recorded as 1/10 hour. The elapsed time is accumulated by order type with the resulting accumulated time then divided by the count of completion notices returned for each service and order type.</p> <p>For ILEC Results: Same computation as the CLEC with the clarifications outlined below:</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., ASR and EDI) then the preceding measurement must be computed for each interface arrangement. • All intervals are measured in hours and hundredths of hours rounded to the nearest hundredth. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. • "Syntactically correct" means all fields required to process an order are populated and reflect the correct format as agreed and documented in the current interface specifications. • The ILEC service agent's attempt to submit an order for processing by the ILEC OSS is considered equivalent to the ILEC acknowledgment of the CLEC's order. • The ILEC OSS return of any indication to the service agent that an order cannot be processed as submitted is considered equivalent to the ILEC return of a rejection notice to the CLEC. • Return of any information (e.g., order recapitulation) to the ILEC customer service agent that indicates no errors are evident or that an order can be processed, is the equivalent of the ILEC return of a FOC to the CLEC. • Logging of information in the ILEC OSS, whether manual or automatic, that indicates an order may not be completed by the existing due date, is equivalent of the return of a jeopardy notice to the CLEC regardless of whether or not the ILEC takes action based upon such information. • Automatic logging of work completion and manual logging of work completion, whether input directly to the ILEC OSS or into an intermediate storage devise, is considered the equivalent of the return of a completion notice to the CLEC.
Calculation:
$\frac{\Sigma (\text{Date and Time of Notice of Completion Issued to the CLEC}) - (\text{Date and Time of Work Completion by ILEC})}{(\text{Number of Orders Completed in Reporting Period})}$
Report Structure:
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate (in development-expected release date 08/15/99 reporting)

Level of Disaggregation:

See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

PROVISIONING – (Average Completion Notice Interval- Continued)

<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Order Number • Order Submission Date • Order Submission Time • Work Completion Date • Work Completion Time • Completion Notice Delivery Date • Completion Notice Delivery Time • Service Type • Activity Type • Geographic Scope • Interface Type • Status Type (Rejection, FOC, Jeopardy Type, Completion Notice) • Standard Order Activity • Order Due Date <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none"> • • Report Month • Service Order Number • Work Completion Date • Work Completion Time • Completion Notice Delivery Date • Completion Notice Delivery Time • Service Type • Standard Order Activity • Geographic Scope • Interface Type • Status Type (Rejection, FOC, Jeopardy Type, Completion Notice) • Average Status interval • Standard error of status interval • Number of Orders Reflected In Result • Number of Statuses Provided <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>
<p>Retail Analog/Benchmark: See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

PROVISIONING

Report/Measurement:	
Coordinated Customer Conversions	
Definition:	
This category measures the average time it takes BST to disconnect an unbundled loop from the BST switch termination connector and cross connect it to a CLEC's equipment termination connector. This measurement applies to service orders with and without NP, and where the CLEC has requested BST to provide a coordinated cutover.	
Exclusions:	
<ul style="list-style-type: none"> • • None 	
Business Rules:	
<u>Average Coordinated Conversion Interval:</u> The elapsed time between the disconnection of an access line (for a retail customer of the ILEC) from the switch port of the ILEC to the time that the ILEC finishes both the physical work necessary to re-terminate the loop (at the point of re-termination specified by the CLEC) and receives CLEC confirmation that electrical continuity exists. The elapsed time is accumulated for the reporting period and divided by the number of loops that were re-terminated on a coordinated basis.	
Calculation:	
$\frac{\Sigma[(\text{Date \& Time Re-termination is Completed by ILEC}) - \text{Date \& Time of Initial Service Interruption (disconnect for Customer Transferring Service)}]}{(\text{Count of Completed Coordinated Conversions in Reporting Period})}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Order Number • Committed Due Date • Service Type • Cutover Start Date & Time • Cutover Completion Date & Time • Portability start and completion times (NP Orders) • Total Items • Order Activity • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none"> • • Report Month • Number of Early Conversions • Total Number of Conversions • Average Conversion Interval • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

PROVISIONING

Report/Measurement:	
% Provisioning Troubles within 30 days of Service Order Activity	
Definition:	
Percent Provisioning Troubles within 30 days of Installation measures the quality and accuracy of installation activities.	
Exclusions:	
<ul style="list-style-type: none"> • Canceled Service Orders • Order Activities of BST or the CLEC associated with internal or administrative use of local services (R Orders, Test Orders, etc.) • D & F orders 	
Business Rules:	
<p>Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion for a trouble report.</p> <p>D & F orders are excluded as there is no subsequent activity following a disconnect.</p>	
For CLEC Results:	
<p>Percent Troubles Within 30 Days of Installation: The results are computed by accumulating the number of trouble tickets submitted by a CLEC to the ILEC for a service arrangement that had at least one install or service order activity within the 30 calendar days preceding the creation of the current trouble ticket. The count of troubles is divided by the count of service-affecting orders completed by the ILEC for the CLEC during the report period.</p> <p>Non-parity results for Percent Trouble Rate within 30 Days of Install and Other Order Activity may require further reporting to determine root cause issues. For instance, reports on whether facilities provided on new installations tested to industry standard per interconnection contract, tariff or regulatory requirements may be required if results indicate a poorer performance of facilities and supporting network equipment provided to CLECs. ILECs also may need to cooperate with CLECs on comparative mechanized line testing (through respective ILEC and CLEC switches) of the transmission quality of ILEC loops versus CLEC unbundled loops obtained from the ILEC. Reporting dimensions of copper versus fiber deployment may show that CLEC install troubles result from a disparity in use of underlying transmission media for install of ILEC vs. CLEC facilities. The broadening of the measure to include more than just new installs will detect new service activations (hunt group changes, other feature additions) that cause troubles versus network transmission quality.</p>	
For ILEC Results:	
Calculations are similar to those for CLECs.	
Calculation:	
$\% \text{ Provisioning Troubles within 30 days of Service Order Activity} = \frac{\Sigma (\text{Trouble reports on all completed lines} \leq 30 \text{ days following service order(s) completion})}{(\text{All Service Orders completed in the report period})} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO CLEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • CLEC Order Number and PON • Order Submission Date • Order Submission Time 	<ul style="list-style-type: none"> • Report Month • BST Order Number • Order Submission Date • Order Submission Time

<ul style="list-style-type: none">• Status Type• Status Notice Date• Standard Order Activity• Geographic Scope• CLEC Ticket Number• Ticket Submission Time• Ticket Submission Date• Trouble Resolution Time• Trouble Resolution Date• Service Type (See Appendix 1)• WTN or CKTID (a unique identifier for elements combined in a service configuration)• Trouble Type <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none">• Status Type• Status Notice Date• Standard Order Activity• Geographic Scope• Service Type (See Appendix 1)• Trouble Type• Number of Tickets• Number of Service Access Lines
<p>Retail Analog/Benchmark: See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

PROVISIONING

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement :
Total Service Order Cycle Time (TSOCT) (under development 3Q99)
Definition:
This is a new measurement under development to measure the total service order cycle time from receipt of a valid service order request to the completion of the service order.
Exclusions:
<ul style="list-style-type: none"> • Canceled Service Orders • Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) • D (Disconnect) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address). • "L" Appointment coded orders (where the customer has requested a later than offered interval) • Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes.
Business Rules:
The interval is determined for each order processed during the reporting period. This measurement combines two reports: FOC (Firm Order Commitment) with Average Order Completion Interval. This interval starts with the receipt of a valid service order request and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed
Calculation :
Total Service Order Cycle Time (under development)
Report Structure:
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

PROVISIONING – (Total Service Order Cycle Time (TSOCT) – Continued

DATA RETAINED RELATING TO CLEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • Interval for FOC • CLEC Company Name • Order Number (PON) • Submission Date & Time (TICKET_ID) • Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Geographic Scope <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none"> • Report Month • CLEC Order Number • Order Submission Date & Time • Order Completion Date & Time • -Service Type • Geographic Scope
<p>Retail Analog/Benchmark See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

MAINTENANCE & REPAIR

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:	
Missed Repair Appointments	
Definition:	
The percent of trouble reports not cleared by the committed date and time.	
Exclusions:	
<ul style="list-style-type: none"> • Trouble tickets canceled at the CLEC request. • BST trouble reports associated with internal or administrative service. • Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble. 	
Business Rules:	
The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BST personnel clear the trouble and closes the trouble report in his Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BST and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BST reasons. Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours.	
Calculation:	
Percentage of Missed Repair Appointments = Σ (Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time) / Σ (Total Trouble reports closed in Reporting Period) X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Company Name • Submission Date & Time (TICKET_ID) • Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Disposition and Cause (CAUSE_CD & CAUSE_DESC) • Geographic Scope 	<ul style="list-style-type: none"> • Report Month • BST Company Code • Submission Date & Time • Completion Date • Service Type • Disposition and Cause (Non-Design / Non-Special Only) • Trouble Code (Design and Trunking Services) • Geographic Scope
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

MAINTENANCE & REPAIR

Report/Measurement:	
Customer Trouble Report Rate	
Definition:	
Initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/ circuits in service.	
Exclusions:	
<ul style="list-style-type: none"> • Trouble tickets canceled at the CLEC request. • BST trouble reports associated with administrative service. • Instances where the CLEC or an ILEC customer requests a ticket be "held open" for monitoring • Trouble tickets created for tracking and/or monitoring requests for clarifying information (e.g., confirmation of customer ownership from CLEC support centers) • Tickets used to track referrals of misdirected calls 	
Business Rules:	
<p>For CLEC Results: The frequency of trouble metric is computed by accumulating, by standard service grouping and disposition and cause, the total number of maintenance tickets logged by a CLEC (with the ILEC) during the reporting period. The resulting number of tickets for each trouble type is accumulated within each standard service grouping, and trouble type is divided by the total number of "service access lines" existing for the CLEC at the end of the report period</p> <p>For ILEC Results: Same calculation as for the CLEC with the clarifications provided below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • Unbundled loops or UNE combinations involving unbundled loops would be counted as a "service access line." • A trouble is "resolved" when the ILEC issues notice to the CLEC that the customer's service is restored to normal operating parameters. • See the "Time to Restore" measurement for a discussion of the ILEC equivalent of "trouble tickets" and "trouble logging". 	
Calculation:	
Customer Trouble Report Rate = (Count of Initial and Repeated Trouble Reports in the Current Period) / (Number of Service Access Lines in service at End of the Report Period) X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate. 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Company Name • CLEC Ticket Number • Ticket Submission Date & Time • Ticket Completion Date • Trouble Resolution Time • Trouble Resolution Date • Service Type • Disposition and 	<ul style="list-style-type: none"> • Report Month • BST Company Code • Ticket Submission Date & Time • Ticket Completion Date • Service Type • Disposition and Cause (Non-Design / Non-Special Only) • Trouble Code (Design and Trunking Services) • # Service Access Lines in Service at the end of

<ul style="list-style-type: none">• # Service Access Lines in Service at the end of period• Geographic Scope• WTN or CKTID (a unique identifier for elements combined in a service configuration)• Trouble Type <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<p>period</p> <ul style="list-style-type: none">• Geographic Scope• Number of Tickets• Trouble Type• Number of Tickets• Number of Service Access Lines
<p>Retail Analog/Benchmark:</p>	
<p>See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

MAINTENANCE & REPAIR

Report/Measurement:
Maintenance Average Duration
Definition:
The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.
Exclusions:
<ul style="list-style-type: none"> • Trouble reports canceled at the CLEC request • BST trouble reports associated with administrative service • Instances where the CLEC or an ILEC customer requests that a ticket be “held open” for monitoring • Subsequent Reports (additional reports on an already open ticket) • Any trouble type tracking that parties agree are technically unfeasible or operationally prohibitive • A trouble ticket created for tracking and/or monitoring requests for clarifying information (e.g. confirmation of customer ownership from CLEC support centers. • Tickets used to track referrals of misdirected calls
Business Rules:
<ul style="list-style-type: none"> • For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops when the ILEC issues notice to the CLEC that the customer’s service is restored to normal operating parameters. <p>For CLEC Results: Mean Time To Restore: The restoral interval for resolution of customer requested maintenance and repair is the elapsed time, measured in hours and tenths of hours, measured from the CLEC submission of a customer trouble to the ILEC, regardless of the ultimate resolution of the trouble, to the time the ILEC returns a valid trouble resolution notification to the CLEC. The elapsed time is accumulated by service type and trouble disposition for the reporting period. The accumulated time is divided by the count of maintenance tickets reported as resolved by the ILEC (by service type and trouble type) during the report period.</p> <p>For ILEC Results: Same computation as for the CLEC.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • Elapsed time is measured on a 24-hour-a-day, seven-days-a-week basis. The time is measured in hours and hundredths of hours rounded to the nearest hundredth hour. • Multiple reports for the same customer service are treated as the same incident only when a subsequent report is received for a customer service arrangement that already has an open ticket. • “Restore” means to return to the normally expected operating parameters for the service regardless of whether or not the service, at the time of trouble ticket creation, was operating in a degraded mode or was completely unusable. • A trouble is “resolved” when the ILEC issues notice to the CLEC that the customer’s service is restored to normal operating parameters. • A trouble ticket or trouble report is any record (whether paper or electronic) used by the ILEC for the purpose of monitoring action and disposition of a service repair or maintenance situation. • ILEC acceptance of a trouble by the call receipt agent is considered equivalent to the CLEC logging or submitting a trouble to the ILEC. • The ILEC closure of a trouble ticket (whether automatic or manual) is considered equivalent to returning a trouble resolution notice to the CLEC.
Calculation:
Maintenance Average Duration = $\Sigma(\text{Date and Time of Trouble Ticket Resolution Returned to CLEC}) - (\text{Date and Time Trouble Ticket was Referred to ILEC}) / \Sigma(\text{Total Closed Trouble Tickets Resolved in the reporting period})$
Report Structure:

<ul style="list-style-type: none"> • CLEC Specific • BST Aggregate • CLEC Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • CLEC Ticket Number • Total Tickets • CLEC Company Name • Ticket Submission Date & Time • Ticket Completion Date & Time • Trouble Resolution Date & Time • Service Type • Disposition and Cause • Geographic Scope • WTN or CKTID (a unique identifier for elements combined in a service configuration) • Trouble Type (See Appendix 1) <p>NOTE: Code in parentheses is the corresponding header found in the raw data file.</p>	<ul style="list-style-type: none"> • Report Month • Total Tickets • BST Company Code • Ticket Submission Date • Ticket submission Time • Ticket completion Date • Ticket Completion Time • Total Duration Time • Service Type • Disposition and Cause (Non – Design / Non-Special Only) • Trouble Code (Design and Trunking Services) • Geographic Scope • Standard Error for the Average Restoral Interval • Trouble Type (See Appendix 1)
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

MAINTENANCE & REPAIR

Report/Measurement:
Percent Repeat Troubles within 30 Days
Definition:
Trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles reported.
Exclusions:
<ul style="list-style-type: none"> • Trouble Reports canceled at the CLEC request • BST Trouble Reports associated with administrative service • Instances where the CLEC or an ILEC customer requests that a ticket be "held open" for monitoring. • Subsequent trouble report(s) on a maintenance ticket that has (have) not been reported as resolved (or closed) • Trouble tickets created for tracking and/or monitoring requests for clarifying information (e.g., confirmation of customer ownership from CLEC support centers) • Tickets used to track referrals of misdirected calls.
Business Rules:
Includes Customer trouble reports received within 30 days of an original Customer trouble report.
For CLEC Results:
The repeat trouble rate measure is computed by accumulating the number of instances where a trouble ticket is submitted by a CLEC to the ILEC for a service arrangement that had at least one prior trouble ticket any time in the 30 calendar days preceding the creation of the current trouble ticket. The number of repeat troubles are accumulated for the reporting period by service type and trouble type. The count of repeat troubles, by service type, is divided by the count of initial trouble reports (by service type) received during the report period.
For ILEC Results:
Same computation as for CLECs.
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • Unbundled loops or UNE combinations involving and unbundled loops are considered a "service access line". • A trouble is "resolved" when the ILEC issues notice to the CLEC that the Customer's service is restored to normal operating parameters. • The "same service arrangement" means a trouble report being reported for the same telephone number or the same circuit identifier. • The trouble resolution need not be identical between the repeated reports for the incident to be counted as a repeated trouble.
Calculation:
Percentage of Missed Repair Appointments = (Count of Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days) / (Total Trouble Reports in Reporting Period) X 100
Report Structure:
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

DATA RETAINED RELATING TO CLEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • Total Tickets • CLEC Company Name • Ticket Submission Date & Time • Ticket Completion Date & Time • Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) • Service Type • Disposition and Cause • Geographic Scope <ul style="list-style-type: none"> • CLEC Ticket Number • Service Type • WTN or CKTID (a unique identifier for elements combined in a service configuration) <ul style="list-style-type: none"> • Trouble Type <p>NOTE: Code parentheses is the corresponding header format found in the raw data file.</p>	<ul style="list-style-type: none"> • Report Month • Total Tickets • BST Company Code • Ticket Submission Date • Ticket Submission Time • Ticket Completion Date • Ticket Completion Time • Total and Percent Repeat Trouble Reports within 30 Days • Service Type • Disposition and Cause (Non – Design/ Non-Special only) • Trouble Code (Design and Trunking Services) • Geographic Scope
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

MAINTENANCE & REPAIR

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:	
Out of Service (OOS) > 24 Hours	
Definition:	
For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of troubles cleared in excess of 24 hours. (All design services are considered to be out of service.)	
Exclusions:	
<ul style="list-style-type: none"> • Trouble Reports canceled at the CLEC request • BST Trouble Reports associated with administrative service • Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles. 	
Business Rules:	
Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS and the trouble is counted if the time exceeds 24 hours.	
Calculation:	
Out of Service (OOS) > 24 hours = (Total Troubles OOS > 24 Hours) / Total OOS Troubles in Reporting Period) X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • BST Aggregate • CLEC Aggregate. 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • Total Tickets • CLEC Company Name • Ticket Submission Date & Time (TICKET_ID) • Ticket Completion Date (CMPLTN_DT) • Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) • Service type (CLASS_SVC_DESC) • Disposition and Cause (CAUSE_CD & CAUSE-DESC) • Geographic Scope 	<ul style="list-style-type: none"> • Report Month • Total Tickets • BST Company Code • Ticket Submission Date • Ticket Submission time • Ticket Completion Date • Ticket Completion Time • Percent of Customer Troubles out of Service > 24 Hours • Service type • Disposition and Cause (Non – Design/ Non-Special only) • Trouble Code (Design and Trunking Services) • Geographic Scope
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

MAINTENANCE & REPAIR

Report/Measurement:
OSS Interface Availability
Definition:
The percentage of time the OSS Interface is functionally available compared to scheduled availability. Availability percentage for the CLEC and BST interface systems and for the legacy systems accessed by them are captured.
Exclusions:
None
Business Rules:
This measure is designed to compare the OSS availability versus scheduled availability of BST's legacy systems.
For CLEC Results:
Percent System Availability: The total "number of hours functionality was scheduled to be available" is the cumulative number of hours (by date and time on a 24-hour clock) over which the ILEC planned to offer and support CLEC access to ILEC OSS functionality during the reporting period. The ILEC must provide a minimum advance notice of one reporting period regarding availability plans and such plans must be interface-specific. If scheduled availability is not provided with at least one report period's advance notice, then the default availability for the subsequent reporting period will be seven days per week, 24 hours per day.
"Hours Functionality is Available" is the actual number of hours, during scheduled available time, that the ILEC gateway or interface is capable of accepting CLEC transactions or data files for processing in the gateway / interface and supporting OSS.
The actual time available is divided by the scheduled time available and then multiplied by 100 to produce the "Percent system availability" measure. The "Percent system availability" measure is required for each unique interface type offered by the ILEC.
For ILEC Results:
Each OSS of the ILEC that is employed in the support of CLEC operations must first be identified by supported functional area (e.g., pre-ordering, ordering and provisioning, repair and maintenance and billing) with such mapping disclosed to the CLECs. The "available time" and "scheduled available time" is gathered for each of the identified ILEC OSS during the report period. The OSS function availability is computed based upon the weighted average availability of the subtending support OSS. That is, the available time for each OSS supporting a functional area is accumulated over the report period and then divided by the summation of the scheduled available time for those same supporting OSS.
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • The ILEC analogs for this performance measure are the internal measures of system downtime (or up time) typically established between the ILEC Systems Management Organization and the client organizations. • OSS scheduled and available time may be utilized in the computation of more than one functional area. • Parity exists if the CLEC "Percent system availability" \geq ILEC function availability for the functionality accessed by the CLEC. • "Capable of accepting" must have a meaning consistent with the ILEC definition down time, whether planned or unplanned, for internal ILEC systems having a comparable potential for customer impact. • Time is measured in hours and tenths of hours rounded to the nearest tenth of an hour.
Calculation:
$\text{OSS Interface Availability} = \frac{\text{(Number of Hours Functionality is Available to CLECs During Report Period)}}{\text{(Number of Hours Functionality was Scheduled to be Available During the Report Period)}} \times 100$
Report Structure:
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate

<ul style="list-style-type: none"> BST/CLEC 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> Availability of CLEC TAFI Availability of LMOS HOST, MARCH and SOCS CRIS, PREDICTOR, LNP, and OSPCM (under development at this time) Report Month Interface Type (Identifies each unique interface available to CLECs) Business Period Scheduled Hour Available Actual Hours Available 	<ul style="list-style-type: none"> Availability of BST TAFI Availability of LMOS HOST, MARCH and SOCS Report Month Functionality Identification Business Period Percent Availability of Functionality
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

MAINTENANCE & REPAIR

Report/Measurement:
OSS Response Interval and Percentages
Definition:
Maintenance customer service agents must obtain real-time information in order to log customer troubles. In Maintenance information is gathered from supporting OSS while the customer (or potential customer) is on the telephone with the customer service agent. Because customers already may be dissatisfied when they report a trouble, it is critical that the CLEC be perceived as equally competent, knowledgeable and fast as an ILEC customer service agent. This measure is designed to monitor the time required for CLECs to obtain maintenance information necessary to log trouble reports. Comparisons to ILEC results indicate whether a CLEC has an equal opportunity to deliver a comparable customer experience when a retail customer calls the CLEC with a service inquiry.
Exclusions:
Queries received during scheduled system maintenance time.
Business Rules:
<p>For CLEC Results: The response interval for each query is determined by computing the elapsed time from the ILEC receipt of a query from the CLEC, whether or not syntactically correct, to the time the ILEC returns the requested data (or reject notification) to the CLEC. Elapsed time is accumulated for each major query or transaction type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by the ILEC during the reporting period.</p> <p>For ILEC Results: The ILEC computation is identical to that for the CLEC with the clarifications noted below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • The elapsed time for an ILEC query is measured from the point in time when the ILEC customer service agent submits the request for identical or similar information into the ILEC OSS until the time when the ILEC OSS returns the requested information to the ILEC customer service agent. • Elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second. • Elapsed time is to be measured through automated rather than manual monitoring and logging. • The ILEC service agent entry of a request for repair information (to the ILEC OSS) is considered to be the equivalent of the ILEC receipt of a query from the CLEC. • The ILEC OSS return of information to the ILEC customer service agent, whether in hard copy or by display on a terminal, is considered equivalent to the return of requested information to the CLEC.
Calculation:
$\text{OSS Response Interval} = (\text{Query Response Date and Time for Category "X"}) - (\text{Query Request Date and Time for Category "X"}) / (\text{Number of Queries Submitted in the Reporting Period})$ where, "X" is 0-4, ≥ 4 to 10, ≥ 10 , ≥ 30 seconds.
Report Structure:
<ul style="list-style-type: none"> • CLEC • BST Residence • BST Business (BST Total is under development at this time) by interface for each legacy system and function as appropriate.
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

DATA RETAINED RELATING TO CLEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • CLEC Transaction Intervals • Report Month • Interface Type (specific to pre-ordering or maintenance and repair) • Query Identifier (e.g., unique tracking number) • Query Receipt Date by ILEC • Query Receipt Time by ILEC • Query Type (per reporting dimension) • Response Return Date • Response Return Time 	<ul style="list-style-type: none"> • BST Business and Residence transaction Intervals • Report Month • Interface Type • Query Type (per reporting dimension) • Mean response interval • Query Count • Standard error of the mean response interval
<p>Retail Analog/Benchmark: See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

MAINTENANCE & REPAIR

Report/Measurement:
Average Answer Time – Repair Centers
Definition:
This measure demonstrates an average response time for the CLEC representative to contact a BST representative. The average time a CLEC Rep is in queue waiting for the LCSC or UNE Center Rep to answer.
Exclusions:
None
Business Rules:
For CLEC Results: Speed of Answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the ILEC call management system until the CLEC call is transferred to the ILEC personnel assigned to handling CLEC calls for assistance. The elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second. The accumulated elapsed time is divided by the count of calls transferred to ILEC agents for accuracy.
For ILEC Results: Mean Time to Answer Calls: Speed of Answer, as it relates to the ILEC, will be measured in an identical manner as described for the CLEC. The results for the ILEC business office operations and its repair bureau operations should be separately accumulated, computed and retained. If further distinctions are made or more discrete tracking is performed within the ILEC call receipt centers (e.g., by business and residence), then results should be reported at the lowest possible level of detail. Where call receipt for such operations are commingled and inseparable, then only a single result for each measure will be generated and serve as the comparative result for both the CLEC repair support and the CLEC provisioning support results.
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • Speed of Answer minimum service standards, established in many states for business office, maintenance center, and/or operator services represent a similar ILEC measure and are derived from identical data (although the result displayed may be in comparison to a pre-established standard performance minimum). • For ILEC and CLEC calls, an ILEC Agent answering and placing the caller on hold does not stop timing for purposes of the speed of answer interval. • An interactive voice response (IVR) unit does not stop the timing for purposes of the speed of answer interval. For a call to be considered answered, the live ILEC Agent must handle the CLEC request. • Results may be reported for the CLEC industry in aggregate to the extent that separate carrier-specific support centers are not provided. If separate centers are provided (either for an individual CLEC or a group of CLECs) then results should be gathered and reported for each center and reported to the CLEC(s) based upon the center providing the specific CLEC's support. <p>If the ILEC call management technology cannot measure speed of answer on a call-specific basis, then an alternate methodology that simulates speed of answer based upon the average time for component parts of the call (e.g., queue to IVR + IVR to queue + queue to agent answer) can be utilized by mutual consent of the ILEC and CLECs.</p>
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks
Calculation:
$\text{Mean Time to Answer Calls} = \Sigma [(\text{Date and Time of Call Answer}) - (\text{Date and Time of Call Receipt})] / (\text{Total Calls Answered by Center})$
Report Structure:
<ul style="list-style-type: none"> • CLEC Aggregate • BST/CLEC Aggregate

<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none">• CLEC Average Answer Time• Month• Center Identifier• Center Type• Standard Error for Mean Speed of Answer	<ul style="list-style-type: none">• BST Average Answer Time• Month• Center Identifier• Center Type• Standard Error for Mean Speed of Answer
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

BILLING

AT&T Proposes That This Measure Be Replaced By The Following Measures:

- **Percent Mechanized Billing Format Accuracy** **NB-5**
- **Percent Process Accuracy of Current Billing Activity** **NB-6**
- **Percent Switched Local Billing Accuracy** **NB-7**

•	
•	
•	•

BILLING

Report/Measurement:	
Usage Data Delivery Accuracy	
Definition:	
This measurement captures the percentage of recorded usage and recorded usage data packets transmitted error free and in an agreed upon format to the appropriate CLEC, as well as a parity measurement against BST Data Packet Transmission.	
Exclusions:	
None	
Business Rules:	
For CLEC Results:	
The completeness of content, accuracy of information/charges and conformance of formatting will be determined based upon the terms of the individual CLEC interconnection agreements with the ILECs. The ILEC will establish a quality control process that is disclosed to CLECs and that is no less rigorous than the most rigorous quality monitoring established in the ILEC billing service contracts for long distance service providers. The quality monitoring process must be disclosed in advance and process auditing must be permitted. The records delivered by the ILEC must simultaneously meet the standards relating to content, accuracy and formatting in order to be counted as accurate. The measurement is expressed as a ratio (expressed as a percentage) of accurate records/charges to the total records/charges delivered.	
For ILEC Results:	
The computation for the ILEC is identical to that described for the CLEC. The usage accuracy determination is based upon comparison of the usage records, following format conversion to the EMR (or equivalent) format as compared to the internally established content and formatting requirements.	
Other Clarifications and Qualification:	
<ul style="list-style-type: none"> The usage accuracy measures identified here are similar to the type of measures that ILECs commonly institute in service contracts with long distance service suppliers who use ILEC billing services. 	
Calculations:	
Usage Data Delivery Accuracy = $\Sigma [(Total\ number\ of\ usage\ records\ delivered\ during\ current\ reporting\ period\ that\ reflected\ complete\ information\ content\ and\ proper\ formatting)] / (Total\ number\ of\ usage\ records\ transmitted\ during\ reporting\ period) \times 100$	
Report Structure:	
<ul style="list-style-type: none"> CLEC Specific CLEC Aggregate BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> Report Month Record Type <ul style="list-style-type: none"> > BellSouth Recorded > Non BellSouth Recorded Number of Records With Errors Number of Records Delivered 	<ul style="list-style-type: none"> Report Month Record Type Number of Records With Errors Number of Records Created
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

BILLING

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:	
Usage Data Delivery Completeness	
Definition:	
<p>This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BST for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BST messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.</p>	
Exclusions:	
None	
Business Rules:	
The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.	
Calculation:	
Usage Data Delivery Completeness = $\Sigma(\text{Total number of Recorded usage records delivered during the current month that are within thirty (30) days of the message recording date}) / \Sigma(\text{Total number of Recorded usage records delivered during the current month}) \times 100$	
REPORT STRUCTURE	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> > BellSouth Recorded > Non BellSouth Recorded 	<ul style="list-style-type: none"> • Report Monthly • Record Type
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

BILLING

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:	
Usage Data Delivery Timeliness	
Definition:	
This measurement provides percentage of recorded usage data (usage recorded by BST and usage recorded by other companies and sent to BST for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BST messages processed and transmitted via CMD5. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.	
Exclusions:	
None	
Business Rules:	
The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BST receives the records to the date BST distributes to the CLEC. Method of delivery is at the option of the CLEC.	
Calculation:	
Usage Data Delivery Timeliness – Σ (Total number of usage records sent within six (6) calendar days from initial recording/receipt) / Σ (Total number of usage records sent) X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Aggregate • CLEC Specific • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> > BellSouth Recorded > Non-BellSouth Recorded 	<ul style="list-style-type: none"> • Report Monthly • Record Type
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

BILLING

Report/Measurement:	
Mean Time to Deliver Usage	
Definition:	
This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BST messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.	
Exclusions:	
None	
Business Rules:	
The purpose of this measurement is to demonstrate the average number of days it takes to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.	
For CLEC Results:	
<p>Usage Records: This measure captures the elapsed time between the recording of usage data generated either by CLEC retail customers or by CLEC access customers (by the AMA recording equipment associated with the ILEC switch) and the time when the data set, in a compliant format, is successfully transmitted to the CLEC. For each usage record, the calendar date and time of usage recording is compared to the calendar date and time of successful completion of data set transmission to the CLEC. The number of hours and tenths of hours elapsed between message recording and data set transmission will constitute the elapsed delivery time. The elapsed delivery time is accumulated for each usage record with the resulting total number of hours accumulated being divided by the number of complete usage records in all the data sets transmitted.</p> <p>For ILEC Results: Identical computations are made for the ILEC with the clarifications provided below.</p>	
Other Clarifications and Qualification:	
<ul style="list-style-type: none"> • The elapsed time for delivery of ILEC usage records is measured from the time of message recording, as captured on the ILEC's AMA tape, to the time the AMA tape is converted to billing format (EMR format or equivalent). • Mean time to deliver usage records is to be reported separately for end user usage and access related usage. 	
Calculation:	
$\text{Mean Time to Provide Recorded Usage Records} = \frac{\sum[(\text{Data Set Transmission Date}) - (\text{Date of Message Recording})]}{(\text{Count of All Messages Transmitted in Reporting Period})}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Aggregate • CLEC Specific • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> > BellSouth Recorded > Non-BellSouth Recorded • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered 	<ul style="list-style-type: none"> • Report Monthly • Record Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

OPERATOR SERVICES AND DIRECTORY ASSISTANCE

Note: AT&T Proposes One OS/DA Measure:

Mean Time To Answer With Separate Reporting For OS And DA

Report/Measurement:	
Speed to Answer Performance/Average Speed to Answer – Toll	
Definition:	
Measurement of the average time in seconds calls wait before answered by a toll operator.	
Exclusions:	
None	
Business Rules:	
<p>Mean Time To Answer: Speed of Answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC retail customer call into the ILEC call management system queue until the CLEC retail customer call is transferred to the ILEC personnel assigned to handling CLEC calls for assistance (whether DA or OS). The elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second.</p>	
Calculation:	
<p>Mean Time To Answer = $\frac{\sum(\text{Date and Time of Call Answer}) - (\text{Date and Time of Call Receipt})}{(\text{Total Calls Answered on Behalf of the CLECs in Reporting Period})}$</p>	
Report Structure:	
<p>Reported for the aggregate of BST and CLECs</p> <ul style="list-style-type: none"> State 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED (ON AGGREGATE BASIS)	
•	
DATA RETAINED RELATING TO CLEC EXPERIENCE:	DATA RETAINED RELATING TO BST PERFORMANCE:
<ul style="list-style-type: none"> Month Type of Measurement (OS Calls, DA Calls or Directory Listing) Center Identifier (or Directory ID for DL) Mean Speed of Answer (OS & DA only) Standard Error for Mean Speed of Answer (OS & DA only) Number of Calls Answered (OS & DA only) Directory Close Date (DL only) List Availability Date (DL only) 	<ul style="list-style-type: none"> Month Type of Measurement (OS Calls, DA calls or Directory Listings) Center Identifier (or Directory ID for DL) Mean Speed of Answer (OS & DA only) Standard Error for Mean Speed of Answer (OS & DA only) Standard Error for Mean Speed of Answer (OS & DA only) Directory Close Date (DL only) Listing Availability Date (DL only)
Retail Analog/Benchmark	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

OPERATOR SERVICES AND DIRECTORY ASSISTANCE

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:
Speed to Answer Performance/Percent Answered within "X" Seconds – Toll
Definition:
Measurement of the percent of toll calls that are answered in less than "X" seconds. The number of seconds represented by "X" is thirty, except where a different regulatory benchmark has been set against the Average Speed to Answer by a State Commission.
Exclusions:
Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.
Business Rules:
The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.
Calculation:
The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.
Report Structure:
Reported for the aggregate of BST and CLECs
<ul style="list-style-type: none"> • State
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks
DATA RETAINED (ON AGGREGATE BASIS)
For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
<ul style="list-style-type: none"> • Month • Call Type (Toll) • Average Speed of Answer
Retail Analog/Benchmark
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

OPERATOR SERVICES AND DIRECTORY ASSISTANCE

Note: AT&T Proposes One OS/DA Measure:

Mean Time To Answer With Separate Reporting For OS And DA

See “Speed to Answer Performance/Average Speed to Answer – Toll”

Report/Measurement:
Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)
Definition:
Measurement of the average time in seconds calls wait before answer by a DA operator.
Exclusions:
Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within “X” seconds is determined.
Business Rules:
The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.
Calculation:
The Average Speed to Answer for DA is calculated by using data from monthly system measurement reports taken from the centralized call routing switches. The “total call waiting seconds” is a sub-component of this measure which BST systems calculate by monitoring the number of calls in queue throughout the day multiplied by the time (in seconds) between monitoring events. The “total calls served” is the other sub-component of this measure, which BST systems record as the total number of calls handled by Operator Services DA centers. Since calls abandoned are not reflected in the calculation, the percent answered within the required timeframe is determined by using conversion tables with input for the abandonment rate.
Report Structure:
Reported for the aggregate of BST and CLECs
<ul style="list-style-type: none"> • State
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks
DATA RETAINED (ON AGGREGATE BASIS)
For the items below, BST’s Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
<ul style="list-style-type: none"> • Month • Call Type (DA) • Average Speed of Answer
Retail Analog/Benchmark
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

OPERATOR SERVICES AND DIRECTORY ASSISTANCE

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:
Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)
Definition:
Measurement of the percent of DA calls that are answered in less than "X" seconds. The number of seconds represented by "X" is twenty, except where a different regulatory benchmark has been set against the Average Speed to Answer by a State Commission.
Exclusions:
Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.
Business Rules:
The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.
Calculation:
The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.
Report Structure:
Reported for the aggregate of BST and CLECs <ul style="list-style-type: none"> • State
Level of Disaggregation:
None
DATA RETAINED (ON AGGREGATE BASIS)
For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP. <ul style="list-style-type: none"> • Month • Call Type (DA) • Average Speed of Answer
Retail Analog/Benchmark
Parity by Design

E911

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:
E911/Timeliness
Definition:
Measures the percentage of batch orders for E911 database updates (to CLEC resale and BST retail records) processed successfully within a 24-hour period.
Exclusions:
<ul style="list-style-type: none"> • Any resale order canceled by a CLEC • Facilities-based CLEC orders
Business Rules:
The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (BST's E911 vendor) receives E911 files containing batch orders extracted from BST's Service Order Communication System (SOCS). Processing stops when SCC loads the individual records to the E911 database. No distinctions are made between CLEC resale records and BST retail records.
Calculation:
$E911 \text{ Timeliness} = \frac{\Sigma (\text{Number of batch orders processed within 24 hours})}{\text{Total number of batch orders submitted}} \times 100$
Report Structure:
Reported for the aggregate of CLEC resale updates and BST retail updates <ul style="list-style-type: none"> • State • Region
Levels of Disaggregation:
None
DATA RETAINED
<ul style="list-style-type: none"> • Report month • Aggregate data
Retail Analog/Benchmark
Parity by Design

E911

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:
E911/Accuracy
Definition:
Measures the individual E911 telephone number (TN) record updates (to CLEC resale and BST retail records) processed successfully for E911 with no errors.
Exclusions:
<ul style="list-style-type: none"> • Any resale order canceled by a CLEC • Facilities-based CLEC orders
Business Rules:
Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (BST's E911 vendor) receives E911 files containing telephone number (TN) records extracted from BST's Service Order Communication System (SOCS). No distinctions are made between CLEC resale records and BST retail records.
Calculation:
$E911 \text{ Accuracy} = \frac{\Sigma(\text{Number of record individual updates processed with no errors}}{\text{Total number of individual record updates}} \times 100$
Report Structure:
Reported for the aggregate of CLEC resale updates and BST retail updates <ul style="list-style-type: none"> • State • Region
Level of Disaggregation:
None
DATA RETAINED
<ul style="list-style-type: none"> • Report month • Aggregate data
Retail Analog/Benchmark
Parity by Design

E911

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:
E911/Mean Interval
Definition:
Measures the mean interval processing of E911 batch orders (to update CLEC resale and BST retail records).
Exclusions:
<ul style="list-style-type: none"> • Any resale order canceled by a CLEC • Facilities-based CLEC orders
Business Rules:
The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted in 4-hour increments up to and beyond 24 hours. No distinctions are made between CLEC resale records and BST retail records.
Calculation:
$E911 \text{ Mean Interval} = \frac{\sum (\text{Date and time of batch order completion} - \text{Date and time of batch order submission})}{\text{Number of batch orders completed}}$
Report Structure:
Reported for the aggregate of CLEC resale updates and BST retail updates
<ul style="list-style-type: none"> • State • Region
Level of Disaggregation:
None
DATA RETAINED (ON AGGREGATE BASIS)
<ul style="list-style-type: none"> • Report month • Aggregate data
Retail Analog/Benchmark
Parity by Design

TRUNK GROUP PERFORMANCE

Note: AT&T Does Not Include This Measure In Its Proposal

Report/Measurement:	
Trunk Group Service Report	
Definition:	
A report of the percent blocking above the Measured Blocking Threshold (MBT) on all final trunk groups between CLEC Points of Termination and BST end offices or tandems.	
Exclusions:	
<ul style="list-style-type: none"> • Trunk groups for which valid traffic data is not available • High use trunk groups 	
Business Rules:	
Traffic trunking data measurements are validated and processed by the Total Network Data System/Trunking (TNDSTK), a Telcordia (BellCore) supported application, on an hourly basis for Average Business Days (Monday through Friday). The traffic load sets, including offered load and observed blocking ratio (calls blocked divided by calls attempted), are averaged for a 20 day period, and the busy hour is selected. The busy hour average data for each trunk group is captured for reporting purposes. Although all trunk groups are available for reporting, the report highlight those trunk groups with blocking greater than the Measured Blocking Threshold (MBT) and the number of consecutive monthly reports that the trunk group blocking has exceeded the MBT. The MBT for CTTG is 2% and the MBT for all other trunk groups is 3%.	
Calculation:	
Measured blocking = (Total number of blocked calls) / (Total number of attempted calls) X 100	
Report Structure:	
<ul style="list-style-type: none"> • BST Aggregate <ul style="list-style-type: none"> > CTTG > Local • CLEC Aggregate <ul style="list-style-type: none"> > BST Administered CLEC Trunk > CLEC Administered CLEC Trunk • CLEC Specific <ul style="list-style-type: none"> > BST Administered CLEC Trunk > CLEC Administered CLEC Trunk 	
Level of Disaggregation:	
State	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report month • Total trunk groups • Total trunk groups for which data is available • Trunk groups with blocking greater than the MBT • Percent of trunk groups with blocking greater than the MBT 	<ul style="list-style-type: none"> • Report month • Total trunk groups • Total trunk groups for which data is available • Trunk groups with blocking greater than the MBT • Percent of trunk groups with blocking greater than the MBT
Retail Analog/Benchmark:	
Retail Analog	

TRUNK GROUP PERFORMANCE

Report/Measurement:	
Trunk Group Service Detail	
Definition:	
A detailed list of all final trunk groups between CLEC Points of Presence and BST end offices or tandems, and the actual blocking performance when the blocking exceeds the Measured Blocking Threshold (MBT) for the trunk groups.	
Exclusions:	
<ul style="list-style-type: none"> • None. 	
Business Rules:	
<p>For CLEC Results: Percent Call Completion: For determining outbound call blocking, the number of CLEC customer call attempts, where the customer dials a valid telephone number, is accumulated for the reporting period. The number of blocked call attempts experienced by CLEC customers, where a call to a valid telephone number was not completed by the network because of ILEC-controlled capacity limitations or other ILEC network trouble, also is accumulated during the reporting period. At the end of the reporting period, the total number of blocked attempts is divided by the total number of attempts, and the ratio is expressed as a percentage. For inbound calling, the results will measure calls originating on the ILEC's network and blocked from terminating on the CLEC's network.</p> <p>For ILEC Results: The approach is identical to that described for the CLEC, except that the network performance is measured only for representative ILEC service configurations.</p> <p>Other Clarifications and Qualifications: CLECs may agree to call completion reports in lieu of or in addition to blocking reports.</p>	
Calculation:	
$\text{Measured Blocking} = (\text{Total number of blocked call attempts (separate measure for inbound and outbound) during the busy hour} / (\text{Total number of attempted calls during busy hour}) \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • BST Specific <ul style="list-style-type: none"> ➢ Traffic Identity ➢ TGSN ➢ Tandem ➢ End Office ➢ Description ➢ Observed Blocking ➢ Busy Hour ➢ Number Trunks ➢ Valid study days ➢ Number reports ➢ Remarks 	<ul style="list-style-type: none"> • CLEC Specific <ul style="list-style-type: none"> ➢ Traffic Identity ➢ TGSN ➢ Tandem ➢ CLEC POT ➢ Description ➢ Observed Blocking ➢ Busy Hour ➢ Number Trunks ➢ Valid study days ➢ Number reports ➢ Remarks
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report month • Total trunk groups • Total trunk groups for which data is available • Trunk groups with blocking greater than the MBT • Percent of trunk groups with blocking greater than the MBT • Traffic identity, TGSN, end points, description, busy hour, valid study days, number reports • By Switch (Serving CLEC) for CLEC • Trunk Capacity Type • Trunk Group Identifier • Geographic Identifier • Busy Hour and Day • Calls Attempted • Calls Blocked 	<ul style="list-style-type: none"> • Report month • Total trunk groups • Total trunk groups for which data is available • Trunk groups with blocking greater than the MBT • Percent of trunk groups with blocking greater than the MBT • Traffic identity, TGSN, end points, description, busy hour, valid study days, number reports • By Switch (Serving CLEC) for ILEC • Trunk Capacity Type • Trunk Group Identifier • Geographic Identifier • Busy Hour and Day • Calls Attempted • Calls Blocked
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

COLLOCATION

Report/Measurement:	
Collocation/Average Response Time	
Definition:	
Measures the average time (counted in business days) from the receipt of a complete and accurate collocation application (including receipt of application fees) to the date BellSouth responds in writing.	
Exclusions:	
<ul style="list-style-type: none"> Any application cancelled by the CLEC or CLEC requested delays 	
Business Rules:	
<p>For CLEC Results: Mean Time to Respond to Collocation Request: The response interval for each space request is determined by computing the elapsed time from the ILEC receipt of a collocation request (or inquiry) from the CLEC, to the time the ILEC returns the requested information or commitment to the CLEC. Elapsed time is accumulated for each type of collocation space request, and then divided by the associated total number of collocation requests received by the ILEC during the report period.</p> <p>For ILEC Results: The ILEC computation is identical to that for the CLEC for provision of collocations to ILEC affiliates. Largely, however, tariff and contract standards will be the benchmarks that ILECs must meet for a parity determination. Their vast number of end offices compared to CLECs' switch deployment make it difficult to develop the appropriate analog.</p> <p>Other Clarifications and Qualifications:</p> <ul style="list-style-type: none"> Elapsed time is measured in days and hours. A response to the collocation request will only be considered to be "received" if it is a thorough and actionable plan (i.e., a simple "yes" or "no" is not sufficient). Questions about the CLEC's collocation request also do not count as a "received response." 	
Calculation:	
Average Response Time = $\Sigma(\text{Request Response Date}) - (\text{Request Submission Date}) / \text{Count of Responses Returned within Reporting Period.}$	
Report Structure:	
<ul style="list-style-type: none"> Individual CLEC (alias) aggregate Aggregate of all CLECs 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<ul style="list-style-type: none"> 	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> Report Month Request Identifier (e.g., unique tracking number) Date and Time of Request receipt by ILEC. Request type (per reporting dimension) Response Date and Time Committed Delivery Date and Time Actual Delivery Date and Time Response Date and Time Geographic Scope 	<ul style="list-style-type: none"> Report Month Request Identifier Date and Time of Request Receipt by ILEC Response Date and Time Committed Delivery Date and Time Actual Delivery Date and Time Geographic scope
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

COLLOCATION

Report/Measurement:	
Collocation/Average Arrangement Time	
Definition:	
Measures the average time (counted in business days) from the receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee) to the date BST completes the collocation arrangement.	
Exclusions:	
<ul style="list-style-type: none"> Any Bona Fide firm order cancelled by the CLEC or CLEC requested delays 	
Business Rules:	
<p>For CLEC Results:</p> <p>Mean Time To Provide Collocation Arrangements: The interval is the elapsed time from the ILEC's receipt of an order for collocation (from the CLEC) to the ILEC's return of a valid completion notification to the CLEC. Elapsed time for each order is then divided by the associated total number of collocation orders completed within the reporting period for each type of collocation. The measurement is similar to the Average Completion Interval for resold services and unbundled network element orders and could be reflected as a separate category of that measurement.</p> <p>For ILEC Results:</p> <p>The ILEC computation is identical to that for the CLEC for provision of collocations to ILEC affiliates. Largely, however, tariff and contract standards will be the benchmarks that ILECs must meet for a parity determination. Their vast number of end offices compared to CLECs' switch deployment make it difficult to develop the appropriate analog.</p> <p>Other Clarifications and Qualifications:</p> <ul style="list-style-type: none"> Elapsed time is measured in days and hours. A response to the collocation request will only be considered to be "received" if it is a thorough and actionable plan (i.e., a simple "yes" or "no" is not sufficient). Questions about the CLEC's collocation request also do not count as a "received response." 	
Calculation:	
Average Arrangement Time = $\Sigma(\text{Date Collocation Arrangement is Complete}) - (\text{Date Order for Collocation Arrangement Submitted}) / \text{Total Number of Collocation Arrangements Completed during Reporting Period.}$	
Report Structure:	
<ul style="list-style-type: none"> Individual CLEC (alias) aggregate Aggregate of all CLECs 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
•	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> Report Month Request Identifier (e.g., unique tracking number) Date and Time of Request receipt by ILEC. Request type (per reporting dimension) Response Date and Time Committed Delivery Date and Time Actual Delivery Date and Time Response Date and Time 	<ul style="list-style-type: none"> Report Month Request Identifier Date and Time of Request Receipt by ILEC Response Date and Time Committed Delivery Date and Time Actual Delivery Date and Time Geographic scope

• Geographic Scope	
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

COLLOCATION

Report/Measurement:	
Collocation/Percent of Due Dates Missed	
Definition:	
Measures the percent of missed due dates for collocation arrangements.	
Exclusions:	
<ul style="list-style-type: none"> Any Bona Fide firm order cancelled by the CLEC or CLEC requested delays 	
Business Rules:	
For CLEC Results:	
<p>Percent Due Dates Missed: For each type of collocation, both the total numbers of orders completed within the reporting interval and the number of orders completed but missing the committed due date (as specified on the initial confirmation returned to the CLEC) are counted. The resulting count of orders completed later than the committed due date is divided by the total number of orders completed. The measurement is similar to the Percent Completed on Time for resold services and unbundled network element orders and could be reflected as a separate category within the Percent Completed on Time measurement.</p>	
For ILEC Results:	
<p>The ILEC computation is identical to that for the CLEC for provision of collocations to ILEC affiliates. Largely, however, tariff and contract standards will be the benchmarks that ILECs must meet for a parity determination. Their vast number of end offices compared to CLECs' switch deployment make it difficult to develop the appropriate analog.</p>	
Other Clarifications and Qualifications:	
<ul style="list-style-type: none"> Elapsed time is measured in days and hours. A response to the collocation request will only be considered to be "received" if it is a thorough and actionable plan (i.e., a simple "yes" or "no" is not sufficient). <p>Questions about the CLEC's collocation request also do not count as a "received response."</p>	
Calculation:	
$\% \text{ of Due Dates Missed} = \frac{\Sigma (\text{Number of Orders not completed w/ ILEC Committed Due Date during Reporting Period})}{\text{Number of Orders Completed in Reporting Period}} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> Individual CLEC (alias) aggregate Aggregate of all CLECs 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
•	
<u>DATA RETAINED RELATING TO CLEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> Report Month Request Identifier (e.g., unique tracking number) Date and Time of Request receipt by ILEC. Request type (per reporting dimension) Response Date and Time Committed Delivery Date and Time Actual Delivery Date and Time Response Date and Time Geographic Scope 	<ul style="list-style-type: none"> Report Month Request Identifier Date and Time of Request Receipt by ILEC Response Date and Time Committed Delivery Date and Time Actual Delivery Date and Time Geographic scope
Retail Analog/Benchmark:	

See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

MEASURES PROPOSED BY AT&T TO REPLACE BELLSOUTH'S BILLING INVOICE MEASURES:

Report/Measurement:	
Percent Mechanized Billing Format Accuracy	
Definition:	
The purpose of this measurement is to monitor the accuracy of the mechanized billing format.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>The ILEC will establish a quality control process that is disclosed to CLECs and that is no less rigorous than the most rigorous quality monitoring established in the ILEC billing service contracts for long distance service providers. The quality monitoring process must be disclosed in advance and process auditing must be permitted. The records and invoices delivered by the ILEC must simultaneously meet the standards relating to content, accuracy and formatting in order to be counted as accurate. If a sampling process is used to monitor accuracy, then the study results must be reconfirmed no less than quarterly.</p>	
Calculation:	
Percent Mechanized Billing Format Accuracy = [(Total Number of Accurate Mechanized Local Bills)/(Total Number of Mechanized Local Bills Processed)] x 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO ALEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Number of Accurate Mechanized Local Bills • Number of Mechanized Local Bills 	<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created • Number of Messages or Invoices Delivered • Number of Accurate Mechanized Local Bills • Number of Mechanized Local Bills
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Process Accuracy of Current Billing Activity	
Definition:	
The purpose of this measurement is to monitor the process accuracy of the current billing activity.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
Calculation:	
$\text{Percent Process Accuracy of Current Billing Activity} = \frac{\{[(\text{Total Other Charges \& Credits Billed Dollars}) + (\text{Total Detail Of Adjustments Billed Dollars})] - [(\text{Total Correction \& Correction Adjustment Dollars})]\}}{[(\text{Total Other Charges \& Credits Billed Dollars}) + (\text{Total DOA Billed Dollars})]} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO ALEC EXPERIENCE	
DATA RETAINED RELATING TO BST EXPERIENCE	
<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Charges & Credits Billed Dollars • Adjustment Billed Dollars • Correction Adjustment Dollars 	<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created • Charges & Credits Billed Dollars • Adjustment Billed Dollars • Correction Adjustment Dollars
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Switched Local Billing Accuracy	
Definition:	
The purpose of this measurement is to monitor the switched local billing accuracy.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
The ILEC will establish a quality control process that is disclosed to CLECs and that is no less rigorous than the most rigorous quality monitoring established in the ILEC billing service contracts for long distance service providers. The quality monitoring process must be disclosed in advance and process auditing must be permitted. The records and invoices delivered by the ILEC must simultaneously meet the standards relating to content, accuracy and formatting in order to be counted as accurate. If a sampling process is used to monitor accuracy, then the study results must be reconfirmed no less than quarterly	
Calculation:	
Percent Switched Local Billing Accuracy = $\frac{((\text{Total Switched Billed Dollars}) - (\text{Switched Adjustment Dollars}))}{(\text{Total Switched Billed Dollars})} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
<u>DATA RETAINED RELATING TO ALEC EXPERIENCE</u>	<u>DATA RETAINED RELATING TO BST EXPERIENCE</u>
<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Switched Billed Dollars • Switched Adjustment Dollars 	<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created • Switched Billed Dollars • Switched Adjustment Dollars
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent On-Time Mechanized Local Services Invoice Delivery	
Definition:	
The purpose of this measurement is to monitor the percent of invoices successfully transmitted to the CLEC within 10 calendar days of the close of a bill cycle.	
Exclusions:	
<ul style="list-style-type: none"> Any invoices rejected due to formatting or content errors 	
Business Rules:	
This measure captures the elapsed number of days between the scheduled close of a Bill Cycle and the ILEC's successful transmission of the associated invoice to the CLEC. For each invoice, the calendar date of the scheduled close of Bill Cycle is compared to the calendar date that successful invoice transmission to the CLEC completes to determine the number transmitted within 10 calendar days. The number transmitted within 10 calendar days is divided by the number of complete invoices sent in the reporting period.	
Calculation:	
Percent On-Time Mechanized Local Services Invoice Delivery = $[(\text{Total Number of Mechanized Local Bills Received On Time}) / (\text{Total Number of Mechanized Local Bills Processed})] \times 100$	
Report Structure:	
<ul style="list-style-type: none"> CLEC Specific CLEC Aggregate BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO ALEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> Report Month Record Type or Invoice Type Mean Delivery Interval Standard Error of Delivery Interval Number of Messages or Invoices Delivered Number of Mechanized Local Bills Received On-Time Number of Mechanized Local Bills 	<ul style="list-style-type: none"> Report Month Record Type or Invoice Type Number of Records With Errors Number of Records Created Number of Mechanized Local Bills Received On-Time Number of Mechanized Local Bills
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent On-Time Service Order Billing	
Definition:	
The purpose of this measurement is to monitor the percent of dollars on all service orders completed within 60 calendar days of the current bill date/cycle.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
Calculation:	
Percent On-Time Service Order Billing = [(Sum of the Absolute Value of Timely Other Charges & Credits Dollars)/(Sum of the Absolute Value of Other Charges & Credits Billed Dollars)] x 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO ALEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Charged Dollars • Credit Dollars 	<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Charged Dollars • Credit Dollars
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent On-Time Correction/Adjustment Dollars	
Definition:	
The purpose of this measurement is to monitor the adjustments or corrections which are implemented within 60 days of decision to grant adjustment or adjustment claim submission.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
Calculation:	
Percent On-Time Correction/Adjustment Dollars = $\frac{[(\text{Total Correction/Adjustment Dollars}) - (\text{Total Correction/Adjustment Dollars} > 60 \text{ Calendar Days})]}{(\text{Total Correction/Adjustment Dollars})} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO ALEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Correction/Adjustment Dollars 	<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Correction/Adjustment Dollars
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent On-Time Switched Local Charges	
Definition:	
The purpose of this measurement is to monitor the on-time delivery of Switched Local Charges.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
Calculation:	
Percent On-Time Switched Local Charges = $\frac{[(\text{Switched Local Charges}) - (\text{Switched Local Charges Billed} > 60 \text{ Calendar Days From Date Service Rendered})]}{(\text{Switched Local Charges})} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
DATA RETAINED RELATING TO ALEC EXPERIENCE	DATA RETAINED RELATING TO BST EXPERIENCE
<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered • Number of Charges > 60 Calendar Days From Date Service Rendered • Delivery Date of Switched Local Charges 	<ul style="list-style-type: none"> • Report Month • Record Type or Invoice Type • Mean Delivery Interval • Standard Error of Delivery Interval • Number of Messages or Invoices Delivered
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

ADDITIONAL MEASURES PROPOSED BY AT&T

Report/Measurement:	
Acknowledgement Timeliness	
Definition:	
This measure is designed to monitor the rate at which the CLECs receive a timely acknowledgement from the ILEC after the submission of a Local Service Request.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results:</p> <p>An acknowledgement is the first indicator that the Local Service Request has been received by the ILEC and is under analysis. Acknowledgement Timeliness is determined by computing the elapsed time (in minutes and seconds) from the ILEC receipt of a Local Service Request from the CLEC, to the time the ILEC returns the acknowledgement that a syntactically correct order has been received. Elapsed time is calculated for each acknowledgement. The acknowledgments that are returned within 15 Minutes are categorized in a manner consistent with the specified level of disaggregation, then divided by the associated total number of acknowledgements transmitted by the ILEC during the reporting period.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., LENS, EDI or TAG) then the preceding measurement must be computed for each interface arrangement. • All intervals are measured in minutes and seconds rounded to the nearest second. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. • "Syntactically correct" means all fields required to process an order are populated and reflect the correct format as agreed and documented in the current interface specifications. 	
Calculation:	
$\text{Acknowledgement Timeliness} = \frac{[(\text{Date and Time Local Service Request is Received by the ILEC}) - (\text{Date and Time Acknowledgement of Syntactically Correct Local Service Request is Transmitted From the ILEC Gateway})]}{[(\text{Count of All Acknowledgements Transmitted Within 15 Minutes}) / (\text{Count of All Acknowledgements Transmitted in the Reporting Period})] \times 100}$	
Report Structure:	
<ul style="list-style-type: none"> • Fully Mechanized, Partially Mechanized, Total Mechanized • State and Region • CLEC Specific • CLEC Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Rejects • Total Number of Errors • State and Region • Count of Firm Order Acknowledgements • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Interface Type • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type 	<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Errors • Adjusted Error Volume • State and Region • Count of Order Acknowledgments • Count of Syntax Rejects • Count of Legacy System Reject • Count of Orders Submitted • Interface Type • Order Activity • Service Type • Volume Category

<ul style="list-style-type: none">• Volume Category• Manual Fallout	
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Acknowledgement Completeness	
Definition:	
This measure is designed to monitor the percent of acknowledgements received by the CLEC from the ILEC after the submission of a Local Service Request.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
For CLEC Results:	
An acknowledgement is the first indicator that the Local Service Request has been received by the ILEC and is under analysis. Acknowledgement Completeness is determined by computing the number of acknowledgements transmitted by the ILEC and divided by the number of Local Service Requests received by the ILEC during the reporting period.	
Other Clarifications and Qualification:	
<ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., LENS, EDI or TAG) then the preceding measurement must be computed for each interface arrangement. • All intervals are measured in minutes and seconds rounded to the nearest second. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. • "Syntactically correct" means all fields required to process an order are populated and reflect the correct format as agreed and documented in the current interface specifications. 	
Calculation:	
Acknowledgements Completeness = $[(\text{Total Number of Acknowledgements})/(\text{Total Number of Service Requests Received in the Reporting Period})] \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • Fully Mechanized, Partially Mechanized, Total Mechanized • State and Region • CLEC Specific • CLEC Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Rejects • Total Number of Errors • State and Region • Count of Firm Order Acknowledgements • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Interface Type • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type • Volume Category • Manual Fallout 	<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Errors • Adjusted Error Volume • State and Region • Count of Order Acknowledgments • Count of Syntax Rejects • Count of Legacy System Reject • Count of Orders Submitted • Interface Type • Order Activity • Service Type • Volume Category
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:
Firm Order Commitment and Reject Response Completeness
Definition:
A response is expected from the ILEC for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Commitment and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Commitment and Reject Responses.
Exclusions:
<ul style="list-style-type: none"> • Service Requests canceled by the CLEC prior to being committed or rejected.
Business Rules:
<ul style="list-style-type: none"> • Mechanized - The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG). • Partially Mechanized - The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel. • Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs • Non-Mechanized - The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).
For CLEC Results:
Firm Order Commitment and Reject Response Completeness is determined in two dimensions:
<ul style="list-style-type: none"> • Percent responses is determined by computing the number of Firm Order Commitments and Rejects transmitted by the ILEC and dividing by the number of Local Service Requests (all versions) received in the reporting period. • Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Commitments, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.
For ILEC Results:
Same computation as for the CLEC.
Other Clarifications and Qualification:
<ul style="list-style-type: none"> • When the ILEC processes orders for a CLEC via different interfaces (e.g., LENS, EDI or TAG) then the preceding measurement must be computed for each interface arrangement. • The ILEC service agent's attempt to submit an order for processing by the ILEC OSS is considered equivalent to the ILEC acknowledgment of the CLEC's order. • The ILEC OSS return of any indication to the service agent that an order cannot be processed as submitted is considered equivalent to the ILEC return of a rejection notice to the CLEC. • Return of any information (e.g., order recapitulation) to the ILEC customer service agent that indicates no errors are evident or that an order can be processed, is the equivalent of the ILEC return of a FOC to the CLEC.
Calculation – Single FOC/Reject Response Expected
$\text{Firm Order Commitments / Reject Response Completeness} = \left[\frac{\text{Total Number of Service Requests for Which a Firm Order Commitments or Reject is Sent}}{\text{Total Number of Service Requests Received in the Report Period}} \right] \times 100$
Calculation – Multiple or Differing FOC/Reject Responses Not Expected
$\text{Firm Order Commitment and Reject Response Completeness} = \left[\frac{\text{Total Number of Firm Order Commitments Per LSR Version} + \text{Total Number of Reject Responses Per LSR Version} + \text{Combination of Firm Order Commitments and Reject Per LSR Version}}{\text{Total Number of Service Requests (All Versions) Received in the Reporting Period}} \right] \times 100$
Report Structure:
<ul style="list-style-type: none"> • Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized • State and Region • CLEC Specific • CLEC Aggregate • BellSouth Specific
Level of Disaggregation:
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks

Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Rejects • Total Number of Errors • State and Region • Count of Orders Completed Without Manual Intervention • Count of Firm Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Interface Type • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type • Volume Category • Manual Fallout (for Mechanized Orders Only) 	<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Errors • Adjusted Error Volume • State and Region • Count Orders Completed Without Manual Intervention • Count of Order Commitments • Count of Syntax Rejects • Count of Legacy System Reject • Count of Orders Submitted • Interface Type • Order Activity • Service Type • Volume Category
<p>Retail Analog/Benchmark: See Appendix A: AT&T Disaggregation, Analogs and Benchmarks</p>	

Report/Measurement:	
Provisioning Notification Completeness	
Definition:	
The percent of Local Service Requests eligible to complete that receive notification of provisioning completion. Local Service Requests are eligible to complete if the order is not in clarification on the date and time the LSR is due to be provisioned and completed; a supplement LSR has not been sent to the ILEC to cancel the LSR, and the due date has passed.	
Exclusions:	
<ul style="list-style-type: none"> • Service Requests which is in clarification on the date and time the LSR is due to be provisioned and completed. • Service Requests canceled by the CLEC prior to being committed or rejected. • Service Requests which have not yet reached the due date. 	
Business Rules:	
Provisioning Notification Completeness is determined by counting the number of completed Local Service Requests and then dividing by the total number of Local Service Requests received that are eligible to complete.	
Calculation:	
Provisioning Notification Completeness = [(Count of Completed Local Service Requests)/(Total Number of Local Service Requests Received That are Eligible to Complete in the Reporting Period)] X 100	
Report Structure:	
<ul style="list-style-type: none"> • Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized • State and Region • CLEC Specific • CLEC Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Rejects • Total Number of Errors • State and Region • Count of Orders Completed Without Manual Intervention • Count of Firm Order Commitments • Count of Syntax Rejects • Count of Legacy System Rejects • Count of Orders Submitted • Interface Type • Order Activity Type • Original order date for rejected orders • Rejection Notice Date and Time • Service Type • Volume Category • Manual Fallout (for Mechanized Orders Only) 	<ul style="list-style-type: none"> • Report Month • Total number of LSRs • Total number of Errors • Adjusted Error Volume • State and Region • Count Orders Completed Without Manual Intervention • Count of Order Commitments • Count of Syntax Rejects • Count of Legacy System Reject • Count of Orders Submitted • Interface Type • Order Activity • Service Type • Volume Category
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Order Accuracy	
Definition:	
<p>Customers expect that their service provider will deliver precisely the service ordered and all the features specified. A service provider that is unreliable in fulfilling orders, will not only generate ill-will with customers when errors are made, but will also incur higher costs to rework orders and to process customer complaints. This measurement monitors the accuracy of the provisioning work performed by the ILEC, in response to CLEC orders. When the ILEC provides the comparable measure for its own operation, it is possible to know if provisioning work performed for CLECs is at least as accurate as that performed by the ILEC for its own retail local service operations.</p>	
Exclusions:	
<ul style="list-style-type: none"> • Orders canceled by the CLEC • Order Activities of the ILEC associated with internal or administrative use of local services. • For resubmissions impact on due date measure, ILEC would not have to comply if tying final accepted order to original order is technically infeasible (But feasibility issue will be revised as systems are upgraded.) 	
Business Rules:	
<p>For CLEC Results: For each order completed during the reporting period, the original account profile and the order that the CLEC sent to the ILEC are compared to the services and features reflected upon the account profile as it existed following completion of the order by the ILEC. An order is "completed without error" if all service attribute and account detail changes (as determined by comparing the original and the post order completion account profile) completely and accurately reflect the activity specified on the original and any supplemental CLEC orders. "Total number of orders completed" refers to the total number of order completion notices sent to the CLEC by the ILEC for each reporting dimension identified below.</p> <p>For ILEC Results: Same computation as for the CLEC with the clarifications noted below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • Order Supplements - If the CLEC initiates any supplements to the originally submitted order, for the purposes of reflecting changes in customer requirements, then the cumulative effect of the initial order and all the supplemental orders will be compared. Differences will be determined by comparing the pre- and post-order completion account profiles for the affected customer. • Completion Notices - To the extent that the ILEC supplies a completion notice containing sufficient information to perform validation of the order accuracy, then the Completion Notice information can be utilized in lieu of the comparison of the "before" and "after" account profiles. Use of the completion notice for this purpose would need to be at the mutual agreement of the ILEC and the CLEC. • All Orders - The comparison is between the CLEC order and the account profile as it existed before and after order completion. • Service Profile - If a sample is employed for this measurement, then the ILEC should also be prepared, if requested, to demonstrate that the order activity types represented within each service type for both the ILEC and CLEC sample are representative of actual experiences for each entity. • Sampling may be utilized to establish order accuracy provided the results produced are consistent with the reporting dimensions specified, the sample methodology is disclosed in advance and reflects generally accepted sampling methodology and the sampling process may be audited by the CLEC. 	
Calculation:	
Percent Order Accuracy = $[(\Sigma \text{Orders Completed w/o Error}) / (\Sigma \text{Orders Completed})] \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Count of Orders Completed Without Manual Intervention 	<ul style="list-style-type: none"> • Report Month • Count Orders Completed Without Manual Intervention

<ul style="list-style-type: none">• Count of Firm Order Commitments• Count of Syntax Rejects• Count of Legacy System Rejects• Count of Orders Submitted• Interface Type• Order Activity Type• Original order date for rejected orders• Rejection Notice Date and Time• Service Type• Volume Category• Manual Fallout (for Mechanized Orders Only)	<ul style="list-style-type: none">• Count of Order Commitments• Count of Syntax Rejects• Count of Legacy System Reject• Count of Orders Submitted• Interface Type• Order Activity• Service Type• Volume Category
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Completions/Attempts without Notice or with Less Than 24 Hours Notice.	
Definition:	
CLECs need adequate notice of order completion activities. They can be made to look disorganized by ILECs providing service without such advance notice: Customers and CLECs may even be unable to schedule necessary vendors on the scene to complete the installation, resulting in ILEC technicians being turned away and customer frustration with the CLEC. An ILEC could cause a great deal of harm to the CLEC competitively, yet look like it is providing parity or above parity service by the results other provisioning measures. A measurement capturing any non-parity in the occurrence of surprise or short-notice service deliveries also is critical to affording CLECs a reasonable opportunity to compete.	
Exclusions:	
<ul style="list-style-type: none"> • Rejection Interval - None • Jeopardy Interval - None • Firm Order Commitment Interval - None • Completion Notification Interval - None • Percent Jeopardies – None • Completions or Attempts Without Notice or With less than 24-hours' notice delivery that the CLEC specifically requested. 	
Business Rules:	
<p>For CLEC Results: Calculation would exclude any successful or unsuccessful service delivery that CLEC was informed of at least 24 hours in advance. ILEC may also exclude from calculation deliveries on less than 24 hours' notice that CLEC requested.</p> <p>For ILEC Results: The ILEC reports completions for which ILEC technicians delivered service to customers without giving sufficient advance notice to customers, sales or to internal account team to arrange for appropriate vendors to be on hand. Calculation of insufficient notice is similar to CLEC calculation (none or less than 24 hours). Similar surprise service deliveries are calculated for ILEC affiliate's account representatives.</p>	
Calculation:	
Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = [(Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received Within 24 Hours of Due Date)/(All Completions)] X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Interface Type • Service Type • CLEC Order Number • Order Submission Date • Order Submission Time • Status Type (Rejection, FOC, Jeopardy Type, • Completion Notice) • Status Notice Date • Status Notice Time • Standard Order Activity • Order Due Date 	<ul style="list-style-type: none"> • Report Month • Interface Type • Service Type • Status Type (Rejection, FOC, Jeopardy Type, • Completion Notice) • Average Status interval • Standard error of status interval • Number of Orders Reflected In Result • Standard Order Activity • Number of Statuses Provided
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Service Loss from Early Cuts	
Definition:	
Customers must not be subjected to unscheduled service disruptions because of lengthy or uncoordinated cutovers of loops with interim or permanent number portability or the provision of any other UNEs that require disconnection and reconnection of a customer.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results: For coordinated loop cuts, the same loop is moved from an existing port to what is effectively a different port (The CLEC collocation point). Translation disconnects also are reported if they occur too early in a conversion involving local number portability. For each conversion, the ILEC will track whether the cutover time (for facilities and translations) was earlier than the committed due date and time that appeared on the FOC. The total number of early cutovers will be divided by the total number of customer conversions that were completed during the reporting period. The resulting ratio will be expressed as a percentage.</p> <p>For ILEC Results: ILECs would use retail residential or business POTS outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).</p>	
Calculation:	
Percent Service Loss from Early Cuts = [(Customer Conversion Where Cutover Time is Earlier Than Due Date and Time)/(All Customer Conversions Completed During Reporting Period)] x 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Committed Due Date and Time (from Firm Order Commitments • Completion Date and Time • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Delivered 	<ul style="list-style-type: none"> • Report Month • Number of Early Conversions • Number of Conversions >30 Minutes Late • Total Number of Conversions • Average Conversion Interval • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Service Loss from Late Cuts	
Definition:	
Customers must not be subjected to unscheduled service disruptions because of lengthy or uncoordinated cutovers of loops with interim or permanent number portability or the provision of any other UNEs that require disconnection and reconnection of a customer.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
For CLEC Results:	
For coordinated loop cuts, the same loop is moved from an existing port to what is effectively a different port (The CLEC collocation point). Translation disconnects also are reported if they occur too late in a conversion involving local number portability. For each conversion, the ILEC will track whether the cutover time (for facilities and translations) was later than the committed due date and time that appeared on the FOC. The total number of cutovers that were completed more than 1 hour past the committed due date and time for 1-10 lines and more than 2 hours for more than 10 lines will be divided by the total number of customer conversions that were completed during the reporting period. The resulting ratio will be expressed as a percentage.	
For ILEC Results:	
ILECs would use retail residential or business POTS outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).	
Calculation:	
Percent Service Loss from Late Cuts = $\frac{\text{Customer Conversions Where Cutover Time is More than 30 Minutes Past Due Date and Time}}{\text{All Customer Conversions Completed During Reporting Period}} \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Committed Due Date and Time (from Firm Order Commitment) • Completion Date and Time • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Delivered 	<ul style="list-style-type: none"> • Report Month • Number of Early Conversions • Number of Conversions >30 Minutes Late • Total Number of Conversions • Average Conversion Interval • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent of Orders Cancelled or Supplemented at the Request of the ILEC	
Definition:	
Prior to or during the cutover, the ILEC may encounter internal problems with its network which make it impossible to perform the cutover at the agreed upon time. This results in significant inconvenience to the customer. As a result, the percent of orders that are cancelled or supped by the CLEC at the request ILEC must be measured. This measurement must be expressed as a fraction to understand both the number and the percent of times that the order must be supped at the ILEC Request.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
For CLEC Results:	
The percent of orders that are supplemented or cancelled due to a jeopardy and network problems attributable to the ILEC. The ILEC will track the number of orders that they request to be supplemented or changed. The total number of supplements and cancels from the CLEC will also be tracked. The ratio will be calculated by dividing the number of orders supplemented or cancelled at the request of the ILEC divided by the total supplements or cancels by the CLEC. For this formula, the resulting ratio will be expressed as a percentage.	
For ILEC Results:	
ILECs would use retail residential or business POTS outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).	
Calculation:	
Percent of Orders Cancelled or Supplemented at the Request of the ILEC = [(Number of Orders Cancelled or Supplemented at the Request of the ILEC During Reporting Period)/(Number of Cancels and Supplements During the Reporting Period)] x 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Committed Due Date and Time (from Firm Order Commitment) • Completion Date and Time • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Delivered 	<ul style="list-style-type: none"> • Report Month • Number of Early Conversions • Number of Conversions >30 Minutes Late • Total Number of Conversions • Average Conversion Interval • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent of Coordinated Cuts Not Working as Initially Provisioned	
Definition:	
Customers may experience either a full or partial loss of service due to defective ILEC facilities where the CLEC is reusing the customer's existing loop, or due to the switching platform not being properly set up with the 10 Digit / 6 Digit trigger being applied. To ensure that the CLEC's customers are not disproportionately losing dial tone, the percent of ILEC caused service interruptions outside of the initial customer cutover must be measured.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
For CLEC Results:	
The ILEC will track the number of Coordinated Cuts that are not working as initially provisioned by the number of provisioning troubles by the CLEC during the cutover process that are ultimately attributable to the ILEC. The measurement will be calculated by dividing the number of troubles by the total number of Coordinated Cuts provisioned for the CLEC during the reporting period.	
For ILEC Results:	
ILECs would use retail residential or business POTS outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).	
Calculation:	
Percent of Coordinated Cuts Not Working as Initially Provisioned = [(Number of Troubles Attributable to the ILEC on Initial Customer Cutover)/(Number of Coordinated Cuts Provisioned During The Reporting Period)] X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Committed Due Date and Time (from Firm Order Commitment) • Completion Date and Time • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Delivered 	<ul style="list-style-type: none"> • Report Month • Number of Early Conversions • Number of Conversions >30 Minutes Late • Total Number of Conversions • Average Conversion Interval • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Records With Errors • Number of Records Created
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Average Recovery Time	
Definition:	
Customers do not expect lengthy service outages due to problems experienced during the coordinated cut process. If problems do occur, the ILEC should work to minimize the customer outage. If a problem is found and can be isolated to the ILEC side of the network, the time between notification and resolution by the ILEC must be measured to ensure that CLEC customers do not experience unjustifiably lengthy service outages.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results: When there is a problem during the porting process, the ILEC will track the average duration of each service outage or trouble. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and an index number issued by the CLEC. For each trouble, the ILEC will track the duration of the trouble. The sum of all time associated with the troubles will be divided by the number of troubles. Average recovery time does not include time restoring a customer to the ILEC.</p> <p>For ILEC Results: ILECs would use retail residential or business POTS outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).</p>	
Calculation:	
Average Recovery Time = $\Sigma \{(\text{Date \& Time That Trouble is Closed By CLEC}) - (\text{Date \& Time Initial Trouble is Opened With ILEC}) / (\text{Number of Troubles Referred to the ILEC})\}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Troubles • Date & Time Trouble is Received • Date & Time Trouble is Closed • Interval of Each Trouble 	<ul style="list-style-type: none"> • Report Month • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Troubles • Date & Time Trouble is Received • Date & Time Trouble is Closed • Interval of Each Trouble
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Mean Time to Restore a Customer to the ILEC	
Definition:	
If there are extenuating circumstances during a port such that the customer is out of service for an extended amount of time, the CLEC may determine that the problem cannot be resolved quickly, and the service must be restored to the ILEC. The CLEC will communicate to the ILEC Coordinator that the customer needs to be restored to the ILEC until the situation can be resolved. To ensure that the customer is not out of service for an extended period of time during the restoration to the ILEC, the time it takes to re-establish the end user's service must be also be measured.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results: If the customer has been out of service, and there are issues that cannot be fixed or resolved in an expeditious manner, the CLEC may request to reestablish the customer on the existing ILEC facilities. This will allow both the ILEC and the CLEC to resolve the issues and the port to proceed at a later date without further outage of the customer's service. For each customer restored to ILEC service, the ILEC will track the cumulative amount of time between the initial notification from the CLEC until the time when the end user or CLEC has confirmed that their service has been restored. The cumulative time will be divided by the number of customers restored to the ILEC during the reporting period.</p> <p>For ILEC Results: ILECs would use retail residential or business POTS outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).</p>	
Calculation:	
Mean Time to Restore A Customer to the ILEC = $\Sigma\{(Date \& Time \text{ Service is Restored to Customer}) - (Date \& Time \text{ of Initial Notification to Restore})\} / (\text{Number of Circuits Restored to ILEC})$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Circuits Restored • Date & Time Notification is Received • Date & Time Restoration is Completed • Interval of Each Restoration 	<ul style="list-style-type: none"> • Report Month • Total Number of Conversions • Average Conversion Interval • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent of Customers Restored to the ILEC	
Definition:	
In addition to monitoring the time it takes for the ILEC to re-establish the end-user's service, the frequency that a CLEC customer must be restored to the ILEC must be measured.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results: The ILEC will track the number of circuits that need to be reestablished with the ILEC and divide them by the cumulative number of coordinated cuts during the established period. This measurement will be expressed as a percentage.</p> <p>For ILEC Results: ILECs would use retail residential or business POT'S outside move activity as an analog. An outside move occurs when a customer, with existing service, moves from one premises to another within the same central office area without disconnecting and reconnecting service. With inside moves the customer keeps their own phone number. Although an outside move involves disconnecting an existing loop from an operating port and reconnecting a different loop (within the same office) to that same port, the work involved is very similar (i.e. coordinated re-termination).</p>	
Calculation:	
Percent Of Customers Restored to the ILEC = [(Number of Circuits Restored to ILEC/Number of Total Circuits Attempted to Port During Interval)] X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Service Type • Order Activity • Geographic Scope • Volume Category • Record Type or Invoice Type • Number of Circuits Restored • Number of Circuit Port Attempts 	<ul style="list-style-type: none"> • Report Month • Standard Error of Conversion Interval • Geographic Scope • Volume Category • Record Type or Invoice Type
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Call Abandonment Rate – Ordering & Provisioning	
Definition:	
<p>When CLECs experience operational problems dealing with ILEC processes or interfaces, prompt responses by ILEC support centers are required to ensure that the CLEC customers are not adversely affected. Any delay in responding to CLEC center requests for support (e.g., request for a vanity telephone number) will, in turn, adversely impact the CLEC retail customer who may be holding on-line with the CLEC customer service agent. This measure monitors the ILEC's handling of support calls from CLECs to determine if responsiveness is at parity with the service the ILEC provides its retail customers seeking assistance.</p>	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results: The Call Abandonment Rate is based on the number of calls received by the call distribution system of the ILEC center for the reporting period, regardless whether the call actually is transferred to ILEC personnel for processing. In addition, a count is accumulated of all calls that are subsequently terminated by the calling party or dropped due to equipment failure before transfer to the service agent for processing. The accumulated count of calls abandoned (terminated) is divided by the total count of calls received at the monitored center. Call Abandonment Rate is monitored through the call management technology utilized to distribute calls to ILEC agents supporting CLEC activities (i.e., call receipt personnel staffing ILEC support centers intended for CLEC use). Results for each measure are to be provided separately for each center handling CLEC inquiries. If centers deployed by the ILEC support multiple functions (e.g., both maintenance and provisioning) then the results for each function supported should be separately reported.</p>	
Calculation:	
$\text{Call Abandonment Rate} = \left[\frac{\text{Count of Calls Terminated Before Answer During the Reporting Period}}{\text{Count of All Calls Placed in Queue During the Reporting Period}} \right] \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Month • Center Identifier • Center Type • Mean Speed of Answer • Standard Error for Mean Speed of Answer • Count of Calls Answered • Count of Calls Abandoned 	<ul style="list-style-type: none"> • Month • Center Identifier • Center Type • Mean Speed of Answer • Standard Error for Mean Speed of Answer • Count of Calls Answered • Count of Calls Abandoned
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Mean Jeopardy Interval for Maintenance and Trouble Handling	
Definition:	
Customers need to know that the CLEC is monitoring the status of their repair closely. The CLEC, therefore, needs jeopardy notification if repair commitments are not going to be met. This measure, when collected and compared for the CLEC and ILEC, monitors whether the CLEC receives the same jeopardy notices regarding repairs as the ILEC provides for its own or an affiliate's retail customers.	
Exclusions:	
<ul style="list-style-type: none"> • Trouble tickets that are canceled at the CLEC's request • ILEC trouble reports associated with administrative service • Instances where the CLEC or an ILEC customer requests that a ticket be "held open" for monitoring • Subsequent Reports (additional reports on an already open ticket) • Any trouble type tracking that parties agree are technically unfeasible or operationally prohibitive • A trouble ticket created for tracking and/or monitoring requests for clarifying information (e.g. confirmation of customer ownership from CLEC support centers. • Tickets used to track referrals of misdirected calls 	
Business Rules:	
<p>CLEC Results: Jeopardy Interval is the remaining time between the pre-existing committed maintenance or trouble handling appointment date and time and the date and time the ILEC issues a notice to the CLEC indicating an appointment is in jeopardy of being missed. The scheduled appointment time will be assumed to be 5:00 p.m. local time unless other information is communicated. The date and time of the jeopardy notice delivered by the ILEC is subtracted from the scheduled completion date to establish the jeopardy interval for any appointment placed in jeopardy. The jeopardy interval is accumulated by service group with the resulting accumulated time then divided by the count of scheduled appointments associated with the particular service.</p> <p>For ILEC Results: Computations are the same as for the CLEC with the clarifications outlined below.</p> <p>Other Clarifications and Qualification: All intervals are measured in hours and hundredths of an hour rounded to the nearest hundredth. The lack of electronic bonding for maintenance does not excuse the ILEC from jeopardy reporting requirements.</p>	
Calculation:	
$\text{Mean Jeopardy Interval for Maintenance and Trouble Handling} = \Sigma \{[(\text{Date and Time of Committed Due Date for Maintenance or Trouble Handling}) - (\text{Date and Time of Jeopardy Notice})] / (\text{Number of Maintenance or Trouble Handling Appointments Jeopardized in Reporting Period})\}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • CLEC Ticket Number • Ticket Submission Time • Ticket Submission Date • Ticket Completion Time • Trouble Resolution Time • Trouble Resolution Date • Service Type • WTN or CKTID (a unique identifier for elements combined in a service configuration) • Trouble Type • Geographic Scope 	<ul style="list-style-type: none"> • Report Month • Average Restoral Interval • Standard Error for the Average Restoral Interval • Service Type • Trouble Type • Geographic Scope • Number of Tickets
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Customer Troubles Resolved Within Estimate	
Definition:	
When customers experience trouble on working services, they naturally expect the services to be restored within the time frame promised. When such commitments are not fulfilled, an already unsatisfactory condition, in the customer's eyes, becomes even worse. When this measure is collected for the ILEC and CLEC and then compared, it can be used to establish that CLECs are receiving equally reliable (as compared to the ILEC operations) estimates of the time required to complete repairs.	
Exclusions:	
<ul style="list-style-type: none"> • Trouble tickets that are canceled at the CLEC request • ILEC trouble reports associated with administrative service • Instances where the CLEC or an ILEC customer requests a ticket be "held open" for monitoring • Trouble tickets created for tracking and/or monitoring requests for clarifying information (e.g., confirmation of customer ownership from CLEC support centers). • Tickets used to track referrals of misdirected calls. 	
Business Rules:	
<p>For CLEC Results: The computation of the measure is as follows: The quoted repair completion date and time is compared to the actual repair date and time (ticket closure as defined in Time to Restore metric). In each instance where the actual repair date and time is on or before the initially provided estimated or quoted date and time to restore, the count of "troubles resolved within estimate" is incremented by one for the relevant "service type" and "trouble type." The resulting count is divided by the total number of troubles resolved (for the consistent service and trouble type), for the report period, in all instances where an estimated interval was provided or a standard interval existed.</p> <p>For ILEC Results: Same calculation as for CLEC.</p> <p>Other Clarifications and Qualification: The ILEC analog for this measure is derived by comparing the actual date and time of ILEC trouble ticket closure compared to the projected trouble clearance date and time established through the ILEC agent's on-line interaction with the ILEC's work management system, regardless of whether or not the ILEC currently quotes this information to its retail customer.</p> <ul style="list-style-type: none"> • See the "Time To Restore" measurement for discussion of analogous ILEC maintenance activities (e.g., trouble resolution). • The "quoted" or "estimated" time to restore is the actual scheduled time projection returned by the ILEC work management system or the standardized repair interval that the ILEC uses for its own operations when equivalent service arrangements are involved. • A trouble is "resolved" when the ILEC issues notice to the CLEC that the customer's service is restored to normal operating parameters. • If the ILEC supplies only the estimated repair interval, then the estimated date and time of repair is determined by adding the repair interval to the date and time that the CLEC logged the repair request with the ILEC. 	
Calculation:	
Percent Customer Troubles Resolved Within Estimate = [(Count of Customer Troubles Resolved By The Quoted Resolution Time and Date)/(Count of Customer Troubles Tickets Closed)] X 100	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • CLEC Ticket Number • Ticket Submission Time • Ticket Submission Date 	<ul style="list-style-type: none"> • Report Month • Service Type • Trouble Type • Number of Troubles Resolved Within Estimate

<ul style="list-style-type: none">• Trouble Resolution Time• Trouble Resolution Date• Service Type• WTN or CKTID (a unique identifier for elements combined in a service configuration)• Trouble Type• Geographic Scope	<ul style="list-style-type: none">• Number of Troubles Resolved• Geographic Scope•
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Call Abandonment Rate – Maintenance	
Definition:	
When CLECs experience operational problems dealing with ILEC processes or interfaces, prompt responses by ILEC support centers are required to ensure that the CLEC customers are not adversely affected. Any delay in responding to CLEC center requests for support (e.g., request for a vanity telephone number) will, in turn, adversely impact the CLEC retail customer who may be holding on-line with the CLEC customer service agent. This measure monitors the ILEC's handling of support calls from CLECs to determine if responsiveness is at parity with the service the ILEC provides its retail customers seeking assistance.	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
For CLEC Results:	
<p>The Call Abandonment Rate is based on the number of calls received by the call distribution system of the ILEC center for the reporting period, regardless whether the call actually is transferred to ILEC personnel for processing. In addition, a count is accumulated of all calls that are subsequently terminated by the calling party or dropped due to equipment failure before transfer to the service agent for processing. The accumulated count of calls abandoned (terminated) is divided by the total count of calls received at the monitored center.</p> <p>Call Abandonment Rate is monitored through the call management technology utilized to distribute calls to ILEC agents supporting CLEC activities (i.e., call receipt personnel staffing ILEC support centers intended for CLEC use). Results for each measure are to be provided separately for each center handling CLEC inquiries. If centers deployed by the ILEC support multiple functions (e.g., both maintenance and provisioning) then the results for each function supported should be separately reported.</p>	
Calculation:	
$\text{Call Abandonment Rate} = \left[\frac{\text{Count of Calls Terminated Before Answer During the Reporting Period}}{\text{Count of All Calls Placed in Queue During the Reporting Period}} \right] \times 100$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Month • Center Identifier • Center Type • Mean Speed of Answer • Standard Error for Mean Speed of Answer • Count of Calls Answered • Count of Calls Abandoned 	<ul style="list-style-type: none"> • Month • Center Identifier • Center Type • Mean Speed of Answer • Standard Error for Mean Speed of Answer • Count of Calls Answered • Count of Calls Abandoned
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Average Time Allotted To Proof Listing Updates Before Publication	
Definition:	
CLECs must be provided the same opportunity to review directory listing updates to catch any errors before publication in white pages directories.	
Exclusions:	
None	
Business Rules:	
For CLEC Results:	
Time Allotted To Proof Listing Updates encompasses the amount of review time afforded to CLECs for the purposes of validating directory listings prior to directory publication. If electronic access permits a CLEC to view, on demand, its customers' listings as they will be published, then this measure is not necessary. An interface availability measurement, however, should be included within the reporting dimensions for the "General" OSS systems measurements. The directory proofing interval information should be captured and retained for each directory published. The interval is measured from the date and time the CLEC receives a final listing of customer-related information that will be contained within the ILEC's next directory publication to the final date and time for submission of changes to the listings provided.	
For ILEC Results:	
Same calculation as for CLEC.	
Calculation:	
Average Time Allotted To Proof Listing Updates Before Publication = $\Sigma \{((\text{Date \& Time of Directory Publication Deadline}) - (\text{Date and Time Updates Available for Proofing})) / (\text{Number of Updates Sent for Proofing})\}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Month • Type of Measurement - Directory Listing • Directory Close Date (DL only) • List Availability Date (DL only) 	<ul style="list-style-type: none"> • Month • Type of Measurement - Directory Listing • Directory Close Date (DL only) • Listing Availability Date (DL only)
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Meantime To Notify CLEC	
Definition:	
<p>Both CLECs and ILECs must be made aware of major network events in order to notify customers and regulatory agencies (e.g. E-911 agencies, FAA, and other key customer accounts).</p> <p>To that end, the ILECs must provide the CLECs with timely and detailed information (pertaining to a network incident) to afford CLECs the opportunity to make prudent business decisions regarding management of their own customer base and networks. For example, the ILEC would inform the CLEC that the network incident was caused by a cable cut at a specified location.</p>	
Exclusions:	
<ul style="list-style-type: none"> • None 	
Business Rules:	
<p>For CLEC Results:</p> <p>The results will be based on the time it takes for the ILEC's Centralized Control Center to notify the CLEC and ILEC of a customer impacting network incident in equipment utilized by the CLEC. When the ILEC's Centralized Control Center becomes aware of the network incident, they must electronically notify both the ILEC and the CLEC.</p> <p>The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period.</p> <p>For ILEC Results:</p> <p>Same computation as for the CLEC.</p>	
Calculation:	
$\text{Meantime To Notify CLEC} = \frac{\sum \{(\text{Date and Time ILEC Notified CLEC}) - (\text{Date and Time ILEC detected network incident})\}}{(\text{Count of Network Incidents})}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Type of Event • Meantime to notify CLEC • Number of Events • Geographic Scope Indicator 	<ul style="list-style-type: none"> • Report Month • Type of Event • Mean Time to Detect Event • Number of Events • Geographic Scope Indicator
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Average Update Interval	
Definition:	
<p>CLECs must rely on ILEC databases in order to provide accurate E911/911 services, directory listings, directory assistance, and operator services. ILECs currently control the updating of many essential databases, such as the Line Information Database (LIDB); directory listings, E911 Automatic Location Identifier (ALI), Master Street Address Guide (MSAG) and selective routing databases.</p> <p>In addition, accurate and timely loading of NXXs before the LERG (Local Exchange Routing Guide) effectiveness date is vital to CLEC customer's receiving calls from ILEC customers, and it is essential to ensure that customers are charged correctly for local and toll calls. Routing of CLEC's NXXs at the tandem and central office to the proper Public Safety Answering Point (PSAP) for emergency calls also is critical to E911/911 service.</p> <p>Disparity in timely and accurate updates of the above databases can lead to annoying, costly and possibly "life and death" situations for CLEC customers.</p>	
Exclusions:	
<ul style="list-style-type: none"> • Updates Canceled by the CLEC • Initial update when supplemented by CLEC • ILEC updates associated with internal or administrative use of local services 	
Business Rules:	
<p>For CLEC Results:</p> <p>The actual update interval is determined for each update processed during the reporting period. It is the elapsed time from the ILEC receipt of a syntactically correct transaction from the CLEC to the ILEC's accurate completion of updating all databases affected by the CLEC activity. Elapsed time for each update is accumulated for each affected database (e.g., E911/911, LIDB, Directory and Directory Listings). The time required to update each database is accumulated and then divided by the associated total number of updates completed within the reporting period.</p> <p>For ILEC Results:</p> <p>The ILEC computation is identical to that for the CLEC with the clarifications noted below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • For LIDB, the elapsed time for an ILEC update is measured from the point in time when the ILEC's file maintenance process makes the LIDB update information available until the date and time reported by the ILEC that database updates are completed. • Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below). • The Completion Date is the date upon which the ILEC issues the Update Completion Notice to the CLEC. • If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to ILEC initiated changes), then the update submission date and time will be the date and time of ILEC receipt of a syntactically correct update supplement. Update activities responding to ILEC initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval. • Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded. 	
Calculation:	
$\text{Average Update Interval} = \frac{\sum \{[(\text{Completion Date} \& \text{Time of Database Update}) - (\text{Submission Date and Time of Database Change})] / (\text{Total Number of Updates Completed During Reporting Period})\}}{}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Database Type • Update Submission Date 	<ul style="list-style-type: none"> • Report Month • Database Type • Mean Interval for Update

<ul style="list-style-type: none">• Update Submission Time• Update Completion Date• Update Completion Time• Reporting Dimension• Geographic Scope	<ul style="list-style-type: none">• Standard Error of Mean• Number of Updates• Number of Updates With Errors• Geographic Scope
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

Report/Measurement:	
Percent Update Accuracy	
Definition:	
<p>CLECs must rely on ILEC databases in order to provide accurate E911/911 services, directory listings, directory assistance, and operator services. ILECs currently control the updating of many essential databases, such as the Line Information Database (LIDB); directory listings, E911 Automatic Location Identifier (ALI), Master Street Address Guide (MSAG) and selective routing databases.</p> <p>In addition, accurate and timely loading of NXXs before the LERG (Local Exchange Routing Guide) effectiveness date is vital to CLEC customer's receiving calls from ILEC customers, and it is essential to ensure that customers are charged correctly for local and toll calls. Routing of CLEC's NXXs at the tandem and central office to the proper Public Safety Answering Point (PSAP) for emergency calls also is critical to E911/911 service.</p> <p>Disparity in timely and accurate updates of the above databases can lead to annoying, costly and possibly "life and death" situations for CLEC customers.</p>	
Exclusions:	
<ul style="list-style-type: none"> • Updates Canceled by the CLEC • Initial update when supplemented by CLEC • ILEC updates associated with internal or administrative use of local services 	
Business Rules:	
<p>For CLEC Results:</p> <p>For each update completed during the reporting period, the original update that the CLEC sent to the ILEC is compared to the Database following completion of the update by the ILEC. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each Database (e.g., E911/911, LIDB, Directory and Directory Listings) should be separately tracked and reported.</p> <p>For ILEC Results:</p> <p>The ILEC computation is identical to that for the CLEC with the clarifications noted below.</p> <p>Other Clarifications and Qualification:</p> <ul style="list-style-type: none"> • For LIDB, the elapsed time for an ILEC update is measured from the point in time when the ILEC's file maintenance process makes the LIDB update information available until the date and time reported by the ILEC that database updates are completed. • Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below). • The Completion Date is the date upon which the ILEC issues the Update Completion Notice to the CLEC. • If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to ILEC initiated changes), then the update submission date and time will be the date and time of ILEC receipt of a syntactically correct update supplement. Update activities responding to ILEC initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval. • Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour. • Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded. 	
Calculation:	
$\text{Percent Update Accuracy} = \frac{[(\text{Number of Updates Completed Without Error})/(\text{Number Updates Completed})] \times 100}{100}$	
Report Structure:	
<ul style="list-style-type: none"> • CLEC Specific • CLEC Aggregate • BST Aggregate 	
Level of Disaggregation:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	
Data Retained Relating To CLEC Experience:	Data Retained Relating To BST Performance:
<ul style="list-style-type: none"> • Report Month • Database Type • Update Submission Date • Update Submission Time 	<ul style="list-style-type: none"> • Report Month • Database Type • Mean Interval for Update • Standard Error of Mean

<ul style="list-style-type: none">• Update Completion Date• Update Completion Time• Reporting Dimension• Geographic Scope	<ul style="list-style-type: none">• Number of Updates• Number of Updates With Errors• Geographic Scope
Retail Analog/Benchmark:	
See Appendix A: AT&T Disaggregation, Analogs and Benchmarks	

APPENDIX A: AT&T DISAGGREGATION, ANALOGS AND BENCHMARKS*

Appendix A

Disaggregation Explanation (Process Level)

Disaggregation
<p>A. Pre-Order OSS Responsiveness</p> <ol style="list-style-type: none"> 1. Feature Function Availability/Service Availability 2. Facility Availability Qualification of Loops for Advanced Digital Services 3. Street Address Validation 4. Appointment Scheduling 5. Customer Service Records 6. Telephone Number 7. Rejected or Failed Queries (regardless of type)
<p>B. Maintenance & Repair OSS Responsiveness</p> <ol style="list-style-type: none"> 1. Create (or confirm logging of) a Maintenance Request 2. Obtain Status 3. Obtain Test Results 4. Cancel Request 5. Rejected of Failed Queries (regardless of type) 6. Clearance Notification 7. Closure Notification
<p>C. Collocation</p> <ol style="list-style-type: none"> 1. Physical Caged 2. Shared Caged 3. Cageless 4. Adjacent On-Site 5. Adjacent Off-Site 6. Augment to Physical 7. Virtual 8. Augment to Virtual
<p>D. Multi-Functional Disaggregation</p> <ol style="list-style-type: none"> 1. Interface type—for preordering, ordering, billing and maintenance and repair OSS 2. Dispatch and non-dispatch—for provisioning and maintenance measures 3. Volume—for ordering, provisioning, and maintenance measures (a) 1-5 lines, (b) 6-14 lines, and (c) 15+ lines 4. Geographic --All measures should be disaggregated to a state level, if the data is available. Additionally, provisioning and maintenance measures should be disaggregated to the MSA level 5. By CLEC, BST, and all BST affiliates for all measures 6. Center—for OS/DA, ordering & maintenance service center measures
<p>E. Service Order Activities</p> <ol style="list-style-type: none"> 1. New Service Installations 2. Service Migrations Without Changes 3. Service Migrations With Changes 4. Local Number Porting 5. Inside Move 6. Outside Move 7. Records Change 8. Feature Changes 9. Service Disconnects 10. Translation Disconnects

Disaggregation
11. Standalone Directory Listing (DL)
12. Standalone Directory Assistance (DA) Listing
13. Standalone DL & DA Activity
F. Billing
1. Record Type (resale, interconnection, UNE)

Disaggregation, Analogs and Benchmarks		
G. Product Disaggregation for (Ordering, Provisioning, and Maintenance & Repair)	Benchmark-- 95% within x Days unless otherwise noted (resale) for <u>Order Completion Interval</u>	Retail analog for other provisioning and maintenance and repair measures
1. Resold Residence POTS	1. Retail Analog	1. Retail Analog
2. Resold Business POTS	2. Retail Analog	2. Retail Analog
3. Resold BRI ISDN	3. Retail Analog	3. Retail Analog
4. Resold PRI ISDN	4. Retail Analog	4. Retail Analog
5. Resold Centrex/Centrex-like	5. Retail Analog	5. Retail Analog
6. Resold Analog PBX trunks	6. Retail Analog	6. Retail Analog
7. Resold DID Trunks	7. Retail Analog	7. Retail Analog
8. Resold Voice-Grade Private Line	8. Retail Analog	8. Retail Analog
9. Resold DS1 Services	9. Retail Analog	9. Retail Analog
10. Resold DS3 Services	10. Retail Analog	10. Retail Analog
11. Resold >DS3 Services	11. Retail Analog	11. Retail Analog
12. Other Resold Services	12. Retail Analog	12. Retail Analog
13. UNE Platform	13. Retail POTS	13. Retail POTS
14. UNE Channelized DS1 (DS1 loop + multiplexing)	14. 3, 7, and 10 days, for a ,b, and c, volumes respectively	14. DS1
15. Unbundled 8 dB Analog Loops	15. Same as above	15. Retail POTS
16. Unbundled 2-wire Digital Loops	16. Same as above	16. Retail POTS
17. Unbundled 4-wire Digital Loops	17. Same as above	17. Retail POTS
18. Unbundled ADSL Loops	18. Same as above	18. DS1
19. Unbundled HDSL Loops	19. Same as above	19. DS1
20. Unbundled xDSL Loops	20. Same as above	20. DS1
21. Other Unbundled Loops	21. Same as above	21. DS1
22. UNE Analog Switch Port (line side)	22. 2 days	22. POTS
23. UNE BRI Capable Switch Port (line side)	23. 3 days	23. ISDN
24. UNE DS1 Switch Port (line side)	24. 5 days	24. DS1
25. UNE PRI Switch Port (trunk side)	25. 5 days	25. ISDN
26. UNE DID-capable Switch Port (trunk side)	26. 5 days	26.
27. UNE Message Trunk Port	27. 5 days	27. DS1
28. UNE Dedicated DS0 Transport	28. 3, 7, and 10 days, for a ,b, and c, volumes respectively	28. DS1
29. UNE Dedicated DS1 Transport	29. Same as above	29. DS1
30. UNE Dedicated DS3 Transport	30. Same as above	30. DS3
31. Interconnect Trunks (DS0s, DS1s and DS3s.)	31. ILEC Trunks	31. ILEC Trunks
32. Two-Way Trunking, Inbound Augments, separately)	32. ILEC Trunks	32. ILEC Trunks

Disaggregation, Analogs and Benchmarks		
G. Product Disaggregation for (Ordering, Provisioning, and Maintenance & Repair)	Benchmark— 95% within x Days unless otherwise noted (resale) for <u>Order Completion Interval</u>	Retail analog for other provisioning and maintenance and repair measures
33. ILNP	33. 3, 7, and 10 days, for a ,b, and c, volumes respectively	33. Retail POTS
34. PNP	34. Same as above	34. Retail POTS

AT&T Performance Standards By Measure

BellSouth Measure	Standard/Benchmark
<ol style="list-style-type: none"> 1. Average Response Time and Response Interval (Pre-Ordering) 2. Interface Availability (Pre-Ordering) 3. Interface Availability (Maintenance & Repair) 4. Response Interval (Maintenance & Repair) 	<p>(See Section D above re: interface, company, and geographic disaggregation)</p> <ol style="list-style-type: none"> 1. Retail analogs by function. See Section A above. 2. 99.5 % availability for all OSS interfaces. 3. 99.5% availability for all OSS interfaces. 4. Retail analogs by function. See Section B above.
<ol style="list-style-type: none"> 1. Percent Flow-through Service Requests 2. Order Acknowledgement Timeliness 3. Order Acknowledgement Completeness 4. Percent Rejected Service Requests 5. Reject Interval 6. Firm Order Commitment Timeliness 7. Firm Order Commitment/Rejection Response Completeness 8. Speed of Answer in Ordering Center 9. Percent Order Accuracy 	<p>(See Section G above re: products) (See Section D above re: interface, company, and geographic, and volume disaggregation)</p> <ol style="list-style-type: none"> 1. 98% flow-through, with an improvement plan if BST's current methodology is not rejected by the Commission. 2. 100% of all Mechanized Acknowledgements Are Returned Within 15 Minutes of Receiving LSR 3. Mechanized Acknowledgements Are Sent 100% of Time 4. Diagnostic 5. 95% or greater within: mechanized-- 1 hour, partially mechanized--5 hours, non-mechanized--24 hours 6. 95% or greater within: mechanized-- 1 hour, partially mechanized--5 hours, non-mechanized--24 hours 7. Firm Order Commitments or Reject Responses are Returned on 100% of LSRs. 8. 95% within 20 seconds, 100% within 30 seconds 9. 99% of Completed CLEC Orders Are Accurate
<ol style="list-style-type: none"> 1. Mean Held Order Interval & Distribution Intervals 2. Average Jeopardy Notice Interval & % of Orders Given Jeopardy Notices 3. Percent Orders Completed On Time 4. Average Completion Interval 5. Average Completion Notice Interval 6. Provisioning Notification Completeness 7. Coordinated Customer Conversions 8. % Provisioning Troubles w/i 30 days of Service Order Activity 9. Percent Completions/Attempts without Notice or with Less Than 24 Hours Notice 10. Percent Service Loss from Early Cuts 	<p>(See Section G above for product specific benchmark or retail analog) (See Section D above re: company, and geographic, dispatch, and volume disaggregation)</p> <ol style="list-style-type: none"> 1. Retail Analog 2. Retail Analog 3. Retail Analog 4. Benchmark 5. Retail Analog 6. Completion notification sent for 98% of completed service orders 7. <10 lines – 100% within 1 hour >11 lines – 100% within 2 hours 8. Retail analog 9. ≥ 98 percent of completions and completion attempts should receive more

BellSouth Measure	Standard/Benchmark
<ul style="list-style-type: none"> 11. Percent Service Loss from Late Cuts 12. Percent of Orders Cancelled or Supplemented at the Request of the ILEC 13. Percent of Hot Cuts Not Working as Initially Provisioned 14. Average Recovery Time 15. Mean Time to Restore a Customer to the ILEC 	<ul style="list-style-type: none"> than 24 hours notice via a FOC 10. 100% of coordinated cutovers begin no earlier than 15 minutes prior to committed due date and time on FOC 11. 100 % of coordinated cutovers complete no later than 1 hour past the committed due date and time on FOC for 1-10 lines and no later than 2 hours for greater than 10 lines. 12. < 1.0% Supped or Cancelled at Request of ILEC 13. < 1.0% of All Coordinated Cuts Not Working as Initially Provisioned 14. 98% of Customer Recoveries Done Within 1 Hour/ 100% of Customer Recoveries Done Within 2 Hours 15. 98% of Customer Restorral to the ILEC Completed Within 1 Hour and 100% Within 2 Hours
<ul style="list-style-type: none"> 1. Customer Trouble Report Rate 2. Maintenance Average Duration 3. Percent Repeat Troubles w/i 30 days) 4. Average Answer Time - Repair Centers 5. Mean Jeopardy Interval for Maintenance & Trouble Handling 6. Percent Customer Troubles Resolved Within Estimate 	<p>(See Section G above for product specific retail analog) (See Section D above re: company, and geographic, dispatch, and volume disaggregation)</p> <ul style="list-style-type: none"> 1. Retail Analog 2. Retail Analog 3. Retail Analog 4. 95% within 20 seconds, 100% within 30 seconds 5. Retail Analog 6. > 99% Resolved Within Estimate
<ul style="list-style-type: none"> 1. Call Abandonment Rate 2. Mean Time To Answer Calls(Service Center) 	<p>(See Section D above re: center)</p> <ul style="list-style-type: none"> 1. < 1% of calls abandoned from queue 2. > 95% of calls, by center, are answered within 20 seconds All calls are answered within 30 seconds
<ul style="list-style-type: none"> 1. Percent Mechanized Billing Format Accuracy 2. Percent Process Accuracy of Current Billing Activity 3. Percent Switched Local Billing Accuracy 4. Percent On-Time Mechanized Local Services Invoice Delivery 5. Percent On-Time Service Order Billing 6. Percent On-Time Correction/Adjustment Dollars 7. Percent On-Time Switched Local Charges 8. Usage Data Delivery Accuracy 9. Mean Time to Deliver Usage 	<p>(See Section D above re: interface and company disaggregation)</p> <ul style="list-style-type: none"> 1. Retail Analog 2. Retail Analog 3. Retail Analog 4. Retail Analog 5. Retail Analog 6. Retail Analog 7. Retail Analog 8. Retail Analog 9. Retail Analog
<ul style="list-style-type: none"> 1. Mean Time To Answer(OS/DA) 2. Mean Time Allotted to Proof Listing Updates Before 	<p>((See Section D above re: company and center)</p> <ul style="list-style-type: none"> 1. >90% of Calls Answered by a Live Agent in 10 Seconds 2. Review Time May be no More than 4 Hours Less Than the ILECs' review time

BellSouth Measure	Standard/Benchmark
Publication(Disaggregated by Directory)	
1. Database Average Update Interval 2. Database Percent Update Accuracy	(See Section d above re: company) 1. 99.99% Completed in 24 Hours 3. <u>>99.99% Accurate</u>
1. Percent Call Completion	1. Dedicated trunk groups not to exceed blocking standard of B.01. Common Trunk Groups: Where CLEC/LD traffic share common ILEC trunks: No more than 1% of end offices may have more than 2% blockage a month based on Erlang B.01 scale. Where CLEC traffic traverses a separate common network from ILEC traffic: No more than 2% of end offices may have more than 2% blocking.
1. Collocation Average Response Time 2. Collocation Average Arrangement Time 3. Collocation % of Due Dates Missed	(See Section D above re: company and geographic disaggregation and Section C re: collocation disaggregation) 1. 95% within 10 calendar days 2. Physical-90 calendar days, virtual 60 calendar days 3. 0 misses of committed due date

APPENDIX B: GLOSSARY OF ACRONYMS AND TERMS

A	ACD	Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.
	AGGREGATE	Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.
	ASR	Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.
	ATLAS	Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.
	ATLASTN	ATLAS software contract for Telephone Number
	AUTO CLARIFICATION	The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.
B	BILLING	The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.
	BOCRIS	Business Office Customer Record Information System - A front-end presentation manager used by BellSouth organizations to access the CRIS database.
	BRC	Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers. BellSouth Telecommunications, Inc.
	BST	
C	CKTID	A unique identifier for elements combined in a service configuration
	CLEC	Competitive Local Exchange Carrier
	CMDS	Centralized Message Distribution System - BellCore administered national system used to transfer specially formatted messages among companies.
	COFFI	Central Office Feature File Interface - A BellSouth Operations System database which maintains Universal Service Order Code (USOC) information based on current tariffs.

Appendix B: Glossary of Acronyms and Terms - Continued

C	COFIUSOC	COFFI software contract for feature/service information
	CRIS	Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.
	CRSACCTS	CRIS software contract for CSR information
	CSR	Customer Service Record
	CTTG	Common Transport Trunk Group - Final trunk groups between BST & Independent end offices and the BST access tandems.
D	DESIGN	Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities
	DISPOSITION & CAUSE	Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.
	DLETH	Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS
	DLR	Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.
	DOE	Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.
	DSAP	DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and UNEs.
	DSAPDDI	DSAP software contract for schedule information
E	E911	Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.
	EDI	Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra company business documents in a public standard format.
F	FATAL REJECT	The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated
	FLOW-THROUGH	In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BST OSS without manual or human intervention.
	FOC	Firm Order Commitment - A notification returned to the CLEC committing that the LSR has been received and accepted, including a facilities availability validation and the specified commitment date.

Appendix B: Glossary of Acronyms and Terms - Continued

G		
H	HAL	"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.
	HALCRIS	HAL software contract for CSR information
I	ISDN	Integrated Services Digital Network
K		
L	LCSC	Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.
	LEGACY SYSTEM	Term used to refer to BellSouth Operations Support Systems (see OSS)
	LENS	Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.
	LEO	Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.
	LESOG	Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.
	LMOS	Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.
	LMOS HOST	LMOS host computer
	LMOSupd	LMOS updates
	LNP	Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.
	LOOPS	Transmission paths from the central office to the customer premises.
	LSR	Local Service Request - A request for local resale service or unbundled network elements from a CLEC.
M	MAINTENANCE & REPAIR	The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.
	MARCH	A BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

Appendix B: Glossary of Acronyms and Terms – Continued

N	NC	"No Circuits" - All circuits busy announcement
O	OASIS	Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.
	OASISBSN	OASIS software contract for feature/service
	OASISCAR	OASIS software contract for feature/service
	OASISLPC	OASIS software contract for feature/service
	OASISMTN	OASIS software contract for feature/service
	OASISNET	OASIS software contract for feature/service
	OASISOCP	OASIS software contract for feature/service
	ORDERING	The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.
	OSPCM	Outside Plant Contract Management System - Provides Scheduling Information.
	OSS	Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions. Customer has no dial tone and cannot call out.
	OUT OF SERVICE	
P	POTS	Plain Old Telephone Service
	PREDICTOR	The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.
	PREORDERING	The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.
	PROVISIONING	The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.
	PSIMS	Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.
	PSIMSORB	PSIMS software contract for feature/service

Appendix B: Glossary of Acronyms and Terms – Continued

Q		
R	RNS	Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.
	RRC	Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.
	RSAG	Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.
	RSAGADDR	RSAG software contract for address search
	RSAGTN	RSAG software contract for telephone number search
S	SOCS	Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.
	SOIR	Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911.
T	TAFI	Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.
	TAG	Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth’s OSSs and participating CLECs.
	TN	Telephone Number
	TOTAL MANUAL FALLOUT	The number of LSRs which are entered electronically but require manual entering into a service order generator.
U	UNE	Unbundled Network Element
V		
W	WTN	A unique identifier for elements combined in a service configuration
X		
Y		
Z		
Σ		Sum of:

APPENDIX C: BELLSOUTH'S AUDIT POLICY

BELLSOUTH'S AUDIT POLICY:

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit for every CLEC with which it has a contract. As of June 1999, that would equate to over 732 audits per year and that number is continually growing. BellSouth developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001-2005), to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

1. The cost shall be borne 50% by BellSouth and 50% by the CLECs.
2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

Statistical Methodology

Basic concepts and Terms

When making the comparison of BellSouth results to AT&T results, it is necessary to employ comparative methods that are based upon generally accepted statistical procedures. It is important to use statistical procedures because all of the BellSouth-AT&T processes that will be measured are processes that contain some degree of randomness. The use of statistical procedures recognizes the practical existence of measurement variability, and assists in translating results data into decision-making information. AT&T and BellSouth agree that the use of the modified "Z-test," for the difference between the two means (BellSouth and AT&T) or two percentages, or the difference in two proportions, is the appropriate statistical test for the determination of parity when the result for BellSouth and AT&T are compared. The modified Z-tests are applicable if the number of data points are greater than or equal to 10 for a given measurement. For testing compliance for measures for which the number of data points are 9 or less, a permutation analysis is applicable.

The parties agree that the definition of performance measure parity should be that parity exists when the measured results in a single month (whether in the form of means, percents or proportions) for the same measurement, at equivalent disaggregation, for both BellSouth and AT&T are used to calculate a Z-test statistic and the resulting value is no greater than zero.

The Z-test

The objective of the statistical test is to compare the mean of a sample of the ILEC measurements with the mean of a sample of CLEC measurements. Suppose both samples were drawn from the same population; then the difference between these two sample means (*i.e.*, $DIFF = \bar{x}_{CLEC} - \bar{x}_{ILEC}$) will have a sampling distribution which will

- (i) have a mean of zero; and
- (ii) have a standard error that depends on the population standard deviation and the sizes of the two samples.

Statisticians utilize an index for comparing measurement results for different samples. The index employed is a ratio of the difference in the two sample means (being compared) and the standard deviation estimated for the overall population. This ratio is known as a z-score. The z-score compares the two samples on a standard scale, making proper allowance for the sample sizes.

Statistical Methodology

The computation of the difference in the two sample means is straightforward.

$$\text{DIFF} = \bar{x}_{\text{CLEC}} - \bar{x}_{\text{ILEC}}$$

The standard deviation is less intuitive. Nevertheless, statistical theory establishes the fact that

$$s_{\text{DIFF}}^2 = \frac{s^2}{n_{\text{CLEC}}} + \frac{s^2}{n_{\text{ILEC}}}$$

where σ is the standard deviation of the population from which both samples are drawn. That is, the squared standard error of the difference is the sum of the squared standard errors of the two means being compared.¹

We do not know the true value of the population σ because the population cannot be fully observed. However, we can estimate σ given the standard deviation of the ILEC sample (s_{ILEC}).² Hence, we may estimate the standard error of the difference with

$$s_{\text{DIFF}} = \sqrt{\frac{s_{\text{ILEC}}^2}{n_{\text{CLEC}}} + \frac{s_{\text{ILEC}}^2}{n_{\text{ILEC}}}} = \sqrt{s_{\text{ILEC}}^2 \left[\frac{1}{n_{\text{CLEC}}} + \frac{1}{n_{\text{ILEC}}} \right]}$$

If we then divide the difference between the two sample means by this estimate of the standard deviation of this difference, we get what is called a "z-score".

$$z = \frac{\text{DIFF}}{s_{\text{DIFF}}}$$

Proposed Test Procedures

Applying the Appropriate Test

Three z-tests will be described in this section: the "Test for Parity in Means", the "Test for Parity in Rates", and the "Test for Parity in Proportions".

¹ Winkler and Hays, *Probability, Inference, and Decision*. (Holt, Rinehart and Winston: New York), p. 370.

² Winkler and Hays, *Probability, Inference, and Decision*. (Holt, Rinehart and Winston: New York), p. 338.

Statistical Methodology

Test for Parity in Means

Several of the measurements in the LCUG SQM document are averages (*i.e.*, means) of certain process results. The statistical procedure for testing for parity in the ILEC and CLEC means is described below:

1. Calculate for each sample the number of measurements (n_{ILEC} and n_{CLEC}), the sample means (\bar{x}_{ILEC} and \bar{x}_{CLEC}), and the sample standard deviations (s_{ILEC} and s_{CLEC}).
2. Calculate the difference between the two sample means; if *larger* CLEC mean indicates possible violation of parity, use $DIFF = \bar{x}_{CLEC} - \bar{x}_{ILEC}$, otherwise reverse the order of the CLEC mean and ILEC mean.
3. To determine a suitable scale on which to measure this difference, we use an estimate of the population variance based on the ILEC sample, adjusted for the sized of the two samples: this gives the standard error of the difference between the means as

$$s_{DIFF} = \sqrt{s_{ILEC}^2 \left[\frac{1}{n_{CLEC}} + \frac{1}{n_{ILEC}} \right]}$$

4. Compute the test statistic

$$z = \frac{DIFF}{s_{DIFF}}$$

5. Determine a critical value c so that the type one error is suitably small.
6. Declare the means to be in violation of parity if $z > c$.

Test for Parity in Proportions

Several of the measurements in the LCUG SQM document are proportions derived from certain counts. The statistical procedure for testing for parity in the ILEC and CLEC proportions is described below. It is the same as that for means, except that we do not need to estimate the ILEC variance separately.

1. Calculate for each sample sizes (n_{ILEC} and n_{CLEC}), and the sample proportions (p_{ILEC} and p_{CLEC}).

Statistical Methodology

- Calculate the difference between the two sample means; if *larger* CLEC proportion indicates worse performance, use $DIFF = p_{CLEC} - p_{ILEC}$, otherwise reverse the order of ILEC and CLEC proportions.
- Calculate an estimate of the *standard error for the difference* in the two proportions according to the formula

$$s_{DIFF} = \sqrt{p_{ILEC}(1 - p_{ILEC}) \left[\frac{1}{n_{CLEC}} + \frac{1}{n_{ILEC}} \right]}$$

- Hence compute the test statistic

$$z = \frac{DIFF}{s_{DIFF}}$$

- Determine a critical value c so that the type one error is suitably small.
- Declare the means to be in violation of parity if $z > c$.

Test for Parity in Rates

A rate is a ratio of two counts, *num/denom*. An example of this is the trouble rate experience for POTS. The procedure for analyzing measurements results that are rates is very similar to that for proportions.

- Calculate the numerator and the denominator counts for both the ILEC and CLEC, and hence the two rates $r_{ILEC} = \text{num}_{ILEC}/\text{denom}_{ILEC}$ and $r_{CLEC} = \text{num}_{CLEC}/\text{denom}_{CLEC}$.
- Calculate the difference between the two sample rates; if *larger* CLEC rate indicates worse performance, use $DIFF = r_{CLEC} - r_{ILEC}$, otherwise take the negative of this.
- Calculate an estimate of the *standard error for the difference* in the two rates according to the formula

$$s_{DIFF} = \sqrt{r_{ILEC} \left[\frac{1}{\text{denom}_{CLEC}} + \frac{1}{\text{denom}_{ILEC}} \right]}$$

- Compute the test statistic

Statistical Methodology

$$z = \frac{DIFF}{s_{DIFF}}$$

5. Determine a critical value c so that the type one error is suitably small.
6. Declare the means to be in violation of parity if $z > c$.

Service Quality Measurements: Reporting Expectations And Report Format

Basic Operating Principles

Performance Results Comparison:

For all performance measurement metrics, AT&T results for the report month are to be shown in comparison to BellSouth retail results for the same period. The difference between the AT&T and BellSouth retail results for the performance metric and an indication where the AT&T result is lesser in quality compared to BellSouth will also be shown.

Separate Results Reporting:

BellSouth shall also report separately on its performance for each reporting dimension as provided to: (1) its own retail customers, (2) any of its affiliates that provide local service, (3) competing carriers (CLECs) in the aggregate, and (4) AT&T. The "affiliate" category above includes any BellSouth affiliate that purchases local service for resale or purchases unbundled network elements from BellSouth.

Detailed Reporting:

Detailed reporting shall be provided only to AT&T unless written permission is provided to do otherwise. Reporting to AT&T shall include, for each measure, a representation of the dispersion around the average (mean) of the measured results for the reporting period (e.g. percent of 1-4 lines installed in the 1st day, 2nd day, 3rd day, and > 10 days, etc.)

Disaggregation:

Measurement data shall be reported in a manner consistent with natural geographic and operational areas. AT&T and BellSouth shall agree upon the appropriate disaggregation within 30 days of the commission approval of the Interconnection Agreement. Such disaggregation shall be at a level necessary to reveal underlying differences in performance, which could mask parity comparison. For purposes of this Agreement, the parties concur that reporting must be disaggregated at a level lower than the statewide or LATA-wide level (preferably at the MSA Metropolitan Statistical Area level.)

The reporting dimensions in the Formula Quick Reference Guide (Attachment 1) provide the disaggregation level for each Performance Measurement.

Service Quality Measurements: Reporting Expectations And Report Format

Raw Data:

BellSouth shall provide all data records captured in its observation for the reporting period for all performance measurement reports. A corresponding data file will be provided for each performance measurement report which contains the associated data records.

Each record will contain a minimal set of data corresponding to the CLEC retained data described in the performance measurement definition. A column heading will be provided for each field in the record. The raw data records will include delimiters between data fields. The raw data files will be provided in a format that can be used as direct input into a common database management system such as Microsoft ACCESS.

Raw Data User's Guide:

BellSouth shall provide explicit instructions of what is contained in the raw data files, including column heading definitions, column purpose and data field code definitions. BellSouth shall provide instructions on how to gain access to reports and raw data. BellSouth shall comprehensively describe how to recreate the performance result reports using the raw data records. When instructions need clarity, BellSouth shall receive input from AT&T and make appropriate changes as agreed to by both parties.

Timely Delivery of Reports and Raw Data:

Reports and raw data files shall be made available to AT&T no later than ten (10) calendar days following the close of the calendar report month.

Failure to Report in a Timely Manner:

Unless otherwise agreed to by AT&T, failure of BellSouth to provide timely reports as to any performance measurement result shall be considered a failure by BellSouth to meet the minimum level of performance specified in the Agreement.

Changes to Performance Reporting Formats or Raw Data File Formats:

Changes to any performance report format will be conducted as set forth in Section 6 of Attachment 9.

Service Quality Measurements: Reporting Expectations And Report Format

Data Update or Revision:

BellSouth shall notify AT&T within three (3) business days of a determination that reports and/or data previously provided to AT&T under this Agreement are in need of revisions or updates. Such notification shall include the reason for the revision or update and a specific plan for providing such revisions or updates, including the identification of the metrics involved and those calculations or comparisons that BellSouth is proposing to modify to accurately reflect BellSouth performance. BellSouth shall provide the revised reports to AT&T within five (5) business days of first notifying AT&T of the need for revisions or updates.

Benchmark Reporting

The general structure for reporting benchmark results shall be the same for the different measures/sub-measures and will consist of three components. The first component, is the monthly performance results over a period of time. The second component is performance results for each measure/sub-measures for the current month. Finally, the third component of the reporting structure is a summary of any adjustments to the data made in the process of calculating the data, including a description of how many records were excluded from analysis and the reason for the exclusion (i.e., excluded due to business rules pertaining to the measure).

An outline of the report is shown below. Reporting will be presented in a manner consistent with the Basic Operating Principles outlined above.

1. Monthly Benchmark attainment Over a Period of Time
2. Results For The Current Month
3. Adjustment to Data
 - A. Records Excluded Due to Business Rules

Statistical Reporting

The general structure for reporting statistical results shall be the same for the different measures/sub-measures and will consist of three components. The first component, is the monthly test statistics over a period of time. The second component is test statistic for each measure/sub-measures for the current month and the parity outcome. Finally, the third component of the reporting structure is a summary of any adjustments to the data made in the process of running the tests, including a description of how many records were excluded from analysis and the reason for the exclusion (i.e., excluded due to business rules, or due to statistical/methodological rules pertaining to the measure). This component is important to assure that the reported results can be audited.

Service Quality Measurements: Reporting Expectations And Report Format

An outline of the report is shown below. Reporting will be presented in a manner consistent with the Basic Operating Principles outlined above.

1. Monthly Test Statistics Over a Period of Time
2. Results For The Current Month
3. Adjustment to Data
 - A. Records Excluded Due to Business Rules
 - B. Records Excluded Due to Statistical Rules

Service Quality Measurements:

Formula Quick Reference Guide:

The Formula Quick Reference Guide represents the measures that AT&T requires and the formulas for the data. The Guide is separated by Measurement Designations: Order Provisioning (OP), Maintenance and Repair (MR), General (GE), Billing (BI), Operator Services / Directory Assistance & Listings (OS, DA, & DL), Network Performance (NP), Collocation Provisioning (CP), Database Updates (DU), and Interconnect / Unbundled Elements and Combos (IUE).

Measurement Designation refers to the measurement category and number. Measurement Name describes the measurement being reported. Measurement Formula represents the formula used to calculate the measurements. Reporting Dimensions represents the subcategories of measures required. Each item in the column for Reporting Dimensions marked with a (*) is detailed in Attachment 2 to this Appendix C - Reporting Dimensions.

**Service Quality Measurements:
Reporting Expectations And Report Format
ATTACHMENT 1:
FORMULA QUICK REFERENCE GUIDE**

Measurement Designation	Measurement Name:	Measurement Formula:	Reporting Dimensions
Ordering and Provisioning (OP)			
OP-1	Average Completion Interval	Average Completion Interval = $\Sigma [(\text{Completion Date \& Time}) - (\text{Order Submission Date \& Time})] / (\text{Count of Orders Completed in Reporting Period})$	<ul style="list-style-type: none"> • Company • Service Type* • Order Activity* • Geographic Scope • Volume Category
OP-2	Percent Orders Completed on Time	Percent Orders Completed on Time = $(\text{Count of Orders Completed within the ILEC Committed Due Date}) / (\text{Count of Orders Completed in Reporting Period}) \times 100$	<ul style="list-style-type: none"> • Company • Service Type* • Order Activity* • Geographic Scope • Volume Category
OP-3	Average Offered Interval	Average Offered Interval = $\Sigma [(\text{Committed Due Date \& Time}) - (\text{Date \& Time of Receipt of valid Service Request})] / (\text{Number of Committed Due Dates})$	<ul style="list-style-type: none"> • Company • Service Type* • Order Activity* • Geographic Scope • Volume Category
OP-4	Percent Order Accuracy	Percent Order Accuracy = $(\Sigma \text{Orders Completed w/o Error}) / (\Sigma \text{Orders Completed}) \times 100$	<ul style="list-style-type: none"> • Company • Interface Type • Service Type* • Order Activity* • Volume Category
OP-5	Percent Mechanized Order Flow Through	Percent Mechanized Order Flow Through = $(\text{Total Number of Orders Processed Without Manual Intervention}) / (\text{Total Number of Orders Completed}) \times 100$	<ul style="list-style-type: none"> • Company • Interface Type • Service Type* • Order Activity* • Volume Category
OP-6	Percent Orders Rejected	Percent Orders Rejected = $(\text{Number of Orders Rejected Due to Error or Omission} / \text{Number of Orders Received by the ILEC During Reporting Period}) \times 100$	<ul style="list-style-type: none"> • Company • Interface Type • Service Type* • Order Activity* • Volume Category

**Service Quality Measurements:
Reporting Expectations And Report Format**

Measurement Designation	Measurement Name:	Measurement Formula:	Reporting Dimensions
OP-7	Average Submissions Per Order	Average Submissions Per Order = $\Sigma[(\text{Number of Firm Order Confirmations}) + (\text{Number of Rejections Issued})]/(\text{Number of Firm Order Confirmations})$	<ul style="list-style-type: none"> • Company • Interface Type • Service Type* • Order Activity* • Volume Category

Ordering and Provisioning (OP)			
Measurement Designation	Measurement Name:	Measurement Formula:	Reporting Dimensions
OP-8	Reject Interval	Reject Interval = $\Sigma [(\text{Date and Time of Order Rejection}) - (\text{Date and Time of Order Receipt or Acknowledgment})]/(\text{Number of Orders Rejected in Reporting Period})$	<ul style="list-style-type: none"> • Order Activity* • Company • Interface Type • Service Type* • Geographic Scope
OP-9	FOC Interval	FOC Interval = $\Sigma [(\text{Date and Time of Firm Order Confirmation}) - (\text{Date and Time of Order Acknowledgment})]/(\text{Number of Orders Confirmed in Reporting Period})$	<ul style="list-style-type: none"> • Order Activity* • Company • Interface Type • Service Type* • Geographic Scope
OP-10	Jeopardy Interval	Jeopardy Interval = $\Sigma [(\text{Date and Time of Committed Due Date for the Order}) - (\text{Date and Time of Jeopardy Notice})]/(\text{Number of Orders Jeopardized in Reporting Period})$. For all orders jeopardized on or before the scheduled due date.	<ul style="list-style-type: none"> • Order Activity* • Company • Interface Type • Service Type* • Geographic Scope
OP-11	Completion Notice Interval	Completion Notice Interval = $\Sigma [(\text{Date and Time of Notice of Completion Issued to the CLEC}) - (\text{Date and Time of Work Completion by the ILEC})]/(\text{Number of Orders Completed in Reporting Period})$	<ul style="list-style-type: none"> • Order Activity* • Company • Interface Type • Service Type* • Geographic Scope

**Service Quality Measurements:
Reporting Expectations And Report Format**

Measurement Designation	Measurement Name:	Measurement Formula:	Reporting Dimensions
OP-12	Percent Completions / Attempts without Notice or with Less Than 24 Hours Notice.	Percent Completions/Attempts without Notice or with Less Than 24 Hours Notice = [Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received Within 24 Hours of Due Date/All Completions] x 100	<ul style="list-style-type: none"> • Order Activity* • Company • Interface Type • Service Type* • Geographic Scope
OP-13	Percent Jeopardies	Percent Jeopardies = (Number of Orders Jeopardized in Reporting Period)/(Number of Orders Confirmed in Reporting Period)	<ul style="list-style-type: none"> • Order Activity* • Company • Interface Type • Service Type* • Geographic Scope
OP-14	Average Coordinated Conversion Interval	Average Coordinated Conversion Interval = Σ [(Date & Time Re-termination is Completed by the ILEC) – Date and Time of Initial Service Interruption (disconnect of facilities and translations for customer transferring service)/All Customer Conversions Completed During Reporting Period] x 100	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (Service Type*) • Order Activity* • Geographic Scope • Volume Category

Ordering and Provisioning (OP)			
Measurement Designation	Measurement Name:	Measurement Formula:	Reporting Dimensions
OP-15	Percent Service Loss from Early Cuts	Percent Service Loss from Early Cuts = (Customer Conversion Where Cutover Time is Earlier Than Due Date and Time)/(All Customer Conversions Completed During Reporting Period) x 100	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (Service Type*) • Order Activity* • Geographic Scope • Volume Category

**Service Quality Measurements:
Reporting Expectations And Report Format**

Measurement Designation	Measurement Name:	Measurement Formula:	Reporting Dimensions
OP-16	Percent Service Loss from Late Cuts	Percent Service Loss from Late Cuts = (Customer Conversion Where Cutover Time Is More Than 30 Minutes Past Due Date and Time)/All Customer Conversion Completed During Reporting Period) x 100	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (Service Type*) • Order Activity* • Geographic Scope • Volume Category
OP-17	Held Order Interval	Held Order Interval = Σ (Reporting Period Close Date - Committed Order Due Date) / (Number of Orders Pending and Past The Committed Due Date) for all orders pending and past the committed due date	<ul style="list-style-type: none"> • Company • Service Type* • Reason for Hold (no facilities, no equipment, workload, other) • Geographic Scope
OP-18	Percent Orders Held \geq 90 Days	Percent Orders Held \geq 90 Days = (Number of Orders Held for \geq 90 days) / (Total Number of Orders Pending But Not Completed) x 100	<ul style="list-style-type: none"> • Company • Service Type* • Reason for Hold (no facilities, no equipment, workload, other) • Geographic Scope
OP-19	Percent Orders Held \geq 15 Days	Percent Orders Held \geq 15 Days = (Number of Orders Held for \geq 15 days) / (Total Number of Orders Pending But Not Completed) x 100	<ul style="list-style-type: none"> • Company • Service Type* • Reason for Hold (no facilities, no equipment, workload, other) • Geographic Scope

**Service Quality Measurements:
Reporting Expectations And Report Format**

Ordering and Provisioning (OP)			
NOP-20	Percent of Orders Cancelled or Supplemented at the Request of the ILEC	Number of Orders Cancelled or Supplemented at the Request of the ILEC = [(Number of orders cancelled or supped at the request of the ILEC during reporting period)/(Number of cancels and sups during the reporting period)] x 100	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (i.e. ILNP, PNP or ILNP-to-PNP conversion). See also Service Type (Appendix 1) • Order Activity • Geography • Volume Category • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NOP-20	Percent of Orders Cancelled or Supplemented at the Request of the ILEC	Number of Orders Cancelled or Supplemented at the Request of the ILEC = [(Number of Orders Cancelled or Supplemented at the Request of the ILEC During Reporting Period)/(Number of Cancels and Supplements During the Reporting Period)] x 100	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (i.e. ILNP, PNP or ILNP-to-PNP conversion). See also Service Type (Appendix 1) • Order Activity • Geography • Volume Category • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)

**Service Quality Measurements:
 Reporting Expectations And Report Format**

NOP-21	Percent of Hot Cuts Not Working as Initially Provisioned	Percent of Hot Cuts Not Working as Initially Provisioned = (Number of Troubles Attributable to the ILEC on Initial Customer Cutover)/(Number of Hot Cuts Provisioned During The Reporting Period) X100	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (i.e. ILNP, PNP or ILNP-to-PNP conversion). See also Service Type (Appendix 1) • Order Activity • Geography • Volume Category • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
---------------	---	--	---

Ordering and Provisioning (OP)			
NOP-22	Average Recovery Time	Average Recovery Time = $\Sigma[(\text{Date \& Time That Trouble is Closed By CLEC}) - (\text{Date \& Time Initial Trouble is Opened With ILEC})] / (\text{Number of Troubles Opened With ILEC})$	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (i.e. ILNP, PNP or ILNP-to-PNP conversion). See also Service Type (Appendix 1) • Order Activity • Geography • Volume Category • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)

**Service Quality Measurements:
Reporting Expectations And Report Format**

NOP-23	Mean Time to Restore a Customer to the ILEC	Mean Time to Restore A Customer to the ILEC = $\Sigma[(\text{Date \& Time Service is Restored to Customer}) - (\text{Date \& Time of Initial Notification to Restore})] / \text{Number of Circuits Restored to ILEC}$	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (i.e. ILNP, PNP or ILNP-to-PNP conversion). See also Service Type (Appendix 1) • Order Activity • Geography • Volume Category • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NOP-24	Percent of Customers Restored to the ILEC	Percent Of Customers Restored to the ILEC = $(\text{Number of Circuits Restored to ILEC} / \text{Number of Total Circuits Attempted to Port During Interval}) \times 100$	<ul style="list-style-type: none"> • Company • Type of Loop or UNE Combination Cutover and Type of NP involved (i.e. ILNP, PNP or ILNP-to-PNP conversion). See also Service Type (Appendix 1) • Order Activity • Geography • Volume Category • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)

Maintenance and Repair (MR)

**Service Quality Measurements:
Reporting Expectations And Report Format**

MR-1	Mean Time to Restore	Mean Time To Restore = Σ [(Date and Time of Trouble Ticket Resolution Returned to CLEC)-(Date and Time Trouble Ticket Referred to the ILEC)] / (Count of Trouble Tickets Resolved in Reporting Period)	<ul style="list-style-type: none"> • Service Type* • Trouble Type* • Geographic Scope
MR-2	Mean Jeopardy Interval for Maintenance and Trouble Handling	Mean Jeopardy Interval for Maintenance and Trouble Handling = Σ [(Date and Time of Committed Due Date for Maintenance or Trouble Handling) - (Date and Time of Jeopardy Notice)]/(Number of Maintenance or Trouble Handling Appointments Jeopardized in Reporting Period)	<ul style="list-style-type: none"> • Service Type* • Trouble Type* • Geographic Scope
MR-3	Repeat Trouble Rate	Repeat Trouble Rate = (Count of Trouble Reports Where More Than One Trouble Report Was Logged for the Same Service Access Line Within a Continuous 30 Day Period) / (Number of Reports in the Report Period) x 100	<ul style="list-style-type: none"> • Service Type* • Company • Trouble Type* • Geographic Scope
MR-4	Trouble Rate	Trouble Rate = (Count of Initial & Repeated Trouble Reports in the Current Period) / (Number of Service Access Line in Service at End of the Report Period) x 100	<ul style="list-style-type: none"> • Standard Service Groupings • Company • Trouble Type* • Geographic Scope
MR-5	Percent Troubles Within 30 Days of Install and Other Order Activity	Percent Troubles Within 30 Days of Install and Other Order Activity = (Total Number of Trouble Tickets Associated With Lines That Had Service Order Activity Within 30 Days of the Trouble Report)/(Total Number of Orders Completed in the Report Period)	<ul style="list-style-type: none"> • Service Type* • Company • Trouble Type* • Geographic Scope

**Service Quality Measurements:
Reporting Expectations And Report Format**

MR-6	Percent Customer Troubles Resolved Within Estimate	Percent Customer Troubles Resolved Within Estimate = (Count of Customer Troubles Resolved By The Quoted Resolution Time and Date) / (Count of Customer Troubles Tickets Closed) x 100	<ul style="list-style-type: none"> • Company • Service Type* • Trouble Type* • Geographic Scope
-------------	---	---	---

General (GE)			
GE-1	Percent System Availability	Percent System Availability = [(Hours Functionality is Available to CLECs During Report Period) / (Number of Hours Functionality was Scheduled to be Available During the Period)] x 100	<ul style="list-style-type: none"> • Company • Interface type offered for each functional area • Business Period (8:00 AM to 8:00 PM local time vs 8:00 PM to 8:00 AM, weekends and holidays)
GE-2	Mean Time to Answer Calls	Mean Time to Answer Calls = Σ [(Date and Time of Call Answer) - (Date and Time of Call Receipt)] / (Total Calls Answered by Center)	<ul style="list-style-type: none"> • Support Center Type (i.e., CLEC Maintenance, CLEC Provisioning, ILEC Maintenance, ILEC Provisioning/business office)
GE-3	Call Abandonment Rate	Call Abandonment Rate = (Count of Calls Terminated Before Answer During the Reporting Period) / (Count of All Calls Placed in Queue During the Reporting Period)	<ul style="list-style-type: none"> • Support Center Type (i.e., CLEC Maintenance, CLEC Provisioning, ILEC Maintenance, ILEC Provisioning/business office)
GE-4	Average Response Interval	Average Response Interval = Σ [(Query Response Date & Time) - (Query Submission Date & Time)] / (Number of Queries Submitted in Reporting Period)	<ul style="list-style-type: none"> • Company • Interface Type • Pre-ordering Query Types* • Maintenance Query Types*

**Service Quality Measurements:
Reporting Expectations And Report Format**

Billing (B)			
BI-1	Mean Time to Provide Recorded Usage Records	Mean Time to Provide Recorded Usage Records = $\frac{\{\sum[(\text{Data Set Transmission Date}) - (\text{Date of Message Recording})]\} / (\text{Count of All Messages Transmitted in Reporting Period})}{}$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
BI-4	Percent Usage Accuracy	Percent Usage Accuracy = $\frac{[(\text{Number of Usage Records Delivered in the Reporting Period That Reflected Complete Information Content and Proper Formatting}) / (\text{Total Number of Usage Records Transmitted})] \times 100}{}$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NBI-5	Percent Mechanized Billing Format Accuracy	Percent Mechanized Billing Format Accuracy = $\frac{[(\text{Total Number of Accurate Mechanized Local Bills}) / (\text{Total Number of Mechanized Local Bills Processed})] \times 100}{}$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NBI-6	Percent Process Accuracy of Current Billing Activity	Percent Process Accuracy of Current Billing Activity = $\frac{\{[(\text{Total Other Charges \& Credits Billed Dollars}) + (\text{Total Detail Of Adjustments Billed Dollars})] - [(\text{Total Correction \& Correction Adjustment Dollars})]\} / \{[(\text{Total Other Charges \& Credits Billed Dollars}) + (\text{Total Detail Of Adjustment Billed Dollars})]\} \times 100}{}$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NBI-7	Percent Switched Local Billing Accuracy	Percent Switched Local Billing Accuracy = $\frac{[(\text{Total Switched Billed Dollars}) - (\text{Switched Adjustment Dollars})] / (\text{Total Switched Billed Dollars}) \times 100}{}$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
Billing (B)			

**Service Quality Measurements:
Reporting Expectations And Report Format**

NBI-8	Percent On-Time Mechanized Local Services Invoice Delivery	Percent On-Time Mechanized Local Services Invoice Delivery = $[(\text{Total Number of Mechanized Local Bills Received On Time}) / (\text{Total Number of Mechanized Local Bills Processed})] \times 100$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NBI-9	Percent On-Time Service Order Billing	Percent On-Time Service Order Billing = $[(\text{Sum of the Absolute Value of Timely Other Charges \& Credits Dollars}) / (\text{Sum of the Absolute Value of Other Charges \& Credits Billed Dollars})] \times 100$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NBI-10	Percent On-Time Correction/Adjustment Dollars	Percent On-Time Correction/Adjustment Dollars = $[(\text{Total Correction/Adjustment Dollars}) - (\text{Total Correction/Adjustment Dollars} > 60 \text{ Calendar Days})] / (\text{Total Correction/Adjustment Dollars}) \times 100$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)
NBI-11	Percent On-Time Switched Local Charges	Percent On-Time Switched Local Charges = $[(\text{Switched Local Charges}) - (\text{Switched Local Charges Billed} > 60 \text{ Calendar Days From Date Service Rendered})] \times 100$	<ul style="list-style-type: none"> • Company • Type of Record (end user or access) or Invoice (resale, UNE or interconnection services)

Operator Services/Directory Assistance & Listings (OS, DA and DL)			
OS/DA-1	Mean Time To Answer	Mean Time To Answer = $\Sigma [(\text{Date and Time of Call Answer}) - (\text{Date and Time of Call Receipt})] / (\text{Total Calls Answered on Behalf of CLECs in Reporting Period})$	<ul style="list-style-type: none"> • Company • Operator Services by Center • Directory Assistance by Center • Directory Listings by Directory
Operator Services/Directory Assistance & Listings (OS, DA and DL)			

**Service Quality Measurements:
Reporting Expectations And Report Format**

DL-1	Average Time Allotted To Proof Listing Updates Before Publication	Average Time Allotted To Proof Listing Updates Before Publication = $\Sigma\{(\text{Date \& Time of Directory Publication Deadline}) - (\text{Date and Time Updates Available for Proofing})\} / \text{Number of Updates Sent for Proofing}$	<ul style="list-style-type: none"> • Company • Operator Services by Center • Directory Assistance by Center • Directory Listings by Directory
Network Performance (NP)			
NP-1	Percent Call Completion	Percent Call Completion = $\{[(\text{Total number of blocked call attempts during busy hour}) / (\text{Total number of call attempts during busy hour})] \times 100\}$. (inbound and outbound call attempts would be measured separately)	<ul style="list-style-type: none"> • Trunk Capacity Type (DSO, DS1, DS3, etc. • Dedicated Trunk Groups • Common Trunk Groups where CLEC/LD Traffic Share Common ILEC Trunks. • Common Trunk Groups where CLEC traffic traverses a separate common network from the ILEC traffic. • Availability of 7-digit call back-up to PSAP location • E911/911 Trunk Groups • OS/DA Trunk Groups • By Switch (Serving CLEC) for CLEC • By Switch (Serving CLEC) for ILEC • Company • Geographic
NP-2	Meantime To Notify CLEC	Meantime To Notify CLEC = $\Sigma\{(\text{Date and Time ILEC Notified CLEC}) - (\text{Date and Time ILEC detected network incident})\} / \text{Count of Network Incidents}$	<ul style="list-style-type: none"> • Company • Type of Event – By each Reportable Incident Grouping* • By Switch and Tandem
NP-3	Network Performance Parameters	Network Performance Parameters = $\Sigma(\text{Network Performance Parameter Result}) / (\text{Number of Tests Conducted})$	<ul style="list-style-type: none"> • Transmission Quality*

**Service Quality Measurements:
Reporting Expectations And Report Format**

Collocation Provisioning (CP)			
CP-1	Meantime To Respond To Collocation Request	Meantime To Respond To Collocation = $\Sigma [(Request\ Response\ Date) - Request\ Submission\ Date] / Count\ of\ Request\ Responses\ Issued$	<ul style="list-style-type: none"> • Company • Type of Collocation* • Geographic Scope
CP-2	Meantime To Provide Collocation Arrangement	Meantime To Provide Collocation Arrangement Request = $\Sigma [(Date\ \&\ Time\ Collocation\ Arrangement\ is\ Complete) - (Date\ \&\ Time\ Collocation\ application\ submitted)] / Number\ of\ Collocation\ Arrangements\ Complete$	<ul style="list-style-type: none"> • Company • Type of Collocation* • Geographic Scope
CP-3	Percent Due Dates Missed	Percent Due Dates Missed = $(Number\ of\ Orders\ Not\ Completed\ By\ ILEC\ Committed\ Due\ Date) / Total\ Number\ of\ Orders\ Completed\ During\ the\ Reporting\ Period$	<ul style="list-style-type: none"> • Company • Type of Collocation* • Geographic Scope
Database Updates (DU)			
DU-1	Average Update Interval	Average Update Interval = $\Sigma [(Completion\ Date\ \&\ Time\ of\ Database\ Update) - (Submission\ Date\ and\ Time\ of\ Database\ Change)] / Total\ Number\ of\ Updates\ Completed\ During\ Reporting\ Period$	<ul style="list-style-type: none"> • Company • Database Type*
DU-2	Percent Update Accuracy	Percent Update Accuracy = $[Number\ of\ Updates\ Completed\ Without\ Error] / (Number\ Updates\ Completed)] \times 100!$	<ul style="list-style-type: none"> • Company • Database Type*

**Service Quality Measurements:
Reporting Expectations And Report Format**

Interconnect / Unbundled Elements and Combos (IUE)			
IUE-1	Function Availability	<p>Function Availability¹ = (Amount of Time² a Functionality is Useable¹ by a CLEC in a Specified Period)/(Total Time² Functionality Was Intended to Be Useable)</p> <p>Notes: 1. These measures may also be expressed in the negative, that is, in term of unavailability. 2. In some instances, rather than time, the availability will be expressed in terms of transactions executed successfully compared to transactions attempted.</p>	<ul style="list-style-type: none"> • By unique UNE or UNE combinations requested by AT&T
IUE-2	Timeliness of Element Performance	<p>Timeliness of Element Performance = (Number of Times Functionality Executes Successfully Within the Established Timeliness Standard)/(Number of Times Execution of Functionality was Attempted)</p>	<ul style="list-style-type: none"> • By unique UNE or UNE combinations requested by AT&T

**Service Quality Measurements:
Reporting Expectations And Report Format
ATTACHMENT 2:
REPORTING DIMENSIONS**

Service Types:	<ul style="list-style-type: none">• Resold Residence POTS• Resold Business POTS• Resold BRI ISDN• Resold PRI ISDN• Resold Centrex/Centrex-like• Resold Analog PBX trunks• Resold DID Trunks• Resold Voice-Grade Private Line• Resold DS1 Services• Resold DS3 Services• Resold >DS3 Services• Other Resold Services• UNE Platform (at least DS0 loop + local switch + transport elements)• UNE Channelized DS1 (DS1 loop + multiplexing)• Unbundled or UNE-derived 8 dB Analog Loops• Unbundled or UNE-derived 2-wire Digital Loops• Unbundled or UNE-derived 4-wire Digital Loops• Unbundled or UNE-derived ADSL Loops• Unbundled or UNE-derived HDSL Loops• Unbundled or UNE-derived xDSL Loops• Other Unbundled or UNE-derived Loops• UNE Analog Switch Port (line side)• UNE BRI Capable Switch Port (line side)• UNE DS1 Switch Port (line side)• UNE PRI Switch Port (trunk side)• UNE DID-capable Switch Port (trunk side)• UNE Message Trunk Port• UNE Dedicated DS0 Transport• UNE Dedicated DS1 Transport• UNE Dedicated DS3 Transport• Interconnect Trunks (DS0s, DS1s and DS3s,• Two-Way Trunking, Inbound Augments, separately)• Common Transport• ILNP• PNP• ILNP-to-LNP conversions
-----------------------	--

Service Quality Measurements: Reporting Expectations And Report Format

Standard Order Activities:	<ul style="list-style-type: none">• New Service Installations• Service Migrations Without Changes• Service Migrations With Changes• Local Number Porting• Inside Move• Outside Move• Records Change• Feature Changes• Service Disconnects• Translation Disconnects• Standalone Directory Listing (DL)• Standalone Directory Assistance (DA) Listing• Standalone DL & DA Activity
-------------------------------	--

Service Quality Measurements: Reporting Expectations And Report Format

Pre-Ordering Query Types:	<ul style="list-style-type: none"> • Due Date Reservation (if separate transaction from Appointment Scheduling) • Feature Function Availability • Facility Availability (if separate transaction from Feature/Function Availability) • Qualification of Loops for Advanced Digital Services • Street Address Validation • Service Availability Information (if separate transaction from Feature/Function Availability) • Appointment Scheduling • Customer Service Records • Telephone Number • Rejected or Failed Queries (regardless of type)
Maintenance Query Types	<ul style="list-style-type: none"> • Create (or confirm logging of) a Maintenance Request • Obtain Status • Obtain Test Results • Cancel Request • Rejected or Failed Queries (regardless of type) • Clearance Notification • Closure Notification
Order Rejection Reason Codes	<ul style="list-style-type: none"> • Invalid Address • Address Errors • End User Name Doesn't Match ILEC Records • Incorrect Directory Assistance Listing/Due Date • Duplicate PON • Winback (Customer Returned to ILEC) • ILEC System Problem • TN Already Disconnected
Transmission Quality Parameter:	<ul style="list-style-type: none"> • Subscriber Loop Loss • Signal to Noise Ratio • Idle Channel Circuit Noise • Loop-Circuit Balance • Circuit Notched Noise • Attenuation Distortion
Type of Collocation:	<ul style="list-style-type: none"> • Physical within CO (space available at time of request) • Physical within CO (space created in response to request) • Physical outside of CO (space available at time of request) • Physical outside of CO (space created in response to request) • Virtual • Backhauling to neighboring CO • Access to GR-303 compatible concentration equipment (leased UNE alternative)

**Service Quality Measurements:
Reporting Expectations And Report Format**

- Other alternatives to physical

**Service Quality Measurements:
Reporting Expectations And Report Format**

<p>Databases and Switch Tables:</p>	<ul style="list-style-type: none"> • E911/911 ALI, Selective Router • MSAG • LIDB • OS/DA • DL • NXX tables at CO for call completion and NXX routing • NXX tables at tandem for call completion and NXX routing
<p>Reportable Network Incidents:</p>	<p>Switching (Local/Tandem):</p> <ul style="list-style-type: none"> • Complete loss of call processing capability from a switch (host/remotes) lasting = > 2 minutes or longer. • Network Incident (Loss of Dial Tone) affecting one thousand access lines. • Media Interest: Any interruption or outage that may cause public or news media attention. <p>Transport:</p> <ul style="list-style-type: none"> • <u>EQUIPMENT AND/OR FACILITY FAILURES</u> • Local (200 or more working pairs affected, causing loss of dial tone) • Toll/EAS (Isolation of an entire exchange) > 2 minutes. • Fiber (Any working fiber providing customer service that fails without protection) lasting > 2 Minutes. • A transport equipment failure (E.G. DACS) > 2 minutes. • <u>BROADBAND</u> • Frame Relay (A failure of one or more channelized T1 carrier systems or two or more non-channelized T1 carrier systems. • ATM (A failure of one OC3 or two DS3s) • SMDS (A failure of one DS3 or four T1s) • Packet Switching (Any failure of an access module (AM) or resource module (RM)) • <u>NARROWBAND</u> • 5 T1 carrier systems (within a switch) • Fiber (Any working fiber providing customer service that fails without protection) • Media Interest: Any interruption or outage that may cause public or news media attention. <p>SS7:</p> <ul style="list-style-type: none"> • Loss of mated pair of STP or SCP > 2 minutes

Service Quality Measurements: Reporting Expectations And Report Format

- Media Interest: Any interruption or outage that may cause public or news media attention

Trunking:

- Loss of intra/interoffice calling lasting > 2 minutes. (E.G. Toll and/or EAS)
- Media Interest: Any interruption or outage that may cause public or news media attention

911:

- A central office isolation from the E911 network for = > 2 minutes or longer.
- Loss of 25% or more of the trunking capabilities from an E911 tandem to the PSAPs it serves for = > 2 minutes or longer (e.g. translations, trunking frame failure, etc.)
- A PSAP isolation from the E911 network for = > 2 minutes or longer (e.g. translations, trunking problems, etc.)
- A transport cable failure that isolates a central office from the E911 network; (Local switch to the E911 tandem) transport cable failure that isolates a PSAP from the E911 tandem;- A transport cable failure that results in the loss of 25% or more of the trunks/circuits (aggregate from an E911 tandem to the PSAPs served by that Tandem; A transport equipment failure that isolates a central office from the E911 network; A transport equipment failure that isolates a Public Safety Answering Point (PSAP) tandem; or A transport equipment failure that results in the loss of 25% or more of the trunks/circuits (aggregate) from an E911 tandem to the PSAPs served by that tandem.
- Federal Government, equipment or facility affecting 5 or more military special communication, isolations of FAA location or air ground facilities.- State and local agencies interruptions seriously affecting service to police, fire departments, hospitals, press, military, PBS's

Service Quality Measurements: Reporting Expectations And Report Format

Trouble Types	<ul style="list-style-type: none">• Inside (Central Office) Dispatch - Out of Service• Outside Dispatch - Out of Service• Inside Dispatch – Degraded Service• Outside Dispatch – Degraded Service• No Access or No Trouble Found• NXXs not loaded properly by ILEC• NXXs not loaded properly by party other than CLEC/ILEC• All Other Troubles <p><i>“Out of Service” means that the customer has no dial tone. “Dispatch” means that ILEC repair personnel must be dispatched to a location outside an ILEC building (to customer premises or other off-site facilities) to resolve the trouble.</i></p>
---------------	--

**Service Quality Measurements:
Reporting Expectations And Report Format
ATTACHMENT 3:**

EXAMPLES OF REPORTS

The following report details examples of the two Reports for the first Measurement Designation OP-1 (Average Completion Interval).

OP-1 Average Completion Interval				AT&T	ILEC	Difference	Dispersion
Company				0.00	0.00	0.00	
	Resold Residential Pots			0.00	0.00	0.00	
	New Service Installs			0.00	0.00	0.00	
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category 2		0.00	0.00	0.00	
		Volume Category X		0.00	0.00	0.00	
		<i>Geographic Scope X</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category 2		0.00	0.00	0.00	
		Volume Category X		0.00	0.00	0.00	
	Service Migrations			0.00	0.00	0.00	
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category 2		0.00	0.00	0.00	
		Volume Category X		0.00	0.00	0.00	
		<i>Geographic Scope X</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category 2		0.00	0.00	0.00	
		Volume Category X		0.00	0.00	0.00	
	Activity X			0.00	0.00	0.00	
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category 2		0.00	0.00	0.00	
		Volume Category X		0.00	0.00	0.00	
		<i>Geographic Scope X</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category 2		0.00	0.00	0.00	
		Volume Category X		0.00	0.00	0.00	
	Service X			0.00	0.00	0.00	
	New Service Installs			0.00	0.00	0.00	
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	
		Volume Category 1		0.00	0.00	0.00	
		Volume Category ...		0.00	0.00	0.00	

**Service Quality Measurements:
Reporting Expectations And Report Format**

OP1 Average Completion Interval				AT&T	ILEC	ILEC Affiliates	Other CLECs
Company				0.00	0.00	0.00	0.00
	Resold Residential Pots			0.00	0.00	0.00	0.00
	New Service Installs			0.00	0.00	0.00	0.00
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category 2		0.00	0.00	0.00	0.00
		Volume Category X		0.00	0.00	0.00	0.00
		<i>Geographic Scope X</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category 2		0.00	0.00	0.00	0.00
		Volume Category X		0.00	0.00	0.00	0.00
	Service Migrations			0.00	0.00	0.00	0.00
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category 2		0.00	0.00	0.00	0.00
		Volume Category X		0.00	0.00	0.00	0.00
		<i>Geographic Scope X</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category 2		0.00	0.00	0.00	0.00
		Volume Category X		0.00	0.00	0.00	0.00
	Activity X			0.00	0.00	0.00	0.00
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category 2		0.00	0.00	0.00	0.00
		Volume Category X		0.00	0.00	0.00	0.00
		<i>Geographic Scope X</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category 2		0.00	0.00	0.00	0.00
		Volume Category X		0.00	0.00	0.00	0.00
	Service X			0.00	0.00	0.00	0.00
	New Service Installs			0.00	0.00	0.00	0.00
		<i>Geographic Scope 1</i>		<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
		Volume Category 1		0.00	0.00	0.00	0.00
		Volume Category ...		0.00	0.00	0.00	0.00

AT&T Performance Incentive Plan

Version 2.0

Introduction

It is well recognized that a meaningful system of self-enforcing consequences for discriminatory ILEC performance is critically important to the protection of the public's interest and the rapid and sustainable development of a competitive local telecommunications market. Incumbent ILECs have strong business incentives and means to maintain their current monopolies through the delivery of inadequate and unlawful levels of operations support for CLECs. Thus, an appropriate system of self-enforcing consequences is absolutely necessary to assure that the competitive local telecommunications markets envisioned by the 1996 Act will be able to develop and survive.

In order to be effective, prompt enforcement of appropriate consequences must be assured. Because of the extensive delays inherent in the adjudication and appeals process, CLECs cannot rely solely upon the legal/regulatory process to obtain appropriate remedies for discriminatory ILEC performance. Furthermore, the consequences must provide ILECs with incentives that exceed the benefits it may derive by inhibiting competition, and such consequences must be immediately imposed upon a demonstration of poor ILEC performance. The objective is to set the incentives in amounts that encourage ILECs to take proactive steps to prevent its performance from becoming non-compliant and, when it does reach that level, to correct its performance failures promptly.

It is beyond dispute that any system of self-enforcing consequences must be based upon an underlying set of performance measurements that cover the full panoply of ILEC activities upon which CLECs must rely to deliver their own retail service offerings. The Act requires that these activities, which touch upon every aspect of the business relationship between incumbents and CLECs, must be provided in a non-discriminatory manner. Thus, the interconnection agreements between incumbents and CLECs should ideally serve as a source for performance measurements. However, experience in Kentucky and elsewhere has proven that CLECs have generally been unable to individually negotiate, or even arbitrate, a sufficiently robust set of performance measurements.¹ For that reason, the first step in constructing a system of self-enforcing consequences must include careful consideration of the adequacy of the underlying measurement set. At a minimum, the performance measurements must supply each CLEC with reliable data on the incumbent's performance for that CLEC. Such data must be sufficiently discrete (as to the processes monitored) and detailed (to isolate and compare only comparable conditions) so as to permit a CLEC to enforce the terms of its interconnection agreement with the incumbent. In addition, the underlying performance measurement system should demonstrate quality implementation of the following characteristics:

- A comprehensive set of comparative measurements that monitors all areas of support (i.e., pre-ordering, ordering, provisioning, maintenance & repair and billing) without preference to any particular mode of market entry
- Measurements and methodologies that are documented in detail so that clarity exists regarding what will be measured, how it will

¹ As a starting point, the CLEC industry generally supports the measurement areas as documented in Local Competition Users Group (LCUG) – Service Quality Measurements

be measured and in what situations a particular event may be excluded from monitoring (such exclusions must also be tracked and reported)

- Sufficient disaggregation of results, so that only the results for similar operational conditions are compared and, particularly, so that the averaging of results will not mask discrimination²
- Pre-specified and pro-competitive performance standards exist. This includes identifying reasonably analogous performance delivered by the incumbent to its own operations³ or, when such comparative standards are not readily identifiable, then absolute minimum standards for performance (benchmarks) are established⁴
- Sound quantitative methodology is used to compare CLEC experiences to analogous incumbent support⁵
- The overall performance measurement system is subject to initial and periodic validation, in order to assure that the performance

(SQMs), Version 7.0, August 28, 1998.

² The importance of sufficient disaggregation is more fully discussed in Attachment A.

³ Analogous performance must be broadly interpreted and consider not only retail operations of the incumbent but also operations of affiliates. Often the incumbent's asserted lack of analogous performance relies upon very narrow (and inappropriate) interpretation of the term "analogous" to mean "precisely identical" rather than "similar in key aspects." Furthermore, if the incumbent delivers different levels of performance to an affiliate and its the retail operations, the CLEC experience should be compared to the better of the two.

⁴ In all cases, benchmarks must provide an efficient competitor with a meaningful opportunity to compete.

⁵ As a general rule, when benchmarks are employed, statistical comparisons of the measured result for the CLEC to the benchmark are not appropriate. Typically, the standards state a minimum performance level that is required to support effective competition and the minimum success level that must be demonstrated to attain the benchmark. Thus, the typical form of the standard is, for example, "95% installed within 3 days." Note that in the preceding example a 5% deviation from the benchmark is permitted and, as a result, the potential for random variation of the performance is fully addressed. Any further accommodation of variation, as would occur if statistical procedures were employed, would effectively "double count" forgiveness of variability.

results which form the foundation for all decisions regarding the quality of the performance delivered by the ILEC are correct representations of the CLECs' marketplace experience.

It is critical that a performance measurement system incorporating all of the above characteristics exist before applying an incentive plan, because a robust and independently audited performance measurement system is a prerequisite to any effective system of self-enforcing consequences.⁶

Objectives of the Plan

A system of self-enforcing consequences must fully implement the following objectives:

- Consequences must be based upon the quality of support delivered on individual measures to individual CLECs
- Total consequences, in the aggregate, must have sufficient impact to motivate compliant performance without the need to apply a remedy repeatedly
- The imposition of financial consequences must be prompt and certain, and consequences should be self-executing so that opportunities for delay through litigation and regulatory review are minimized

⁶ For example, business rules for individual performance measurements may provide for automatic exclusions of data points from the calculation. If such provisions are made, however, the exclusions must be according to clearly defined rules and the number of data points excluded for each submeasurement and for each CLEC should be reported on a monthly basis.

- Consequences must escalate as the basis for concluding that a performance failure exists becomes more substantial and/or the performance repeatedly fails to meet the applicable standard
- Additional consequences must apply when non-compliant performance is provided to CLECs on an industry-wide basis
- Exclusions from consequences must be minimized and the exclusions that are provided for must be monitored and limited to assure they do not mask discrimination
- Incumbents must have minimal opportunities to avoid consequences through such means as liability caps, offsetting credits, or a requirement that CLECs must demonstrate an ILEC's intent to harm
- Potential "entanglement" costs must be minimized so that, for example, access to mitigation measures for the incumbent does not become a means to revert to the legal/regulatory process and delay the application of consequences that should be self-enforcing

Structure of Consequences for Discriminatory ILEC Performance

Consequences operating on two tiers are proposed. The first tier addresses the consequences for non-compliant performance delivered to an individual CLEC. The second addresses the consequences for non-compliant performance delivered to the CLEC industry as a whole. In general terms, Tier I provides a form of non-exclusive liquidated damages payable to individual CLECs. Tier II, by contrast, incorporates what can be characterized as regulatory fines that are necessary when the ILEC's performance affects the competitive market – and consumers -- as a whole.

The total amount of Tier I payments (which are only an estimate of the CLECs' actual damages) is unlikely to provide the ILEC with sufficient incentives to take the actions necessary to eliminate its monopoly. Rather, an ILEC may decide to treat such payments as the price for retaining its monopoly and voluntarily incur them as a cost of doing business. Moreover, the harm that results when the ILEC provides discriminatory support for the CLEC industry in the aggregate has a major impact not only on CLECs but also on the operation of the competitive marketplace in general, which directly affects all Kentucky consumers of telecommunications services. Thus, it is appropriate to establish incentives to prevent this type of harm from occurring (or continuing), and both Tier I and Tier II are necessary and complementary elements of an effective system of consequences. Together, they work in tandem to achieve the goals of the Act.

Tier I

A Tier I consequence should be payable to an affected CLEC whenever any performance result indicates support delivered by the ILEC to an individual CLEC fails to meet or exceed the applicable performance standard.⁷

The first step in establishing Tier I consequences is to define the rule for determining if performance for a particular period "passes" or "fails" and, if it fails, whether additional consequences are warranted. Defining "pass/fail" rules requires that the underlying measurements be mapped into one of two classes:

⁷ In the course of establishing Tier I consequences, the rights of an individual CLEC to pursue actual damages must be retained. However, if a CLEC sought to pursue a claim for actual damages, it would be reasonable to offset the damage award by any Tier I payments it received from the ILEC for the same time period and performance areas. In addition, a CLEC must retain the right to waive Tier I claims and pursue its individually negotiated contract remedies (if and only if the claims and remedies are not mutually payable.).

(1) those for which the performance standard is parity with analogous incumbent LEC performance results, and

(2) those for which the performance standard is an absolute level of required performance (otherwise known as a benchmark)

The differentiation is important because when parity is the standard, statistical procedures are usually necessary to draw conclusions regarding compliance. In such situations (which should apply to the vast majority of cases), two separate data sets are compared – one for the CLEC and one for the ILEC. Each data set is characterized by a mean and standard deviation. Statistical tests are used to draw a conclusion regarding the likelihood that the data sets with the observed means and standard deviations were drawn from the same population (in this case a support process for CLECs with the same quality and/or timeliness as that employed for the ILEC). The proper test further allows determination that parity does not exist, but it does not quantify “how far out of parity” the process is when parity is not indicated.⁸

In contrast, when a benchmark serves as the performance standard, measurement establishes a performance failure directly and assesses the degree to which performance departs from the standard. As explained below, the detailed mechanism for determining a performance failure differs for each of these types of measurement standards, but the principle governing the application of the Tier I consequence is consistent: the consequence escalates with increasing evidence and level of non-compliant performance.

⁸ Clearly, however, when all other factor are held constant, increased statistical confidence is directly correlated (monotonic) with larger differences in the two sample

Tier I Business Rules for Parity Measurements

1. Use the Modified z-Statistic to Determine Compliance

The determination of whether performance is compliant (i.e., equal to or better than the appropriate standard) is based on the calculation of the modified z-statistic (z).⁹ The calculated modified z-statistic is then compared to the cumulative normal distribution table to determine if parity exists.¹⁰ For any such decision rule, the probability of an erroneous decision is known. For example, if the critical value is -3.00 and parity actually exists, the probability of saying it is not is 0.13%.

2. Use Permutation Analysis for Small Samples

Permutation analysis is employed for small data sets (those with 30 or fewer observations in one of the data sets to be compared) to create a probability distribution as an alternative to the cumulative normal distribution.¹¹ By

means being compared and therefore is a reasonable indication of how different ILEC performance was for itself versus that of the CLEC in the period of observation.

⁹ See: Local Competition Users Group - Statistical Tests for Local Service Parity, February 6, 1998, Version 1.0 for documentation of the calculation and use of the modified z-statistic, which is included as Attachment B.

¹⁰ The modified z-statistic computation provides for the CLEC mean to be subtracted from the ILEC mean. Thus, a negative z-statistic critical value presumes that worse performance exists when the CLEC mean becomes larger than the ILEC mean. For example, worse performance exists when the order completion interval for the CLEC exceeds that for the ILEC. Thus a negative z-statistic critical value is appropriate. On the other hand, for a metric like “% completed within x days”, worse performance for the CLEC occurs when the metric result is smaller for the CLEC vis-à-vis the ILEC. In this case a positive z-statistic critical value is appropriate.

¹¹ See Attachment C for a description of the procedural steps for performing permutation analysis. Again, BST and the CLECs generally concur that permutation analysis is appropriate for data sets of this size.

mutual agreement, permutation analysis can also be employed for larger data sets.

3. Use the Balancing Critical Value

The threshold level to determine whether or not a performance failure exists is established by balancing Type I and Type II error.¹² This balance point is a function of the size of the CLEC data set (assuming the ILEC data set is very large) and the extent to which the means for the two data sets differ (assuming that both data sets are normally distributed). Simulation comparing relatively small data sets (as would be likely for a CLEC) to a much larger data set (as would likely exist for an ILEC) demonstrates that the balancing of Type I and Type II error can reasonably be expected to occur in the range of 25% for "samples" with fewer than 100 data points but is about 5% for samples with 1000 data points.¹³ The statistical methodology developed by AT&T and Ernst & Young in Kentucky is an appropriate method for calculating the critical values which depend on the sample size and balances Type I and Type II error probabilities for each given submeasure. Furthermore, the definition of the alternative hypothesis required to perform the balancing is fundamental to the applicability of the method. AT&T

¹²The key consideration is balancing the probability of drawing erroneous conclusions -- either that performance is "bad" when it is actually "good" (Type I error) or that performance is "good" when it is actually "bad" (Type II error). The former error adversely impacts ILECs and the latter adversely impacts CLECs. Unfortunately, reducing the likelihood of one type of error increases the likelihood of the other type of error occurring. Thus the best means to create an equitable outcome for all parties is to balance the Type I and Type II error.

¹³ See Response to Question 3 contained in AT&T Ex Parte filed in CC Docket 98-56 dated July 13, 1999.

proposes a value of 0.25 for the parameter δ and appropriately corresponding values for ε and ψ .¹⁴¹⁵

4. Increase Consequences as the Confidence in a “Non-Parity” Conclusion Increases

An appropriate means to take increased confidence into consideration is to provide for higher amounts of monetary consequences as the confidence in the “non-parity” conclusion increases. This is justified because (all other factors held constant) as the difference in the mean performance for the CLEC compared to the ILEC becomes larger, the absolute value of the modified z-statistic also becomes larger for the sample in the time period of interest. Thus, it is appropriate that the performance consequence should escalate based upon the calculated value of the modified z-statistic.

5. After a Failed Parity Test the Consequences Should Escalate and Vary Continuously with Severity of Failure

A parity failure is established for a submeasure by comparing the measured value of the modified z-statistic (z) to the balancing critical value (z^*) appropriate for the submeasure’s sample size during the given monthly period. Once a submeasure failure is obtained, the calculated remedy should be a continuous function of severity of the failure as measured by the magnitude of the modified z-statistic. In this way small changes in severity lead to small changes in consequences thus assuring that mathematically chaotic behavior is avoided at step thresholds. However, to incent the ILEC appropriately, the change in consequences should increase with each unit of

¹⁴ Statistical Techniques For The Analysis And Comparison Of Performance Measurement Data. Submitted to Kentucky Public Service Commission (LPSC) Docket U-22252 Subdocket C

severity. This form of consequences as a function of severity is most simply accomplished by the use of a quadratic function of the ratio of the measured modified z score to the balancing critical value (z/z^*). Fixing the value of the quadratic or its slope at three points completely determines the function.

Table 1

Range of modified z-statistic value (z)	Performance Designation	Applicable Consequence (\$)
greater than or equal z^*	Compliant	0
less than z^* to $5z^*/3$	Basic Failure	$a(z/z^*)^2 + b(z/z^*) + c$
less than $5z^*/3$ to $3z^*$	Intermediate Failure	
less than $3z^*$	Severe Failure	25,000

Table 1 shows the applicable consequences for each Tier I parity submeasure failure for each CLEC. In this table z^* is the (negative) balancing critical value for the submeasure, and the coefficients of the smooth consequence function are:

$$a = 5625$$

$$b = -11250$$

$$c = 8125.$$

Note that the smooth consequences formula is an explicit function of the ratio of the modified z-statistic and the balancing critical value (z/z^*). This means that the dollar amount does not depend on the number of observations but only on the degree of violation. If we had 100 times as

¹⁵ See Attachment D for a further discussion of this position.

many observations, with means and standard deviations staying the same, both z and z^* will increase by a factor of 10 and the consequences will be unchanged. Note also that both basic and intermediate failures are defined and may occur in the smooth region of the formula. The plan retains these designations to allow for classification of performance for more general performance monitoring such as compliance testing, if needed.

A graph of the applicable consequences as a function of the measured modified z -statistic is given in Attachment G in Figure G-1. The attachment also contains a small step tabulation of the function that approximately represents it in Table G-1.

Examples

Three hypothetical examples of consequence calculations are given in the matrix below.

Example	z^*	z	Performance	Consequence
1	-2.00	-1.80	Compliant	\$0
2	-2.50	-3.33	Basic Failure	\$3,125
3	-3.00	-6.00	Intermediate Failure	\$8,125
4	-3.50	-12.00	Severe Failure	\$25,000

In example 1 the hypothetical balancing critical value for the submeasure is calculated to be -2.00 on the basis of sample size and equal type I and type II error probabilities. The observed value of the modified z -statistic, based on ILEC and CLEC performance for that submeasure, is -1.80 . The ILEC is compliant for this submeasure and no consequences are due to this CLEC.

Example 2 shows a balancing critical value calculated to be -2.50 .

Furthermore in this example, the measured value of the modified z -statistic is -3.33 . This is a Basic Failure and the consequence is calculated to be \$3,125 by the formula in Table 1.

In example 3, although the hypothetical balancing critical value is -3.00 , the measured value of the modified z-statistic is well below this at -6.00 . According to the range of modified z-statistics in Table 1 this is an Intermediate Failure. The same smooth formula is used to calculate the remedy amount as \$8,125.

The final example 4 shows a balancing critical value of -3.50 , but a very poor measured value of the modified z-statistic of -12.00 . According to Table 1 this is classified as a Severe Failure and generates a consequence of \$25,000. This is the largest consequence for which the ILEC would be liable for this submeasure this month to this CLEC.

Tier I Business Rules for Benchmark Measurements

1. Use a "Bright Line" Test for Benchmark Measurements

A benchmark is set to define the level of performance that is judged essential to permit competition to develop on a going-forward basis. As such, the benchmark level is at the lower range of what a viable competitive support process should be capable of delivering on a routine basis. Indeed, to assume otherwise would imply that the benchmark would not be achieved on a routine basis. In all events, because even the most tightly controlled process will produce performance outside the expected range, some margin of error is typically provided for the incumbent. Thus, the limiting performance is expressed as "B% meet or exceed the benchmark" where "B%" is a proportion figure set less than 100% in order to account for random variation considerations. Accordingly, a performance failure should be declared if the calculated performance is not equal to the "B%" level. For example, if the calculated result for a month was 94.5% of all orders completed within 3 days but the benchmark was 95% within 3 days, then a

performance failure occurred. No subsequent application of a statistical test is appropriate.

2. Apply an Adjustment for Small Data Sets When Necessary

Because some measurement results may be calculated using small data sets, some adjustment is warranted. This need arises because the benchmark proportion for a particular measure with few underlying data points may be practically impossible to attain unless the ILEC always performs perfectly. The metric discussed in the prior paragraph can be used to illustrate the point: if only ten orders were completed in the month, then compliance would occur only if all 10 orders were (correctly) completed within three days. One order taking longer than 3 days would mean that, at best, the performance result would be 90% within 3 days, i.e., a failing performance level.

This situation is addressed through application of the following table¹⁶:

Table 2

CLEC Data Set Size	Benchmark Percentage Adjustments for Small Data Sets (Applicable to Data Sets < 30)		
	85.0%	90.0%	95.0%
5	80.0%	80.0%	80.0%
6	83.3%	83.3%	83.3%
7	85.0%	85.7%	85.7%
8	75.0%	87.5%	87.5%
9	77.8%	88.9%	88.9%
10	80.0%	90.0%	90.0%
20	85.0%	90.0%	95.0%
30	83.3%	90.0%	93.3%

3. Increase Consequences for Increasingly Poor Performance

As with measurements that are judged against a parity standard, those compared to a benchmark standard should be subject to additional consequences as the performance becomes increasingly worse compared to the benchmark. The escalation is as follows (Note that “B” in Table 3, is the Benchmark Percentage as determined from Table 2):

Table 3

Range of Benchmark Result (x)	Performance Designation	Applicable Consequence (\$)
Meets or exceeds B%	Compliant	0
Meets or exceeds (1.5B-50)% but worse than B%	Basic Failure	$d[x/(100-B)]^2 + eB[x/(100-B)]^2 + f[B/(100-B)]^2 + g$
Meets or exceeds (2B-100)% but worse than (1.5B-50)%	Intermediate Failure	
Worse than (2B-100)%	Severe Failure	25,000

In Table 3 the quantity x is the actually measured proportion and the coefficients are given by:

$$d = 22500$$

$$e = -45000$$

$$f = 22500$$

$$g = 2500$$

¹⁶ The table can be expanded to include all possible data set sizes from 1 upward.

A graph of the applicable consequences as a function of the measured benchmark result, x , for $B = 95\%$ is given in Attachment G in Figure G-2. The attachment also contains a small step tabulation of the function that approximately represents it in Table G-2.

Example:

As an example of this consequence calculation, consider a benchmark with a proportion $B = 95\%$. Now if the measured performance is 93% , the first and second columns show that this is a Basic Failure. Plugging this 2% failure of the 95% benchmark proportion into the quadratic equation of the third column in the table gives a calculated consequence of $\$6,100$ for this submeasure and CLEC.

Table 3 is applicable for any benchmark expressed as $B\%$ proportion better than L level, and all benchmarks may be easily expressed in this form.

Additional Tier I Business Rules Applicable to All Measurements

1. Increase Consequences for Chronic Performance Failures

Regardless of the type of measurement (parity or benchmark), if performance fails to achieve the Compliant level in consecutive reporting periods, then additional consequences should apply. The recommended treatment for chronic failures is to assess a chronic failure over-ride in the third consecutive month of non-compliant performance. When the chronic failure override applies, a consequence equal to a "Severe Failure" ($\$25,000$ per chronic failure per month) should apply until such time as performance for the specific measurement result is again classified as Compliant.¹⁷

¹⁷ Alternatively, it is possible to institute consequences for repeated failures as early as the second consecutive month of failure. The amount of the consequence under such a

2. No Additional Protection of the ILEC is needed through Forgiveness Mechanisms or Mitigation Methods

Properly calibrated performance measures and balancing the probabilities of statistical errors eliminate any need for additional forms of protection for incumbents with respect to considerations of random variation.¹⁸ Moreover, a procedural cap such as the one described below should allay any fears that additional protections are necessary for the ILEC.¹⁹

Tier II

Tier II consequences are intended to enhance the the ILEC's incentives to provide performance that complies with its statutory obligations. Tier I consequences only compensate individual CLECs who actually receive discriminatory treatment from the ILEC. Tier II consequences are designed to counterbalance the ILEC's incentive to damage not just individual firms but the competitive marketplace itself. Thus, the two types of consequences are complementary, and both are necessary to achieve the intended results.

The applicability of Tier II consequences should be determined using the aggregate data for all CLECs within a particular submeasurement result and

structure would escalate more gradually. See Attachment A, Table A of MCI Worldcom and AT&T Joint Remedies Proposal Ex Parte filed in CC Docket 98-56, filed June 2, 1999.

¹⁸ See Attachment E for further discussion of random variation and the inappropriateness of providing further mitigation if Type I and Type II error is balanced as recommended in this proposal.

¹⁹ Because the rationale for providing consequence offsets is the possibility of random variation, there is no justification for applying offsets to measurements that are monitored through the use of benchmarks. As explained above, random variability impacts are fully cared for in the structure of the benchmark standard, by permitting in advance a percentage of performance "misses."

disaggregation.²⁰ Except as noted below, identical business rules and measurements should be utilized as for Tier I. Thus, virtually the same data and computational processes can be utilized for both tiers. The differences are highlighted below and are due largely to a reduction of the consequence threshold below the balancing critical value. The smaller threshold is recommended because higher consequences are proposed, so the confidence in the decision to apply a consequence should be greater.

Because Tier II consequences reflect harm to the public interest in a competitive marketplace, consequences under Tier II, unlike Tier I payments, should be paid to a public fund identified by the Commission and may be used for competitively neutral public purposes.²¹

Tier II Business Rules for Parity Measurements.

The same business rules apply under Tier II to the aggregate (or pooled) data of the individual CLECs as are employed for the individual CLEC data under Tier I, except a smaller consequence threshold is used.²² As a result, the applicable consequence table (Table 1 above) is modified as follows:

²⁰ Each occurrence counts equally in this calculation. Thus, the individual results for individual CLECs are not averaged together; rather the performance for all CLECs is pooled for each submeasurement result. Thus the pooled data analysis effectively creates a “super CLEC” for the purposes of determining Tier II consequences.

²¹ Thus, under Tier II, individual CLECs are not compensated.

²² Alternative methodology exists for determining Tier II consequences. See, for example, the June 2, 1999 Joint AT&T and MCI ex parte filing made with the FCC in CC Docket 98-56.

Table 4

Range of modified z-statistic value (z)	Performance Designation	Applicable Consequence (\$)
greater than or equal to $5z^*/3$	Indeterminate	0
less than $5z^*/3$ to $3z^*$	Market Impacting	$n [a(z/z^*)^2 + b(z/z^*) + c]$
less than $3z^*$	Market Constraining	n25,000

Here z^* is the balancing critical value for the given submeasure aggregated over all the CLECs, and the coefficients of the smooth consequence function are again:

$$a = 5625$$

$$b = -11250$$

$$c = 8125.$$

The quantity n is the market penetration factor explained below.

A graph of the applicable consequences as a function of the measured modified z-score (z) is given in Attachment G in Figure G-3. The attachment also contains a small step tabulation of the function that approximately represents it in Table G-3.

Tier II Business Rules for Benchmark Measurements

The same business rules apply under Tier II to the aggregate (or pooled) data of the individual CLECs as are employed for the individual CLEC data under Tier I, except that consequences do not apply until the pooled CLEC performance results degrades to a point that is equivalent to an intermediate

failure designation at the Tier I level. As with parity measures, the applicable consequences are adjusted to reflect the broader consequences of poor performance for the entire CLEC industry and the concomitant effects on the market and consumers.

Table 5

Range of Benchmark Result (x)	Failure Designation	Applicable Consequence (\$)
Meets or exceeds (1.5B-50)%	Indeterminate	0
Meets or exceeds (2B-100)% but worse than (1.5B-50)%	Market Impacting	$n \{d[x/(100-B)]^2 + eB[x/(100-B)] + f[B/(100-B)]^2 + g\}$
Worse than (2B-100)%	Market Constraining	n25,000

For Table 5, x is the actually measured proportion and the coefficients are again given by:

$$d = 22500$$

$$e = -45000$$

$$f = 22500$$

$$g = 2500$$

The quantity n is the market penetration factor explained below.

A graph of the applicable consequences as a function of the measured benchmark result, x , for $B=95\%$ and $n=10$ is given in Attachment G in Figure G-4. The attachment also contains a small step tabulation of the function that approximately represents it in Table G-4.

Establishing the Value of “n” for Tier II

For both Tier II tables (Tables 4 and 5), the value for “n” should be determined based upon the most recent data for the state and company under consideration (in this case Kentucky) relating to resold lines (Table 3.1) and UNE loops (Table 3.3) as reported in the most recent Report of Local Competition published by the FCC.²³ In effect, “n” is a multiplier for the Tier II consequence amount that takes into account, in general terms, the extent of competitive penetration within the state.²⁴

Table 6

Lines provided to CLECs/Total ILEC and CLEC Lines	Value of “n”
more than 50%	0
more than 40% to less than or equal 50%	1
more than 30% to less than or equal 40%	2
more than 20% to less than or equal 30%	4
more than 10% to less than or equal 20%	6
more than 5% to less than or equal 10%	8
0% to less than or equal 5%	10

²³ If a company is not explicitly identified, then the aggregate result for the state would be utilized

²⁴ The calculation for a particular ILEC and state would be based on the most current data reported to the FCC and be as follows: (resold lines + UNE loops)/(total switched lines).

Thus, as competition becomes established, the size of the applicable Tier II consequence is reduced to zero if the ILEC no longer provides a majority of the local lines to the CLECs in its serving area.

Other Considerations

1. Procedural Caps May Be Useful If Properly Implemented

In the course of early state consideration of consequence plans, regulators and incumbents expressed concern regarding the possible size of payments that an incumbent might be required to pay. In response, proposals were made to cap incumbents' potential liability. As a threshold matter, it should be noted that this concern reflects a tacit acknowledgement that the performance delivered by the incumbents has to date been largely non-complaint. Moreover, to the extent that any cap is considered at all, the very important difference between absolute and procedural caps must be recognized. As shown below, if the Commission establishes any caps at all, they should be purely procedural and not place an absolute limit on the potential consequence payments due from the ILEC.²⁵

The difference between procedural and absolute caps is significant. Absolute caps should be avoided entirely. First, such caps provide an ILEC with the means to evaluate the cost of market share retention through delivery of non-compliant performance. Second, absolute caps send the signal that once the ILEC's performance deteriorates to a particular level (i.e., reaching the absolute cap) then further deterioration is irrelevant.²⁶

²⁵ In this regard, it should be noted that the main purpose of any system of incentives is to have an ILEC accept its legal responsibility to perform at appropriate levels and not pay any consequences at all.

²⁶ Similarly, the use of weightings for individual performance measurements to determine the amount of consequences should also be avoided. Any weighting process is inherently subjective and thus arbitrary. Moreover, use of weightings may inappropriately influence the market entry mode selected by a particular CLEC. It is far superior to permit the

Procedural caps, on the other hand, establish a preset level at which the ILEC could seek regulatory review of the consequences that are due; however, the cap would not automatically absolve an ILEC of liability for a consequence. Procedural caps, therefore, avoid both of the problems of absolute caps. They do not provide ILECs with the opportunity to evaluate the "cost" of retaining share through non-compliance. Likewise, they do not absolve an ILEC from consequences for unchecked performance deterioration.

To the extent a procedural cap is employed, it should be tailored to achieve the following:

- (1) A meaningful level of consequences must be available before the procedural cap applies;
- (2) The procedural cap should apply on a rolling twelve-month period and not to individual months;
- (3) The procedural cap should not apply to Tier I consequences for the CLECs but only Tier II consequences.²⁷ No other caps should be applicable.
- (4) To the extent that a procedural cap is exceeded, the ILEC must pay out consequences up to the procedural cap and put the amount in excess of the cap in an escrow account that earns a minimum interest rate as approved by the Commission;
- (5) The Commission shall decide whether and to what extent the amount in excess of the procedural cap should be paid out. The ILEC

market to determine which measures are most important by seeing what functions customers need from CLECs, and that CLECs in turn need from the ILEC.

²⁷ As noted above, Tier I consequences principally act as a form of liquidated damages. Thus, there is no justification for capping such consequences whether for an individual CLEC or for the CLEC industry as a whole.

should pay out any amount in excess of the cap, including accrued interest, according to Commission order.

The level of the procedural cap must be set high enough that meaningful incentives are immediately payable without intervention of the Commission. To permit otherwise would effectively prevent the performance consequences from being self-enforcing. It is reasonable to expect that any procedural cap should be proportionate to the size of the local market at issue. It is therefore recommended that, if a procedural cap is adopted, that it be determined from the estimated dollar amount that the ILEC stands to retain in monopoly based revenues.²⁸²⁹

2. Other Provisions Protect ILECs From The Impact Of Extraordinary Events

The cut of a single cable may result in higher trouble rates and longer mean times to repair over a short period of time. This is referred to as clustering. While clustering may in fact occur, there is no particular reason to believe that any such events would result in disproportionate impacts on the ILECD or even the CLECs. Furthermore, there may be other events demonstrably beyond the control of the ILEC that may affect its service quality differently from the CLECs'. This condition does not argue that automatic exclusion should be provided for an otherwise applicable consequence. Nevertheless, the ILEC should not be denied protection from extraordinary impacts not

²⁸ See Affidavit of R. Glenn Hubbard and William H. Lehr on behalf of AT&T Corp. AT&T Exhibit _ before the Federal Communications Commission, Washington, D.C. 20544, in the matter of application by New York Telephone Company (d/b/a Bell Atlantic-New York). CC Docket no. 99-295.

²⁹ SBC in Texas has agreed to a \$120M annual limit for consequences where 9M lines are in service

anticipated in the construction of the consequence plan³⁰. As a result, if such events occur, the ILECs should be permitted to pursue relief according to the following:

(1) The ILEC should notify the Commission and any potentially affected CLEC(s), using written and verifiable means of notice, of the intent to pursue an exception. Such notification must be provided before the applicable consequence is payable; otherwise the ILEC waives its rights.

(2) All consequences not at issue under the exception petition must be immediately payable as provided for elsewhere in the plan. Those that are subject of the potential exemption shall be paid into an interest bearing escrow account no later than the due date applicable to the consequences that are at issue.

(3) No later than 15 calendar days following the due date of the consequences for which an exemption is sought, the incumbent shall submit to the Commission and all other affected parties all factual evidence supporting the exemption. To the extent the ILEC seeks proprietary protection of the information submitted, it shall employ a standard nondisclosure form, approved by the Commission, before the plan is put into operation. The ILEC may not rely upon the lack of the proprietary form as a basis to delay the submission to the Commission, nor may the incumbent

³⁰ Root cause analysis should not defer payments of consequences. ILECs must be liable to pay any consequences for poor performance. Completion of root cause analysis must not be a prerequisite for the delivery of payments to either the CLEC(s) or to the designated Tier II fund. Root cause analyses tend to be time consuming to conduct. While root cause analysis is desirable for long range performance improvement purposes, it is antithetical to self-enforcing consequences. Finally, the provisions set forth in the immediately preceding section provide a procedural mechanism available to ILECs should after-the-fact root cause analysis indicate that a consequence was misapplied from the ILEC's perspective.

delay access to information by any CLEC that agrees to sign the standard nondisclosure form.

(4) By the later of 30 calendar days following notice by the incumbent or 15 calendar days following the ILEC's compliance with (3) above, interested CLECs shall file comments regarding the requested exemption. By mutual agreement, this period may be extended up to 15 calendar days.

(5) Following closure of the comment period provided in (4), if the ILEC and CLEC(s) have not reached a mutually agreeable settlement, the Commission shall either

- (a) render a decision regarding the requested exemption, or
- (b) seek further comment. The Commission shall render its decision regarding the exemption, which shall be binding on all parties, within 90 calendar days of the payment due date of the consequences at issue.

(6) Payout of the consequences shall be according to Commission direction and liquidate the entire escrow account, including accrued interest. In addition, the ILEC should be responsible for reimbursing reasonably incurred legal fees of the CLECs. Such amounts should be reimbursed in the following proportion:

$[1 - (\text{amount returned to the incumbent})] / \text{total escrow balance at liquidation}.$

As discussed in Attachment F, other steps may be taken to address potential measurement correlation issues once actual data has been gathered under the performance measurement system.

3. Additional Consequences Enforce the Operation of the Plan

Additional consequences should be applicable for other ILEC failures related to performance reporting. At a minimum, consequences for the following areas of non-compliance are appropriate:

Late performance reports - If performance data and associated reports are not available to the CLECs by the due day, the ILEC should be liable for payments of \$5,000 to a state fund for every day past the due date for delivery of the reports and data. The ILEC's liability should be determined based on the latest report delivered to a CLEC.

Incomplete or revised reports - If performance data and reports are incomplete, or if previously reported data are revised, then the ILEC should be liable for payments of \$1,000 to a state fund for every day past the due date for delivery of the original reports.

Inability to access detailed data - If a CLEC cannot access its detailed data underlying the ILEC's performance reports due to failures under the control of the ILEC, then the ILEC should pay the affected CLEC \$1000 per day (or portion thereof) until such data are made available.

Interest on late consequence payments - If the ILEC fails to remit a consequence payment by the 15th business day following the due date of the data and the reports upon which the consequences are based, then it should be liable for accrued interest for every day that the payment is late. A per diem interest rate that is equivalent to the ILEC's rate of return for its regulated services for the most recent reporting year should apply.

[This page intentionally left blank for formatting purposes.]

Attachment A

Sufficient Disaggregation Is Essential to Permit Detection of Discrimination

A meaningful system of performance consequences cannot operate without a high-quality system of performance measurements. This requires not only a robust system of performance measurements that monitors all key aspects of market entry and ILEC support but also that the results derived from such measurements are sufficiently discrete to permit meaningful comparisons.³¹

Sufficient disaggregation is absolutely essential for accurate comparison of results to expected performance. This is true regardless of whether parity or a benchmark serves as the performance standard. Inadequate disaggregation of results means that not all key factors driving differences in performance results have been identified, which in turn interjects needless variability into the computed results. Such an outcome has two adverse effects. First, the ability to detect real differences is reduced for parity measures, because the modified z-statistic employs only the incumbent's variance in the denominator, which will increase with inappropriate averaging of dissimilar results (thus causing the calculated z-statistic to be smaller). Second, benchmark standards may be more permissive, both in terms of the absolute standard and the percentage "miss" accepted (to the extent it is factually supported at all), if the factual data underlying them are averages of widely divergent processes. Accordingly, inadequately disaggregated data impose very lenient targets that result in a very low probability that performance requirements will be missed.

³¹ Although some incumbents have raised vague concerns that sufficient disaggregation of results may over-burden regulators, those concerns are unfounded for two reasons. First, careful advance specification of disaggregation requirements will reduce, rather than increase, regulatory burden and permit superior quality decision making. Second, if fewer performance results are desired, statistical procedures for re-aggregating disaggregated results provide a superior approach to reliance upon overly aggregated measurement results.

Only incumbents, such as BellSouth, have access to the highly detailed information regarding their retail performance necessary to determine the level of disaggregation that is required to permit apples-to-apples comparisons. Moreover, there are analytical procedures that allow factual conclusions to be made regarding how much disaggregation is “enough.”³² Indeed, in the limited instances where CLECs have been provided access to ILEC data and at least limited public disclosure of analysis was permitted, the facts showed both that ILECs have very detailed data and that very disaggregated results comparisons are necessary to avoid bias.³³ Establishing the appropriate level of disaggregation is not a “once-and-done” undertaking. Provision can be made to review, perhaps annually, the appropriateness of the disaggregation contained in the ILEC’s performance measurement system. In this review process, an ILEC may demonstrate, through data it has collected pursuant to its performance measurement system, that the existing level of disaggregation is not providing any additional insight to an assessment of its performance quality and nondiscrimination. In that same review process, individual CLECs should also be permitted to request additional disaggregation.³⁴ The party requesting a change should have the burden of showing why the proposed change is appropriate provided that all parties have equal access to detailed data necessary to support the proposal.

There should not be any presumption that additional disaggregation creates a burden, for either the ILEC or this Commission. For all incumbents in

³² For example, regression procedures may provide a workable methodology for establishing the extent of disaggregation required to make accurate comparisons.

³³ See AT&T Ex Parte filed July 20, 1999 in CC Docket 98-56.

³⁴ In such cases, the requesting CLEC should be required to make its request for further disaggregation to the incumbent ILEC at least three months before initiation of the review process.

general, additional disaggregation (once correct implementation is validated) simply involves repetitive computation – a task readily and quickly accomplished by today’s computers. Such a small and largely one-time effort is a small price to pay for the vastly improved capability to protect the prospects for competition in Kentucky.

Attachment B

Local Competition Users Group

Statistical Tests for Local Service Parity

February 6, 1998

Membership: AT&T, Sprint, MCI, LCI, WorldCom

Version 1.0

EXECUTIVE SUMMARY	33
INTRODUCTION	34
PURPOSE.....	34
SERVICE QUALITY MEASUREMENTS	34
WHY WE NEED TO USE STATISTICAL TESTS	35
BASIC CONCEPTS AND TERMS.....	36
POPULATIONS AND SAMPLES.....	36
MEASURES OF CENTRAL TENDENCY AND SPREAD	37
SAMPLING DISTRIBUTION OF THE SAMPLE MEAN	38
THE Z-TEST	39
TYPE 1 ERRORS AND TYPE 2 ERRORS	41
TESTS OF PROPORTIONS AND RATES	42
PROPOSED TEST PROCEDURES	42
APPLYING THE APPROPRIATE TEST	42
TEST FOR PARITY IN MEANS	43
TEST FOR PARITY IN PROPORTIONS	44
TEST FOR PARITY IN RATES.....	45

Executive Summary

The Local Competition Users Group has drafted 27 Service Quality Measurements (SQMs) that will be used to measure parity of service provided by incumbent local exchange carriers (ILECs) to competitive local exchange carriers (CLECs). This set of measures includes means, proportions, and rates of various indicators of service quality. This document proposes statistical tests that are appropriate for determining if parity is being provided with respect to these measurements.

Each month, a specified report of the 27 SQMs will be provided by the ILEC, broken down by the requested reporting dimensions. The SQMs are to be systematically developed and provided by the ILECs as specified. Test parameters will be calculated so that the overall probability of declaring the ILEC to be out of parity purely by chance is very small. For each SQM and reporting dimension reported, the difference between the ILEC and CLEC results is converted to a z-value. Non-parity is determined if a z-value exceeds a selected critical value.

Introduction

Purpose

The Local Competition Users Group (LCUG) is a cooperative effort of AT&T, MCI, Sprint, LCI and WorldCom for establishing standards for the entry of new companies (competitive local exchange carriers, or CLECs) into the local telecommunications market. A key initiative of the LCUG is to establish measures of parity for services provided by incumbent local exchange carriers (ILECs). In short, parity means that the support ILECs provide on behalf of the CLECs is no lesser in quality than the service provided by the ILECs to their own customers.

The LCUG has drafted a document listing service quality measurements (SQMs) that must be reported by the ILECs to insure that CLECs are given parity of support. The SQM document has been submitted to the FCC and made available to PUCs in all 50 states and is pending approval by many of these regulatory agencies. This document has been drafted to describe statistical methodology for determining if parity exists based on the measurements defined in the SQM document.

Service Quality Measurements

The LCUG has identified 27 service quality measurements for testing parity of service. These are:

Category	ID	Description
Pre-Ordering	PO-1	Average Response Interval for Pre-Ordering Information
Ordering and Provisioning	OP-1	Average Completion Interval
	OP-2	Percent Orders Completed on Time
	OP-3	Percent Order Accuracy
	OP-4	Mean Reject Interval
	OP-5	Mean FOC Interval
	OP-6	Mean Jeopardy Interval
	OP-7	Mean Completion Interval
	OP-8	Percent Jeopardies Returned
	OP-9	Mean Held Order Interval
	OP-10	Percent Orders Held > = 90 Days
	OP-11	Percent Orders Held > = 15 Days
Maintenance and Repair	MR-1	Mean Time to Restore
	MR-2	Repeat Trouble Rate
	MR-3	Trouble Rate

	MR-4	Percentage of Customer Troubles Resolved Within Estimate
General	GE-1	Percent System Availability
	GE-2	Mean Time to Answer Calls
	GE-3	Call Abandonment Rate
Billing	BI-1	Mean Time to Provide Recorded Usage Records
	BI-2	Mean Time to Deliver Invoices
	BI-3	Percent Invoice Accuracy
	BI-4	Percent Usage Accuracy
Operator Services and Directory Assistance	OSDA-1	Mean Time to Answer
Network Performance	NP-1	Network Performance Parity
Interconnect / Unbundled Elements and Combos	IUE-1	Function Availability
	IUE-2	Timeliness of Element Performance

The Service Quality Measurements document describes the importance of each measure as an indicator of service parity. The SQM document also describes reporting dimensions that will be used to break each measure out by like factors (*e.g.*, major service group).

Why We Need to Use Statistical Tests

The Telecommunications Act of 1996 requires that ILECs provide nondiscriminatory support regardless of whether the CLEC elects to employ interconnection, services resale, or unbundled network elements as the market entry method. It is essential that CLECs and regulators be able to determine whether ILECs are meeting these parity and nondiscriminatory obligations. In order to make such a determination, the ILEC's performance for itself must be compared to the ILEC's performance in support of CLEC operations; and the results of this comparison must demonstrate that the CLEC receives no less than equal treatment compared to that the ILEC provides to its own operations. Where a direct comparison to analogous ILEC performance is not possible, the comparative standard is the level of performance that offers an efficient CLEC a meaningful opportunity to compete.

When making the comparison of ILEC results to CLEC results, it is necessary to employ comparative procedures that are based upon generally accepted statistical procedures. It is important to use statistical procedures because all of the ILEC-CLEC processes that will be measured are processes that contain some degree of randomness. Statistical procedures recognize that there is measurement variability, and assist in translating results data into

useful decision-making information. A statistical approach allows for measurement variability while controlling the risk of drawing an inappropriate conclusion (*i.e.*, a "type 1" or "type 2" error, discussed in the next section).

Basic Concepts and Terms

Populations and Samples

Statistical procedures will permit a determination whether the support that the ILECs provide to CLECs is indistinguishable from the support provided by the ILECs to their own customers. In statistical terms, we will determine whether two "samples", the ILEC sample and the CLEC sample, come from the same "population" of measurements.

The procedures described in this paper are based on the following assumption: *When parity is provided, the ILEC data and CLEC data can both be regarded as samples from a common population of possible outcomes.* In other words, if parity exists, the measured results for a CLEC should not be distinguishable from the measured results for the ILEC, once random variability is taken into account. Figure 1 illustrates this concept. On the right side of the figure are histograms of two samples. In this illustration, the ILEC sample contains 200 observations (data values) and the CLEC sample contains 50. Note that the two histograms are not exactly alike. This is due to sampling variation. The assumption that parity exists implies that both samples were drawn from the same population of values. If it were possible to observe this population completely, the population histogram might appear as shown on the left of the Figure. If the samples were indeed taken from this population, histograms drawn for larger and larger samples would look more and more like the population histogram. Figure 1 shows that even when parity is being provided, there will be differences between the samples due to sampling variability. Statistical tests quantify the differences between the two samples and make proper allowance for sampling variability. They assess the chance that the differences that are observed are due simply to sampling variability, if parity is being provided.




Figure 1.

Measures of Central Tendency and Spread

Often, distributions are summarized using "statistics." For the purpose of this paper, a "statistic" is simply a calculation performed on a sample set of data. Two common types of statistics are known as measures of "central tendency" and "spread."

A measure of central tendency is a summary calculation that describes the middle of the distribution in some way. The most common measure of central tendency is called the "mean" or "average" of the distribution. The mean of a sample is simply the sum of the data values divided by the sample size (number of observations). Algebraically, this calculation is expressed as

$$\bar{x} = \frac{\sum x}{n},$$

where x denotes a value in the sample and n denotes the sample size. The mean describes the center of the distribution in the following way: *If the histogram for a sample were a set of weights stacked on top of a flat board placed on top of a fulcrum (a "see-saw"), the mean would be the position along the board at which the board would balance.* (See Figure 1.) The mean in Figure 1 is indicated by the small triangle at approximately the value "4" on the horizontal axis.

A measure of spread is a summary calculation that describes the amount of variation in a sample. A common measure of spread is called the "standard deviation" of the sample. The standard deviation is the typical size of a deviation of the observations in the sample from their mean value. The standard deviation is calculated by subtracting the mean value from each observation in the sample, squaring the resulting differences (so that negative and positive differences don't offset), summing the squared differences, dividing the sum by one less than the sample size, then taking the square root of the result. Algebraically, this calculation is expressed as

$$\sigma = \sqrt{\frac{\sum(x - \bar{x})^2}{n - 1}}$$

While the notion of mean and standard deviation exists for populations as well as samples, the mathematical definition for the mean and standard deviation for populations is beyond the scope of this paper. However, their interpretation is generally the same as for samples. In fact, for very large samples, the sample mean and sample standard deviation will be very close to the mean and standard deviation of the population from which the sample was taken.

Sampling Distribution of the Sample Mean

In Figure 1 we showed the positions of the means of the population and the two samples with triangular symbols beneath the distributions. If we sample over successive months, we will get new ILEC samples and new CLEC samples each and every month. These samples will not be exactly like the one for the first month; each will be influenced by sampling variability in a different way. In Figure 2, we show how sets of 100 successive ILEC means and 100 successive CLEC means might appear. The ILEC means can be thought of as being drawn from a population of sample means; this population is called the "sampling distribution" of these ILEC means. This sampling distribution is completely determined by the basic population of measurements that we start with, and the number of observations in each sample. The sampling distribution has the same mean as the population.

Figure 2 illustrates two important statistical concepts:

1. The histogram of successive sample means resembles a bell-shaped curve known as the Normal Distribution. This is true even though the individual observations came from a skewed distribution.
2. The standard deviation of the distribution of sample means is much smaller than the standard deviation of the observations themselves. In fact, statistical theory establishes the fact that the standard deviation on

the population of means is smaller by a factor \sqrt{n} , where n is the sample size. This effect can be seen in our example: the distribution of the CLEC means is twice as broad as the distribution of the ILEC means, since the ILEC sample size (200) is four times as large as the CLEC sample size (50).




Figure 2.

It is common to call the standard deviation of the sampling distribution of a statistic the "standard error" for the statistic. We shall adopt this convention to avoid confusion between the standard deviation of the individual observations and the standard deviation (standard error) of the statistic. The latter is generally much smaller than the former. In the case of sample means, the standard error of the mean is smaller than the standard deviation of the individual observations by a factor of \sqrt{n} .

The Z-test

Our objective is to compare the mean of a sample of ILEC measurements with the mean of a sample of CLEC measurements. Suppose both samples were drawn from the same population; then the difference between these two sample means (*i.e.*, $DIFF = \bar{x}_{CLEC} - \bar{x}_{ILEC}$) will have a sampling distribution which will

- (i) have a mean of zero; and

(ii) have a standard error that depends on the population standard deviation and the sizes of the two samples.

Statisticians utilize an index for comparing measurement results for different samples. The index employed is a ratio of the difference in the two sample means (being compared) and the standard deviation estimated for the overall population. This ratio is known as a z-score. The z-score compares the two samples on a standard scale, making proper allowance for the sample sizes.

The computation of the difference in the two sample means is straightforward.

$$DIFF = \bar{x}_{CLEC} - \bar{x}_{ILEC}$$

The standard deviation is less intuitive. Nevertheless, statistical theory establishes the fact that

$$\sigma_{DIFF}^2 = \frac{\sigma^2}{n_{CLEC}} + \frac{\sigma^2}{n_{ILEC}},$$

where σ is the standard deviation of the population from which both samples are drawn. That is, the squared standard error of the difference is the sum of the squared standard errors of the two means being compared.³⁵

We do not know the true value of the population σ because the population cannot be fully observed. However, we can estimate σ given the standard deviation of the ILEC sample (σ_{ILEC}).³⁶ Hence, we may estimate the standard error of the difference with

$$\sigma_{DIFF} = \sqrt{\frac{\sigma_{ILEC}^2}{n_{CLEC}} + \frac{\sigma_{ILEC}^2}{n_{ILEC}}} = \sqrt{\sigma_{ILEC}^2 \left[\frac{1}{n_{CLEC}} + \frac{1}{n_{ILEC}} \right]}$$

If we then divide the difference between the two sample means by this estimate of the standard deviation of this difference, we get what is called a "z-score".

$$z = \frac{DIFF}{\sigma_{DIFF}}$$

³⁵ Winkler and Hays, *Probability, Inference, and Decision*. (Holt, Rinehart and Winston: New York), p. 370.

³⁶ Winkler and Hays, *Probability, Inference, and Decision*. (Holt, Rinehart and Winston: New York), p. 338.

Because we assumed that both samples were in fact drawn from the same population, this z-score has a sampling distribution that is very nearly Standard Normal, *i.e.*, having a mean of zero and a standard error of one. Thus, the z-score will lie between ± 1 in about 68% of cases, will lie between ± 2 in about 95% of cases, and will lie between ± 3 in about 99.7% of cases, always assuming that both samples come from the same population. Therefore, one possible procedure for checking whether both samples come from the same population is to compare the z-score with some cut-off value, perhaps +3. For comparisons where the values of z exceed the cutoff value, you reject the assumption of parity as not proven by the measured results. This is an example of a statistical test procedure. It is a formal rule of procedure, where we start with raw data (here two samples, ILEC measurements and CLEC measurements), and arrive at a decision, either "conformity" or "violation".

Type 1 Errors and Type 2 Errors

Each statistical test has two important properties. The first is the probability that the test will determine that a problem exists when in fact there is none. Such a mistaken conclusion is called a type one error. In the case of testing for parity, a type one error is the mistake of charging the ILEC with a parity violation when they may not be acting in a discriminatory manner. The second property is the probability that the test procedure will not identify a parity violation when one does exist. The mistake of not identifying parity violation when the ILEC is providing discriminatory service is called a type two error. A balanced test is, therefore, required.

From the ILEC perspective, the statistical test procedure will be unacceptable if it has a high probability of type one errors. From the CLEC perspective, the test procedure will be unacceptable if it has a high probability of type two errors.

Very many test procedures are available, all having the same probability of type one error. However the probability of a type two error depends on the particular kind of violation that occurs. For small departures from parity, the probability of detecting the violation will be small. However, different test procedures will have different type two error probabilities. Some test procedures will have small type two error when the CLEC mean is larger than the ILEC mean, even if the CLEC standard deviation is the same as the ILEC standard deviation, while other procedures will be sensitive to differences in standard deviation, even if the means are equal. Our proposals below are designed to have small type two error when the CLEC mean exceeds the ILEC mean, whether or not the two variances are equal.

Tests of Proportions and Rates

When our measurements are proportions (e.g. percent orders completed on time) rather than measurements on a scale, there are some simplifications. We can think of the "population" as being analogous to an urn filled with balls, each labeled either 0(failure) or 1(success). In this population, the fraction of 1's is some "population proportion". Making an observation corresponds to drawing a single ball from this urn. Each month, the ILEC makes some number of observations, and reports the ratio of failures or successes to the total number of observations; the ILEC does the same does the same for the CLEC. The situation is very similar to that discussed above; however, rather than a wide range of possible result values, we simply have 0's (failures) and 1's (successes). The "sample mean" becomes the "observed proportion", and this will have a sampling distribution just as before. The novelty of the situation is that now the population standard deviation is a known function of the population proportion³⁷; if the population proportion is p , the population standard deviation is $\sqrt{p(1-p)}$, with similar simplifications in all the other formulas.

There is a similar simplification when the observations are of rates, e.g., number of troubles per 100 lines. The formulas appear below.

Proposed Test Procedures

Applying the Appropriate Test

Three z-tests will be described in this section: the "Test for Parity in Means", the "Test for Parity in Rates", and the "Test for Parity in Proportions". For each LCUG Service Quality Measurement (SQM), one or more of these parity tests will apply. The following chart is a guide that matches each SQM with the appropriate test.

Measurement (Corresponding LCUG Number)	Test
Preordering Response Interval (PO-1)	Mean
Avg. Order Completion Interval (OP-1)	Mean
% Orders Completed On Time (OP-2)	Proportion
% Order (Provisioning) Accuracy (OP-3)	Proportion
Order Reject Interval (OP-4)	Mean
Firm Order Confirmation Interval (OP-5)	Mean
Mean Jeopardy Interval (OP-6)	Mean
Completion Notice Interval (OP-7)	Mean
Percent Jeopardies Returned (OP-8)	Proportion
Held Order Interval (OP-9)	Mean

³⁷ Winkler and Hays, *Probability, Inference, and Decision*. (Holt, Rinehart and Winston: New York), p. 212.

% Orders Held > 90 Days (OP-10)	Proportion
% Orders Held > 15 Days (OP-11)	Proportion
Time To Restore (MR-1)	Mean
Repeat Trouble Rate (MR-2)	Proportion
Frequency of Troubles (MR-3)	Rate
Estimated Time To Restore (MR-4)	Proportion
System Availability (GE-1)	Proportion
Center Speed of Answer (GE-2)	Mean
Call Abandonment Rate (GE-3)	Proportion
Mean Time to Deliver Usage Records (BI-1)	Mean
Mean Time to Deliver Invoices (BI-2)	Mean
Percent Invoice Accuracy (BI-3)	Proportion
Percent Usage Accuracy (BI-4)	Proportion
OS/DA Speed of Answer (OS/DA-1)	Mean
Network Performance (NP-1)	Mean, Proportion
Availability of Network Elements (IUE-1)	Mean, Proportion
Performance of Network Elements (IUE-2)	Mean, Proportion

Test for Parity in Means

Several of the measurements in the LCUG SQM document are averages (*i.e.*, means) of certain process results. The statistical procedure for testing for parity in ILEC and CLEC means is described below:

1. Calculate for each sample the number of measurements (n_{ILEC} and n_{CLEC}), the sample means (\bar{x}_{ILEC} and \bar{x}_{CLEC}), and the sample standard deviations (σ_{ILEC} and σ_{CLEC}).
2. Calculate the difference between the two sample means; if *larger* CLEC mean indicates possible violation of parity, use $DIFF = \bar{x}_{CLEC} - \bar{x}_{ILEC}$; otherwise reverse the order of the CLEC mean and the ILEC mean.
3. To determine a suitable scale on which to measure this difference, we use an estimate of the population variance based on the ILEC sample, adjusted for the sized of the two samples: this gives the standard error of the difference between the means as

$$\sigma_{DIFF} = \sqrt{\sigma_{ILEC}^2 \left[\frac{1}{n_{CLEC}} + \frac{1}{n_{ILEC}} \right]}$$

4. Compute the test statistic

$$z = \frac{DIFF}{\sigma_{DIFF}}$$

5. Determine a critical value c so that the type one error is suitably small.
6. Declare the means to be in violation of parity if $z > c$.

Example:

c: 3.58 Critical value for the test

ILEC			CLEC			Test	
n	mean	variance	n	mean	variance	z	Violation
250	4.038	1.9547	50	5.154	23.2035	5.15	YES!

Test for Parity in Proportions

Several of the measurements in the LCUG SQM document are proportions derived from certain counts. The statistical procedure for testing for parity in ILEC and CLEC proportions is described below. It is the same as that for means, except that we do not need to estimate the ILEC variance separately.

1. Calculate for each sample sample sizes (n_{ILEC} and n_{CLEC}), and the sample proportions (p_{ILEC} and p_{CLEC}).
2. Calculate the difference between the two sample means; if *larger* CLEC proportion indicates worse performance, use $DIFF = p_{CLEC} - p_{ILEC}$, otherwise reverse the order of the ILEC and CLEC proportions.
3. Calculate an estimate of the *standard error for the difference* in the two proportions according to the formula

$$\sigma_{DIFF} = \sqrt{p_{ILEC}(1 - p_{ILEC}) \left[\frac{1}{n_{CLEC}} + \frac{1}{n_{ILEC}} \right]}$$

4. Hence compute the test statistic

$$z = \frac{DIFF}{\sigma_{DIFF}}$$

5. Determine a critical value c so that the type one error is suitably small.
6. Declare the means to be in violation of parity if $z > c$.

Example:

c: 3.58 Critical value for the test

ILEC			CLEC			Test	
num	den	p	num	den	p	z	Violation
5	250	2.00%	7	40	17.50%	6.50	YES!

Test for Parity in Rates

A rate is a ratio of two counts, $num/denom$. An example of this is the trouble rate experience for POTS. The procedure for analyzing measurements results that are rates is very similar to that for proportions.

1. Calculate the numerator and the denominator counts for both ILEC and CLEC, and hence the two rates $r_{ILEC} = num_{ILEC}/denom_{ILEC}$ and $r_{CLEC} = num_{CLEC}/denom_{CLEC}$.
2. Calculate the difference between the two sample rates; if *larger* CLEC rate indicates worse performance, use $DIFF = r_{CLEC} - r_{ILEC}$, otherwise take the negative of this.
3. Calculate an estimate of the *standard error for the difference* in the two rates according to the formula

$$\sigma_{DIFF} = \sqrt{r_{ILEC} \left[\frac{1}{denom_{CLEC}} + \frac{1}{denom_{ILEC}} \right]}$$

4. Compute the test statistic

$$z = \frac{DIFF}{\sigma_{DIFF}}$$

5. Determine a critical value c so that the type one error is suitably small.
6. Declare the means to be in violation of parity if $z > c$.

Example:

c: 3.58 Critical value for the test

ILEC			CLEC			Test	
num	den	rate	num	den	rate	z	Violation
250	610	0.409836	34	30	1.133333	6.04	YES!

Attachment C

Permutation Analysis Procedural Steps

Permutation analysis is applied to calculate the z-statistic using the following logic:

1. Choose a sufficiently large number T .
2. Pool and mix the CLEC and ILEC data sets
3. Randomly subdivide the pooled data sets into two pools, one the same size as the original CLEC data set (n_{CLEC}) and one reflecting the remaining data points, (which is equal to the size of the original ILEC data set or n_{ILEC}).
4. Compute and store the Z-test score (Z_s) for this sample.
5. Repeat steps 3 and 4 for the remaining $T-1$ sample pairs to be analyzed. (If the number of possibilities is less than 1 million, include a programmatic check to prevent drawing the same pair of samples more than once).
6. Order the Z_s results computed and stored in step 4 from lowest to highest.
7. Compute the Z-test score for the original two data sets and find its rank in the ordering determined in step 6.

8. Repeat the steps 2-7 ten times and combine the results to determine $P = (\text{Summation of ranks in each of the 10 runs divided by } 10T)$

9. Using a cumulative standard normal distribution table, find the value Z_A such that the probability (or cumulative area under the standard normal curve) is equal to P calculated in step 8.

10. Compare Z_A with the desired critical value as determined from the critical Z table. If $Z_A >$ the designated critical Z -value in the table, then the performance is non-compliant.

Attachment D

Statistical Demonstrations of Non-Parity are Sufficient: Notes on "Competitive Significance"

Some incumbents have proposed that, when comparing the CLEC data set to the ILEC data set for a particular performance measurement result, a lack of parity should not be declared unless both the performance difference is statistically significant and the difference has "competitive or economic significance." This notion is contrary to FCC's interpretation of the terms of the 1996 Act (the Act). The FCC has found that the term "nondiscriminatory" as used in the Act is a more stringent standard than the "unjust and unreasonable discrimination" standard set forth in other provisions of the Communications Act.³⁸ Thus, the term "nondiscriminatory access" means that: (1) the quality of performance must be equal among all carriers requesting the support, and (2) where technically feasible, the support must be no less in quality and timeliness than that which the incumbent provides to itself.³⁹

Some ILECs have also argued that, as the number of data points underlying the computed performance result increases (all other factors held constant),

³⁸ See FCC Docket No. 96-98, Implementation of the Local Competition Provisions in the Telecommunications Act of 1996, First Report and Order released August 8, 1996, ¶ 217, 859 ("Local Competition Order").

³⁹ Local Competition Order, ¶315 (access must be provided on terms that are "equal to the terms and conditions under which the incumbent LEC provisions such elements to itself"); Second Order on Reconsideration, Implementation of the Local Competition Provisions of the Telecommunications Act of 1996, CC Docket No. 96-98 (released December 13, 1996) ¶9 (OSS access "must be equal to" the access that the ILEC provides to itself); FCC CC Docket No. 97-137, In the Matter of Ameritech Michigan Pursuant to Section 271 of the Communications Act of 1934, as amended, To Provide In-Region InterLATA Services in Michigan, Memorandum Opinion and Order released August 19, 1997 ("Ameritech Michigan Order"), ¶139 ("BOC must provide access to competing carriers that is equal to the level of access that the BOC provides to itself . . . in terms of

smaller differences in means will be statistically significant. This statement is true; nevertheless, as explained in the text, the consequences defined by this plan do not increase with the number of data points. Therefore, the statistical test and z-score have achieved their exact purposes by *identifying unequal performance* and increasing consequences with *severity* of failure. Furthermore, the term “discriminatory” under the Act should not be confused with direct and provable competitive injury. The language of the Act does not permit the incumbent to discriminate against a CLEC by showing that no specific competitive harm was experienced by the CLEC.⁴⁰ Moreover, as a theoretical matter, although statistical science can be used to evaluate the impact of different choices of alternative hypothesis in the balancing methodology, there is not much that an appeal to statistical principles can offer in directing specific choices. These specific choices are best left to telephony experts.

These judgements should consider the financial impact (on the CLECs) of violations of various degrees. As a first approximation, the ILEC has data, generated by its routine management procedures, that could be used to calibrate the effect of various violations. The Commission should require the ILEC to produce evidence, relating to its management procedures, that would help the Commission understand what deviations from target performance routinely signal the need for correction.

It is certainly not sufficient to consider only the resulting critical values or error probabilities.

quality, accuracy and timeliness”); ¶166 (ILEC “must provide competing carriers access to such OSS function equal to the access that it provides to its retail operations”).

⁴⁰ Indeed, requiring a CLEC to demonstrate the specific anticompetitive consequences of an ILEC performance failure would effectively render these new protections into mere reiterations of Section II of the Sherman Act. Long experience under antitrust law shows how difficult and protracted such a requirement is in practice.

Attachment E

Mitigation for Potential Impacts of Random Variation is Unnecessary When Type I and Type II Error is Balanced

Random variation is differences in the expected output (or result) of a process that cannot be entirely explained as a result of differences in the inputs to the process. Said another way, running the very same process multiple times using exactly the same key inputs may not (and likely will not) produce exactly the same outcomes. The differences in the outcomes are “explained” as random variation.

There is little debate that the support processes that incumbents utilize to support CLECs tend to be complex and that a variety of factors influence the quantity and quality of the support delivered. As a result, provided the necessary steps have been taken to disaggregate measurement results sufficiently to account for factors correlated with different outcomes, random variation should be accommodated. In doing so, a reasonable balance needs to be struck between (1) protecting the ILEC from consequences that are a result of random variation, and (2) protecting competitors from the adverse effects of discrimination by the ILEC.

As discussed above, the first step in mitigating the effects of random variation is to minimize the risk of making an incorrect decision. In this situation, the two potential incorrect decisions are (1) declaring performance compliant when it is actually discriminatory and (2) declaring performance non-compliant when it is actually within acceptable limits. If these two probabilities are balanced, then, the consequences for “false” failures conceptually offset the consequences for undetected failures. Otherwise stated, the small remedy payment by the ILEC under falsely declared non-

compliance is conceptually balanced with the market losses experienced by the CLECs due to falsely declared compliance.

Some regulators have expressed concerns, in light of what they consider to be sizable consequences necessary to motivate compliant ILEC performance and the inability to precisely balance risk, that additional mitigating factors should be instituted. Unfortunately, virtually all the mechanisms discussed are designed to protect the incumbent at the expense of the protecting the competitive process. The following mechanisms have been proposed, but each suffer from serious flaws.

a. Credits for “Better than Required” Performance Permit Gaming

This approach to mitigation is misguided and has the potential to cause extreme harm with little upside potential. In this flawed approach to mitigation, consequences for failed performance could be negated if the incumbent provides “better than required” performance at a different time (or for a different measurement) and thus earns a “credit.” For example, the incumbent could deliver bad performance in one area and offset the consequence through performance credits “earned” in a separate but unrelated area or through credits for compliant performance previously (or subsequently) delivered. In all cases, such credits provide incumbents extensive opportunities to “game the system.” Credits give ILECs the opportunity to deliver highly variable results that swing between very good and extremely poor performance and still be absolved of any consequence. Likewise, incumbents have the opportunity to temporarily provide compliant performance and then discriminate with impunity. In either case, the CLECs’ position in the marketplace compared to the incumbent is harmed. Moreover, because CLECs only learn of “better” performance after the fact (in a performance report), they cannot take practical advantage of such

performance. Thus they get no benefit that offsets the real harm they and their customers have actually suffered.

b. Absolute Caps On Liability Are Unwarranted

There is no logical or practical basis to set an absolute limit on any incumbent's liability under any consequences plan, especially for Tier I type consequences. Such consequences are intended to compensate CLECs for actual harm they have sustained as a result of documented poor performance. Thus, there should never be a limit on this type of consequence. Moreover, to the extent that Tier II consequences become especially large, it may be appropriate to establish a procedural cap to provide an opportunity to assess whether the calculated consequence for an incumbent's market-affecting behavior should be limited.

Attachment F

Addressing Measurement Overlap And Correlation

Measurement overlap occurs when one or more measurements effectively measure the same performance. If two measurements overlap, then consequences should attach to only one of them. Note, however, a measurement addressing timeliness and a measurement addressing quality for the same area of performance do not overlap. Also, it should be noted that, given the care taken in defining measurements in LCUG SQM Version 7.0, there are no obvious areas of significant measurement overlap

Measurement correlation is different from measurement overlap. Measurement correlation occurs when one or more measurement results move at the same time. The direction of movement need not be the same. That is, one may improve (e.g., quality) while another deteriorates (e.g., timeliness). As such, measurement correlation does not automatically argue for adjustment to the measurements eligible for consequences. Indeed, an incumbent that is intentionally and pervasively discriminating would be capable of showing a high degree of correlation among all measurement results both within and across months – all results would be deteriorating.

If there are reasons to believe that measurements are somewhat overlapping and correlation is suspected, the solution is not to immediately eliminate one or both measurements. Rather the potentially superior approach is to create “families” for the purpose of applying consequences. Each measurement “family” would be eligible for only a single consequence. Whether and to what degree a family is eligible for a consequence would be determined by the worst performing individual measurement result within the family for the month under consideration. Thus, use of measurement families eliminates

the possibility of consequence "double jeopardy"⁴¹ without making any advance value judgement regarding the usefulness of individual measurements.

Use of measurement families has the potential for significant harm for an otherwise effective consequence plan due because: (1) inappropriate grouping can mask areas of discrimination by placing non-overlapped measurements in the same family; and, (2) by reducing eligible measurements, without adjusting the per measurement consequence, the overall plan incentives are diminished. As a result, establishment of measurement families must be approached with extreme caution and sparingly used. At least the following conditions must be imposed.

- (1) measurements that address separate support functionality may not be placed in the same family;
- (2) measurements that address different modes of market entry may not be placed in the same family;
- (3) measurement families may not be used as a means to avoid disaggregation detail;
- (4) measurements that address (a) timeliness, (b) accuracy, and (c) completeness may not be placed within the same family;
- (5) measurement families, to the extent used, must be identical across all CLECs;
- (6) even if correlation can be demonstrated, measurement families must not be used to combine otherwise independent measurements of a deficient process; and,

⁴¹ If the measurements in the family are truly overlapping and correlated they point to the same conclusion (incidents of failure and severity). Measurement families thus treat the incumbent preferentially: either the measurements are effectively the same and only one consequence applies or they were inappropriately grouped and the incumbent avoids one or more consequences that should have been incurred.

(7) establishment of measurement families must not reduce the maximum consequence payable by more than 10% without an offsetting increase in the basic, intermediate, and severe consequence payable per failed measurement.

To the extent new measurement families are proposed or a proposal is set forth to eliminate or modify an existing family, the advocate of the change should bear the burden of demonstrating compliance with the above minimum requirements. The consideration should be in a public forum where all interested parties participate, and in the event of a disagreement, the Commission should decide based upon the record established. Prospective changes of measurement families should not affect any prior determinations regarding consequences.

No proposal to establish measurement families should be considered until the consequence plan has been operational and produced at least six months of independently verified data.

Attachment G

Graphs and Tables of Consequence Functions

The consequences as a function of performance are completely calculable from the equations presented in Tables 1,3,4, and 5 of the text. In fact using the equations in these tables directly is the appropriate way to program the computer that will perform the calculations when the plan is implemented. However, in this attachment we give graphical representations of the consequences as a function of performance and also present the functions in tabular form. The latter may be used as a less accurate alternative to the equations in the text tables to look up the consequence amounts.

Applicable Consequences for Tier I Parity Submeasures




Figure G-1

Table G-1 Applicable Tier I Consequences for Parity Submeasures

z/z*	Amount
0.0 or less	\$0.00
0.1	\$0.00
0.2	\$0.00
0.3	\$0.00
0.4	\$0.00
0.5	\$0.00
0.6	\$0.00
0.7	\$0.00
0.8	\$0.00
0.9	\$0.00
1.0	\$2,500.00
1.1	\$2,556.25
1.2	\$2,725.00
1.3	\$3,006.25
1.4	\$3,400.00
1.5	\$3,906.25
1.6	\$4,525.00
1.7	\$5,256.25
1.8	\$6,100.00
1.9	\$7,056.25
2.0	\$8,125.00
2.1	\$9,306.25
2.2	\$10,600.00
2.3	\$12,006.25
2.4	\$13,525.00
2.5	\$15,156.25
2.6	\$16,900.00
2.7	\$18,756.25
2.8	\$20,725.00
2.9	\$22,806.25
3.0 or more	\$25,000.00

Applicable Consequences for Tier I (95%) Benchmark Submeasures




Figure G-2

Table G-2 Applicable Tier I Consequences for (95%) Benchmark
Submeasures

x (%)	Amount
90.0 or less	\$25,000.00
90.5	\$20,725.00
91.0	\$16,900.00
91.5	\$13,525.00
92.0	\$10,600.00
92.5	\$8,125.00
93.0	\$6,100.00
93.5	\$4,525.00
94.0	\$3,400.00
94.5	\$2,725.00
95.0	\$2,500.00
95.5	\$0.00
96.0	\$0.00
96.5	\$0.00
97.0	\$0.00
97.5	\$0.00
98.0	\$0.00
98.5	\$0.00
99.0	\$0.00
99.5	\$0.00
100.0	\$0.00

Applicable Consequences for Tier II Parity Submeasures (n=10)




Figure G-3

Table G-3 Applicable Tier II Consequences for Parity Submeasures (n = 10)

z/z*	Amount
0.0 or less	\$0.00
0.1	\$0.00
0.2	\$0.00
0.3	\$0.00
0.4	\$0.00
0.5	\$0.00
0.6	\$0.00
0.7	\$0.00
0.8	\$0.00
0.9	\$0.00
1.0	\$0.00
1.1	\$0.00
1.2	\$0.00
1.3	\$0.00
1.4	\$0.00
1.5	\$0.00
1.6	\$0.00
1.7	\$52,562.50
1.8	\$61,000.00
1.9	\$70,562.50
2.0	\$81,250.00
2.1	\$93,062.50
2.2	\$106,000.00
2.3	\$120,062.50
2.4	\$135,250.00
2.5	\$151,562.50
2.6	\$169,000.00
2.7	\$187,562.50
2.8	\$207,250.00
2.9	\$228,062.50
3.0 or more	\$250,000.00

Applicable Consequences for Tier II (95%) Benchmark Submeasures (n=10)




Figure G-4

Table G-4 Applicable Tier II Consequences for (95%) Benchmark
Submeasures (n = 10)

x (%)	Amount
90.0 or less	\$250,000.00
90.5	\$207,250.00
91.0	\$169,000.00
91.5	\$135,250.00
92.0	\$106,000.00
92.5	\$81,250.00
93.0	\$0.00
93.5	\$0.00
94.0	\$0.00
94.5	\$0.00
95.0	\$0.00
95.5	\$0.00
96.0	\$0.00
96.5	\$0.00
97.0	\$0.00
97.5	\$0.00
98.0	\$0.00
98.5	\$0.00
99.0	\$0.00
99.5	\$0.00
100.0	\$0.00

**BELLSOUTH/ATT RATES
ODUF/EODUF/ADUF/CMDS**

Exhibit E
Rates - Page 1

DESCRIPTION	USOC	KY
ODUF/EODUF/ADUF/CMDS		
ODUF: Recording, per message	N/A	\$0.0008611
ODUF: Message Processing, per message	N/A	\$0.0032357
EODUF: Message Processing, per message	N/A	\$0.004
ADUF: Message Processing, per message	N/A	\$0.004
CMDS: Message Processing, per message	N/A	\$0.004
ODUF: Message Processing, per magnetic tape provisioned	N/A	\$55.68
EODUF: Message Processing, per magnetic tape provisioned	N/A	NA
ODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.0000365
EODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	NA
ADUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001
CMDS: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by

**BELLSOUTH/ATT RATES
ODUF/EDOUF/ADUF/CMDS**

Exhibit F
Rates - Page 1

DESCRIPTION	USOC	KY
ODUF/EDOUF/ADUF/CMDS		
ODUF: Recording, per message	N/A	\$0.0008611
ODUF: Message Processing, per message	N/A	\$0.0032357
EODUF: Message Processing, per message	N/A	\$0.004
ADUF: Message Processing, per message	N/A	\$0.004
CMDS: Message Processing, per message	N/A	\$0.004
ODUF: Message Processing, per magnetic tape provisioned	N/A	\$55.68
EODUF: Message Processing, per magnetic tape provisioned	N/A	NA
ODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.0000365
EODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	NA
ADUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001
CMDS: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by

ATTACHMENT 10

BONA FIDE REQUEST/ NEW BUSINESS REQUEST PROCESS

Bona Fide Request/ New Business Request Process

1. When applicable. Bona Fide Request/New Business Requests ("BFR/NBR") are to be used when AT&T requests any Services and Elements not already provided in this Agreement or the process needed to provide the Services and Elements, which process is not provided in this Agreement, (collectively for purposes of this Attachment 10, "the Services"). AT&T may also utilize this process to make a request not already provided in this Agreement where said request does not constitute a request under the Telecommunications Act of 1996. This Attachment 10 does not apply to Section 9 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 1.1 Details required. A BFR/NBR shall be submitted in writing by AT&T and shall specifically identify: (i) the date requested for the Services; (ii) the Services requested; (iii) the associated technical requirements; (iv) space requirements; and (v) other specifications necessary to clearly define the request. If applicable, such a request also shall include AT&T's designation of the request as being an obligation of BellSouth pursuant to the Telecommunications Act of 1996.
- 1.2 AT&T cancellation. AT&T may cancel a BFR/NBR in writing at any time. BellSouth will then cease analysis of the request. If AT&T cancels a BFR/NBR after BellSouth has received AT&T's written "notice to proceed" as described in Section 1.6 of this Attachment 10, AT&T agrees to pay BellSouth the reasonable, demonstrable, and actual costs directly related to complying with AT&T's BFR/NBR up to the date of cancellation.
- 1.3 BellSouth acknowledgment. Within two (2) business days of receipt of a BFR/NBR, BellSouth shall acknowledge in writing its receipt and identify its single point of contact responsible for responding to the request and shall request any additional information needed to process the request. Notwithstanding the foregoing, BellSouth may reasonably request additional information from AT&T at any time during the processing of the BFR/NBR.
- 1.4 Preliminary analysis delivery. Unless otherwise agreed by both parties in writing, within thirty-five (35) calendar days of its receipt of a BFR/NBR, BellSouth shall either provide to AT&T a preliminary analysis of the BFR/NBR or notify AT&T that it needs more time to provide AT&T with its preliminary analysis, at which time AT&T and BellSouth will then determine a mutually agreeable date for delivery of the preliminary analysis.

- 1.5 Preliminary analysis details. The preliminary analysis will state whether BellSouth can meet AT&T's requirements and shall include BellSouth's proposed price plus or minus 25 percent ("the Preliminary Analysis Range") and the date the request can be met. If BellSouth cannot provide the Services by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet AT&T's requested date. The preliminary analysis also will include a detailed breakdown of the costs supporting the proposed price, including the development costs, as defined in Section 1.7 below, necessary to complete AT&T's BFR/NBR. BellSouth also shall indicate in the preliminary analysis its agreement or disagreement with AT&T's designation of the request as an obligation under the Telecommunications Act of 1996. If BellSouth does not agree with AT&T's designation, it may use the dispute resolution process set forth in Section 18 of the General Terms and Conditions of this Agreement, incorporated herein by this reference. In no event, however, shall any dispute delay BellSouth's processing of the request.
- 1.6 Notice to proceed. After providing the preliminary analysis to AT&T, BellSouth shall proceed with AT&T's BFR/NBR upon receipt of AT&T's written "notice to proceed." This "notice to proceed" shall not be construed by BellSouth as a waiver of AT&T's right to invoke dispute resolution process set forth in Section 16 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, as to any issue, including BellSouth's proposed price, the reasonable, demonstrable, and actual costs incurred in the event of AT&T's cancellation of a BFR/NBR, or the amount of development costs paid. All payments are subject to adjustment according to the outcome of the dispute resolution process set forth in Section 16 of the General Terms and Conditions of this Agreement, incorporated herein by this reference. In no event shall any dispute delay BellSouth proceeding with completing the BFR/NBR.
- 1.7 Development costs. Subject to the provision of Section 1.6 above, after receipt and review of BellSouth's preliminary analysis, if AT&T decides to proceed, AT&T agrees to pay the fixed amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR/NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. AT&T will begin processing the payment of development costs at the time it issues the written "notice to proceed" with payment due to BellSouth within 15 days of the issuance of the notice to proceed.

- 1.8 Interim payment in the event of price dispute. In the event of a dispute over payments made by AT&T or requested by BellSouth, including development costs and any interim progress payment, upon BellSouth's written request, AT&T agrees to negotiate an interim lump sum progress payment to compensate BellSouth for its reasonable, demonstrable and actual costs incurred in processing AT&T's BFR/NBR. The interim lump sum progress payment shall be calculated by determining the average between BellSouth's proposed price and AT&T's estimate of the price for processing its BFR/NBR. AT&T agrees to pay 50% of this amount as the interim lump sum progress payment. If AT&T's proposed price is less than 50% of BellSouth's proposed price, the average shall be calculated by assuming that AT&T's price is exactly 50% of BellSouth's proposed price.
- 1.9 Firm quote delivery. As soon as possible, but in no event later than sixty-five (65) calendar days after receipt of the request, BellSouth shall provide AT&T with a firm BFR/NBR response that will include, at a minimum, the firm availability date, the installation intervals, a binding price quote, which shall not exceed the Preliminary Analysis Range, and a final detailed breakdown of all costs supporting the final price.
- 1.10 Acceptance or rejection of firm quote. Within thirty (30) calendar days after receipt of the firm BFR/NBR response from BellSouth, AT&T will notify BellSouth in writing of its acceptance or rejection of BellSouth's proposal. If BellSouth receives no response to the firm quote from AT&T within the thirty day time frame, BellSouth shall issue a written request for confirmation that AT&T does not wish to proceed with the BFR/NBR. If BellSouth receives no response from AT&T within five (5) calendar days of its written request for confirmation, BellSouth may consider the BFR/NBR canceled. BellSouth may recover any costs incurred to the extent permitted under the provision of Section 1.2 of this Attachment 10.
- 1.11 Pricing Principles. Unless AT&T agrees otherwise, all proposed prices shall be derived in accordance with the Act and any applicable Commission rules and regulations. Payments for Services purchased under a BFR/NBR will be made as specified in this Attachment 10, unless otherwise agreed to by AT&T.
- 1.12 Amendment. Upon AT&T's acceptance of the firm quote by BellSouth, the parties shall amend the Agreement to incorporate the Services contemplated by the BFR/NBR. The amendment shall include all pertinent rates, terms and conditions and shall be filed with the

appropriate regulatory commission pursuant to the requirements of the Act.

ATTACHMENT 11
ACRONYMS

ACRONYM	DEFINITION
AAA	American Arbitration Association
AABS	Automated Alternate Billing System (AABS)
ACAC	Access Customer Advocate Center
ADA	Americans with Disabilities Act
ADSL	Asynchronous Digital Subscriber Line
ADUF	Access Daily Usage File
AIN	Advanced Intelligent Network
ALEC	Alternative Local Exchange Carrier
ALI/DMS	Automatic Location Identification/Data Management Systems
AMA	Automatic Message Accounting
AMI	Alternate Marked Inversion
ANI	Automatic Number Identification
ANSI	American National Standards Institute
ASPR	AT&T Security Policy and Requirements
ASR	Access Services Request
ASWC	AT&T Serving Wire Center
ATIS	Alliance for Telecommunications Industry Solutions
ATM	Asynchronous Transfer Mode
BACR	Billing Account Cross Reference
BAN	Billing Account Number
BAPCO	BellSouth Advertising and Publishing Company
BAR	Billing Account Reference
BFR/NBR	Bona Fide Request/New Business Request
BLV	Busy Line Verification
BLV/BLI	Busy Line Verification/Busy Line Interrupt
BLV/BLVI	Busy Line Verification/Busy Line Verification Interrupt
BLV/ELI	Busy Line Verification/Emergency Line Interrupt
BNS	Billed Number Screening
BOC	Bell Operating Company
BOS	Billing Output Specifications
BRI	Basic Rate ISDN
BSWC	BellSouth Serving Wire Center
CABS	Carrier Access Billing Systems
CAMA	Centralized Automatic Message Accounting
CARE	Customer Account Record Exchange
CATS	Calling Card and Third Number Settlement System
CATV	Cable Television
CBOS	CABS Billing Output Specifications
CCC	Clear Channel Capability
CCITT	Consultative Committee on International Telegraph & Telephone
CCL	Common Carrier Line

CCS	Common Channel Signaling
CCSAS	Common Channel Signaling Access Service
CCSNIS	Common Channel Signaling Network Interface Specification
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CI	Customer Interface
CIC	Carrier Identification Code
CF/B	Call Forward on Busy
CF-B/DA	Call Forward on Busy/Don't Answer
CF/DA	Call Forward Don't Answer
CFR	Code of Federal Regulations
CPN	Calling Party Number
CLASS	Custom Local Area Signaling Service
CLEC	Competitive Local Exchange Carrier
CLLI	Common Language Location Identifier
CLLIC	Common Language Location Identifier Code
CLUB	Customized Large User Bill
CMDS	Centralized Message Distribution System
CMRS	Commercial Mobile Radio Service
CNAM	Calling Name Delivery Database Service
CO	Central Office
CPE	Customer Premises Equipment
CPR	CPR Institute for Dispute Resolution
CRIS	Customer Record Information System
CSA	Contract Service Arrangement
CSIQ	Customer Service Information Query
CSOTS	Customer Service Order Trouble System
CSR	Customer Service Record
CT	Common Transport
CY	Current Year
DA	Directory Assistance
DADAS	Direct Access to Directory Assistance Service
DADS	Directory Assistance Database Service
DB	Database
DCC	Data Communications Channel
DCS	Digital Cross-Connect System
DDD	Desired Due Date
DID	Direct Inward Dialing
DLC	Digital Loop Carrier
DLR	Design Layout Record
DMOQs	Direct Measures of Quality
DN	Directory Numbers
DN-RI	Directory Number - Route Index
DS-0	Digital Signal Level Zero
DS-1	Digital Signal Level One

DS-3	Digital Signal Level Three
DRAM	Digital Recorded Announcement Machine
DSLAM	Digital Subscriber Line Access Multiplexer
DSN	Data Set Name
DSX	Digital Cross Connect
DT	Dedicated Transport
DTMF	Dual-Tone Multi Frequency
DTN	Destination Telephone Number
E&M	Ear & Mouth Signaling
EAMF	Equal Access Multi-Frequency
EBAS	Enhanced Billing and Access Service
EBCDIC	Extended Binary-Coded Decimal Interchange Code
ECTA	Exchange Carrier Trouble Analysis
EDI	Electronic Data Interface
EDI-PC	Electronic Data Interface – Personal Computer
EFT	Electronic Funds Transfer
EI	Electronic Interface
EI	Emergency Interrupt
ELI	Emergency Line Interrupt
EMI	Exchange Message Interface
EMR	Exchange Message Record
EO	End Office
EODUF	Enhanced Optional Daily Usage File
E/O	Electrical to Optical
EPA	Environmental Protection Agency
ESF	Extended Super Frame
ESIT	Exchange Service Interconnection Traffic
ESP	Enhanced Service Provider
ETTR	Estimated Time to Repair
FB	Flat Rate Business Line
FCC	Federal Communications Commission
FDI	Feeder Distribution Interface
FGA	Feature Group A
FGB	Feature Group B
FGD	Feature Group D
FL	Foreign Listing
FOC	Firm Order Confirmation
FR	Flat Rate Residential Line
FRS	Functional Requirements Specification
FSPOI	Facilities Signaling Point of Interconnection
GSST	General Subscriber Services Tariff
GTT	Global Title Translation
HDSL	High-bit-rate Digital Subscriber Line
HFC	Hybrid Fiber Coax
HVAC	Heating/Ventilation/Air Conditioning

IAM	Initial Address Message
IBC	Initial Billing Company
ID	Remote Identifiers
IDLC	Integrated Digital Loop Carrier
IEEE	Institute of Electrical and Electronic Engineers
IITP	Internetwork Interoperability Test Plan
ILEC	Incumbent Local Exchange Carrier
INC	Industry Numbering Committee
INP	Interim Number Portability
IOF	Interoffice Facility
IP	Internet Protocol
IPP	Independent Payphone Provider
ISDN	Integrated Services Digital Network
ISDNUP	Integrated Services Digital Network User Part
ISNI	Intermediate Signaling Network Identifier
ISP	Internet Service Provider
ISUP	Integrated Services User Part
ITU	International Telecommunications Union
IVS	Interactive Voice Subsystem
IVMS	Interswitch Voice Messaging Service
IXC	Interexchange Carrier
JIA	Joint Implementation Agreement
JIP	Jurisdiction Information Parameter
LATA	Local Access Transport Area
LCC	Line Class Code
LCSC	Local Carrier Service Center
LEC	Local Exchange Carrier
LENS	Local Exchange Navigation System
LERG	Local Exchange Routing Guide
LGX	Lightguide Cross-Connect
LIDB	Line Information Database
LNP	Local Number Portability
LPIC	Local (IntraLata) Primary Exchange Carrier
LRN	Local Routing Number
LRN-LNP	Local Routing Number-Local Number Portability
LRN-PNP	Local Routing Number-Permanent Number Portability
LSR	Local Service Request
LSSGR	LATA Switching Systems Generic Requirements
MDF	Main Distribution Frame
MDU	Multiple Dwelling Unit
MECAB	Multiple Exchange Carrier Access Billing
MECOD	Multiple Exchange Carrier Ordering and Design
MF	Multi-Frequency
MLT	Mechanized Loop Tests
MPB	Meet-Point Billing

MPOE	Minimum Point of Entry
MRVT	MTP Routing Verification Test
MSAG	Master Street Address Guide
MTA	Multiple Tandem Access
MTP	Message Transfer Port
MTTR	Mean Time to Repair
MWI	Message Waiting Indicator
NANC	North American Numbering Council
NAV	Network Applications Vehicle
NC	Network Cable
NEBS	Network Equipment Building System
NEC	National Electrical Code
NECA	National Exchange Carrier Association
NESC	National Electrical Safety Code
NGDLC	Next Generation Digital Loop Carrier
NICS	Non-Intercompany Settlement System
NID	Network Interface Device
NIU	Network Interface Unit
NPA	Numbering Plan Area
NPAC	Number Portability Administration Center
NRC	Non-recurring Charge
NTW	Network Terminating Wire
NXX	Three-Digit Central Office Code (N=2-9, X=0-9)
OAM	Operation and Maintenance
OAM&P	Operations Administration Maintenance & Provisioning
OBF	Ordering and Billing Forum
OC	Order Coordination
OC-TS	Order Coordination Time Specific
OC-N	Optical Circuit – (Number)
OCN	Operating Company Number
OSHA	Occupational Safety and Health Act
ODUF	Optional Daily Usage File
OLI	Originating Line Information
OMAP	Operations, Maintenance & Administration Part
ORT	Operational Readiness Test
OS	Operator Services
OSS	Operational Support Systems
OTS	Operator Transfer Service
PBX	Private Branch Exchange
PCBs	Polychlorinated biphenyls
PDH	Plesiochronous Digital Hierarchy
PIC	Primary Interexchange Carrier
PIN	Personal Identification Number
PIU	Percent Interstate Usage
PLU	Percent Local Usage

PNP	Permanent Number Portability
POI	Point of Interface
POI	Points of Interconnection
PON	Purchase Order Number
POP	Point of Presence
POT	Point of Termination
POTS	Plain Old Telephone Service
PSAP	Public Safety Answering Point
PSTN	Public Switched Telecommunications Network
PUC	Public Utilities Commission
RACF	Remote Access Call Forwarding
RAO	Revenue Accounting Office
RCF	Remote Call Forwarding
RCRA	Resource Conservation and Recovery Act
RI	Route Index
RIC	Residual Interconnection Charges
RI-PH	Route Index - Portability Hub
ROW	Right of Way
RSAG	Regional Street Address Guide
RSM	Remote Switch Module
RT	Remote Terminal
SAG	Street Address Guide
SBC	Subsequent Billing Company
SCCP	Signaling Connection Control Point
SCE	Service Creation Environment
SCE/SMS	Service Creation Environment and Service Management System
SCP	Service Control Points
SDH	Synchronous Digital Hierarchy
SEC LOC	Secondary Location
SECAB	Small Exchange Carrier Access Billing
SIC	Standard Industrial Code
SL1	Service Level One
SL2	Service Level Two
SMDI	Simplified Message Desk Interface
SMDI-E	Simplified Message Desk Interface - Enhanced
SMS	Service Management System
SONET	Synchronous Optical Network
SP	Signaling Point
SPID	Service Profile Identifier
SPNP	Service Provider Number Portability
SPNP-RCF	Service Provider Number Portability-Remote Call Forwarding
SPNP-LERG	Service Provider Number Portability-Local Exchange Routing Guide

SPNP-DID	Service Provider Number Portability-Direct Inward Dialing
SPNP-RI	Service Provider Number Portability-Route Indexing
SPOC	Single Point of Contact
SPOI	Signaling Point of Interconnection
SRVT	SCCP Routing Verification Test
SS7	Signaling System 7
SSP	Switching Service Point
STP	Signaling Transfer Point
STPS	Signaling Transfer Point Switch
STS	Synchronous Transport Signal
SWA	Interexchange Carrier Switched Access
TAFI	Trouble Analysis Facilitation Interface
TAG	Telecommunications Access Gateway
TC	Transaction Code
TCAP	Transaction Capabilities Application Port
TELRIC	Total Element Long Run Incremental Cost
TGSR	Trunk Group Service Request
TIA/EIA	Telecommunications Industries Association/Electronic Industries Association
TLN	Telephone Line Number
TNS	Transit Network Selection
TOPS	Traffic Operator Position System
TR	Technical Requirements
TS	Tandem Switching
TSGR	Transport System Generic Requirements
UCL	Unbundled Copper Loop
UDL	Unbundled Digital Loop
UDLC	Universal Digital Loop Carrier
UNE	Unbundled Network Element
USL	Unbundled Subloop
USLC	Unbundled Subloop Concentration System
USOC	Universal Service Order Code
UVL	Unbundled Voice-grade Loop
V&H	Vertical and Horizontal
WTN	Working Telephone Number
xDSL	Digital Subscriber Line

ATTACHMENT 12
NETWORK SECURITY

NETWORK SECURITY

1. NETWORK SECURITY – PROTECTION OF SERVICE AND PROPERTY

- 1.1 BellSouth agrees to take reasonable and prudent steps to ensure adequate protection of AT&T property located with BellSouth Premises including, but not limited to:
 - 1.1.1 Controlling all approved system and modem access through security servers. Access to, or connection with, a network element shall be established through a secure network or security gateway and/or firewall. Dial-up access to modems connected to network entry points must be protected by individual authentication of the user, e.g., via Network Access passwords, smart cards, tokens;
 - 1.1.2 A security software package will be used, or at a minimum, perform manual checks that monitor user and machine integrity and confidentiality, such as password assignment and aging, directory and permission configuration, and system accounting data; and
 - 1.1.3 Maintain accurate and complete records detailing the individual data connections and systems to which they have granted the other party access or interface privileges. These records will include, but are not limited to, login identification, user request records, system configuration, time limits of user access or system interfaces.

Attachment 13
BAPCO AGREEMENT

AGREEMENT

In consideration of the mutual promises contained herein, BellSouth Advertising & Publishing Corporation, a Georgia Corporation ("BAPCO") and AT&T Communications of the Southern States, Inc., a New York corporation, and AT&T Communications of the South Central States, Inc., a Delaware corporation, and TCG Ohio (herein, collectively "AT&T") agree as follows:

1. **RECITALS.** BAPCO is the publisher of alphabetical and classified directories for certain communities in the southeastern region of the U.S. (the "Directories"). AT&T provides local exchange telephone service in communities in which BAPCO publishes Directories. BAPCO and AT&T hereby establish the terms by which BAPCO will include listings of AT&T customers in such Directories and by which BAPCO will provide such Directories to AT&T customers. BAPCO agrees that it will provide to AT&T services that are at least equal in quality to those services provided to other telecommunications carriers generally, and consistent with BAPCO's internal standards.
2. **AUTHORITY.** BAPCO assumes the authority and agrees to perform the obligations delegated to it by its affiliate, BellSouth Telecommunications, Inc. ("BellSouth") in Section 20 of the General Terms and Conditions Interconnection Agreement dated _____ between AT&T and BellSouth.
3. **AT&T OBLIGATIONS.** AT&T agrees as follows:
 - (a) AT&T shall provide to BAPCO, or its designee, at AT&T's expense and at no charge, listing information concerning its subscribers (designating any who do not desire published listings), consisting of customer name, address, telephone number and all other information reasonably requested by BAPCO, including disconnect information, as set forth on Exhibit A for use by BAPCO or its affiliates or agents in publishing Directories. **AT&T PROPOSAL - BAPCO may not use AT&T subscriber listing information to include in any electronic directory without the written authorization of AT&T.** Such customer listing information shall be provided in the format set forth in Exhibit A, or as otherwise mutually agreed between the parties from time to time.
 - (b) AT&T shall also provide directory delivery information to BAPCO, or its designee, as set forth in Exhibit A for all AT&T customers.
 - (c) AT&T shall advise BAPCO, or its designee, promptly of any directory-related inquiries, requests or complaints which it may receive from

AT&T customers and shall provide reasonable cooperation to BAPCO in response to or resolution of the same.

(d) AT&T shall respond promptly regarding corrections or queries raised by BAPCO to process listing changes requested by customers.

4. **BAPCO OBLIGATIONS.**

(a) BAPCO shall include at no charge to AT&T or AT&T's customers one standard listing for each AT&T customer per line or per hunting group in BAPCO's appropriate local alphabetical Directory as published periodically by BAPCO unless nonlisted or unpublished status is designated by customers. Such listings shall be interfiled with the listings of other local exchange telephone company customers and otherwise published in the manner of such other listings in accordance with and subject to BAPCO's generally applicable publishing policies described in Section 5 below, without designation or differentiation as to the subscriber's exchange carrier.

(b) BAPCO shall publish additional listings, foreign listings and all other alphabetical Directory listings offered by BellSouth for AT&T customers upon their request, consistent with BAPCO's publishing policies described in Section 5 below, in BAPCO's alphabetical Directories. BAPCO shall publish all listings for all AT&T's customers in an identical manner and upon the same terms and conditions described in Section 5 below.

(c) BAPCO will distribute its regularly published alphabetical and classified Directories to local AT&T customers on the same basis that BAPCO delivers Directories generally to BellSouth's, its affiliates or other CLEC's customers, and in accordance with BAPCO's prevailing practices, including delivery following Directory publication and upon establishment of new AT&T service, if a current Directory for that geographic area has not previously been provided.

(d) BAPCO shall make available recycling services for Directories to AT&T customers under the same terms and conditions that BAPCO makes such services available to other BAPCO directory customers.

(e) BAPCO will include for AT&T, in the customer guide section of the Directory, **(AT&T PROPOPSAL - not less than a one-half page of information about AT&T services, including addresses and telephone numbers for AT&T customer service and AT&T's logo in the same manner as that included for all other carriers)**, information relating to establishment of service,

repair and billing in the generic customer guide pages of its alphabetical Directories. AT&T will provide information requested by BAPCO for such purposes on a timely basis. Any change or modification to the content AT&T provides to BAPCO for inclusion in the customer guide section of the Directory shall be approved by AT&T in advance.

(f) BAPCO shall make available at no charge to AT&T or its customers one listing for each AT&T business customer's primary listing in one appropriate heading in the applicable local classified directory as published periodically by BAPCO. Such listings shall be published according to BAPCO's publishing policies as described in Section 5 below.

(g) BAPCO shall solicit, accept and publish directory advertising from business customers of AT&T in communities for which BAPCO publishes classified Directories in the same manner and upon the same terms as it solicits, accepts and publishes advertising from advertisers who are not AT&T customers. Except for customer information actually published in a Directory, BAPCO shall not use any customer information provided to it by AT&T for the solicitation of business for other carriers.

(h) BAPCO shall not provide listing information relating to AT&T customers to other local exchange service providers or independent directory publishers without AT&T approval, except as may be required in relation to this Agreement or as otherwise required by law.

5. **PUBLISHING POLICIES.** BAPCO shall maintain full authority over its publishing schedules, policies, standards, and practices and over the scope and publishing schedules of its Directories. BAPCO shall periodically provide AT&T, with prompt and timely notice of changes to BAPCO's publishing policies that in BAPCO's judgment could reasonably be expected to affect AT&T's conduct and performance of its obligations under this Agreement that support BAPCO's publishing of listings for AT&T's customers. **(AT&T PROPOSAL - Such periodic notice of changes shall be provided at least sixty (60) days before they become effective.)** Such policy updates shall include, without limitation, the subjects described in Exhibit B

6. **LIABILITY AND INDEMNITY.**

(a) AT&T agrees to defend, indemnify and hold harmless BAPCO from all damages, claims, suits, losses or expenses, including without limitation reasonable costs and attorneys' fees, arising out of or resulting from any error in or omission of any residential or business listing for customers of AT&T to the

extent such error or omission is caused by AT&T's failure to provide accurate customer information to BAPCO.

(b) BAPCO agrees to defend, indemnify and hold harmless AT&T from all damages, claims, suits, losses or expenses, including without limitation reasonable costs and attorneys' fees arising out of or resulting from: (i) any error in or omission of any paid advertising for customers of AT&T other than those errors caused by AT&T's failure to provide accurate customer information to BAPCO; provided, however, that BAPCO agrees that, where permitted by law, its advertising contracts with AT&T's customers shall limit liability of BAPCO and AT&T for errors and omissions to a rebate of advertising charges for the advertising containing the error or omission (inclusion of such limitation of AT&T's liability to be undertaken in BAPCO's normal course of business); or (ii) any error in or omission of any business listing for customers of AT&T to the extent such error or omission is caused by BAPCO's failure to publish correctly such customer information provided by AT&T; provided, however, that notwithstanding the foregoing, BAPCO's liability to AT&T for any claims relating to or arising from errors in or omissions of residential customers listings shall be limited to One Dollar (\$1.00) for each such claim.

(c) Except as provided above each party agrees to defend, indemnify and hold harmless the other from damages, claims, suits, losses or expenses, including without limitation reasonable costs and reasonable attorney's fees, to the extent of such party's relative fault, arising out of or resulting from any error, omission or act of such party hereunder. Each party shall notify in writing the other promptly of any act or omission which may give rise to a claim hereunder, and of any claim or suit arising hereunder. Each party shall provide reasonable and timely cooperation in its resolution of any claim or lawsuit arising hereunder. Without waiver of any rights hereunder, the indemnified party may at its expense undertake its own defense in any such claim or suit.

(d) Notwithstanding anything in this Section 5 to the contrary, in no event shall either party be liable to the other or to any third party for any special, incidental or consequential damages or any loss of profits.

(e) AT&T agrees to include in any local service tariff it files a provision limiting its liability and that of BAPCO, for any claims relating to directory listings or advertisements, to the customers cost of local service or to the charge for any such listing, whichever is less.

7. **TERM.** This Agreement shall be effective on the date of the last signature hereto and shall remain in effect for a term of three years, concurrent with the

Interconnection Agreement dated _____ between AT&T and BellSouth, and shall relate to Directories published by BAPCO during such period. Thereafter, it shall continue in effect unless terminated by either party upon sixty (60) days prior written notice.

8. **ASSIGNMENT.** This Agreement shall be binding upon any successors or assigns of the parties during its term.

9. **RELATIONSHIP OF THE PARTIES.** This Agreement does not create any joint venture, partnership or employment relationship between the parties or their employees, and the relationship between the parties shall be that of an independent contractor. There shall be no intended third party beneficiaries to this Agreement.

10. **NONDISCLOSURE**

(a) During the term of this Agreement it may be necessary for the parties to provide each other with certain information ("Information") considered to be private or proprietary. The recipient shall protect such Information from distribution, disclosure or dissemination to anyone except its employees or contractors with a need to know such Information in conjunction herewith, except as otherwise authorized in writing. All such Information shall be in writing or other tangible form and clearly marked with a confidential or proprietary legend. Information conveyed orally shall be designated as proprietary or confidential at the time of such oral conveyance and shall be reduced to writing within forty-five (45) days.

(b) The parties will not have an obligation to protect any portion of Information which: (1) is made publicly available lawfully by a nonparty to this Agreement; (2) is lawfully obtained from any source other than the providing party; (3) is previously known without an obligation to keep it confidential; (4) is released by the providing party in writing; or (5) commencing two (2) years after the termination date of this Agreement if such Information is not a trade secret under applicable law.

(c) Each party will make copies of the Information only as necessary for its use under the terms hereof, and each such copy will be marked with the same proprietary notices as appear on the originals. Each party agrees to use the Information solely in support of this Agreement and for no other purpose.

11. **FORCE MAJEURE.** Neither party shall be responsible to the other for any delay or failure to perform hereunder to the extent caused by fire, flood,

explosion, war, strike, riot, embargo, governmental requirements, civic or military authority, act of God, or other similar cause beyond its reasonable control. Each party shall use best efforts to notify the other promptly of any such delay or failure and shall provide reasonable cooperation to ameliorate the effects thereof.

12. **PUBLICITY.** Neither party shall disclose the terms of this Agreement nor use the trade names or trademarks of the other without the prior express written consent of the other.

13. **REPRESENTATIVES AND NOTICES.**

(a) Each party shall name one or more representatives for contacts between the parties which shall be authorized to act on its behalf. Such representatives may be changed from time to time upon written notice to the other party.

(b) Notices required by law or under this Agreement shall be given in writing by hand delivery, certified or registered mail, or by facsimile followed by certified or registered mail, addressed to the named representatives of the parties with copies to:

If to BAPCO:	Director-LEC/BST Interface BellSouth Advertising & Publishing Corporation Room 270 59 Executive Park South Atlanta, GA 30329
With Copy to:	Vice President and General Counsel BellSouth Advertising & Publishing Corporation Room 430 59 Executive Park South Atlanta, GA 30329
If to AT&T:	Bill C. Peacock Director – Local Services & Access Management Room 12254 1200 Peachtree St., N.E. Atlanta, GA 30309

With Copy to:

Roxanne Douglas
Chief Commercial Attorney
Suite 8100
1200 Peachtree St., NE
Atlanta, GA 30309

14. **MISCELLANEOUS.** This Agreement represents the entire Agreement between the parties with respect to the subject matter hereof and supersedes any previous oral or written communications, representations, understandings, or agreements with respect thereto. It may be executed in counterparts, each of which shall be deemed an original. All prior and contemporaneous written or oral agreements, representations, warranties, statements, negotiations, and / or understandings by and between the parties, whether express or implied, are superseded, and there are no representations or warranties, either oral or written, express or implied, not herein contained. This Agreement shall be governed by the laws of the state of Georgia.

IN WITNESS WHEREOF, the parties have executed this Agreement by their duly authorized representatives in one or more counterparts, each of which shall constitute an original, on the dates set forth below.

BellSouth Advertising &
Publishing Corporation

AT&T Communications of
the Southern States, Inc.

By: _____

By: _____

Title: _____

Title: _____

Date: _____

Date: _____

AT&T Communications of the
South Central States, Inc. and
TCG Ohio

By: _____

Title: _____

Date: _____

EXHIBIT A**ACCOUNT INFORMATION SECTION** (Items in this section are mandatory)

1. **Main Telephone Number**: Main line of telephone service that all other numbers are associated to. (Area Code/NXX/Line Numbers)
2. **Published Telephone Number**: Telephone number to appear in the directory.
3. **Old Telephone Number**: If the number is changing, enter the OLD Telephone Number.
4. **Type of Directory Service**: Bus (Business) or Res (Residence)
5. **Order Type**: N – New connect order; D – Disconnect service order; C – Change of listings; R – Directory delivery only.
6. **Due Date**: Date that service is requested.
7. **Carrier name**: The name of the local exchange AT&T and operating company code.
8. **Carrier Number**: Operating Company Number.

PRIMARY LISTING INFORMATION SECTION (Items in this section are mandatory)

9. **Listed Name**: The way the listing is to appear in the directory. (maximum 1000 characters – including spaces) Caption arrangements should be formatted per guidelines. Non-Pub or Non-List situations should be indicated.
10. **Listed Address**: Current address may include street number – street name, city, state, and zip code. (Note: P.O. Box or Route not acceptable). Omitted address shown as (OAD). (maximum 250 characters)
11. **Service Address**: Physical location of the telephone.
12. **Community Name**: The name of the community where the listing appears. (i.e.: the Atlanta Directory may have a Community name of Buckhead).
13. **Zip code**: 5 or 9 character code.

14. **Yellow Pages Heading:** The Yellow Page heading where customer wants his listing to appear. (Valid for Business Primary Listings only).
15. **Directory Name:** Name of the directory where Customer desires listing to appear (including town section if applicable). If consistent with existing central office and directory configuration, listing will be included. If different, a Foreign Listing will be charged. Directory appearance entitled free is based on the central office prefix. Entitlement for appearance in other directories will be at the rate of a Foreign Listing (FL).

BILLING INFORMATION SECTION (Items in this section are requested but optional)

16. **Billing:** Name to appear on bill.
17. **Billing Address:** Street number, street name, city, state, zip.
18. **Contact Telephone Number:** Telephone number to contact regarding billing.
19. **Responsible Person:** Owner's name or partners' names or 2 corporate officers.
20. **Type of Ownership:** Sole owner; Partnership or Corporation.
21. **Tax ID Number or Social Security Number:** If sole owner, must have social security number.

DIRECTORY DELIVERY INFORMATION SECTION (Items in this section are mandatory)

22. **Name:** Personal or business name.
23. **Delivery Address:** Street number, street name, city, state, zip code of where directories are to be delivered.
24. **Directory (Book ID):** Bolt code of the directory/
25. **Number of books now:** for immediate delivery/replacement.
26. **Number of books annually:** 0-3 residence, 0-5 business, then negotiated.

REMARKS SECTION (As Required)

27. **Remarks:** Free flow field used by AT&T for any additional information.

Exhibit B

BAPCO Deliverables¹

Publication Schedules

BAPCO will provide to AT&T an **electronic [OPEN BELLSOUTH]** copy of the publication schedules for all directories within the areas served by the AT&T. This schedule will include the name of the directory, the directory bolt code, the business office close date and the issue date. The business office close date represents the last day to receive activity for appearance in the subsequent directory. This date also represents the close date for advertising activity into the Yellow Pages.

The issue date represents the mid point of delivery of the new directory and the date at which new directory billing will begin for the directory being delivered. The length of the delivery period will vary depending upon the size of directory.

Yellow Pages Headings

BAPCO will provide an electronic version of the Yellow Pages Heading file which will include all Yellow Pages headings allowed by BAPCO, the Yellow Pages heading code and the associated SIC code. This material would be utilized to assist the business customer in identifying where they would like representation in BAPCO's classified Yellow Pages directories.

Coverage Maps

BAPCO will provide a coverage map for its major directories identifying broadly the geographic area served by the major directory. These maps will be provided only for the major directories in the area served by AT&T.

Central Office Table

BAPCO will provide two electronic versions of what is called the ABC table. Version 1 of this report, identifies by NPA and in sequence by central office in which directory a customer is entitled to appear. Version 2 of this report reflects the directory name and all central offices appearing within that directory.

Listing Specifications

¹ Information will be provided on disk on standard Microsoft Word Format or via Internet download.

BAPCO will provide a condensed electronic version of listing specifications reflecting the rules and regulations regarding listing appearance in both the white and yellow pages.

Abbreviation Table

BAPCO will provide an electronic copy of the standard abbreviations utilized for given names, titles of address, titles of lineage, military titles, degrees and professional affiliations standards. This information can be used to assist in effectively processing various listed name requests.

Foreign Directory Name Table

BAPCO will provide a list of all foreign directory names to be used in the processing of foreign listing requests. This field is a required element in the establishment of foreign listings.

Customer Guide Pages Appearance Procedures

BAPCO will provide free listing appearance under the areas of Establishing Service, Billing and Repair in the Customer Guide Section of the White Pages for directories where a AT&T operates. These procedures identify how to get your listing to appear and procedures for purchasing LEC specific pages.

ATTACHMENT 14

ALTERNATIVE DISPUTE RESOLUTION

TABLE OF CONTENTS

ALTERNATIVE DISPUTE RESOLUTION

1. Purpose 3

2. Exclusive Remedy 3

3. Informal Resolution of Disputes..... 3

4. Initiation of an Arbitration..... 4

5. Governing Rules for Arbitration 4

6. Appointment and Removal of Arbitrators for Non-Service-Affecting Disputes..... 4

7. Duties and Powers of the Arbitrators 5

8. Discovery and Proceedings 5

9. Resolution of Service-Affecting Disputes..... 6

10. Privileges 8

11. Location of Hearing 8

12. Decision..... 8

13. Fees 9

14. Confidentiality 9

15. Service of Process..... 9

ALTERNATIVE DISPUTE RESOLUTION

1. Purpose
 - 1.1 Attachment 14 provides for the expeditious, economical, and equitable resolution of disputes between BellSouth and AT&T arising under this Agreement.
2. Exclusive Remedy
 - 2.1 Negotiation and arbitration under the procedures provided herein shall be the exclusive remedy for all disputes between BellSouth and AT&T arising under or related to this Agreement including its breach, except for: (i) disputes arising pursuant to Attachment 6, Connectivity Billing; and (ii) disputes or matters for which the Telecommunications Act of 1996 specifies a particular remedy or procedure. Except as provided herein, BellSouth and AT&T hereby renounce all recourse to litigation and agree that the award of the arbitrators shall be final and subject to no judicial review, except on one or more of those grounds specified in the Federal Arbitration Act (9 USC §§ 1 et seq.), as amended, or any successor provision thereto. The exclusive remedy set forth in this Section shall in no way limit either Party's right to bring a claim in another forum arising under Federal or state laws or statutes, including but not limited to any antitrust claim. (AT&T 12/9/99)
 - 2.1.1 If, for any reason, certain claims or disputes are deemed to be non-arbitrable, the non-arbitrability of those claims or disputes shall in no way affect the arbitrability of any other claims or disputes.
 - 2.1.2 If, for any reason, the Federal Communications Commission or any other federal or state regulatory agency exercises jurisdiction over and decides any dispute related to this Agreement or to any BellSouth tariff and, as a result, a claim is adjudicated in both an agency proceeding and an arbitration proceeding under this Attachment 14, the following provisions shall apply:
 - 2.1.2.1 To the extent required by law, the agency ruling shall be binding upon the Parties for the limited purposes of regulation within the jurisdiction and authority of such agency.
 - 2.1.2.2 The arbitration ruling rendered pursuant to this Attachment 14 shall be binding upon the Parties for purposes of establishing their respective contractual rights and obligations under this Agreement, and for all other purposes not expressly precluded by such agency ruling.
3. Informal Resolution of Disputes

- 3.1 The Parties to this Agreement shall submit any and all disputes between BellSouth and AT&T for resolution to an Inter-Company Review Board consisting of one representative from AT&T at the Director-or-above level and one representative from BellSouth at the Vice-President-or-above level (or at such lower level as each Party may designate).
- 3.2 The Parties may enter into a settlement of any dispute at any time.
4. Initiation of an Arbitration
- 4.1 Except for Disputes Affecting Service, if the Inter-Company Review Board is unable to resolve the dispute within thirty (30) days (or such longer period as agreed to in writing by the Parties) of such submission, and the Parties have not otherwise entered into a settlement of their dispute, either Party may initiate an arbitration in accordance with the CPR Institute for Dispute Resolution ("CPR") Rules for Non-Administered Arbitration and business disputes ("the CPR Rules").
- 4.2 If the Inter-Company Review Board provided for in Section 3 of this Attachment 14 is unable to resolve a Dispute Affecting Service within two (2) business days (or such longer period as agreed to in writing by the Parties) of such submission, and the Parties have not otherwise entered into a settlement of their dispute, either Party, may, through its representative on the Inter-Company Review Board, request arbitration of what in good faith is believed to be a Dispute Affecting Service in accordance with the requirements of Section 9 of this Attachment 14, with the consent of the other party, which consent shall not be unreasonably withheld. Any dispute not resolved in accordance with Section 9 of this Attachment 14 shall be resolved as if it were not a Dispute Affecting Service.
5. Governing Rules for Arbitration
- 5.1 The rules set forth below and the CPR Rules shall govern all arbitration proceedings initiated pursuant to this Attachment; however, such arbitration proceedings shall not be conducted under the auspices of the CPR Rules unless the Parties mutually agree. Where any of the rules set forth herein conflict with the rules of the CPR Rules, the rules set forth in this Attachment shall prevail.
6. Appointment and Removal of Arbitrators for the Disputes other than the Disputes Affecting Service Process
- 6.1 Each arbitration conducted pursuant to this Section shall be conducted before a panel of three Arbitrators, each of whom shall meet the qualifications set forth herein. Each Arbitrator shall be impartial, shall not have been employed by or affiliated with any of the Parties hereto or any of their respective

Affiliates and shall possess substantial legal, accounting, telecommunications, business or other professional experience relevant to the issues in dispute in the arbitration as stated in the notice initiating such proceeding. The panel of arbitrators shall be selected as provided in the CPR Rules.

- 6.2 The Parties may, by mutual written agreement, remove an Arbitrator at any time, and shall provide prompt written notice of removal to such Arbitrator.
- 6.3 In the event that an Arbitrator resigns, is removed pursuant to Section 6.2 of this Attachment 14, or becomes unable to discharge his or her duties, the Parties shall, by mutual written Agreement, appoint a replacement Arbitrator within thirty (30) days after such resignation, removal, or inability, unless a different time period is mutually agreed upon in writing by the Parties. Any matters pending before the Arbitrator at the time he or she resigns, is removed, or becomes unable to discharge his or her duties, will be assigned to the replacement Arbitrator as soon as the replacement Arbitrator is appointed.

7. Duties and Powers of the Arbitrators

- 7.1 The Arbitrators shall receive complaints and other permitted pleadings, oversee discovery, administer oaths and subpoena witnesses pursuant to the United States Arbitration Act, hold hearings, issue decisions, and maintain a record of proceedings. The Arbitrators shall have the power to award any remedy or relief that a court with jurisdiction over this Agreement could order or grant, including, without limitation, the awarding of damages, pre-judgment interest, specific performance of any obligation created under the Agreement, issuance of an injunction, or imposition of sanctions for abuse or frustration of the arbitration process, except that the Arbitrators may not: (i) award punitive damages; (ii) or any remedy rendered unavailable to the Parties pursuant to Section 10.3 of the General Terms and Conditions of the Agreement; or (iii) limit, expand, or otherwise modify the terms of this Agreement.

8. Discovery and Proceedings

- 8.1 BellSouth and AT&T shall attempt, in good faith, to agree on a plan for discovery. Should they fail to agree, either BellSouth or AT&T may request a joint meeting or conference call with the Arbitrators. The Arbitrators shall resolve any disputes between BellSouth and AT&T, and such resolution with respect to the scope, manner, and timing of discovery shall be final and binding.
- 8.2 The Parties shall facilitate the arbitration by: (i) making available to one another and to the Arbitrators, on as expedited a basis as is practicable, for examination, deposition, inspection and extraction all documents, books, records and personnel under their control if determined by the Arbitrators to

be relevant to the dispute; (ii) conducting arbitration hearings to the greatest extent possible on successive days; and (iii) observing strictly the time periods established by the CPR Rules or by the Arbitrators for submission of evidence or briefs.

9. Resolution of Disputes Affecting Service

9.1 Purpose

9.1.1 This Section 9 describes the procedures for an expedited resolution of disputes between BellSouth and AT&T arising under this Agreement which directly affect the ability of a Party to provide uninterrupted, high quality services to its customers at the time of the dispute and which cannot be resolved using the procedures for informal resolution of disputes contained in this attachment of the Agreement.

9.2 Appointment and Removal of Arbitrator

9.2.1 A sole Arbitrator will preside over each dispute submitted for arbitration under this Section 9.

9.2.2 The Parties shall appoint three (3) Arbitrators who will serve for the term of this Agreement, unless removed pursuant to Section 9.2.3 of this Attachment 14. The appointment and the order in which Arbitrators shall preside over Disputes Affecting Service will be made by mutual agreement in writing within thirty (30) days after the Effective Date.

9.2.3 The Parties may, by mutual written agreement, remove an Arbitrator at any time, and shall provide prompt written notice of removal to such Arbitrator.

9.2.4 In the event that an Arbitrator resigns, is removed pursuant to Section 9.2.3 of this Attachment 14, or becomes unable to discharge his or her duties, the Parties shall, by mutual written Agreement, appoint a replacement Arbitrator within thirty (30) days after such resignation, removal, or inability, unless a different time period is mutually agreed upon in writing by the Parties. Any matters pending before the Arbitrator at the time he or she resigns, is removed, or becomes unable to discharge his or her duties, will be assigned to the Arbitrator whose name appears next in the alphabet.

9.3 Initiation of Disputes Affecting Service Process.

9.3.1 A proceeding for arbitration under this Section 9 will be commenced by a Party ("Complaining Party") after following the process provided for in Section 4 of this Attachment 14 by filing a complaint with the Arbitrator and simultaneously providing a copy to the other Party ("Complainant").

- 9.3.2 Each Complaint will concern only the claims relating to an act or failure to act (or series of related acts or failures to act) of a Party which affect the Complaining Party's ability to offer a specific service (or group of related services) to its customers.
- 9.3.3 A Complaint may be in letter or memorandum form and must specifically describe the action or inaction of a Party in dispute and identify with particularity how the complaining Party's service to its customers is affected.
- 9.4 Response to Complaint
 - 9.4.1 A response to the Complaint must be filed within five (5) business days after service of the Complaint.
- 9.5 Reply to Complaint
 - 9.5.1 A reply is permitted to be filed by the Complaining Party within three (3) business days of service of the response. The reply must be limited to those matters raised in the response.
- 9.6 Discovery
 - 9.6.1 The Parties shall cooperate on discovery matters as provided in Section 8 of this Attachment 14, but following expedited procedures.
- 9.7 Hearing
 - 9.7.1 The Arbitrator will schedule a hearing on the Complaint to take place within twenty (20) business days after service of the Complaint. However, if mutually agreed to by the Parties, a hearing may be waived and the decision of the Arbitrator will be based upon the papers filed by the Parties.
 - 9.7.2 The hearing will be limited to four (4) days, with each Party allocated no more than two (2) days, including cross examination by the other Party, to present its evidence and arguments. For extraordinary reasons, including the need for extensive cross-examination, the Arbitrator may allocate more time for the hearing.
 - 9.7.3 In order to focus the issues for purposes of the hearing, to present initial views concerning the issues, and to facilitate the presentation of evidence, the Arbitrator has the discretion to conduct a telephone prehearing conference at a mutually convenient time, but in no event later than three (3) days prior to any scheduled hearing.
 - 9.7.4 Each Party may introduce evidence and call witnesses it has previously identified in its witness and exhibit lists. The witness and exhibit lists must be furnished to the other Party at least three (3) days prior to commencement of

the hearing. The witness list will disclose the substance of each witness' expected testimony. The exhibit list will identify by name (author and recipient), date, title and any other identifying characteristics the exhibits to be used at the arbitration. Testimony from witnesses not listed on the witness list or exhibits not listed on the exhibit list may not be presented in the hearing.

9.7.5 The Parties will make reasonable efforts to stipulate to undisputed facts prior to the date of the hearing.

9.7.6 Witnesses will testify under oath and a complete transcript of the proceeding, together with all pleadings and exhibits, shall be maintained by the Arbitrator.

9.8 Decision

9.8.1 The Arbitrator will issue and serve his or her decision on the Parties within five (5) business days of the close of the hearing or receipt of the hearing transcript, whichever is later.

9.8.2 The Parties agree to take the actions necessary to implement the decision of the Arbitrator immediately upon receipt of the decision.

10. Privileges

10.1 Although conformity to certain legal rules of evidence may not be necessary in connection arbitrations initiated pursuant to this Attachment, the Arbitrators shall, in all cases, apply the attorney-client privilege and the work product immunity.

10.2 At no time, for any purposes, may a Party introduce into evidence or inform the Arbitrators of any statement or other action of a Party in connection with negotiations between the Parties pursuant to the Informal Resolution of Disputes provision of this Attachment 14.

11. Location of Hearing

11.1 Unless both Parties agree otherwise, any hearing under this Attachment 14 shall take place in Atlanta, Georgia.

12. Decision

12.1 The Arbitrator(s) decision and award shall be final and binding, and shall be in writing unless the Parties mutually agree to waive the requirement of a written opinion. Judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof. Either Party may apply to the United States District Court for the district in which the hearing occurred for an order enforcing the decision. Except for Disputes Affecting Service, the Arbitrators shall make their decision within ninety (90) days of the initiation of

proceedings pursuant to Section 4 of this Attachment, unless the Parties mutually agree otherwise.

13. Fees

13.1 The Arbitrator(s) fees and expenses that are directly related to a particular proceeding shall be paid by the losing Party. In cases where the Arbitrator(s) determines that neither Party has, in some material respect, completely prevailed or lost in a proceeding, the Arbitrator(s) shall, in his or her discretion, apportion expenses to reflect the relative success of each Party. Those fees and expenses not directly related to a particular proceeding shall be shared equally. In the event that the Parties settle a dispute before the Arbitrator(s) reaches a decision with respect to that dispute, the Settlement Agreement must specify how the Arbitrator(s)' fees for the particular proceeding will be apportioned.

13.2 In an action to enforce or confirm a decision of the Arbitrator(s), the prevailing Party shall be entitled to its reasonable attorneys' fees, expert fees, costs, and expenses.

14. Confidentiality

14.1 BellSouth, AT&T, and the Arbitrator(s) will treat any arbitration proceeding, including the hearings and conferences, discovery, or other related events, as confidential, except as necessary in connection with a judicial challenge to, or enforcement of, an award, or unless otherwise required by an order or lawful process of a court or governmental body.

14.2 In order to maintain the privacy of all arbitration conferences and hearings, the Arbitrator(s) shall have the power to require the exclusion of any person, other than a Party, counsel thereto, or other essential persons.

14.3 To the extent that any information or materials disclosed in the course of an arbitration proceeding contains proprietary or confidential information of either Party, it shall be safeguarded in accordance with Section 18 of the General Terms and Conditions of the Agreement. However, nothing in Section 18 of the General Terms and Conditions of the Agreement shall be construed to prevent either Party from disclosing the other Party's Information to the Arbitrator in connection with or in anticipation of an arbitration proceeding. In addition, the Arbitrators may issue orders to protect the confidentiality of proprietary information, trade secrets, or other sensitive information.

15. Service of Process

15.1 Except as provided in Section 9.3.1 of this Attachment 14, service may be made by submitting one copy of all pleadings and attachments and any other

documents requiring service to each Party and one copy to the Arbitrator. Service shall be deemed made (i) upon receipt if delivered by hand; (ii) after three (3) business days if sent by first class U.S. mail; (iii) the next business day if sent by overnight courier service; or (iv) upon confirmed receipt if transmitted by facsimile. If service is by facsimile, a copy shall be sent the same day by hand delivery, first class U.S. mail, or overnight courier service.

- 15.2 Service by AT&T to BellSouth and by BellSouth to AT&T at the address designated for delivery of notices in this Agreement shall be deemed to be service to BellSouth or AT&T, respectfully.