

DOC11R

**Case Management System - KY Public Service Commission***Regular Cases Before the Commission as of June 09, 2026***2022-00144**

RECEIVED: 05/19/22

FILED: 05/19/22

FINAL: 08/21/23

REOPENED:

SUSPENSION DATE:

CASE NATURE: Lebanon Road site; Springfield Highway, Springfield, Marion County, KY 40069

**CASE CODE**

Construct Cell Site - No P&amp;Z Commission

**UTILITIES:**

New Cingular Wireless PCS, LLC

**INDEX OF EVENTS:**

- 08/21/23 Final Order Entered: 1. Joint Applicants are granted a CPCN to construct a wireless telecommunications facility. The proposed facility consists of a tower not to exceed 207 feet in height, with attached antennas, to be located 4098 Springfield Highway, Springfield, Marion County, Kentucky. The coordinates for the proposed facility are North Latitude 37° 37' 55.60" by West Longitude 85° 16' 05.44". 2. Joint Applicants shall immediately notify the Commission in writing if, after the antenna tower is built and utility service is commenced, the tower is not used for three months in the manner authorized by this Order. 3. The letter of approval from KAZC must be filed within 30 days after Joint Applicants' receipt of approval. 4. Documents filed, if any, in the future pursuant to ordering paragraph 2 or 3 herein shall reference this case number and shall be retained in the post-case correspondence file. 5. This case is closed and removed from the Commission's docket.
- 06/23/23 David A. Pike, F. Keith Brown and Christopher J. Shouse New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a ATT Mobility and Harmoni Tower LLC Applicants Response to Data Request
- 06/06/23 COMMISSION STAFF'S FIRST REQUEST FOR INFORMATION TO NEW CINGULAR WIRELESS PCS, LLC, D/B/A AT&T MOBILITY, AND HARMONI TOWERS, LLC
- 05/19/23 Order Entered: SBA's motion to intervene is denied.
- 07/26/22 Order Entered: 1. AT&T Mobility and Harmoni Tower's motion for confidential treatment is granted. 2. The designated material granted confidential treatment by this Order shall not be placed in the public record or made available for public inspection for ten years or until further Order of this Commission. 3. Use of the designated material granted confidential treatment by this Order in any Commission proceeding shall comply with 807 KAR 5:001, Section 13(9). 4. AT&T Mobility shall inform the Commission if the designated material granted confidential treatment by this Order becomes publicly available or no longer qualifies for confidential treatment.
- 06/23/22 David A. Pike, F. Keith Brown and Christopher J. Shouse New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a ATT Mobility and Harmoni Tower LLC Filing of Affidavit in Support of Application with Motion for Confidential Treatment
- 06/22/22 David A. Pike, F. Keith Brown and Christopher J. Shouse New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a ATT Mobility and Harmoni Tower LLC Applicants' Sur-Reply to SBA Towers VII, LLC's Reply to Applicants' Response to Motion to Intervene
- 06/15/22 R. Brooks Herrick SBA Towers VII, LLC Reply in Support of Motion to Intervene
- 06/10/22 David A. Pike, F. Keith Brown and Christopher J. Shouse New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a ATT Mobility and Harmoni Tower LLC Response to SBA Towers VII, LLC's Motion to Intervene
- 06/03/22 R. Brooks Herrick SBA Towers VII, LLC Motion to Intervene
- 05/20/22 No deficiency letter
- 05/19/22 David A. Pike and Christopher J. Shouse New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a ATT Mobility and Harmoni Tower LLC Application for Certificate of Public Convenience and Necessity for Construction of a Wireless Communications Facility
- 05/18/22 Acknowledge Receipt of Filing
- 05/18/22 New Cingular Wireless PCS, LLC d/b/a AT&T Mobility Notice of Intent to File an Application for Issuance of a Certificate of Public Convenience and Necessity to Construct a Wireless Communications Facility in the Commonwealth of Kentucky in the County of Marion Using Electronic Filing Procedures